

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Mr. Erwin Kawata  
City & County of Honolulu  
630 South Beretania Street  
Public Service Bldg. Room 310  
Honolulu, Hawaii 96843

Generated 8/19/2026 6:48:07 PM

## JOB DESCRIPTION

RED-HILL  
Weekly: Halawa Shaft Viewing Pool

## JOB NUMBER

380-229310-1

# Eurofins Pomona

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Drinking Water and Wastewater West, LLC Project Manager.

## Compliance Statement

1. Laboratory is accredited in accordance with TNI 2016 Standards and ISO/IEC 17025:2017.
2. Laboratory certifies that the test results meet all TNI 2016 and ISO/IEC 17025:2017 requirements unless noted under the individual analysis
3. Test results relate only to the sample(s) tested.
4. This report shall not be reproduced except in full, without the written approval of the laboratory.
5. Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.  
(DW, Water matrices)

## Authorization



Authorized for release by  
Maria Lopez, Project Manager  
[Maria.Lopez@et.eurofinsus.com](mailto:Maria.Lopez@et.eurofinsus.com)  
(626)386-1145

Generated  
8/19/2026 6:48:07 PM

# Table of Contents

|                                  |    |
|----------------------------------|----|
| Cover Page . . . . .             | 1  |
| Table of Contents . . . . .      | 3  |
| Definitions/Glossary . . . . .   | 4  |
| Case Narrative . . . . .         | 5  |
| Detection Summary . . . . .      | 6  |
| Client Sample Results . . . . .  | 7  |
| Action Limit Summary . . . . .   | 11 |
| Surrogate Summary . . . . .      | 12 |
| QC Sample Results . . . . .      | 14 |
| QC Association Summary . . . . . | 29 |
| Lab Chronicle . . . . .          | 31 |
| Certification Summary . . . . .  | 32 |
| Method Summary . . . . .         | 34 |
| Sample Summary . . . . .         | 35 |
| Chain of Custody . . . . .       | 36 |
| Receipt Checklists . . . . .     | 38 |



## Definitions/Glossary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-229310-1  
SDG: Weekly: Halawa Shaft Viewing Pool

### Qualifiers

#### GC/MS Semi VOA

| Qualifier | Qualifier Description                                                                                          |
|-----------|----------------------------------------------------------------------------------------------------------------|
| F1        | MS and/or MSD recovery exceeds control limits.                                                                 |
| J         | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |

#### GC/MS Semi VOA TICs

| Qualifier | Qualifier Description                                                     |
|-----------|---------------------------------------------------------------------------|
| J         | Indicates an Estimated Value for TICs                                     |
| N         | Presumptive evidence of material.                                         |
| T         | Result is a tentatively identified compound (TIC) and an estimated value. |

### Glossary

| Abbreviation   | These commonly used abbreviations may or may not be present in this report.                                 |
|----------------|-------------------------------------------------------------------------------------------------------------|
| ☼              | Listed under the "D" column to designate that the result is reported on a dry weight basis                  |
| %R             | Percent Recovery                                                                                            |
| CFL            | Contains Free Liquid                                                                                        |
| CFU            | Colony Forming Unit                                                                                         |
| CNF            | Contains No Free Liquid                                                                                     |
| DER            | Duplicate Error Ratio (normalized absolute difference)                                                      |
| Dil Fac        | Dilution Factor                                                                                             |
| DL             | Detection Limit (DoD/DOE)                                                                                   |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC            | Decision Level Concentration (Radiochemistry)                                                               |
| EDL            | Estimated Detection Limit (Dioxin)                                                                          |
| LOD            | Limit of Detection (DoD/DOE)                                                                                |
| LOQ            | Limit of Quantitation (DoD/DOE)                                                                             |
| MCL            | EPA recommended "Maximum Contaminant Level"                                                                 |
| MDA            | Minimum Detectable Activity (Radiochemistry)                                                                |
| MDC            | Minimum Detectable Concentration (Radiochemistry)                                                           |
| MDL            | Method Detection Limit                                                                                      |
| ML             | Minimum Level (Dioxin)                                                                                      |
| MPN            | Most Probable Number                                                                                        |
| MQL            | Method Quantitation Limit                                                                                   |
| NC             | Not Calculated                                                                                              |
| ND             | Not Detected at the reporting limit (or MDL or EDL if shown)                                                |
| NEG            | Negative / Absent                                                                                           |
| POS            | Positive / Present                                                                                          |
| PQL            | Practical Quantitation Limit                                                                                |
| PRES           | Presumptive                                                                                                 |
| QC             | Quality Control                                                                                             |
| RER            | Relative Error Ratio (Radiochemistry)                                                                       |
| RL             | Reporting Limit or Requested Limit (Radiochemistry)                                                         |
| RPD            | Relative Percent Difference, a measure of the relative difference between two points                        |
| TEF            | Toxicity Equivalent Factor (Dioxin)                                                                         |
| TEQ            | Toxicity Equivalent Quotient (Dioxin)                                                                       |
| TNTC           | Too Numerous To Count                                                                                       |

# Case Narrative

Client: City & County of Honolulu  
Project: RED-HILL

Job ID: 380-229310-1

**Job ID: 380-229310-1**

**Eurofins Pomona**

## **Job Narrative 380-229310-1**

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

### **Receipt**

The samples were received on 8/6/2026 9:30 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 2.0°C.

### **GC/MS Semi VOA**

Method 625.1: The laboratory control sample (LCS) was performed in duplicate (LCSD) to provide precision data for this batch. Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate/sample duplicate (MS/MSD/DUP) associated with preparation batch 570-781280.

Method 625.1 SIM: The laboratory control sample (LCS) was performed in duplicate (LCSD) to provide precision data for this batch.

Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate/sample duplicate (MS/MSD/DUP) associated with preparation batch 570-781280.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### **Gasoline Range Organics**

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### **Diesel Range Organics**

Method 8015B: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with preparation batch 570-781645. The laboratory control sample (LCS) was performed in duplicate (LCSD) to provide precision data for this batch.

Method: 8015B\_LL\_CS

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Pomona

## Detection Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-229310-1  
SDG: Weekly: Halawa Shaft Viewing Pool

**Client Sample ID: HALAWA SHAFT VIEWING POOL**

**Lab Sample ID: 380-229310-1**

☐ No Detections.

**Client Sample ID: TB: HALAWA SHAFT VIEWING POOL**

**Lab Sample ID: 380-229310-2**

☐ No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Pomona

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16

# Client Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-229310-1  
SDG: Weekly: Halawa Shaft Viewing Pool

Client Sample ID: HALAWA SHAFT VIEWING POOL

Lab Sample ID: 380-229310-1

Date Collected: 08/04/26 09:30

Matrix: Water

Date Received: 08/06/26 09:30

## Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS)

| Analyte                          | Result  | Qualifier | RL     | Unit | D | Prepared       | Analyzed       | Dil Fac |
|----------------------------------|---------|-----------|--------|------|---|----------------|----------------|---------|
| 1-Methylnaphthalene              | <0.096  |           | 0.096  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| 2,4'-DDD                         | <0.096  |           | 0.096  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| 2,4'-DDE                         | <0.096  |           | 0.096  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| 2,4'-DDT                         | <0.096  |           | 0.096  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| 2,4-Dinitrotoluene               | <0.096  |           | 0.096  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| 2,6-Dinitrotoluene               | <0.096  |           | 0.096  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| 2-Methylnaphthalene              | <0.096  |           | 0.096  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| 4,4'-DDD                         | <0.096  |           | 0.096  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| 4,4'-DDE                         | <0.096  |           | 0.096  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| 4,4'-DDT                         | <0.096  |           | 0.096  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Acenaphthene                     | <0.096  |           | 0.096  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Acenaphthylene                   | <0.096  |           | 0.096  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Acetochlor                       | <0.096  |           | 0.096  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Alachlor                         | <0.048  |           | 0.048  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| alpha-BHC                        | <0.096  |           | 0.096  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| alpha-Chlordane                  | <0.048  |           | 0.048  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Anthracene                       | <0.019  |           | 0.019  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Atrazine                         | <0.048  |           | 0.048  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Benz(a)anthracene                | <0.048  |           | 0.048  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Benzo[a]pyrene                   | <0.019  |           | 0.019  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Benzo[b]fluoranthene             | <0.019  |           | 0.019  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Benzo[g,h,i]perylene             | <0.048  |           | 0.048  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Benzo[k]fluoranthene             | <0.019  |           | 0.019  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| beta-BHC                         | <0.096  |           | 0.096  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Bis(2-ethylhexyl) phthalate      | <0.58   |           | 0.58   | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Bromacil                         | <0.096  |           | 0.096  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Butachlor                        | <0.048  |           | 0.048  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Butylbenzylphthalate             | <0.48   |           | 0.48   | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Chlorobenzilate                  | <0.096  |           | 0.096  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Chloroneb                        | <0.096  |           | 0.096  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Chlorothalonil (Draconil, Bravo) | <0.096  |           | 0.096  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Chlorpyrifos                     | <0.048  |           | 0.048  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Chrysene                         | <0.019  |           | 0.019  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| delta-BHC                        | <0.096  |           | 0.096  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Di(2-ethylhexyl)adipate          | <0.58   |           | 0.58   | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Dibenz(a,h)anthracene            | <0.048  |           | 0.048  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Diclorvos (DDVP)                 | <0.048  |           | 0.048  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Dieldrin                         | <0.0096 |           | 0.0096 | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Diethylphthalate                 | <0.48   |           | 0.48   | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Dimethylphthalate                | <0.48   |           | 0.48   | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Di-n-butyl phthalate             | <0.96   |           | 0.96   | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Di-n-octyl phthalate             | <0.096  |           | 0.096  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Endosulfan I (Alpha)             | <0.096  |           | 0.096  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Endosulfan II (Beta)             | <0.096  |           | 0.096  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Endosulfan sulfate               | <0.096  |           | 0.096  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Endrin                           | <0.0096 |           | 0.0096 | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Endrin aldehyde                  | <0.096  |           | 0.096  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| EPTC                             | <0.096  |           | 0.096  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Fluoranthene                     | <0.096  |           | 0.096  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |

Eurofins Pomona

# Client Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-229310-1  
SDG: Weekly: Halawa Shaft Viewing Pool

Client Sample ID: HALAWA SHAFT VIEWING POOL

Lab Sample ID: 380-229310-1

Date Collected: 08/04/26 09:30

Matrix: Water

Date Received: 08/06/26 09:30

## Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

| Analyte                          | Result  | Qualifier | RL     | Unit | D | Prepared       | Analyzed       | Dil Fac |
|----------------------------------|---------|-----------|--------|------|---|----------------|----------------|---------|
| Fluorene                         | <0.048  |           | 0.048  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| gamma-Chlordane                  | <0.048  |           | 0.048  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Heptachlor                       | <0.0096 |           | 0.0096 | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Heptachlor epoxide (isomer B)    | <0.0096 |           | 0.0096 | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Hexachlorobenzene                | <0.048  |           | 0.048  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Hexachlorocyclopentadiene        | <0.048  |           | 0.048  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Indeno[1,2,3-cd]pyrene           | <0.048  |           | 0.048  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Isophorone                       | <0.096  |           | 0.096  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Lindane                          | <0.0096 |           | 0.0096 | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Malathion                        | <0.096  |           | 0.096  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Methoxychlor                     | <0.048  |           | 0.048  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Metolachlor                      | <0.048  |           | 0.048  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Molinate                         | <0.096  |           | 0.096  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Naphthalene                      | <0.096  |           | 0.096  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Parathion                        | <0.096  |           | 0.096  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Pendimethalin (Penoxaline)       | <0.096  |           | 0.096  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Phenanthrene                     | <0.038  |           | 0.038  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Propachlor                       | <0.048  |           | 0.048  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Pyrene                           | <0.048  |           | 0.048  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Simazine                         | <0.048  |           | 0.048  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Terbacil                         | <0.096  |           | 0.096  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Terbutylazine                    | <0.096  |           | 0.096  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Thiobencarb                      | <0.096  |           | 0.096  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Total Permethrin (mixed isomers) | <0.19   |           | 0.19   | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| trans-Nonachlor                  | <0.048  |           | 0.048  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Trifluralin                      | <0.096  |           | 0.096  | ug/L |   | 08/07/26 11:43 | 08/10/26 15:47 | 1       |

| Tentatively Identified Compound | Est. Result | Qualifier | Unit | D | RT | CAS No. | Prepared       | Analyzed       | Dil Fac |
|---------------------------------|-------------|-----------|------|---|----|---------|----------------|----------------|---------|
| Tentatively Identified Compound | None        |           | ug/L |   |    | N/A     | 08/07/26 11:43 | 08/10/26 15:47 | 1       |

| Surrogate          | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|--------------------|-----------|-----------|----------|----------------|----------------|---------|
| 2-Nitro-m-xylene   | 98        |           | 70 - 130 | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Perylene-d12       | 93        |           | 70 - 130 | 08/07/26 11:43 | 08/10/26 15:47 | 1       |
| Triphenylphosphate | 104       |           | 70 - 130 | 08/07/26 11:43 | 08/10/26 15:47 | 1       |

## Method: EPA 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

| Analyte               | Result | Qualifier | RL   | Unit | D | Prepared       | Analyzed       | Dil Fac |
|-----------------------|--------|-----------|------|------|---|----------------|----------------|---------|
| 1-Methylnaphthalene   | <0.20  |           | 0.20 | ug/L |   | 08/08/26 09:10 | 08/14/26 03:53 | 1       |
| 2-Methylnaphthalene   | <0.20  |           | 0.20 | ug/L |   | 08/08/26 09:10 | 08/14/26 03:53 | 1       |
| Acenaphthene          | <0.20  |           | 0.20 | ug/L |   | 08/08/26 09:10 | 08/14/26 03:53 | 1       |
| Acenaphthylene        | <0.20  |           | 0.20 | ug/L |   | 08/08/26 09:10 | 08/14/26 03:53 | 1       |
| Anthracene            | <0.20  |           | 0.20 | ug/L |   | 08/08/26 09:10 | 08/14/26 03:53 | 1       |
| Benzo[a]anthracene    | <0.20  |           | 0.20 | ug/L |   | 08/08/26 09:10 | 08/14/26 03:53 | 1       |
| Benzo[a]pyrene        | <0.20  |           | 0.20 | ug/L |   | 08/08/26 09:10 | 08/14/26 03:53 | 1       |
| Benzo[b]fluoranthene  | <0.20  |           | 0.20 | ug/L |   | 08/08/26 09:10 | 08/14/26 03:53 | 1       |
| Benzo[g,h,i]perylene  | <0.20  |           | 0.20 | ug/L |   | 08/08/26 09:10 | 08/14/26 03:53 | 1       |
| Benzo[k]fluoranthene  | <0.20  |           | 0.20 | ug/L |   | 08/08/26 09:10 | 08/14/26 03:53 | 1       |
| Chrysene              | <0.20  |           | 0.20 | ug/L |   | 08/08/26 09:10 | 08/14/26 03:53 | 1       |
| Dibenz(a,h)anthracene | <0.20  |           | 0.20 | ug/L |   | 08/08/26 09:10 | 08/14/26 03:53 | 1       |
| Fluoranthene          | <0.20  |           | 0.20 | ug/L |   | 08/08/26 09:10 | 08/14/26 03:53 | 1       |

Eurofins Pomona

# Client Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-229310-1  
SDG: Weekly: Halawa Shaft Viewing Pool

Client Sample ID: HALAWA SHAFT VIEWING POOL

Lab Sample ID: 380-229310-1

Date Collected: 08/04/26 09:30

Matrix: Water

Date Received: 08/06/26 09:30

## Method: EPA 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

| Analyte                | Result | Qualifier | RL   | Unit | D | Prepared       | Analyzed       | Dil Fac |
|------------------------|--------|-----------|------|------|---|----------------|----------------|---------|
| Fluorene               | <0.20  |           | 0.20 | ug/L |   | 08/08/26 09:10 | 08/14/26 03:53 | 1       |
| Indeno[1,2,3-cd]pyrene | <0.20  |           | 0.20 | ug/L |   | 08/08/26 09:10 | 08/14/26 03:53 | 1       |
| Naphthalene            | <0.20  |           | 0.20 | ug/L |   | 08/08/26 09:10 | 08/14/26 03:53 | 1       |
| Phenanthrene           | <0.20  |           | 0.20 | ug/L |   | 08/08/26 09:10 | 08/14/26 03:53 | 1       |
| Pyrene                 | <0.20  |           | 0.20 | ug/L |   | 08/08/26 09:10 | 08/14/26 03:53 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 2,4,6-Tribromophenol (Surr) | 98        |           | 28 - 127 | 08/08/26 09:10 | 08/14/26 03:53 | 1       |
| 2-Fluorobiphenyl (Surr)     | 77        |           | 31 - 120 | 08/08/26 09:10 | 08/14/26 03:53 | 1       |
| 2-Fluorophenol (Surr)       | 56        |           | 17 - 120 | 08/08/26 09:10 | 08/14/26 03:53 | 1       |
| Nitrobenzene-d5 (Surr)      | 88        |           | 27 - 120 | 08/08/26 09:10 | 08/14/26 03:53 | 1       |
| Phenol-d6 (Surr)            | 36        |           | 10 - 120 | 08/08/26 09:10 | 08/14/26 03:53 | 1       |
| p-Terphenyl-d14 (Surr)      | 75        |           | 45 - 120 | 08/08/26 09:10 | 08/14/26 03:53 | 1       |

## Method: EPA 625.1 - Semivolatile Organic Compounds (GC/MS)

| Tentatively Identified Compound | Est. Result | Qualifier | Unit | D | RT | CAS No. | Prepared       | Analyzed       | Dil Fac |
|---------------------------------|-------------|-----------|------|---|----|---------|----------------|----------------|---------|
| Tentatively Identified Compound | None        |           | ug/L |   |    | N/A     | 08/08/26 09:10 | 08/19/26 09:41 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 2,4,6-Tribromophenol (Surr) | 74        |           | 33 - 139 | 08/08/26 09:10 | 08/19/26 09:41 | 1       |
| 2-Fluorobiphenyl (Surr)     | 87        |           | 33 - 126 | 08/08/26 09:10 | 08/19/26 09:41 | 1       |
| 2-Fluorophenol (Surr)       | 51        |           | 12 - 120 | 08/08/26 09:10 | 08/19/26 09:41 | 1       |
| Nitrobenzene-d5 (Surr)      | 98        |           | 36 - 120 | 08/08/26 09:10 | 08/19/26 09:41 | 1       |
| Phenol-d6 (Surr)            | 29        |           | 10 - 120 | 08/08/26 09:10 | 08/19/26 09:41 | 1       |
| p-Terphenyl-d14 (Surr)      | 91        |           | 47 - 131 | 08/08/26 09:10 | 08/19/26 09:41 | 1       |

## Method: SW846 8015B GRO LL - Gasoline Range Organics - (GC)

| Analyte      | Result | Qualifier | RL | Unit | D | Prepared | Analyzed       | Dil Fac |
|--------------|--------|-----------|----|------|---|----------|----------------|---------|
| GRO (C6-C10) | <10    |           | 10 | ug/L |   |          | 08/08/26 20:44 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 97        |           | 38 - 134 |          | 08/08/26 20:44 | 1       |

## Method: SW846 8015B - Diesel Range Organics (DRO) (GC) Low Level

| Analyte                            | Result | Qualifier | RL | Unit | D | Prepared       | Analyzed       | Dil Fac |
|------------------------------------|--------|-----------|----|------|---|----------------|----------------|---------|
| Diesel Range Organics (C10-C24)    | <25    |           | 25 | ug/L |   | 08/09/26 16:45 | 08/15/26 22:18 | 1       |
| Motor Oil Range Organics [C24-C36] | <25    |           | 25 | ug/L |   | 08/09/26 16:45 | 08/15/26 22:18 | 1       |
| C8-C18                             | <25    |           | 25 | ug/L |   | 08/09/26 16:45 | 08/15/26 22:18 | 1       |

| Surrogate           | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|---------------------|-----------|-----------|----------|----------------|----------------|---------|
| n-Octacosane (Surr) | 105       |           | 60 - 130 | 08/09/26 16:45 | 08/15/26 22:18 | 1       |

Client Sample ID: TB: HALAWA SHAFT VIEWING POOL

Lab Sample ID: 380-229310-2

Date Collected: 08/04/26 09:30

Matrix: Water

Date Received: 08/06/26 09:30

## Method: SW846 8015B GRO LL - Gasoline Range Organics - (GC)

| Analyte      | Result | Qualifier | RL | Unit | D | Prepared | Analyzed       | Dil Fac |
|--------------|--------|-----------|----|------|---|----------|----------------|---------|
| GRO (C6-C10) | <10    |           | 10 | ug/L |   |          | 08/08/26 16:16 | 1       |

Eurofins Pomona

## Client Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-229310-1  
SDG: Weekly: Halawa Shaft Viewing Pool

**Client Sample ID: TB: HALAWA SHAFT VIEWING POOL**

**Lab Sample ID: 380-229310-2**

**Date Collected: 08/04/26 09:30**

**Matrix: Water**

**Date Received: 08/06/26 09:30**

| <i>Surrogate</i>            | <i>%Recovery</i> | <i>Qualifier</i> | <i>Limits</i> | <i>Prepared</i> | <i>Analyzed</i> | <i>Dil Fac</i> |
|-----------------------------|------------------|------------------|---------------|-----------------|-----------------|----------------|
| 4-Bromofluorobenzene (Surr) | 96               |                  | 38 - 134      |                 | 08/08/26 16:16  | 1              |

## Action Limit Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-229310-1  
SDG: Weekly: Halawa Shaft Viewing Pool

Client Sample ID: HALAWA SHAFT VIEWING POOL

Lab Sample ID: 380-229310-1

### Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

| Analyte                       | Result  | Qualifier | Unit | EPAMCL | RL     | Method    | Prep Type |
|-------------------------------|---------|-----------|------|--------|--------|-----------|-----------|
|                               |         |           |      | Limit  |        |           |           |
| Alachlor                      | <0.048  |           | ug/L | 2      | 0.048  | 525.2     | Total/NA  |
| Atrazine                      | <0.048  |           | ug/L | 3      | 0.048  | 525.2     | Total/NA  |
| Benzo[a]pyrene                | <0.019  |           | ug/L | 0.2    | 0.019  | 525.2     | Total/NA  |
| Bis(2-ethylhexyl) phthalate   | <0.58   |           | ug/L | 6      | 0.58   | 525.2     | Total/NA  |
| Di(2-ethylhexyl)adipate       | <0.58   |           | ug/L | 400    | 0.58   | 525.2     | Total/NA  |
| Endrin                        | <0.0096 |           | ug/L | 2      | 0.0096 | 525.2     | Total/NA  |
| Heptachlor                    | <0.0096 |           | ug/L | 0.4    | 0.0096 | 525.2     | Total/NA  |
| Heptachlor epoxide (isomer B) | <0.0096 |           | ug/L | 0.2    | 0.0096 | 525.2     | Total/NA  |
| Hexachlorobenzene             | <0.048  |           | ug/L | 1      | 0.048  | 525.2     | Total/NA  |
| Hexachlorocyclopentadiene     | <0.048  |           | ug/L | 50     | 0.048  | 525.2     | Total/NA  |
| Lindane                       | <0.0096 |           | ug/L | 0.2    | 0.0096 | 525.2     | Total/NA  |
| Methoxychlor                  | <0.048  |           | ug/L | 40     | 0.048  | 525.2     | Total/NA  |
| Simazine                      | <0.048  |           | ug/L | 4      | 0.048  | 525.2     | Total/NA  |
| Benzo[a]pyrene                | <0.20   |           | ug/L | 0.2    | 0.20   | 625.1 SIM | Total/NA  |

# Surrogate Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-229310-1  
SDG: Weekly: Halawa Shaft Viewing Pool

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

| Lab Sample ID            | Client Sample ID             | Percent Surrogate Recovery (Acceptance Limits) |                 |                 |
|--------------------------|------------------------------|------------------------------------------------|-----------------|-----------------|
|                          |                              | 2NMX<br>(70-130)                               | PRY<br>(70-130) | TPP<br>(70-130) |
| 380-228902-AV-1-A DU     | Duplicate                    | 97                                             | 91              | 108             |
| 380-229222-Y-1-A MS      | Matrix Spike                 | 98                                             | 97              | 105             |
| 380-229310-1             | HALAWA SHAFT VIEWING<br>POOL | 98                                             | 93              | 104             |
| LCS 380-245098/23-A      | Lab Control Sample           | 97                                             | 100             | 105             |
| MB 380-245098/21-A       | Method Blank                 | 98                                             | 89              | 106             |
| MRL 380-245098/22-A      | Lab Control Sample           | 97                                             | 93              | 106             |
| <b>Surrogate Legend</b>  |                              |                                                |                 |                 |
| 2NMX = 2-Nitro-m-xylene  |                              |                                                |                 |                 |
| PRY = Perylene-d12       |                              |                                                |                 |                 |
| TPP = Triphenylphosphate |                              |                                                |                 |                 |

## Method: 625.1 - Semivolatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

| Lab Sample ID                     | Client Sample ID          | Percent Surrogate Recovery (Acceptance Limits) |                 |                 |                 |                  |                    |
|-----------------------------------|---------------------------|------------------------------------------------|-----------------|-----------------|-----------------|------------------|--------------------|
|                                   |                           | TBP<br>(33-139)                                | FBP<br>(33-126) | 2FP<br>(12-120) | NBZ<br>(36-120) | PHL6<br>(10-120) | TPHd14<br>(47-131) |
| 380-229310-1                      | HALAWA SHAFT VIEWING POOL | 74                                             | 87              | 51              | 98              | 29               | 91                 |
| MB 570-781280/1-A                 | Method Blank              | 82                                             | 95              | 60              | 104             | 35               | 102                |
| <b>Surrogate Legend</b>           |                           |                                                |                 |                 |                 |                  |                    |
| TBP = 2,4,6-Tribromophenol (Surr) |                           |                                                |                 |                 |                 |                  |                    |
| FBP = 2-Fluorobiphenyl (Surr)     |                           |                                                |                 |                 |                 |                  |                    |
| 2FP = 2-Fluorophenol (Surr)       |                           |                                                |                 |                 |                 |                  |                    |
| NBZ = Nitrobenzene-d5 (Surr)      |                           |                                                |                 |                 |                 |                  |                    |
| PHL6 = Phenol-d6 (Surr)           |                           |                                                |                 |                 |                 |                  |                    |
| TPHd14 = p-Terphenyl-d14 (Surr)   |                           |                                                |                 |                 |                 |                  |                    |

## Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Matrix: Water

Prep Type: Total/NA

| Lab Sample ID                     | Client Sample ID             | Percent Surrogate Recovery (Acceptance Limits) |                 |                 |                 |                  |                    |
|-----------------------------------|------------------------------|------------------------------------------------|-----------------|-----------------|-----------------|------------------|--------------------|
|                                   |                              | TBP<br>(28-127)                                | FBP<br>(31-120) | 2FP<br>(17-120) | NBZ<br>(27-120) | PHL6<br>(10-120) | TPHd14<br>(45-120) |
| 380-228714-B-3-A MSD              | Matrix Spike Duplicate       | 87                                             | 69              | 48              | 57              | 36               | 62                 |
| 380-228714-C-3-A MS               | Matrix Spike                 | 95                                             | 79              | 52              | 59              | 40               | 69                 |
| 380-229310-1                      | HALAWA SHAFT VIEWING<br>POOL | 98                                             | 77              | 56              | 88              | 36               | 75                 |
| LCS 570-781280/2-A                | Lab Control Sample           | 103                                            | 96              | 70              | 72              | 50               | 96                 |
| LCSD 570-781280/3-A               | Lab Control Sample Dup       | 97                                             | 91              | 72              | 70              | 50               | 92                 |
| MB 570-781280/1-A                 | Method Blank                 | 84                                             | 81              | 54              | 90              | 36               | 80                 |
| <b>Surrogate Legend</b>           |                              |                                                |                 |                 |                 |                  |                    |
| TBP = 2,4,6-Tribromophenol (Surr) |                              |                                                |                 |                 |                 |                  |                    |
| FBP = 2-Fluorobiphenyl (Surr)     |                              |                                                |                 |                 |                 |                  |                    |
| 2FP = 2-Fluorophenol (Surr)       |                              |                                                |                 |                 |                 |                  |                    |
| NBZ = Nitrobenzene-d5 (Surr)      |                              |                                                |                 |                 |                 |                  |                    |
| PHL6 = Phenol-d6 (Surr)           |                              |                                                |                 |                 |                 |                  |                    |
| TPHd14 = p-Terphenyl-d14 (Surr)   |                              |                                                |                 |                 |                 |                  |                    |

## Surrogate Summary

Client: City & County of Honolulu

Job ID: 380-229310-1

Project/Site: RED-HILL

SDG: Weekly: Halawa Shaft Viewing Pool

### Method: 8015B GRO LL - Gasoline Range Organics - (GC)

Matrix: Water

Prep Type: Total/NA

| Percent Surrogate Recovery (Acceptance Limits) |                                  |                  |
|------------------------------------------------|----------------------------------|------------------|
| Lab Sample ID                                  | Client Sample ID                 | BFB1<br>(38-134) |
| 380-228215-B-1 MS                              | Matrix Spike                     | 100              |
| 380-228215-B-1 MSD                             | Matrix Spike Duplicate           | 100              |
| 380-229310-1                                   | HALAWA SHAFT VIEWING<br>POOL     | 97               |
| 380-229310-2                                   | TB: HALAWA SHAFT VIEWING<br>POOL | 96               |
| LCS 570-781313/3                               | Lab Control Sample               | 78               |
| LCSD 570-781313/4                              | Lab Control Sample Dup           | 99               |
| MB 570-781313/6                                | Method Blank                     | 97               |
| MRL 570-781313/5                               | Lab Control Sample               | 93               |
| <b>Surrogate Legend</b>                        |                                  |                  |
| BFB = 4-Bromofluorobenzene (Surr)              |                                  |                  |

### Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level

Matrix: Water

Prep Type: Total/NA

| Percent Surrogate Recovery (Acceptance Limits) |                           |                    |
|------------------------------------------------|---------------------------|--------------------|
| Lab Sample ID                                  | Client Sample ID          | OTCSN1<br>(60-130) |
| 380-229310-1                                   | HALAWA SHAFT VIEWING POOL | 105                |
| LCS 570-781645/2-A                             | Lab Control Sample        | 102                |
| LCSD 570-781645/3-A                            | Lab Control Sample Dup    | 111                |
| MB 570-781645/1-A                              | Method Blank              | 99                 |
| MRL 570-781645/4-A                             | Lab Control Sample        | 104                |
| <b>Surrogate Legend</b>                        |                           |                    |
| OTCSN = n-Octacosane (Surr)                    |                           |                    |

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-229310-1  
SDG: Weekly: Halawa Shaft Viewing Pool

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 380-245098/21-A  
Matrix: Water  
Analysis Batch: 245447

Client Sample ID: Method Blank  
Prep Type: Total/NA  
Prep Batch: 245098

| Analyte                          | MB<br>Result | MB<br>Qualifier | RL     | Unit | D | Prepared       | Analyzed       | Dil Fac |
|----------------------------------|--------------|-----------------|--------|------|---|----------------|----------------|---------|
| 1-Methylnaphthalene              | <0.099       |                 | 0.099  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| 2,4'-DDD                         | <0.099       |                 | 0.099  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| 2,4'-DDE                         | <0.099       |                 | 0.099  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| 2,4'-DDT                         | <0.099       |                 | 0.099  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| 2,4-Dinitrotoluene               | <0.099       |                 | 0.099  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| 2,6-Dinitrotoluene               | <0.099       |                 | 0.099  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| 2-Methylnaphthalene              | <0.099       |                 | 0.099  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| 4,4'-DDD                         | <0.099       |                 | 0.099  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| 4,4'-DDE                         | <0.099       |                 | 0.099  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| 4,4'-DDT                         | <0.099       |                 | 0.099  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Acenaphthene                     | <0.099       |                 | 0.099  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Acenaphthylene                   | <0.099       |                 | 0.099  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Acetochlor                       | <0.099       |                 | 0.099  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Alachlor                         | <0.050       |                 | 0.050  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| alpha-BHC                        | <0.099       |                 | 0.099  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| alpha-Chlordane                  | <0.050       |                 | 0.050  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Anthracene                       | <0.020       |                 | 0.020  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Atrazine                         | <0.050       |                 | 0.050  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Benz(a)anthracene                | <0.050       |                 | 0.050  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Benzo[a]pyrene                   | <0.020       |                 | 0.020  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Benzo[b]fluoranthene             | <0.020       |                 | 0.020  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Benzo[g,h,i]perylene             | <0.050       |                 | 0.050  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Benzo[k]fluoranthene             | <0.020       |                 | 0.020  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| beta-BHC                         | <0.099       |                 | 0.099  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Bis(2-ethylhexyl) phthalate      | <0.59        |                 | 0.59   | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Bromacil                         | <0.099       |                 | 0.099  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Butachlor                        | <0.050       |                 | 0.050  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Butylbenzylphthalate             | <0.50        |                 | 0.50   | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Chlorobenzilate                  | <0.099       |                 | 0.099  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Chloroneb                        | <0.099       |                 | 0.099  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Chlorothalonil (Draconil, Bravo) | <0.099       |                 | 0.099  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Chlorpyrifos                     | <0.050       |                 | 0.050  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Chrysene                         | <0.020       |                 | 0.020  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| delta-BHC                        | <0.099       |                 | 0.099  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Di(2-ethylhexyl)adipate          | <0.59        |                 | 0.59   | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Dibenz(a,h)anthracene            | <0.050       |                 | 0.050  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Diclorvos (DDVP)                 | <0.050       |                 | 0.050  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Dieldrin                         | <0.0099      |                 | 0.0099 | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Diethylphthalate                 | <0.50        |                 | 0.50   | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Dimethylphthalate                | <0.50        |                 | 0.50   | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Di-n-butyl phthalate             | <0.99        |                 | 0.99   | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Di-n-octyl phthalate             | <0.099       |                 | 0.099  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Endosulfan I (Alpha)             | <0.099       |                 | 0.099  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Endosulfan II (Beta)             | <0.099       |                 | 0.099  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Endosulfan sulfate               | <0.099       |                 | 0.099  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Endrin                           | <0.0099      |                 | 0.0099 | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Endrin aldehyde                  | <0.099       |                 | 0.099  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| EPTC                             | <0.099       |                 | 0.099  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |

Eurofins Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-229310-1  
SDG: Weekly: Halawa Shaft Viewing Pool

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 380-245098/21-A

Matrix: Water

Analysis Batch: 245447

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 245098

| Analyte                          | MB Result | MB Qualifier | RL     | Unit | D | Prepared       | Analyzed       | Dil Fac |
|----------------------------------|-----------|--------------|--------|------|---|----------------|----------------|---------|
| Fluoranthene                     | <0.099    |              | 0.099  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Fluorene                         | <0.050    |              | 0.050  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| gamma-Chlordane                  | <0.050    |              | 0.050  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Heptachlor                       | <0.0099   |              | 0.0099 | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Heptachlor epoxide (isomer B)    | <0.0099   |              | 0.0099 | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Hexachlorobenzene                | <0.050    |              | 0.050  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Hexachlorocyclopentadiene        | <0.050    |              | 0.050  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Indeno[1,2,3-cd]pyrene           | <0.050    |              | 0.050  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Isophorone                       | <0.099    |              | 0.099  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Lindane                          | <0.0099   |              | 0.0099 | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Malathion                        | <0.099    |              | 0.099  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Methoxychlor                     | <0.050    |              | 0.050  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Metolachlor                      | <0.050    |              | 0.050  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Molinate                         | <0.099    |              | 0.099  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Naphthalene                      | <0.099    |              | 0.099  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Parathion                        | <0.099    |              | 0.099  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Pendimethalin (Penoxaline)       | <0.099    |              | 0.099  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Phenanthrene                     | <0.040    |              | 0.040  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Propachlor                       | <0.050    |              | 0.050  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Pyrene                           | <0.050    |              | 0.050  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Simazine                         | <0.050    |              | 0.050  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Terbacil                         | <0.099    |              | 0.099  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Terbutylazine                    | <0.099    |              | 0.099  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Thiobencarb                      | <0.099    |              | 0.099  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Total Permethrin (mixed isomers) | <0.20     |              | 0.20   | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| trans-Nonachlor                  | <0.050    |              | 0.050  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Trifluralin                      | <0.099    |              | 0.099  | ug/L |   | 08/07/26 11:43 | 08/10/26 11:43 | 1       |

| Tentatively Identified Compound | MB Est. Result | MB Qualifier | Unit | D | RT    | CAS No.   | Prepared       | Analyzed       | Dil Fac |
|---------------------------------|----------------|--------------|------|---|-------|-----------|----------------|----------------|---------|
| Decane, 4-methyl-               | 0.896          | T J N        | ug/L |   | 2.91  | 2847-72-5 | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Undecane                        | 6.17           | T J N        | ug/L |   | 3.04  | 1120-21-4 | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| 13-Docosenamide, (Z)-           | 0.988          | T J N        | ug/L |   | 10.22 | 112-84-5  | 08/07/26 11:43 | 08/10/26 11:43 | 1       |

| Surrogate          | MB %Recovery | MB Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|--------------------|--------------|--------------|----------|----------------|----------------|---------|
| 2-Nitro-m-xylene   | 98           |              | 70 - 130 | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Perylene-d12       | 89           |              | 70 - 130 | 08/07/26 11:43 | 08/10/26 11:43 | 1       |
| Triphenylphosphate | 106          |              | 70 - 130 | 08/07/26 11:43 | 08/10/26 11:43 | 1       |

Lab Sample ID: LCS 380-245098/23-A

Matrix: Water

Analysis Batch: 245447

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 245098

| Analyte             | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|---------------------|-------------|------------|---------------|------|---|------|-------------|
| 1-Methylnaphthalene | 1.99        | 1.95       |               | ug/L |   | 98   | 70 - 130    |
| 2,4'-DDD            | 1.99        | 2.05       |               | ug/L |   | 103  | 70 - 130    |
| 2,4'-DDE            | 1.99        | 1.87       |               | ug/L |   | 94   | 70 - 130    |
| 2,4'-DDT            | 1.99        | 1.98       |               | ug/L |   | 100  | 70 - 130    |
| 2,4-Dinitrotoluene  | 1.99        | 2.14       |               | ug/L |   | 108  | 70 - 130    |

Eurofins Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-229310-1  
SDG: Weekly: Halawa Shaft Viewing Pool

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 380-245098/23-A

Matrix: Water

Analysis Batch: 245447

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 245098

| Analyte                          | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|----------------------------------|-------------|------------|---------------|------|---|------|-------------|
| 2,6-Dinitrotoluene               | 1.99        | 2.05       |               | ug/L |   | 103  | 70 - 130    |
| 2-Methylnaphthalene              | 1.99        | 1.95       |               | ug/L |   | 98   | 70 - 130    |
| 4,4'-DDD                         | 1.99        | 2.02       |               | ug/L |   | 101  | 70 - 130    |
| 4,4'-DDE                         | 1.99        | 1.95       |               | ug/L |   | 98   | 70 - 130    |
| 4,4'-DDT                         | 1.99        | 1.94       |               | ug/L |   | 98   | 70 - 130    |
| Acenaphthene                     | 1.99        | 1.98       |               | ug/L |   | 100  | 70 - 130    |
| Acenaphthylene                   | 1.99        | 1.73       |               | ug/L |   | 87   | 70 - 130    |
| Acetochlor                       | 1.99        | 2.06       |               | ug/L |   | 104  | 70 - 130    |
| Alachlor                         | 1.99        | 2.04       |               | ug/L |   | 103  | 70 - 130    |
| alpha-BHC                        | 1.99        | 1.94       |               | ug/L |   | 98   | 70 - 130    |
| alpha-Chlordane                  | 1.99        | 1.96       |               | ug/L |   | 99   | 70 - 130    |
| Anthracene                       | 1.99        | 1.89       |               | ug/L |   | 95   | 70 - 130    |
| Atrazine                         | 1.99        | 2.07       |               | ug/L |   | 104  | 70 - 130    |
| Benz(a)anthracene                | 1.99        | 2.02       |               | ug/L |   | 102  | 70 - 130    |
| Benzo[a]pyrene                   | 1.99        | 2.04       |               | ug/L |   | 103  | 70 - 130    |
| Benzo[b]fluoranthene             | 1.99        | 2.09       |               | ug/L |   | 105  | 70 - 130    |
| Benzo[g,h,i]perylene             | 1.99        | 2.00       |               | ug/L |   | 101  | 70 - 130    |
| Benzo[k]fluoranthene             | 1.99        | 2.09       |               | ug/L |   | 105  | 70 - 130    |
| beta-BHC                         | 1.99        | 1.94       |               | ug/L |   | 98   | 70 - 130    |
| Bis(2-ethylhexyl) phthalate      | 1.99        | 2.00       |               | ug/L |   | 101  | 70 - 130    |
| Bromacil                         | 1.99        | 1.89       |               | ug/L |   | 95   | 70 - 130    |
| Butachlor                        | 1.99        | 2.09       |               | ug/L |   | 105  | 70 - 130    |
| Butylbenzylphthalate             | 1.99        | 2.13       |               | ug/L |   | 107  | 70 - 130    |
| Chlorobenzilate                  | 1.99        | 2.02       |               | ug/L |   | 102  | 70 - 130    |
| Chloroneb                        | 1.99        | 1.93       |               | ug/L |   | 97   | 70 - 130    |
| Chlorothalonil (Draconil, Bravo) | 1.99        | 1.93       |               | ug/L |   | 97   | 70 - 130    |
| Chlorpyrifos                     | 1.99        | 2.04       |               | ug/L |   | 103  | 70 - 130    |
| Chrysene                         | 1.99        | 2.03       |               | ug/L |   | 102  | 70 - 130    |
| delta-BHC                        | 1.99        | 1.91       |               | ug/L |   | 96   | 70 - 130    |
| Di(2-ethylhexyl)adipate          | 1.99        | 2.07       |               | ug/L |   | 104  | 70 - 130    |
| Dibenz(a,h)anthracene            | 1.99        | 1.92       |               | ug/L |   | 97   | 70 - 130    |
| Diclorvos (DDVP)                 | 1.99        | 1.94       |               | ug/L |   | 97   | 70 - 130    |
| Dieldrin                         | 1.99        | 1.93       |               | ug/L |   | 97   | 70 - 130    |
| Diethylphthalate                 | 1.99        | 2.11       |               | ug/L |   | 106  | 70 - 130    |
| Dimethylphthalate                | 1.99        | 2.00       |               | ug/L |   | 101  | 70 - 130    |
| Di-n-butyl phthalate             | 3.97        | 3.99       |               | ug/L |   | 100  | 70 - 130    |
| Di-n-octyl phthalate             | 1.99        | 1.99       |               | ug/L |   | 100  | 70 - 130    |
| Endosulfan I (Alpha)             | 1.99        | 1.90       |               | ug/L |   | 96   | 70 - 130    |
| Endosulfan II (Beta)             | 1.99        | 2.01       |               | ug/L |   | 101  | 70 - 130    |
| Endosulfan sulfate               | 1.99        | 1.91       |               | ug/L |   | 96   | 70 - 130    |
| Endrin                           | 1.99        | 1.98       |               | ug/L |   | 100  | 70 - 130    |
| Endrin aldehyde                  | 1.99        | 1.86       |               | ug/L |   | 93   | 60 - 130    |
| EPTC                             | 1.99        | 2.02       |               | ug/L |   | 101  | 70 - 130    |
| Fluoranthene                     | 1.99        | 2.12       |               | ug/L |   | 107  | 70 - 130    |
| Fluorene                         | 1.99        | 2.00       |               | ug/L |   | 101  | 70 - 130    |
| gamma-Chlordane                  | 1.99        | 1.96       |               | ug/L |   | 99   | 70 - 130    |
| Heptachlor                       | 1.99        | 1.94       |               | ug/L |   | 97   | 70 - 130    |
| Heptachlor epoxide (isomer B)    | 1.99        | 1.97       |               | ug/L |   | 99   | 70 - 130    |
| Hexachlorobenzene                | 1.99        | 1.94       |               | ug/L |   | 98   | 70 - 130    |

Eurofins Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-229310-1  
SDG: Weekly: Halawa Shaft Viewing Pool

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 380-245098/23-A

Matrix: Water

Analysis Batch: 245447

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 245098

| Analyte                    | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|----------------------------|-------------|------------|---------------|------|---|------|-------------|
| Hexachlorocyclopentadiene  | 1.99        | 1.76       |               | ug/L |   | 88   | 70 - 130    |
| Indeno[1,2,3-cd]pyrene     | 1.99        | 1.93       |               | ug/L |   | 97   | 70 - 130    |
| Isophorone                 | 1.99        | 1.92       |               | ug/L |   | 97   | 70 - 130    |
| Lindane                    | 1.99        | 1.98       |               | ug/L |   | 100  | 70 - 130    |
| Malathion                  | 1.99        | 2.09       |               | ug/L |   | 105  | 70 - 130    |
| Methoxychlor               | 1.99        | 2.23       |               | ug/L |   | 112  | 70 - 130    |
| Metolachlor                | 1.99        | 2.05       |               | ug/L |   | 103  | 70 - 130    |
| Molinate                   | 1.99        | 2.03       |               | ug/L |   | 102  | 70 - 130    |
| Naphthalene                | 1.99        | 1.97       |               | ug/L |   | 99   | 70 - 130    |
| Parathion                  | 1.99        | 2.17       |               | ug/L |   | 109  | 70 - 130    |
| Pendimethalin (Penoxaline) | 1.99        | 2.08       |               | ug/L |   | 105  | 70 - 130    |
| Phenanthrene               | 1.99        | 1.94       |               | ug/L |   | 98   | 70 - 130    |
| Propachlor                 | 1.99        | 2.09       |               | ug/L |   | 105  | 70 - 130    |
| Pyrene                     | 1.99        | 2.03       |               | ug/L |   | 102  | 70 - 130    |
| Simazine                   | 1.99        | 1.97       |               | ug/L |   | 99   | 70 - 130    |
| Terbacil                   | 1.99        | 1.99       |               | ug/L |   | 100  | 70 - 130    |
| Terbutylazine              | 1.99        | 2.09       |               | ug/L |   | 105  | 70 - 130    |
| Thiobencarb                | 1.99        | 2.01       |               | ug/L |   | 101  | 70 - 130    |
| trans-Nonachlor            | 1.99        | 1.94       |               | ug/L |   | 98   | 70 - 130    |
| Trifluralin                | 1.99        | 2.05       |               | ug/L |   | 103  | 70 - 130    |

| Surrogate          | LCS %Recovery | LCS Qualifier | Limits   |
|--------------------|---------------|---------------|----------|
| 2-Nitro-m-xylene   | 97            |               | 70 - 130 |
| Perylene-d12       | 100           |               | 70 - 130 |
| Triphenylphosphate | 105           |               | 70 - 130 |

Lab Sample ID: MRL 380-245098/22-A

Matrix: Water

Analysis Batch: 245447

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 245098

| Analyte             | Spike Added | MRL Result | MRL Qualifier | Unit | D | %Rec | %Rec Limits |
|---------------------|-------------|------------|---------------|------|---|------|-------------|
| 1-Methylnaphthalene | 0.0993      | 0.101      |               | ug/L |   | 101  | 50 - 150    |
| 2,4'-DDD            | 0.0993      | 0.0957     | J             | ug/L |   | 96   | 50 - 150    |
| 2,4'-DDE            | 0.0993      | 0.0990     |               | ug/L |   | 100  | 50 - 150    |
| 2,4'-DDT            | 0.0993      | 0.112      |               | ug/L |   | 113  | 50 - 150    |
| 2,4-Dinitrotoluene  | 0.0993      | 0.115      |               | ug/L |   | 116  | 50 - 150    |
| 2,6-Dinitrotoluene  | 0.0993      | 0.107      |               | ug/L |   | 108  | 50 - 150    |
| 2-Methylnaphthalene | 0.0993      | 0.102      |               | ug/L |   | 102  | 50 - 150    |
| 4,4'-DDD            | 0.0993      | 0.113      |               | ug/L |   | 114  | 50 - 150    |
| 4,4'-DDE            | 0.0993      | 0.105      |               | ug/L |   | 106  | 50 - 150    |
| 4,4'-DDT            | 0.0993      | 0.108      |               | ug/L |   | 109  | 50 - 150    |
| Acenaphthene        | 0.0993      | 0.0955     | J             | ug/L |   | 96   | 50 - 150    |
| Acenaphthylene      | 0.0993      | 0.0746     | J             | ug/L |   | 75   | 50 - 150    |
| Acetochlor          | 0.0993      | 0.109      |               | ug/L |   | 110  | 50 - 150    |
| Alachlor            | 0.0496      | 0.0567     |               | ug/L |   | 114  | 50 - 150    |
| alpha-BHC           | 0.0993      | 0.101      |               | ug/L |   | 102  | 50 - 150    |
| alpha-Chlordane     | 0.0248      | 0.0291     | J             | ug/L |   | 117  | 50 - 150    |
| Anthracene          | 0.0199      | 0.0251     |               | ug/L |   | 126  | 50 - 150    |

Eurofins Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-229310-1  
SDG: Weekly: Halawa Shaft Viewing Pool

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MRL 380-245098/22-A

Matrix: Water

Analysis Batch: 245447

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 245098

| Analyte                          | Spike Added | MRL Result | MRL Qualifier | Unit | D | %Rec | %Rec Limits |
|----------------------------------|-------------|------------|---------------|------|---|------|-------------|
| Atrazine                         | 0.0496      | 0.0573     |               | ug/L |   | 115  | 50 - 150    |
| Benz(a)anthracene                | 0.0496      | 0.0571     |               | ug/L |   | 115  | 50 - 150    |
| Benzo[a]pyrene                   | 0.0199      | 0.0250     |               | ug/L |   | 126  | 50 - 150    |
| Benzo[b]fluoranthene             | 0.0199      | 0.0231     |               | ug/L |   | 116  | 50 - 150    |
| Benzo[g,h,i]perylene             | 0.0496      | 0.0532     |               | ug/L |   | 107  | 50 - 150    |
| Benzo[k]fluoranthene             | 0.0199      | 0.0224     |               | ug/L |   | 113  | 50 - 150    |
| beta-BHC                         | 0.0993      | 0.111      |               | ug/L |   | 112  | 50 - 150    |
| Bis(2-ethylhexyl) phthalate      | 0.596       | 0.702      |               | ug/L |   | 118  | 50 - 150    |
| Bromacil                         | 0.0993      | 0.116      |               | ug/L |   | 117  | 50 - 150    |
| Butachlor                        | 0.0496      | 0.0678     |               | ug/L |   | 137  | 50 - 150    |
| Butylbenzylphthalate             | 0.496       | 0.572      |               | ug/L |   | 115  | 50 - 150    |
| Chlorobenzilate                  | 0.0993      | 0.107      |               | ug/L |   | 108  | 50 - 150    |
| Chloroneb                        | 0.0993      | 0.104      |               | ug/L |   | 104  | 50 - 150    |
| Chlorothalonil (Draconil, Bravo) | 0.0993      | 0.0979     | J             | ug/L |   | 99   | 50 - 150    |
| Chlorpyrifos                     | 0.0496      | 0.0534     |               | ug/L |   | 108  | 50 - 150    |
| Chrysene                         | 0.0199      | 0.0232     |               | ug/L |   | 117  | 50 - 150    |
| delta-BHC                        | 0.0993      | 0.115      |               | ug/L |   | 116  | 50 - 150    |
| Di(2-ethylhexyl)adipate          | 0.596       | 0.685      |               | ug/L |   | 115  | 50 - 150    |
| Dibenz(a,h)anthracene            | 0.0496      | 0.0506     |               | ug/L |   | 102  | 50 - 150    |
| Diclorvos (DDVP)                 | 0.0496      | 0.0526     |               | ug/L |   | 106  | 50 - 150    |
| Dieldrin                         | 0.00993     | 0.0115     |               | ug/L |   | 116  | 50 - 150    |
| Diethylphthalate                 | 0.496       | 0.570      |               | ug/L |   | 115  | 50 - 150    |
| Dimethylphthalate                | 0.496       | 0.526      |               | ug/L |   | 106  | 50 - 150    |
| Di-n-butyl phthalate             | 0.496       | 0.555      | J             | ug/L |   | 112  | 49 - 243    |
| Di-n-octyl phthalate             | 0.0993      | 0.116      |               | ug/L |   | 117  | 50 - 150    |
| Endosulfan I (Alpha)             | 0.0993      | 0.0915     | J             | ug/L |   | 92   | 50 - 150    |
| Endosulfan II (Beta)             | 0.0993      | 0.117      |               | ug/L |   | 118  | 50 - 150    |
| Endosulfan sulfate               | 0.0993      | 0.108      |               | ug/L |   | 109  | 50 - 150    |
| Endrin                           | 0.00993     | 0.0135     |               | ug/L |   | 136  | 50 - 150    |
| Endrin aldehyde                  | 0.0993      | 0.120      |               | ug/L |   | 121  | 50 - 150    |
| EPTC                             | 0.0993      | 0.102      |               | ug/L |   | 102  | 50 - 150    |
| Fluoranthene                     | 0.0993      | 0.109      |               | ug/L |   | 109  | 50 - 150    |
| Fluorene                         | 0.0496      | 0.0563     |               | ug/L |   | 113  | 50 - 150    |
| gamma-Chlordane                  | 0.0248      | 0.0292     | J             | ug/L |   | 118  | 50 - 150    |
| Heptachlor                       | 0.00993     | 0.0107     |               | ug/L |   | 107  | 50 - 150    |
| Heptachlor epoxide (isomer B)    | 0.00993     | 0.0125     |               | ug/L |   | 126  | 50 - 150    |
| Hexachlorobenzene                | 0.0496      | 0.0476     | J             | ug/L |   | 96   | 50 - 150    |
| Hexachlorocyclopentadiene        | 0.0496      | 0.0389     | J             | ug/L |   | 78   | 50 - 150    |
| Indeno[1,2,3-cd]pyrene           | 0.0496      | 0.0536     |               | ug/L |   | 108  | 50 - 150    |
| Isophorone                       | 0.0993      | 0.100      |               | ug/L |   | 101  | 50 - 150    |
| Lindane                          | 0.00993     | 0.00950    | J             | ug/L |   | 96   | 50 - 150    |
| Malathion                        | 0.0993      | 0.118      |               | ug/L |   | 119  | 50 - 150    |
| Methoxychlor                     | 0.0496      | 0.0588     |               | ug/L |   | 119  | 50 - 150    |
| Metolachlor                      | 0.0496      | 0.0580     |               | ug/L |   | 117  | 50 - 150    |
| Molinate                         | 0.0993      | 0.111      |               | ug/L |   | 112  | 50 - 150    |
| Naphthalene                      | 0.0993      | 0.102      |               | ug/L |   | 102  | 50 - 150    |
| Parathion                        | 0.0993      | 0.120      |               | ug/L |   | 121  | 50 - 150    |
| Pendimethalin (Penoxaline)       | 0.0993      | 0.110      |               | ug/L |   | 111  | 50 - 150    |
| Phenanthrene                     | 0.0397      | 0.0487     |               | ug/L |   | 123  | 50 - 150    |

Eurofins Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-229310-1  
SDG: Weekly: Halawa Shaft Viewing Pool

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MRL 380-245098/22-A

Matrix: Water

Analysis Batch: 245447

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 245098

| Analyte         | Spike Added | MRL Result | MRL Qualifier | Unit | D | %Rec | %Rec Limits |
|-----------------|-------------|------------|---------------|------|---|------|-------------|
| Propachlor      | 0.0496      | 0.0567     |               | ug/L |   | 114  | 50 - 150    |
| Pyrene          | 0.0496      | 0.0564     |               | ug/L |   | 114  | 50 - 150    |
| Simazine        | 0.0496      | 0.0536     |               | ug/L |   | 108  | 50 - 150    |
| Terbacil        | 0.0993      | 0.105      |               | ug/L |   | 106  | 50 - 150    |
| Terbutylazine   | 0.0993      | 0.110      |               | ug/L |   | 110  | 50 - 150    |
| Thiobencarb     | 0.0993      | 0.111      |               | ug/L |   | 112  | 50 - 150    |
| trans-Nonachlor | 0.0248      | 0.0293     | J             | ug/L |   | 118  | 50 - 150    |
| Trifluralin     | 0.0993      | 0.105      |               | ug/L |   | 105  | 50 - 150    |

| Surrogate          | MRL %Recovery | MRL Qualifier | Limits   |
|--------------------|---------------|---------------|----------|
| 2-Nitro-m-xylene   | 97            |               | 70 - 130 |
| Perylene-d12       | 93            |               | 70 - 130 |
| Triphenylphosphate | 106           |               | 70 - 130 |

Lab Sample ID: 380-229222-Y-1-A MS

Matrix: Water

Analysis Batch: 245447

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 245098

| Analyte                     | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits |
|-----------------------------|---------------|------------------|-------------|-----------|--------------|------|---|------|-------------|
| 1-Methylnaphthalene         | <0.096        |                  | 1.93        | 1.96      |              | ug/L |   | 101  | 70 - 130    |
| 2,4'-DDD                    | <0.096        |                  | 1.93        | 2.04      |              | ug/L |   | 106  | 70 - 130    |
| 2,4'-DDE                    | <0.096        |                  | 1.93        | 1.86      |              | ug/L |   | 96   | 70 - 130    |
| 2,4'-DDT                    | <0.096        |                  | 1.93        | 1.92      |              | ug/L |   | 99   | 70 - 130    |
| 2,4-Dinitrotoluene          | <0.096        |                  | 1.93        | 2.05      |              | ug/L |   | 106  | 70 - 130    |
| 2,6-Dinitrotoluene          | <0.096        |                  | 1.93        | 1.98      |              | ug/L |   | 103  | 70 - 130    |
| 2-Methylnaphthalene         | <0.096        |                  | 1.93        | 1.97      |              | ug/L |   | 102  | 70 - 130    |
| 4,4'-DDD                    | <0.096        |                  | 1.93        | 2.02      |              | ug/L |   | 105  | 70 - 130    |
| 4,4'-DDE                    | <0.096        |                  | 1.93        | 1.93      |              | ug/L |   | 100  | 70 - 130    |
| 4,4'-DDT                    | <0.096        |                  | 1.93        | 1.89      |              | ug/L |   | 98   | 70 - 130    |
| Acenaphthene                | <0.096        |                  | 1.93        | 2.00      |              | ug/L |   | 104  | 70 - 130    |
| Acenaphthylene              | <0.096        |                  | 1.93        | 1.91      |              | ug/L |   | 99   | 70 - 130    |
| Acetochlor                  | <0.096        |                  | 1.93        | 2.04      |              | ug/L |   | 106  | 70 - 130    |
| Alachlor                    | <0.048        |                  | 1.93        | 1.99      |              | ug/L |   | 103  | 70 - 130    |
| alpha-BHC                   | <0.096        |                  | 1.93        | 1.97      |              | ug/L |   | 102  | 70 - 130    |
| alpha-Chlordane             | <0.048        |                  | 1.93        | 1.91      |              | ug/L |   | 99   | 70 - 130    |
| Anthracene                  | <0.019        | F1               | 1.93        | 0.943     | F1           | ug/L |   | 49   | 70 - 130    |
| Atrazine                    | <0.048        |                  | 1.93        | 2.07      |              | ug/L |   | 107  | 70 - 130    |
| Benz(a)anthracene           | <0.048        |                  | 1.93        | 1.76      |              | ug/L |   | 91   | 70 - 130    |
| Benzo[a]pyrene              | <0.019        |                  | 1.93        | 1.58      |              | ug/L |   | 82   | 70 - 130    |
| Benzo[b]fluoranthene        | <0.019        |                  | 1.93        | 2.11      |              | ug/L |   | 109  | 70 - 130    |
| Benzo[g,h,i]perylene        | <0.048        |                  | 1.93        | 1.96      |              | ug/L |   | 102  | 70 - 130    |
| Benzo[k]fluoranthene        | <0.019        |                  | 1.93        | 2.04      |              | ug/L |   | 105  | 70 - 130    |
| beta-BHC                    | <0.096        |                  | 1.93        | 1.94      |              | ug/L |   | 100  | 70 - 130    |
| Bis(2-ethylhexyl) phthalate | <0.57         |                  | 1.93        | 1.93      |              | ug/L |   | 100  | 70 - 130    |
| Bromacil                    | <0.096        |                  | 1.93        | 1.80      |              | ug/L |   | 93   | 70 - 130    |
| Butachlor                   | <0.048        |                  | 1.93        | 2.09      |              | ug/L |   | 108  | 70 - 130    |
| Butylbenzylphthalate        | <0.48         |                  | 1.93        | 2.14      |              | ug/L |   | 111  | 70 - 130    |
| Chlorobenzilate             | <0.096        |                  | 1.93        | 2.03      |              | ug/L |   | 105  | 70 - 130    |

Eurofins Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-229310-1  
SDG: Weekly: Halawa Shaft Viewing Pool

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 380-229222-Y-1-A MS

Matrix: Water

Analysis Batch: 245447

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 245098

| Analyte                          | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits |
|----------------------------------|---------------|------------------|-------------|-----------|--------------|------|---|------|-------------|
| Chloroneb                        | <0.096        |                  | 1.93        | 1.94      |              | ug/L |   | 100  | 70 - 130    |
| Chlorothalonil (Draconil, Bravo) | <0.096        |                  | 1.93        | 1.90      |              | ug/L |   | 99   | 70 - 130    |
| Chlorpyrifos                     | <0.048        |                  | 1.93        | 2.04      |              | ug/L |   | 106  | 70 - 130    |
| Chrysene                         | <0.019        |                  | 1.93        | 2.02      |              | ug/L |   | 105  | 70 - 130    |
| delta-BHC                        | <0.096        |                  | 1.93        | 1.85      |              | ug/L |   | 96   | 70 - 130    |
| Di(2-ethylhexyl)adipate          | <0.57         |                  | 1.93        | 2.00      |              | ug/L |   | 104  | 70 - 130    |
| Dibenz(a,h)anthracene            | <0.048        |                  | 1.93        | 1.87      |              | ug/L |   | 97   | 70 - 130    |
| Diclorvos (DDVP)                 | <0.048        |                  | 1.93        | 1.91      |              | ug/L |   | 99   | 70 - 130    |
| Dieldrin                         | <0.0096       |                  | 1.93        | 1.91      |              | ug/L |   | 99   | 70 - 130    |
| Diethylphthalate                 | <0.48         |                  | 1.93        | 2.12      |              | ug/L |   | 110  | 70 - 130    |
| Dimethylphthalate                | <0.48         |                  | 1.93        | 2.01      |              | ug/L |   | 104  | 70 - 130    |
| Di-n-butyl phthalate             | <0.96         |                  | 3.86        | 4.02      |              | ug/L |   | 104  | 70 - 130    |
| Di-n-octyl phthalate             | <0.096        |                  | 1.93        | 1.84      |              | ug/L |   | 95   | 70 - 130    |
| Endosulfan I (Alpha)             | <0.096        |                  | 1.93        | 1.86      |              | ug/L |   | 96   | 70 - 130    |
| Endosulfan II (Beta)             | <0.096        |                  | 1.93        | 1.96      |              | ug/L |   | 102  | 70 - 130    |
| Endosulfan sulfate               | <0.096        |                  | 1.93        | 1.86      |              | ug/L |   | 96   | 70 - 130    |
| Endrin                           | <0.0096       |                  | 1.93        | 1.91      |              | ug/L |   | 99   | 70 - 130    |
| Endrin aldehyde                  | <0.096        |                  | 1.93        | 1.60      |              | ug/L |   | 83   | 60 - 130    |
| EPTC                             | <0.096        |                  | 1.93        | 2.03      |              | ug/L |   | 105  | 70 - 130    |
| Fluoranthene                     | <0.096        |                  | 1.93        | 2.09      |              | ug/L |   | 108  | 70 - 130    |
| Fluorene                         | <0.048        |                  | 1.93        | 2.04      |              | ug/L |   | 106  | 70 - 130    |
| gamma-Chlordane                  | <0.048        |                  | 1.93        | 1.90      |              | ug/L |   | 98   | 70 - 130    |
| Heptachlor                       | <0.0096       |                  | 1.93        | 1.88      |              | ug/L |   | 97   | 70 - 130    |
| Heptachlor epoxide (isomer B)    | <0.0096       |                  | 1.93        | 1.97      |              | ug/L |   | 102  | 70 - 130    |
| Hexachlorobenzene                | <0.048        |                  | 1.93        | 1.95      |              | ug/L |   | 101  | 70 - 130    |
| Hexachlorocyclopentadiene        | <0.048        |                  | 1.93        | 1.74      |              | ug/L |   | 90   | 70 - 130    |
| Indeno[1,2,3-cd]pyrene           | <0.048        |                  | 1.93        | 1.92      |              | ug/L |   | 100  | 70 - 130    |
| Isophorone                       | <0.096        |                  | 1.93        | 1.95      |              | ug/L |   | 101  | 70 - 130    |
| Lindane                          | <0.0096       |                  | 1.93        | 1.96      |              | ug/L |   | 102  | 70 - 130    |
| Malathion                        | <0.096        |                  | 1.93        | 2.06      |              | ug/L |   | 107  | 70 - 130    |
| Methoxychlor                     | <0.048        |                  | 1.93        | 2.17      |              | ug/L |   | 112  | 70 - 130    |
| Metolachlor                      | <0.048        |                  | 1.93        | 2.04      |              | ug/L |   | 106  | 70 - 130    |
| Molinate                         | <0.096        |                  | 1.93        | 2.06      |              | ug/L |   | 107  | 70 - 130    |
| Naphthalene                      | <0.096        |                  | 1.93        | 1.99      |              | ug/L |   | 103  | 70 - 130    |
| Parathion                        | <0.096        |                  | 1.93        | 2.20      |              | ug/L |   | 114  | 70 - 130    |
| Pendimethalin (Penoxaline)       | <0.096        |                  | 1.93        | 2.05      |              | ug/L |   | 106  | 70 - 130    |
| Phenanthrene                     | <0.038        |                  | 1.93        | 1.95      |              | ug/L |   | 100  | 70 - 130    |
| Propachlor                       | <0.048        |                  | 1.93        | 2.08      |              | ug/L |   | 108  | 70 - 130    |
| Pyrene                           | <0.048        |                  | 1.93        | 1.99      |              | ug/L |   | 103  | 70 - 130    |
| Simazine                         | <0.048        |                  | 1.93        | 1.97      |              | ug/L |   | 102  | 70 - 130    |
| Terbacil                         | <0.096        |                  | 1.93        | 1.86      |              | ug/L |   | 96   | 70 - 130    |
| Terbutylazine                    | <0.096        |                  | 1.93        | 2.09      |              | ug/L |   | 108  | 70 - 130    |
| Thiobencarb                      | <0.096        |                  | 1.93        | 2.02      |              | ug/L |   | 104  | 70 - 130    |
| trans-Nonachlor                  | <0.048        |                  | 1.93        | 1.90      |              | ug/L |   | 98   | 70 - 130    |
| Trifluralin                      | <0.096        |                  | 1.93        | 2.01      |              | ug/L |   | 104  | 70 - 130    |

| Surrogate        | MS %Recovery | MS Qualifier | Limits   |
|------------------|--------------|--------------|----------|
| 2-Nitro-m-xylene | 98           |              | 70 - 130 |

Eurofins Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-229310-1  
SDG: Weekly: Halawa Shaft Viewing Pool

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 380-229222-Y-1-A MS

Matrix: Water

Analysis Batch: 245447

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 245098

|                    | MS        | MS        |          |
|--------------------|-----------|-----------|----------|
| Surrogate          | %Recovery | Qualifier | Limits   |
| Perylene-d12       | 97        |           | 70 - 130 |
| Triphenylphosphate | 105       |           | 70 - 130 |

Lab Sample ID: 380-228902-AV-1-A DU

Matrix: Water

Analysis Batch: 245447

Client Sample ID: Duplicate

Prep Type: Total/NA

Prep Batch: 245098

| Analyte                          | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | Limit |
|----------------------------------|---------------|------------------|-----------|--------------|------|---|-----|-------|
| 1-Methylnaphthalene              | <0.098        |                  | <0.096    |              | ug/L |   | NC  | 20    |
| 2,4'-DDD                         | <0.098        |                  | <0.096    |              | ug/L |   | NC  | 20    |
| 2,4'-DDE                         | <0.098        |                  | <0.096    |              | ug/L |   | NC  | 20    |
| 2,4'-DDT                         | <0.098        |                  | <0.096    |              | ug/L |   | NC  | 20    |
| 2,4-Dinitrotoluene               | <0.098        |                  | <0.096    |              | ug/L |   | NC  | 20    |
| 2,6-Dinitrotoluene               | <0.098        |                  | <0.096    |              | ug/L |   | NC  | 20    |
| 2-Methylnaphthalene              | <0.098        |                  | <0.096    |              | ug/L |   | NC  | 20    |
| 4,4'-DDD                         | <0.098        |                  | <0.096    |              | ug/L |   | NC  | 20    |
| 4,4'-DDE                         | <0.098        |                  | <0.096    |              | ug/L |   | NC  | 20    |
| 4,4'-DDT                         | <0.098        |                  | <0.096    |              | ug/L |   | NC  | 20    |
| Acenaphthene                     | <0.098        |                  | <0.096    |              | ug/L |   | NC  | 20    |
| Acenaphthylene                   | <0.098        |                  | <0.096    |              | ug/L |   | NC  | 20    |
| Acetochlor                       | <0.098        |                  | <0.096    |              | ug/L |   | NC  | 20    |
| Alachlor                         | <0.049        |                  | <0.048    |              | ug/L |   | NC  | 20    |
| alpha-BHC                        | <0.098        |                  | <0.096    |              | ug/L |   | NC  | 20    |
| alpha-Chlordane                  | <0.049        |                  | <0.048    |              | ug/L |   | NC  | 20    |
| Anthracene                       | <0.020        |                  | <0.019    |              | ug/L |   | NC  | 20    |
| Atrazine                         | <0.049        |                  | <0.048    |              | ug/L |   | NC  | 20    |
| Benz(a)anthracene                | <0.049        |                  | <0.048    |              | ug/L |   | NC  | 20    |
| Benzo[a]pyrene                   | <0.020        |                  | <0.019    |              | ug/L |   | NC  | 20    |
| Benzo[b]fluoranthene             | <0.020        |                  | <0.019    |              | ug/L |   | NC  | 20    |
| Benzo[g,h,i]perylene             | <0.049        |                  | <0.048    |              | ug/L |   | NC  | 20    |
| Benzo[k]fluoranthene             | <0.020        |                  | <0.019    |              | ug/L |   | NC  | 20    |
| beta-BHC                         | <0.098        |                  | <0.096    |              | ug/L |   | NC  | 20    |
| Bis(2-ethylhexyl) phthalate      | <0.59         |                  | <0.58     |              | ug/L |   | NC  | 20    |
| Bromacil                         | <0.098        |                  | <0.096    |              | ug/L |   | NC  | 20    |
| Butachlor                        | <0.049        |                  | <0.048    |              | ug/L |   | NC  | 20    |
| Butylbenzylphthalate             | <0.49         |                  | <0.48     |              | ug/L |   | NC  | 20    |
| Chlorobenzilate                  | <0.098        |                  | <0.096    |              | ug/L |   | NC  | 20    |
| Chloroneb                        | <0.098        |                  | <0.096    |              | ug/L |   | NC  | 20    |
| Chlorothalonil (Draconil, Bravo) | <0.098        |                  | <0.096    |              | ug/L |   | NC  | 20    |
| Chlorpyrifos                     | <0.049        |                  | <0.048    |              | ug/L |   | NC  | 20    |
| Chrysene                         | <0.020        |                  | <0.019    |              | ug/L |   | NC  | 20    |
| delta-BHC                        | <0.098        |                  | <0.096    |              | ug/L |   | NC  | 20    |
| Di(2-ethylhexyl)adipate          | <0.59         |                  | <0.58     |              | ug/L |   | NC  | 20    |
| Dibenz(a,h)anthracene            | <0.049        |                  | <0.048    |              | ug/L |   | NC  | 20    |
| Diclorvos (DDVP)                 | <0.049        |                  | <0.048    |              | ug/L |   | NC  | 20    |
| Dieldrin                         | <0.0098       |                  | <0.0096   |              | ug/L |   | NC  | 20    |
| Diethylphthalate                 | <0.49         |                  | <0.48     |              | ug/L |   | NC  | 20    |
| Dimethylphthalate                | <0.49         |                  | <0.48     |              | ug/L |   | NC  | 20    |

Eurofins Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-229310-1  
SDG: Weekly: Halawa Shaft Viewing Pool

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 380-228902-AV-1-A DU

Matrix: Water

Analysis Batch: 245447

Client Sample ID: Duplicate

Prep Type: Total/NA

Prep Batch: 245098

| Analyte                          | Sample Result    | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | Limit |
|----------------------------------|------------------|------------------|-----------|--------------|------|---|-----|-------|
| Di-n-butyl phthalate             | <0.98            |                  | <0.96     |              | ug/L |   | NC  | 20    |
| Di-n-octyl phthalate             | <0.098           |                  | <0.096    |              | ug/L |   | NC  | 20    |
| Endosulfan I (Alpha)             | <0.098           |                  | <0.096    |              | ug/L |   | NC  | 20    |
| Endosulfan II (Beta)             | <0.098           |                  | <0.096    |              | ug/L |   | NC  | 20    |
| Endosulfan sulfate               | <0.098           |                  | <0.096    |              | ug/L |   | NC  | 20    |
| Endrin                           | <0.0098          |                  | <0.0096   |              | ug/L |   | NC  | 20    |
| Endrin aldehyde                  | <0.098           |                  | <0.096    |              | ug/L |   | NC  | 20    |
| EPTC                             | <0.098           |                  | <0.096    |              | ug/L |   | NC  | 20    |
| Fluoranthene                     | <0.098           |                  | <0.096    |              | ug/L |   | NC  | 20    |
| Fluorene                         | <0.049           |                  | <0.048    |              | ug/L |   | NC  | 20    |
| gamma-Chlordane                  | <0.049           |                  | <0.048    |              | ug/L |   | NC  | 20    |
| Heptachlor                       | <0.0098          |                  | <0.0096   |              | ug/L |   | NC  | 20    |
| Heptachlor epoxide (isomer B)    | <0.0098          |                  | <0.0096   |              | ug/L |   | NC  | 20    |
| Hexachlorobenzene                | <0.049           |                  | <0.048    |              | ug/L |   | NC  | 20    |
| Hexachlorocyclopentadiene        | <0.049           |                  | <0.048    |              | ug/L |   | NC  | 20    |
| Indeno[1,2,3-cd]pyrene           | <0.049           |                  | <0.048    |              | ug/L |   | NC  | 20    |
| Isophorone                       | <0.098           |                  | <0.096    |              | ug/L |   | NC  | 20    |
| Lindane                          | <0.0098          |                  | <0.0096   |              | ug/L |   | NC  | 20    |
| Malathion                        | <0.098           |                  | <0.096    |              | ug/L |   | NC  | 20    |
| Methoxychlor                     | <0.049           |                  | <0.048    |              | ug/L |   | NC  | 20    |
| Metolachlor                      | <0.049           |                  | <0.048    |              | ug/L |   | NC  | 20    |
| Molinate                         | <0.098           |                  | <0.096    |              | ug/L |   | NC  | 20    |
| Naphthalene                      | <0.098           |                  | <0.096    |              | ug/L |   | NC  | 20    |
| Parathion                        | <0.098           |                  | <0.096    |              | ug/L |   | NC  | 20    |
| Pendimethalin (Penoxaline)       | <0.098           |                  | <0.096    |              | ug/L |   | NC  | 20    |
| Phenanthrene                     | <0.039           |                  | <0.038    |              | ug/L |   | NC  | 20    |
| Propachlor                       | <0.049           |                  | <0.048    |              | ug/L |   | NC  | 20    |
| Pyrene                           | <0.049           |                  | <0.048    |              | ug/L |   | NC  | 20    |
| Simazine                         | <0.049           |                  | <0.048    |              | ug/L |   | NC  | 20    |
| Terbacil                         | <0.098           |                  | <0.096    |              | ug/L |   | NC  | 20    |
| Terbutylazine                    | <0.098           |                  | <0.096    |              | ug/L |   | NC  | 20    |
| Thiobencarb                      | <0.098           |                  | <0.096    |              | ug/L |   | NC  | 20    |
| Total Permethrin (mixed isomers) | <0.20            |                  | <0.19     |              | ug/L |   | NC  | 20    |
| trans-Nonachlor                  | <0.049           |                  | <0.048    |              | ug/L |   | NC  | 20    |
| Trifluralin                      | <0.098           |                  | <0.096    |              | ug/L |   | NC  | 20    |
| <b>Surrogate</b>                 | <b>%Recovery</b> | <b>Qualifier</b> |           |              |      |   |     |       |
| 2-Nitro-m-xylene                 | 97               |                  | 70 - 130  |              |      |   |     |       |
| Perylene-d12                     | 91               |                  | 70 - 130  |              |      |   |     |       |
| Triphenylphosphate               | 108              |                  | 70 - 130  |              |      |   |     |       |

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-229310-1  
SDG: Weekly: Halawa Shaft Viewing Pool

## Method: 625.1 - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 570-781280/1-A  
Matrix: Water  
Analysis Batch: 786745

Client Sample ID: Method Blank  
Prep Type: Total/NA  
Prep Batch: 781280

| Tentatively Identified Compound | MB<br>Est. Result | MB<br>Qualifier | Unit     | D | RT | CAS No. | Prepared       | Analyzed       | Dil Fac |
|---------------------------------|-------------------|-----------------|----------|---|----|---------|----------------|----------------|---------|
| Tentatively Identified Compound | None              |                 | ug/L     |   |    | N/A     | 08/08/26 09:10 | 08/19/26 08:05 | 1       |
| Surrogate                       | MB<br>%Recovery   | MB<br>Qualifier | Limits   |   |    |         | Prepared       | Analyzed       | Dil Fac |
| 2,4,6-Tribromophenol (Surr)     | 82                |                 | 33 - 139 |   |    |         | 08/08/26 09:10 | 08/19/26 08:05 | 1       |
| 2-Fluorobiphenyl (Surr)         | 95                |                 | 33 - 126 |   |    |         | 08/08/26 09:10 | 08/19/26 08:05 | 1       |
| 2-Fluorophenol (Surr)           | 60                |                 | 12 - 120 |   |    |         | 08/08/26 09:10 | 08/19/26 08:05 | 1       |
| Nitrobenzene-d5 (Surr)          | 104               |                 | 36 - 120 |   |    |         | 08/08/26 09:10 | 08/19/26 08:05 | 1       |
| Phenol-d6 (Surr)                | 35                |                 | 10 - 120 |   |    |         | 08/08/26 09:10 | 08/19/26 08:05 | 1       |
| p-Terphenyl-d14 (Surr)          | 102               |                 | 47 - 131 |   |    |         | 08/08/26 09:10 | 08/19/26 08:05 | 1       |

## Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Lab Sample ID: MB 570-781280/1-A  
Matrix: Water  
Analysis Batch: 784152

Client Sample ID: Method Blank  
Prep Type: Total/NA  
Prep Batch: 781280

| Analyte                     | MB<br>Result    | MB<br>Qualifier | RL       | Unit | D | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------------|-----------------|----------|------|---|----------------|----------------|---------|
| 1-Methylnaphthalene         | <0.20           |                 | 0.20     | ug/L |   | 08/08/26 09:10 | 08/13/26 21:32 | 1       |
| 2-Methylnaphthalene         | <0.20           |                 | 0.20     | ug/L |   | 08/08/26 09:10 | 08/13/26 21:32 | 1       |
| Acenaphthene                | <0.20           |                 | 0.20     | ug/L |   | 08/08/26 09:10 | 08/13/26 21:32 | 1       |
| Acenaphthylene              | <0.20           |                 | 0.20     | ug/L |   | 08/08/26 09:10 | 08/13/26 21:32 | 1       |
| Anthracene                  | <0.20           |                 | 0.20     | ug/L |   | 08/08/26 09:10 | 08/13/26 21:32 | 1       |
| Benzo[a]anthracene          | <0.20           |                 | 0.20     | ug/L |   | 08/08/26 09:10 | 08/13/26 21:32 | 1       |
| Benzo[a]pyrene              | <0.20           |                 | 0.20     | ug/L |   | 08/08/26 09:10 | 08/13/26 21:32 | 1       |
| Benzo[b]fluoranthene        | <0.20           |                 | 0.20     | ug/L |   | 08/08/26 09:10 | 08/13/26 21:32 | 1       |
| Benzo[g,h,i]perylene        | <0.20           |                 | 0.20     | ug/L |   | 08/08/26 09:10 | 08/13/26 21:32 | 1       |
| Benzo[k]fluoranthene        | <0.20           |                 | 0.20     | ug/L |   | 08/08/26 09:10 | 08/13/26 21:32 | 1       |
| Chrysene                    | <0.20           |                 | 0.20     | ug/L |   | 08/08/26 09:10 | 08/13/26 21:32 | 1       |
| Dibenz(a,h)anthracene       | <0.20           |                 | 0.20     | ug/L |   | 08/08/26 09:10 | 08/13/26 21:32 | 1       |
| Fluoranthene                | <0.20           |                 | 0.20     | ug/L |   | 08/08/26 09:10 | 08/13/26 21:32 | 1       |
| Fluorene                    | <0.20           |                 | 0.20     | ug/L |   | 08/08/26 09:10 | 08/13/26 21:32 | 1       |
| Indeno[1,2,3-cd]pyrene      | <0.20           |                 | 0.20     | ug/L |   | 08/08/26 09:10 | 08/13/26 21:32 | 1       |
| Naphthalene                 | <0.20           |                 | 0.20     | ug/L |   | 08/08/26 09:10 | 08/13/26 21:32 | 1       |
| Phenanthrene                | <0.20           |                 | 0.20     | ug/L |   | 08/08/26 09:10 | 08/13/26 21:32 | 1       |
| Pyrene                      | <0.20           |                 | 0.20     | ug/L |   | 08/08/26 09:10 | 08/13/26 21:32 | 1       |
| Surrogate                   | MB<br>%Recovery | MB<br>Qualifier | Limits   |      |   | Prepared       | Analyzed       | Dil Fac |
| 2,4,6-Tribromophenol (Surr) | 84              |                 | 28 - 127 |      |   | 08/08/26 09:10 | 08/13/26 21:32 | 1       |
| 2-Fluorobiphenyl (Surr)     | 81              |                 | 31 - 120 |      |   | 08/08/26 09:10 | 08/13/26 21:32 | 1       |
| 2-Fluorophenol (Surr)       | 54              |                 | 17 - 120 |      |   | 08/08/26 09:10 | 08/13/26 21:32 | 1       |
| Nitrobenzene-d5 (Surr)      | 90              |                 | 27 - 120 |      |   | 08/08/26 09:10 | 08/13/26 21:32 | 1       |
| Phenol-d6 (Surr)            | 36              |                 | 10 - 120 |      |   | 08/08/26 09:10 | 08/13/26 21:32 | 1       |
| p-Terphenyl-d14 (Surr)      | 80              |                 | 45 - 120 |      |   | 08/08/26 09:10 | 08/13/26 21:32 | 1       |

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-229310-1  
SDG: Weekly: Halawa Shaft Viewing Pool

## Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

Lab Sample ID: LCS 570-781280/2-A

Matrix: Water

Analysis Batch: 784152

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 781280

| Analyte                | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|------------------------|-------------|------------|---------------|------|---|------|-------------|
| 1-Methylnaphthalene    | 20.0        | 13.4       |               | ug/L |   | 67   | 47 - 120    |
| 2-Methylnaphthalene    | 20.0        | 12.9       |               | ug/L |   | 64   | 43 - 120    |
| Acenaphthene           | 20.0        | 19.1       |               | ug/L |   | 96   | 60 - 132    |
| Acenaphthylene         | 20.0        | 19.1       |               | ug/L |   | 95   | 54 - 126    |
| Anthracene             | 20.0        | 19.7       |               | ug/L |   | 99   | 43 - 120    |
| Benzo[a]anthracene     | 20.0        | 21.8       |               | ug/L |   | 109  | 42 - 133    |
| Benzo[a]pyrene         | 20.0        | 24.1       |               | ug/L |   | 121  | 32 - 148    |
| Benzo[b]fluoranthene   | 20.0        | 23.6       |               | ug/L |   | 118  | 42 - 140    |
| Benzo[g,h,i]perylene   | 20.0        | 21.9       |               | ug/L |   | 110  | 1 - 195     |
| Benzo[k]fluoranthene   | 20.0        | 22.4       |               | ug/L |   | 112  | 25 - 146    |
| Chrysene               | 20.0        | 21.6       |               | ug/L |   | 108  | 44 - 140    |
| Dibenz(a,h)anthracene  | 20.0        | 23.4       |               | ug/L |   | 117  | 1 - 200     |
| Fluoranthene           | 20.0        | 21.9       |               | ug/L |   | 110  | 43 - 121    |
| Fluorene               | 20.0        | 19.9       |               | ug/L |   | 100  | 70 - 120    |
| Indeno[1,2,3-cd]pyrene | 20.0        | 22.6       |               | ug/L |   | 113  | 1 - 151     |
| Naphthalene            | 20.0        | 12.5       |               | ug/L |   | 62   | 36 - 120    |
| Phenanthrene           | 20.0        | 20.2       |               | ug/L |   | 101  | 65 - 120    |
| Pyrene                 | 20.0        | 20.6       |               | ug/L |   | 103  | 70 - 120    |

| Surrogate                   | LCS %Recovery | LCS Qualifier | Limits   |
|-----------------------------|---------------|---------------|----------|
| 2,4,6-Tribromophenol (Surr) | 103           |               | 28 - 127 |
| 2-Fluorobiphenyl (Surr)     | 96            |               | 31 - 120 |
| 2-Fluorophenol (Surr)       | 70            |               | 17 - 120 |
| Nitrobenzene-d5 (Surr)      | 72            |               | 27 - 120 |
| Phenol-d6 (Surr)            | 50            |               | 10 - 120 |
| p-Terphenyl-d14 (Surr)      | 96            |               | 45 - 120 |

Lab Sample ID: LCSD 570-781280/3-A

Matrix: Water

Analysis Batch: 784152

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 781280

| Analyte                | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|------------------------|-------------|-------------|----------------|------|---|------|-------------|-----|-----------|
| 1-Methylnaphthalene    | 20.0        | 13.3        |                | ug/L |   | 67   | 47 - 120    | 1   | 20        |
| 2-Methylnaphthalene    | 20.0        | 12.7        |                | ug/L |   | 63   | 43 - 120    | 1   | 20        |
| Acenaphthene           | 20.0        | 18.9        |                | ug/L |   | 95   | 60 - 132    | 1   | 29        |
| Acenaphthylene         | 20.0        | 18.8        |                | ug/L |   | 94   | 54 - 126    | 1   | 45        |
| Anthracene             | 20.0        | 19.9        |                | ug/L |   | 100  | 43 - 120    | 1   | 40        |
| Benzo[a]anthracene     | 20.0        | 21.5        |                | ug/L |   | 108  | 42 - 133    | 1   | 32        |
| Benzo[a]pyrene         | 20.0        | 23.9        |                | ug/L |   | 119  | 32 - 148    | 1   | 43        |
| Benzo[b]fluoranthene   | 20.0        | 22.6        |                | ug/L |   | 113  | 42 - 140    | 4   | 43        |
| Benzo[g,h,i]perylene   | 20.0        | 21.5        |                | ug/L |   | 108  | 1 - 195     | 2   | 61        |
| Benzo[k]fluoranthene   | 20.0        | 22.8        |                | ug/L |   | 114  | 25 - 146    | 2   | 38        |
| Chrysene               | 20.0        | 21.5        |                | ug/L |   | 108  | 44 - 140    | 0   | 53        |
| Dibenz(a,h)anthracene  | 20.0        | 23.1        |                | ug/L |   | 115  | 1 - 200     | 1   | 75        |
| Fluoranthene           | 20.0        | 22.6        |                | ug/L |   | 113  | 43 - 121    | 3   | 40        |
| Fluorene               | 20.0        | 20.0        |                | ug/L |   | 100  | 70 - 120    | 0   | 23        |
| Indeno[1,2,3-cd]pyrene | 20.0        | 22.4        |                | ug/L |   | 112  | 1 - 151     | 1   | 60        |
| Naphthalene            | 20.0        | 12.2        |                | ug/L |   | 61   | 36 - 120    | 2   | 39        |

Eurofins Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-229310-1  
SDG: Weekly: Halawa Shaft Viewing Pool

## Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

Lab Sample ID: LCSD 570-781280/3-A

Matrix: Water

Analysis Batch: 784152

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 781280

| Analyte      | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|--------------|-------------|-------------|----------------|------|---|------|-------------|-----|-----------|
| Phenanthrene | 20.0        | 19.8        |                | ug/L |   | 99   | 65 - 120    | 2   | 24        |
| Pyrene       | 20.0        | 20.0        |                | ug/L |   | 100  | 70 - 120    | 3   | 30        |

| Surrogate                   | LCSD %Recovery | LCSD Qualifier | LCSD Limits |
|-----------------------------|----------------|----------------|-------------|
| 2,4,6-Tribromophenol (Surr) | 97             |                | 28 - 127    |
| 2-Fluorobiphenyl (Surr)     | 91             |                | 31 - 120    |
| 2-Fluorophenol (Surr)       | 72             |                | 17 - 120    |
| Nitrobenzene-d5 (Surr)      | 70             |                | 27 - 120    |
| Phenol-d6 (Surr)            | 50             |                | 10 - 120    |
| p-Terphenyl-d14 (Surr)      | 92             |                | 45 - 120    |

Lab Sample ID: 380-228714-B-3-A MSD

Matrix: Water

Analysis Batch: 784152

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 781280

| Analyte                | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|------------------------|---------------|------------------|-------------|------------|---------------|------|---|------|-------------|-----|-----------|
| 1-Methylnaphthalene    | <0.20         |                  | 20.4        | 12.2       |               | ug/L |   | 60   | 36 - 120    | 5   | 30        |
| 2-Methylnaphthalene    | <0.20         |                  | 20.4        | 11.7       |               | ug/L |   | 58   | 32 - 124    | 6   | 30        |
| Acenaphthene           | <0.20         |                  | 20.4        | 14.9       |               | ug/L |   | 73   | 47 - 145    | 12  | 48        |
| Acenaphthylene         | <0.20         |                  | 20.4        | 15.0       |               | ug/L |   | 74   | 33 - 145    | 12  | 74        |
| Anthracene             | <0.20         |                  | 20.4        | 16.9       |               | ug/L |   | 83   | 27 - 133    | 8   | 66        |
| Benzo[a]anthracene     | <0.20         |                  | 20.4        | 18.7       |               | ug/L |   | 92   | 33 - 143    | 8   | 53        |
| Benzo[a]pyrene         | <0.20         |                  | 20.4        | 20.2       |               | ug/L |   | 99   | 17 - 163    | 8   | 72        |
| Benzo[b]fluoranthene   | <0.20         |                  | 20.4        | 20.3       |               | ug/L |   | 99   | 24 - 159    | 8   | 71        |
| Benzo[g,h,i]perylene   | <0.20         |                  | 20.4        | 19.0       |               | ug/L |   | 93   | 1 - 219     | 7   | 97        |
| Benzo[k]fluoranthene   | <0.20         |                  | 20.4        | 18.9       |               | ug/L |   | 92   | 11 - 162    | 8   | 63        |
| Chrysene               | <0.20         |                  | 20.4        | 18.4       |               | ug/L |   | 90   | 17 - 168    | 8   | 87        |
| Dibenz(a,h)anthracene  | <0.20         |                  | 20.4        | 20.2       |               | ug/L |   | 99   | 1 - 227     | 8   | 126       |
| Fluoranthene           | <0.20         |                  | 20.4        | 19.7       |               | ug/L |   | 97   | 26 - 137    | 8   | 66        |
| Fluorene               | <0.20         |                  | 20.4        | 16.0       |               | ug/L |   | 79   | 59 - 121    | 12  | 38        |
| Indeno[1,2,3-cd]pyrene | <0.20         |                  | 20.4        | 19.9       |               | ug/L |   | 97   | 1 - 171     | 7   | 99        |
| Naphthalene            | <0.20         |                  | 20.4        | 11.3       |               | ug/L |   | 55   | 21 - 133    | 4   | 65        |
| Phenanthrene           | <0.20         |                  | 20.4        | 16.9       |               | ug/L |   | 83   | 54 - 120    | 9   | 39        |
| Pyrene                 | <0.20         |                  | 20.4        | 17.1       |               | ug/L |   | 84   | 52 - 120    | 8   | 49        |

| Surrogate                   | MSD %Recovery | MSD Qualifier | MSD Limits |
|-----------------------------|---------------|---------------|------------|
| 2,4,6-Tribromophenol (Surr) | 87            |               | 28 - 127   |
| 2-Fluorobiphenyl (Surr)     | 69            |               | 31 - 120   |
| 2-Fluorophenol (Surr)       | 48            |               | 17 - 120   |
| Nitrobenzene-d5 (Surr)      | 57            |               | 27 - 120   |
| Phenol-d6 (Surr)            | 36            |               | 10 - 120   |
| p-Terphenyl-d14 (Surr)      | 62            |               | 45 - 120   |

## QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-229310-1  
SDG: Weekly: Halawa Shaft Viewing Pool

### Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

Lab Sample ID: 380-228714-C-3-A MS

Matrix: Water

Analysis Batch: 784152

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 781280

| Analyte                | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits |
|------------------------|---------------|------------------|-------------|-----------|--------------|------|---|------|-------------|
| 1-Methylnaphthalene    | <0.20         |                  | 20.3        | 12.9      |              | ug/L |   | 63   | 36 - 120    |
| 2-Methylnaphthalene    | <0.20         |                  | 20.3        | 12.4      |              | ug/L |   | 61   | 32 - 124    |
| Acenaphthene           | <0.20         |                  | 20.3        | 16.9      |              | ug/L |   | 83   | 47 - 145    |
| Acenaphthylene         | <0.20         |                  | 20.3        | 17.0      |              | ug/L |   | 83   | 33 - 145    |
| Anthracene             | <0.20         |                  | 20.3        | 18.4      |              | ug/L |   | 91   | 27 - 133    |
| Benzo[a]anthracene     | <0.20         |                  | 20.3        | 20.2      |              | ug/L |   | 99   | 33 - 143    |
| Benzo[a]pyrene         | <0.20         |                  | 20.3        | 21.8      |              | ug/L |   | 107  | 17 - 163    |
| Benzo[b]fluoranthene   | <0.20         |                  | 20.3        | 21.9      |              | ug/L |   | 108  | 24 - 159    |
| Benzo[g,h,i]perylene   | <0.20         |                  | 20.3        | 20.5      |              | ug/L |   | 101  | 1 - 219     |
| Benzo[k]fluoranthene   | <0.20         |                  | 20.3        | 20.4      |              | ug/L |   | 100  | 11 - 162    |
| Chrysene               | <0.20         |                  | 20.3        | 20.0      |              | ug/L |   | 98   | 17 - 168    |
| Dibenz(a,h)anthracene  | <0.20         |                  | 20.3        | 21.9      |              | ug/L |   | 108  | 1 - 227     |
| Fluoranthene           | <0.20         |                  | 20.3        | 21.3      |              | ug/L |   | 105  | 26 - 137    |
| Fluorene               | <0.20         |                  | 20.3        | 18.1      |              | ug/L |   | 89   | 59 - 121    |
| Indeno[1,2,3-cd]pyrene | <0.20         |                  | 20.3        | 21.3      |              | ug/L |   | 105  | 1 - 171     |
| Naphthalene            | <0.20         |                  | 20.3        | 11.7      |              | ug/L |   | 57   | 21 - 133    |
| Phenanthrene           | <0.20         |                  | 20.3        | 18.4      |              | ug/L |   | 91   | 54 - 120    |
| Pyrene                 | <0.20         |                  | 20.3        | 18.5      |              | ug/L |   | 91   | 52 - 120    |

| Surrogate                   | MS %Recovery | MS Qualifier | Limits   |
|-----------------------------|--------------|--------------|----------|
| 2,4,6-Tribromophenol (Surr) | 95           |              | 28 - 127 |
| 2-Fluorobiphenyl (Surr)     | 79           |              | 31 - 120 |
| 2-Fluorophenol (Surr)       | 52           |              | 17 - 120 |
| Nitrobenzene-d5 (Surr)      | 59           |              | 27 - 120 |
| Phenol-d6 (Surr)            | 40           |              | 10 - 120 |
| p-Terphenyl-d14 (Surr)      | 69           |              | 45 - 120 |

### Method: 8015B GRO LL - Gasoline Range Organics - (GC)

Lab Sample ID: MB 570-781313/6

Matrix: Water

Analysis Batch: 781313

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte                     | MB Result    | MB Qualifier | RL       | Unit | D | Prepared | Analyzed       | Dil Fac |
|-----------------------------|--------------|--------------|----------|------|---|----------|----------------|---------|
| GRO (C6-C10)                | <10          |              | 10       | ug/L |   |          | 08/08/26 12:57 | 1       |
| Surrogate                   | MB %Recovery | MB Qualifier | Limits   |      |   | Prepared | Analyzed       | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 97           |              | 38 - 134 |      |   |          | 08/08/26 12:57 | 1       |

Lab Sample ID: LCS 570-781313/3

Matrix: Water

Analysis Batch: 781313

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte                          | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|----------------------------------|-------------|------------|---------------|------|---|------|-------------|
| Gasoline Range Organics (C4-C13) | 400         | 398        |               | ug/L |   | 99   | 78 - 120    |

Eurofins Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-229310-1  
SDG: Weekly: Halawa Shaft Viewing Pool

## Method: 8015B GRO LL - Gasoline Range Organics - (GC) (Continued)

Lab Sample ID: LCS 570-781313/3

Matrix: Water

Analysis Batch: 781313

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

|                             | LCS       | LCS       |          |
|-----------------------------|-----------|-----------|----------|
| Surrogate                   | %Recovery | Qualifier | Limits   |
| 4-Bromofluorobenzene (Surr) | 78        |           | 38 - 134 |

Lab Sample ID: LCSD 570-781313/4

Matrix: Water

Analysis Batch: 781313

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

|                                  |  |  | Spike | LCSD   | LCSD      |      |   |      | %Rec     |     | RPD   |
|----------------------------------|--|--|-------|--------|-----------|------|---|------|----------|-----|-------|
| Analyte                          |  |  | Added | Result | Qualifier | Unit | D | %Rec | Limits   | RPD | Limit |
| Gasoline Range Organics (C4-C13) |  |  | 400   | 379    |           | ug/L |   | 95   | 78 - 120 | 5   | 10    |

|                             | LCSD      | LCSD      |          |
|-----------------------------|-----------|-----------|----------|
| Surrogate                   | %Recovery | Qualifier | Limits   |
| 4-Bromofluorobenzene (Surr) | 99        |           | 38 - 134 |

Lab Sample ID: MRL 570-781313/5

Matrix: Water

Analysis Batch: 781313

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

|                                  |  |  | Spike | MRL    | MRL       |      |   |      | %Rec     |  |  |
|----------------------------------|--|--|-------|--------|-----------|------|---|------|----------|--|--|
| Analyte                          |  |  | Added | Result | Qualifier | Unit | D | %Rec | Limits   |  |  |
| Gasoline Range Organics (C4-C13) |  |  | 10.0  | 13.4   |           | ug/L |   | 134  | 50 - 150 |  |  |

|                             | MRL       | MRL       |          |
|-----------------------------|-----------|-----------|----------|
| Surrogate                   | %Recovery | Qualifier | Limits   |
| 4-Bromofluorobenzene (Surr) | 93        |           | 38 - 134 |

Lab Sample ID: 380-228215-B-1 MS

Matrix: Water

Analysis Batch: 781313

Client Sample ID: Matrix Spike

Prep Type: Total/NA

|                                  | Sample | Sample    | Spike | MS     | MS        |      |   |      | %Rec     |  |  |
|----------------------------------|--------|-----------|-------|--------|-----------|------|---|------|----------|--|--|
| Analyte                          | Result | Qualifier | Added | Result | Qualifier | Unit | D | %Rec | Limits   |  |  |
| Gasoline Range Organics (C4-C13) | <10    |           | 400   | 362    |           | ug/L |   | 90   | 68 - 122 |  |  |

|                             | MS        | MS        |          |
|-----------------------------|-----------|-----------|----------|
| Surrogate                   | %Recovery | Qualifier | Limits   |
| 4-Bromofluorobenzene (Surr) | 100       |           | 38 - 134 |

Lab Sample ID: 380-228215-B-1 MSD

Matrix: Water

Analysis Batch: 781313

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

|                                  | Sample | Sample    | Spike | MSD    | MSD       |      |   |      | %Rec     |     | RPD   |
|----------------------------------|--------|-----------|-------|--------|-----------|------|---|------|----------|-----|-------|
| Analyte                          | Result | Qualifier | Added | Result | Qualifier | Unit | D | %Rec | Limits   | RPD | Limit |
| Gasoline Range Organics (C4-C13) | <10    |           | 400   | 363    |           | ug/L |   | 91   | 68 - 122 | 0   | 18    |

|                             | MSD       | MSD       |          |
|-----------------------------|-----------|-----------|----------|
| Surrogate                   | %Recovery | Qualifier | Limits   |
| 4-Bromofluorobenzene (Surr) | 100       |           | 38 - 134 |

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-229310-1  
SDG: Weekly: Halawa Shaft Viewing Pool

## Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level

Lab Sample ID: MB 570-781645/1-A

Matrix: Water

Analysis Batch: 785034

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 781645

| Analyte                            | MB Result | MB Qualifier | RL | Unit | D | Prepared       | Analyzed       | Dil Fac |
|------------------------------------|-----------|--------------|----|------|---|----------------|----------------|---------|
| Diesel Range Organics (C10-C24)    | <25       |              | 25 | ug/L |   | 08/09/26 16:45 | 08/15/26 21:15 | 1       |
| Motor Oil Range Organics [C24-C36] | <25       |              | 25 | ug/L |   | 08/09/26 16:45 | 08/15/26 21:15 | 1       |
| C8-C18                             | <25       |              | 25 | ug/L |   | 08/09/26 16:45 | 08/15/26 21:15 | 1       |

| Surrogate           | MB %Recovery | MB Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|---------------------|--------------|--------------|----------|----------------|----------------|---------|
| n-Octacosane (Surr) | 99           |              | 60 - 130 | 08/09/26 16:45 | 08/15/26 21:15 | 1       |

Lab Sample ID: LCS 570-781645/2-A

Matrix: Water

Analysis Batch: 785034

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 781645

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|---------|-------------|------------|---------------|------|---|------|-------------|
| C10-C28 | 1600        | 1560       |               | ug/L |   | 97   | 56 - 127    |

| Surrogate           | LCS %Recovery | LCS Qualifier | Limits   |
|---------------------|---------------|---------------|----------|
| n-Octacosane (Surr) | 102           |               | 60 - 130 |

Lab Sample ID: LCSD 570-781645/3-A

Matrix: Water

Analysis Batch: 785034

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 781645

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---------|-------------|-------------|----------------|------|---|------|-------------|-----|-----------|
| C10-C28 | 1600        | 1710        |                | ug/L |   | 107  | 56 - 127    | 9   | 23        |

| Surrogate           | LCSD %Recovery | LCSD Qualifier | Limits   |
|---------------------|----------------|----------------|----------|
| n-Octacosane (Surr) | 111            |                | 60 - 130 |

Lab Sample ID: MRL 570-781645/4-A

Matrix: Water

Analysis Batch: 785034

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 781645

| Analyte | Spike Added | MRL Result | MRL Qualifier | Unit | D | %Rec | %Rec Limits |
|---------|-------------|------------|---------------|------|---|------|-------------|
| C10-C28 | 0.0200      | 0.0267     |               | mg/L |   | 134  | 50 - 150    |

| Surrogate           | MRL %Recovery | MRL Qualifier | Limits   |
|---------------------|---------------|---------------|----------|
| n-Octacosane (Surr) | 104           |               | 60 - 130 |

## QC Association Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-229310-1  
SDG: Weekly: Halawa Shaft Viewing Pool

### GC/MS Semi VOA

#### Prep Batch: 245098

| Lab Sample ID        | Client Sample ID          | Prep Type | Matrix | Method | Prep Batch |
|----------------------|---------------------------|-----------|--------|--------|------------|
| 380-229310-1         | HALAWA SHAFT VIEWING POOL | Total/NA  | Water  | 525.2  |            |
| MB 380-245098/21-A   | Method Blank              | Total/NA  | Water  | 525.2  |            |
| LCS 380-245098/23-A  | Lab Control Sample        | Total/NA  | Water  | 525.2  |            |
| MRL 380-245098/22-A  | Lab Control Sample        | Total/NA  | Water  | 525.2  |            |
| 380-229222-Y-1-A MS  | Matrix Spike              | Total/NA  | Water  | 525.2  |            |
| 380-228902-AV-1-A DU | Duplicate                 | Total/NA  | Water  | 525.2  |            |

#### Analysis Batch: 245447

| Lab Sample ID        | Client Sample ID          | Prep Type | Matrix | Method | Prep Batch |
|----------------------|---------------------------|-----------|--------|--------|------------|
| 380-229310-1         | HALAWA SHAFT VIEWING POOL | Total/NA  | Water  | 525.2  | 245098     |
| MB 380-245098/21-A   | Method Blank              | Total/NA  | Water  | 525.2  | 245098     |
| LCS 380-245098/23-A  | Lab Control Sample        | Total/NA  | Water  | 525.2  | 245098     |
| MRL 380-245098/22-A  | Lab Control Sample        | Total/NA  | Water  | 525.2  | 245098     |
| 380-229222-Y-1-A MS  | Matrix Spike              | Total/NA  | Water  | 525.2  | 245098     |
| 380-228902-AV-1-A DU | Duplicate                 | Total/NA  | Water  | 525.2  | 245098     |

#### Prep Batch: 781280

| Lab Sample ID        | Client Sample ID          | Prep Type | Matrix | Method | Prep Batch |
|----------------------|---------------------------|-----------|--------|--------|------------|
| 380-229310-1         | HALAWA SHAFT VIEWING POOL | Total/NA  | Water  | 625.1  |            |
| MB 570-781280/1-A    | Method Blank              | Total/NA  | Water  | 625.1  |            |
| LCS 570-781280/2-A   | Lab Control Sample        | Total/NA  | Water  | 625.1  |            |
| LCSD 570-781280/3-A  | Lab Control Sample Dup    | Total/NA  | Water  | 625.1  |            |
| 380-228714-B-3-A MSD | Matrix Spike Duplicate    | Total/NA  | Water  | 625.1  |            |
| 380-228714-C-3-A MS  | Matrix Spike              | Total/NA  | Water  | 625.1  |            |

#### Analysis Batch: 784152

| Lab Sample ID        | Client Sample ID          | Prep Type | Matrix | Method    | Prep Batch |
|----------------------|---------------------------|-----------|--------|-----------|------------|
| 380-229310-1         | HALAWA SHAFT VIEWING POOL | Total/NA  | Water  | 625.1 SIM | 781280     |
| MB 570-781280/1-A    | Method Blank              | Total/NA  | Water  | 625.1 SIM | 781280     |
| LCS 570-781280/2-A   | Lab Control Sample        | Total/NA  | Water  | 625.1 SIM | 781280     |
| LCSD 570-781280/3-A  | Lab Control Sample Dup    | Total/NA  | Water  | 625.1 SIM | 781280     |
| 380-228714-B-3-A MSD | Matrix Spike Duplicate    | Total/NA  | Water  | 625.1 SIM | 781280     |
| 380-228714-C-3-A MS  | Matrix Spike              | Total/NA  | Water  | 625.1 SIM | 781280     |

#### Analysis Batch: 786745

| Lab Sample ID     | Client Sample ID          | Prep Type | Matrix | Method | Prep Batch |
|-------------------|---------------------------|-----------|--------|--------|------------|
| 380-229310-1      | HALAWA SHAFT VIEWING POOL | Total/NA  | Water  | 625.1  | 781280     |
| MB 570-781280/1-A | Method Blank              | Total/NA  | Water  | 625.1  | 781280     |

### GC VOA

#### Analysis Batch: 781313

| Lab Sample ID      | Client Sample ID              | Prep Type | Matrix | Method       | Prep Batch |
|--------------------|-------------------------------|-----------|--------|--------------|------------|
| 380-229310-1       | HALAWA SHAFT VIEWING POOL     | Total/NA  | Water  | 8015B GRO LL |            |
| 380-229310-2       | TB: HALAWA SHAFT VIEWING POOL | Total/NA  | Water  | 8015B GRO LL |            |
| MB 570-781313/6    | Method Blank                  | Total/NA  | Water  | 8015B GRO LL |            |
| LCS 570-781313/3   | Lab Control Sample            | Total/NA  | Water  | 8015B GRO LL |            |
| LCSD 570-781313/4  | Lab Control Sample Dup        | Total/NA  | Water  | 8015B GRO LL |            |
| MRL 570-781313/5   | Lab Control Sample            | Total/NA  | Water  | 8015B GRO LL |            |
| 380-228215-B-1 MS  | Matrix Spike                  | Total/NA  | Water  | 8015B GRO LL |            |
| 380-228215-B-1 MSD | Matrix Spike Duplicate        | Total/NA  | Water  | 8015B GRO LL |            |

Eurofins Pomona

## QC Association Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-229310-1  
SDG: Weekly: Halawa Shaft Viewing Pool

### GC Semi VOA

#### Prep Batch: 781645

| Lab Sample ID       | Client Sample ID          | Prep Type | Matrix | Method | Prep Batch |
|---------------------|---------------------------|-----------|--------|--------|------------|
| 380-229310-1        | HALAWA SHAFT VIEWING POOL | Total/NA  | Water  | 3510C  |            |
| MB 570-781645/1-A   | Method Blank              | Total/NA  | Water  | 3510C  |            |
| LCS 570-781645/2-A  | Lab Control Sample        | Total/NA  | Water  | 3510C  |            |
| LCSD 570-781645/3-A | Lab Control Sample Dup    | Total/NA  | Water  | 3510C  |            |
| MRL 570-781645/4-A  | Lab Control Sample        | Total/NA  | Water  | 3510C  |            |

#### Analysis Batch: 785034

| Lab Sample ID       | Client Sample ID          | Prep Type | Matrix | Method | Prep Batch |
|---------------------|---------------------------|-----------|--------|--------|------------|
| 380-229310-1        | HALAWA SHAFT VIEWING POOL | Total/NA  | Water  | 8015B  | 781645     |
| MB 570-781645/1-A   | Method Blank              | Total/NA  | Water  | 8015B  | 781645     |
| LCS 570-781645/2-A  | Lab Control Sample        | Total/NA  | Water  | 8015B  | 781645     |
| LCSD 570-781645/3-A | Lab Control Sample Dup    | Total/NA  | Water  | 8015B  | 781645     |
| MRL 570-781645/4-A  | Lab Control Sample        | Total/NA  | Water  | 8015B  | 781645     |

# Lab Chronicle

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-229310-1  
SDG: Weekly: Halawa Shaft Viewing Pool

**Client Sample ID: HALAWA SHAFT VIEWING POOL**

**Lab Sample ID: 380-229310-1**

Date Collected: 08/04/26 09:30

Matrix: Water

Date Received: 08/06/26 09:30

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Analyst | Lab       | Prepared or Analyzed |
|-----------|------------|--------------|-----|-----------------|--------------|---------|-----------|----------------------|
| Total/NA  | Prep       | 525.2        |     |                 | 245098       | OTM3    | EA POM    | 08/07/26 11:43       |
| Total/NA  | Analysis   | 525.2        |     | 1               | 245447       | UPAC    | EA POM    | 08/10/26 15:47       |
| Total/NA  | Prep       | 625.1        |     |                 | 781280       | KLZQ    | EET CAL 4 | 08/08/26 09:10       |
| Total/NA  | Analysis   | 625.1        |     | 1               | 786745       | PQS1    | EET CAL 4 | 08/19/26 09:41       |
| Total/NA  | Prep       | 625.1        |     |                 | 781280       | KLZQ    | EET CAL 4 | 08/08/26 09:10       |
| Total/NA  | Analysis   | 625.1 SIM    |     | 1               | 784152       | S4EA    | EET CAL 4 | 08/14/26 03:53       |
| Total/NA  | Analysis   | 8015B GRO LL |     | 1               | 781313       | 7CF2    | EET CAL 4 | 08/08/26 20:44       |
| Total/NA  | Prep       | 3510C        |     |                 | 781645       | TVD6    | EET CAL 4 | 08/09/26 16:45       |
| Total/NA  | Analysis   | 8015B        |     | 1               | 785034       | H6FE    | EET CAL 4 | 08/15/26 22:18       |

**Client Sample ID: TB: HALAWA SHAFT VIEWING POOL**

**Lab Sample ID: 380-229310-2**

Date Collected: 08/04/26 09:30

Matrix: Water

Date Received: 08/06/26 09:30

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Analyst | Lab       | Prepared or Analyzed |
|-----------|------------|--------------|-----|-----------------|--------------|---------|-----------|----------------------|
| Total/NA  | Analysis   | 8015B GRO LL |     | 1               | 781313       | 7CF2    | EET CAL 4 | 08/08/26 16:16       |

## Laboratory References:

EA POM = Eurofins Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100

EET CAL 4 = Eurofins Calscience Tustin, 2841 Dow Avenue, Tustin, CA 92780, TEL (714)895-5494

# Accreditation/Certification Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-229310-1  
SDG: Weekly: Halawa Shaft Viewing Pool

## Laboratory: Eurofins Pomona

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

| Authority                                                                                                                                                                                           | Program     | Identification Number | Expiration Date                  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-----------------------|----------------------------------|
| Hawaii                                                                                                                                                                                              | State       | CA00006               | 01-31-26 *                       |
| The following analytes are included in this report, but the laboratory is not certified by Hawaii State CA00006. This list may include analytes for which the agency does not offer certification : |             |                       |                                  |
| Analysis Method                                                                                                                                                                                     | Prep Method | Matrix                | Analyte                          |
| 525.2                                                                                                                                                                                               | 525.2       | Water                 | 1-Methylnaphthalene              |
| 525.2                                                                                                                                                                                               | 525.2       | Water                 | 2,4'-DDD                         |
| 525.2                                                                                                                                                                                               | 525.2       | Water                 | 2,4'-DDE                         |
| 525.2                                                                                                                                                                                               | 525.2       | Water                 | 2,4'-DDT                         |
| 525.2                                                                                                                                                                                               | 525.2       | Water                 | 2,4-Dinitrotoluene               |
| 525.2                                                                                                                                                                                               | 525.2       | Water                 | 2,6-Dinitrotoluene               |
| 525.2                                                                                                                                                                                               | 525.2       | Water                 | 2-Methylnaphthalene              |
| 525.2                                                                                                                                                                                               | 525.2       | Water                 | 4,4'-DDD                         |
| 525.2                                                                                                                                                                                               | 525.2       | Water                 | 4,4'-DDE                         |
| 525.2                                                                                                                                                                                               | 525.2       | Water                 | 4,4'-DDT                         |
| 525.2                                                                                                                                                                                               | 525.2       | Water                 | Acetochlor                       |
| 525.2                                                                                                                                                                                               | 525.2       | Water                 | alpha-BHC                        |
| 525.2                                                                                                                                                                                               | 525.2       | Water                 | alpha-Chlordane                  |
| 525.2                                                                                                                                                                                               | 525.2       | Water                 | beta-BHC                         |
| 525.2                                                                                                                                                                                               | 525.2       | Water                 | Chlorobenzilate                  |
| 525.2                                                                                                                                                                                               | 525.2       | Water                 | Chloroneb                        |
| 525.2                                                                                                                                                                                               | 525.2       | Water                 | Chlorothalonil (Draconil, Bravo) |
| 525.2                                                                                                                                                                                               | 525.2       | Water                 | Chlorpyrifos                     |
| 525.2                                                                                                                                                                                               | 525.2       | Water                 | delta-BHC                        |
| 525.2                                                                                                                                                                                               | 525.2       | Water                 | Diclorvos (DDVP)                 |
| 525.2                                                                                                                                                                                               | 525.2       | Water                 | Endosulfan I (Alpha)             |
| 525.2                                                                                                                                                                                               | 525.2       | Water                 | Endosulfan II (Beta)             |
| 525.2                                                                                                                                                                                               | 525.2       | Water                 | Endosulfan sulfate               |
| 525.2                                                                                                                                                                                               | 525.2       | Water                 | Endrin aldehyde                  |
| 525.2                                                                                                                                                                                               | 525.2       | Water                 | EPTC                             |
| 525.2                                                                                                                                                                                               | 525.2       | Water                 | gamma-Chlordane                  |
| 525.2                                                                                                                                                                                               | 525.2       | Water                 | Isophorone                       |
| 525.2                                                                                                                                                                                               | 525.2       | Water                 | Malathion                        |
| 525.2                                                                                                                                                                                               | 525.2       | Water                 | Parathion                        |
| 525.2                                                                                                                                                                                               | 525.2       | Water                 | Pendimethalin (Penoxaline)       |
| 525.2                                                                                                                                                                                               | 525.2       | Water                 | Terbacil                         |
| 525.2                                                                                                                                                                                               | 525.2       | Water                 | Terbutylazine                    |
| 525.2                                                                                                                                                                                               | 525.2       | Water                 | Total Permethrin (mixed isomers) |
| 525.2                                                                                                                                                                                               | 525.2       | Water                 | trans-Nonachlor                  |

## Laboratory: Eurofins Calscience

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

| Authority    | Program                                 | Identification Number | Expiration Date |
|--------------|-----------------------------------------|-----------------------|-----------------|
| A2LA         | Dept. of Defense ELAP                   | 7296.01               | 11-30-26        |
| A2LA         | ISO/IEC 17025                           | 7296.01               | 11-30-26        |
| Alaska (UST) | State                                   | 25-005                | 03-02-27        |
| Arizona      | State                                   | AZ0830                | 11-17-26        |
| California   | Los Angeles County Sanitation Districts | 9257304               | 07-31-28        |
| California   | SCAQMD LAP                              | 17LA0919              | 11-30-26        |

\* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins Pomona

## Accreditation/Certification Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-229310-1  
SDG: Weekly: Halawa Shaft Viewing Pool

### Laboratory: Eurofins Calscience (Continued)

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

| Authority  | Program             | Identification Number | Expiration Date |
|------------|---------------------|-----------------------|-----------------|
| California | State               | 3082                  | 07-31-28        |
| Kansas     | NELAP               | E-10420               | 07-31-27        |
| Nevada     | State               | CA00111               | 07-31-27        |
| Oregon     | NELAP               | 4175                  | 02-02-27        |
| Texas      | NELAP               | T104704499            | 07-31-27        |
| USDA       | US Federal Programs | 525-23-159-97150      | 09-30-26        |
| Utah       | NELAP               | CA00111               | 02-28-27        |
| Washington | State               | C916                  | 10-12-26        |

## Method Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-229310-1  
SDG: Weekly: Halawa Shaft Viewing Pool

| Method       | Method Description                           | Protocol  | Laboratory |
|--------------|----------------------------------------------|-----------|------------|
| 525.2        | Semivolatile Organic Compounds (GC/MS)       | EPA       | EA POM     |
| 625.1        | Semivolatile Organic Compounds (GC/MS)       | EPA       | EET CAL 4  |
| 625.1 SIM    | Semivolatile Organic Compounds GC/MS (SIM)   | EPA       | EET CAL 4  |
| 8015B GRO LL | Gasoline Range Organics - (GC)               | SW846     | EET CAL 4  |
| 8015B        | Diesel Range Organics (DRO) (GC) Low Level   | SW846     | EET CAL 4  |
| 3510C        | Liquid-Liquid Extraction (Separatory Funnel) | SW846     | EET CAL 4  |
| 5030C        | Purge and Trap                               | SW846     | EET CAL 4  |
| 525.2        | Extraction of Semivolatile Compounds         | EPA       | EA POM     |
| 625.1        | Liquid-Liquid Extraction                     | 40CFR136A | EET CAL 4  |

### Protocol References:

40CFR136A = "Methods for Organic Chemical Analysis of Municipal Industrial Wastewater", 40CFR, Part 136, Appendix A, October 26, 1984 and subsequent revisions.

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

### Laboratory References:

EA POM = Eurofins Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100

EET CAL 4 = Eurofins Calscience Tustin, 2841 Dow Avenue, Tustin, CA 92780, TEL (714)895-5494

Sample Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-229310-1  
SDG: Weekly: Halawa Shaft Viewing Pool

| Lab Sample ID | Client Sample ID              | Matrix | Collected      | Received       | Sample Origin |
|---------------|-------------------------------|--------|----------------|----------------|---------------|
| 380-229310-1  | HALAWA SHAFT VIEWING POOL     | Water  | 08/04/26 09:30 | 08/06/26 09:30 | Hawaii        |
| 380-229310-2  | TB: HALAWA SHAFT VIEWING POOL | Water  | 08/04/26 09:30 | 08/06/26 09:30 | Hawaii        |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16

[illegible]

[illegible]

## Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-229310-1

SDG Number: Weekly: Halawa Shaft Viewing Pool

Login Number: 229310

List Number: 1

Creator: Ngo, Theodore

List Source: Eurofins Pomona

| Question                                                                         | Answer | Comment |
|----------------------------------------------------------------------------------|--------|---------|
| The coolers custody seal, if present, is intact.                                 | N/A    |         |
| Sample custody seals, if present, are intact.                                    | N/A    |         |
| Samples were received on ice.                                                    | True   |         |
| Cooler(s) Temperature is acceptable.                                             | True   |         |
| Cooler(s) Temperature is recorded.                                               | True   |         |
| COC is present.                                                                  | True   |         |
| COC is filled out in ink and is legible.                                         | True   |         |
| COC is filled out with all pertinent information.                                | True   |         |
| There are no discrepancies between the containers received and the COC.          | True   |         |
| Samples are received within Holding Time (excluding tests with immediate HTs)    | True   |         |
| Sample containers have legible labels.                                           | True   |         |
| Containers are not broken or leaking.                                            | True   |         |
| Sample collection date/times are provided.                                       | True   |         |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True   |         |
| Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").  | True   |         |
| CIO4 headspace requirement met (>50% for CA, >30% for other states).             | N/A    |         |
| Samples do not require splitting or compositing.                                 | True   |         |
| Container provided by EEA                                                        | True   |         |

## Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-229310-1

SDG Number: Weekly: Halawa Shaft Viewing Pool

**Login Number: 229310**

**List Source: Eurofins Calscience**

**List Number: 2**

**List Creation: 08/07/26 06:47 PM**

**Creator: Khana, Piyush**

| Question                                                                                 | Answer | Comment                            |
|------------------------------------------------------------------------------------------|--------|------------------------------------|
| Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.      | N/A    |                                    |
| The cooler's custody seal, if present, is intact.                                        | True   |                                    |
| Sample custody seals, if present, are intact.                                            | True   |                                    |
| The cooler or samples do not appear to have been compromised or tampered with.           | True   |                                    |
| Samples were received on ice.                                                            | True   |                                    |
| Cooler Temperature is acceptable.                                                        | True   |                                    |
| Cooler Temperature is recorded.                                                          | True   | 2.2                                |
| COC is present.                                                                          | True   |                                    |
| COC is filled out in ink and legible.                                                    | True   |                                    |
| COC is filled out with all pertinent information.                                        | True   |                                    |
| Is the Field Sampler's name present on COC?                                              | N/A    | Received project as a subcontract. |
| There are no discrepancies between the containers received and the COC.                  | True   |                                    |
| Samples are received within Holding Time (excluding tests with immediate HTs)            | True   |                                    |
| Sample containers have legible labels.                                                   | True   |                                    |
| Containers are not broken or leaking.                                                    | True   |                                    |
| Sample collection date/times are provided.                                               | True   |                                    |
| Appropriate sample containers are used.                                                  | True   |                                    |
| Sample bottles are completely filled.                                                    | True   |                                    |
| Sample Preservation Verified.                                                            | True   |                                    |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs         | True   |                                    |
| Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4"). | True   | fgf5                               |
| Multiphasic samples are not present.                                                     | True   |                                    |
| Samples do not require splitting or compositing.                                         | True   |                                    |
| Residual Chlorine Checked.                                                               | N/A    |                                    |