

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17

ANALYTICAL REPORT

PREPARED FOR

Attn: Mr. Erwin Kawata
City & County of Honolulu
630 South Beretania Street
Public Service Bldg. Room 310
Honolulu, Hawaii 96843

Generated 5/7/2026 4:33:15 PM

JOB DESCRIPTION

RED-HILL
PFAS: Halawa Shaft Viewing Pool

JOB NUMBER

380-211329-1

Eurofins Pomona

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Drinking Water and Wastewater West, LLC Project Manager.

Compliance Statement

1. Laboratory is accredited in accordance with TNI 2016 Standards and ISO/IEC 17025:2017.
2. Laboratory certifies that the test results meet all TNI 2016 and ISO/IEC 17025:2017 requirements unless noted under the individual analysis
3. Test results relate only to the sample(s) tested.
4. This report shall not be reproduced except in full, without the written approval of the laboratory.
5. Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below. (DW, Water matrices)

Authorization



Authorized for release by
Maria Lopez, Project Manager
Maria.Lopez@et.eurofinsus.com
(626)386-1100

Generated
5/7/2026 4:33:15 PM



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Detection Summary	6
Client Sample Results	7
Action Limit Summary	11
Surrogate Summary	12
Isotope Dilution Summary	13
QC Sample Results	15
QC Association Summary	26
Lab Chronicle	27
Certification Summary	28
Method Summary	29
Sample Summary	30
Chain of Custody	31
Receipt Checklists	32

Definitions/Glossary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-211329-1
SDG: PFAS: Halawa Shaft Viewing Pool

Qualifiers

LCMS

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: City & County of Honolulu
Project: RED-HILL

Job ID: 380-211329-1

Job ID: 380-211329-1

Eurofins Pomona

Job Narrative 380-211329-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 4/30/2026 10:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 1.7°C.

PFAS

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Pomona

Detection Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-211329-1
SDG: PFAS: Halawa Shaft Viewing Pool

Client Sample ID: Halawa Shaft Viewing Pool

Lab Sample ID: 380-211329-1

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Perfluorohexanesulfonic acid (PFHxS)	3.2		2.0	ng/L	1		533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	3.1		2.0	ng/L	1		533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	3.5		2.0	ng/L	1		EPA 537.1 V2	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	3.6		2.0	ng/L	1		EPA 537.1 V2	Total/NA

Client Sample ID: FB: Halawa Shaft Viewing Pool

Lab Sample ID: 380-211329-2

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-211329-1
SDG: PFAS: Halawa Shaft Viewing Pool

Client Sample ID: Halawa Shaft Viewing Pool

Lab Sample ID: 380-211329-1

Date Collected: 04/28/26 09:48

Matrix: Drinking Water

Date Received: 04/30/26 10:00

Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
11-Chloroeicosfluoro-3-oxaundecan e-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:19	1
9-Chlorohexadecafluoro-3-oxanonan e-1-sulfonic acid(9Cl-PF3ONS)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:19	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:19	1
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:19	1
Perfluorobutanesulfonic acid (PFBS)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:19	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:19	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:19	1
Perfluoroheptanoic acid (PFHpA)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:19	1
Perfluorohexanesulfonic acid (PFHxS)	3.2		2.0	ng/L		05/06/26 06:42	05/06/26 20:19	1
Perfluorohexanoic acid (PFHxA)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:19	1
Perfluorononanoic acid (PFNA)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:19	1
Perfluorooctanesulfonic acid (PFOS)	3.1		2.0	ng/L		05/06/26 06:42	05/06/26 20:19	1
Perfluorooctanoic acid (PFOA)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:19	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:19	1
Perfluorobutanoic acid (PFBA)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:19	1
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:19	1
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:19	1
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:19	1
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:19	1
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:19	1
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:19	1
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:19	1
Perfluoropentanoic acid (PFPeA)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:19	1
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:19	1
Perfluoropentanesulfonic acid (PFPeS)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:19	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C3 HFPO-DA	110		50 - 200	05/06/26 06:42	05/06/26 20:19	1
13C6 PFDA	107		50 - 200	05/06/26 06:42	05/06/26 20:19	1
13C5 PFHxA	113		50 - 200	05/06/26 06:42	05/06/26 20:19	1
13C4 PFHpA	116		50 - 200	05/06/26 06:42	05/06/26 20:19	1
13C8 PFOA	112		50 - 200	05/06/26 06:42	05/06/26 20:19	1
13C9 PFNA	108		50 - 200	05/06/26 06:42	05/06/26 20:19	1
13C7 PFUnA	105		50 - 200	05/06/26 06:42	05/06/26 20:19	1
13C2 PFDoA	105		50 - 200	05/06/26 06:42	05/06/26 20:19	1
13C4 PFBA	107		50 - 200	05/06/26 06:42	05/06/26 20:19	1
13C5 PFPeA	118		50 - 200	05/06/26 06:42	05/06/26 20:19	1
13C3 PFBS	116		50 - 200	05/06/26 06:42	05/06/26 20:19	1
13C3 PFHxS	121		50 - 200	05/06/26 06:42	05/06/26 20:19	1

Eurofins Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-211329-1
SDG: PFAS: Halawa Shaft Viewing Pool

Client Sample ID: Halawa Shaft Viewing Pool

Lab Sample ID: 380-211329-1

Date Collected: 04/28/26 09:48

Matrix: Drinking Water

Date Received: 04/30/26 10:00

Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C8 PFOS	114		50 - 200	05/06/26 06:42	05/06/26 20:19	1
13C2-4:2-FTS	144		50 - 200	05/06/26 06:42	05/06/26 20:19	1
13C2-6:2-FTS	113		50 - 200	05/06/26 06:42	05/06/26 20:19	1
13C2-8:2-FTS	104		50 - 200	05/06/26 06:42	05/06/26 20:19	1

Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0	ng/L		05/01/26 09:00	05/01/26 21:20	1
Perfluorooctanesulfonic acid (PFOS)	3.5		2.0	ng/L		05/01/26 09:00	05/01/26 21:20	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0	ng/L		05/01/26 09:00	05/01/26 21:20	1
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	<2.0		2.0	ng/L		05/01/26 09:00	05/01/26 21:20	1
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	<2.0		2.0	ng/L		05/01/26 09:00	05/01/26 21:20	1
Perfluorohexanoic acid (PFHxA)	<2.0		2.0	ng/L		05/01/26 09:00	05/01/26 21:20	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0	ng/L		05/01/26 09:00	05/01/26 21:20	1
Perfluorooctanoic acid (PFOA)	<2.0		2.0	ng/L		05/01/26 09:00	05/01/26 21:20	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0	ng/L		05/01/26 09:00	05/01/26 21:20	1
Perfluorohexanesulfonic acid (PFHxS)	3.6		2.0	ng/L		05/01/26 09:00	05/01/26 21:20	1
Perfluorobutanesulfonic acid (PFBS)	<2.0		2.0	ng/L		05/01/26 09:00	05/01/26 21:20	1
Perfluoroheptanoic acid (PFHpA)	<2.0		2.0	ng/L		05/01/26 09:00	05/01/26 21:20	1
Perfluorononanoic acid (PFNA)	<2.0		2.0	ng/L		05/01/26 09:00	05/01/26 21:20	1
Perfluorotetradecanoic acid (PFTA)	<2.0		2.0	ng/L		05/01/26 09:00	05/01/26 21:20	1
Perfluorotridecanoic acid (PFTrDA)	<2.0		2.0	ng/L		05/01/26 09:00	05/01/26 21:20	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		2.0	ng/L		05/01/26 09:00	05/01/26 21:20	1
11-Chloroeicosafuoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0	ng/L		05/01/26 09:00	05/01/26 21:20	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0	ng/L		05/01/26 09:00	05/01/26 21:20	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	110		70 - 130			05/01/26 09:00	05/01/26 21:20	1
13C2 PFHxA	107		70 - 130			05/01/26 09:00	05/01/26 21:20	1
13C2 PFDA	113		70 - 130			05/01/26 09:00	05/01/26 21:20	1
13C3-GenX	107		70 - 130			05/01/26 09:00	05/01/26 21:20	1

Client Sample ID: FB: Halawa Shaft Viewing Pool

Lab Sample ID: 380-211329-2

Date Collected: 04/28/26 09:48

Matrix: Drinking Water

Date Received: 04/30/26 10:00

Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
11-Chloroeicosafuoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:29	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:29	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:29	1

Eurofins Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-211329-1
SDG: PFAS: Halawa Shaft Viewing Pool

Client Sample ID: FB: Halawa Shaft Viewing Pool

Lab Sample ID: 380-211329-2

Date Collected: 04/28/26 09:48

Matrix: Drinking Water

Date Received: 04/30/26 10:00

Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:29	1
Perfluorobutanesulfonic acid (PFBS)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:29	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:29	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:29	1
Perfluoroheptanoic acid (PFHpA)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:29	1
Perfluorohexanesulfonic acid (PFHxS)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:29	1
Perfluorohexanoic acid (PFHxA)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:29	1
Perfluorononanoic acid (PFNA)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:29	1
Perfluorooctanesulfonic acid (PFOS)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:29	1
Perfluorooctanoic acid (PFOA)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:29	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:29	1
Perfluorobutanoic acid (PFBA)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:29	1
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:29	1
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:29	1
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:29	1
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:29	1
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:29	1
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:29	1
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:29	1
Perfluoropentanoic acid (PFPeA)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:29	1
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:29	1
Perfluoropentanesulfonic acid (PFPeS)	<2.0		2.0	ng/L		05/06/26 06:42	05/06/26 20:29	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C3 HFPO-DA	112		50 - 200	05/06/26 06:42	05/06/26 20:29	1
13C6 PFDA	109		50 - 200	05/06/26 06:42	05/06/26 20:29	1
13C5 PFHxA	116		50 - 200	05/06/26 06:42	05/06/26 20:29	1
13C4 PFHpA	124		50 - 200	05/06/26 06:42	05/06/26 20:29	1
13C8 PFOA	115		50 - 200	05/06/26 06:42	05/06/26 20:29	1
13C9 PFNA	112		50 - 200	05/06/26 06:42	05/06/26 20:29	1
13C7 PFUnA	105		50 - 200	05/06/26 06:42	05/06/26 20:29	1
13C2 PFDoA	99		50 - 200	05/06/26 06:42	05/06/26 20:29	1
13C4 PFBA	115		50 - 200	05/06/26 06:42	05/06/26 20:29	1
13C5 PFPeA	117		50 - 200	05/06/26 06:42	05/06/26 20:29	1
13C3 PFBS	112		50 - 200	05/06/26 06:42	05/06/26 20:29	1
13C3 PFHxS	126		50 - 200	05/06/26 06:42	05/06/26 20:29	1
13C8 PFOS	113		50 - 200	05/06/26 06:42	05/06/26 20:29	1
13C2-4:2-FTS	133		50 - 200	05/06/26 06:42	05/06/26 20:29	1
13C2-6:2-FTS	117		50 - 200	05/06/26 06:42	05/06/26 20:29	1
13C2-8:2-FTS	99		50 - 200	05/06/26 06:42	05/06/26 20:29	1

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-211329-1
SDG: PFAS: Halawa Shaft Viewing Pool

Client Sample ID: FB: Halawa Shaft Viewing Pool

Lab Sample ID: 380-211329-2

Date Collected: 04/28/26 09:48

Matrix: Drinking Water

Date Received: 04/30/26 10:00

Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0	ng/L		05/01/26 09:00	05/01/26 21:29	1
Perfluorooctanesulfonic acid (PFOS)	<2.0		2.0	ng/L		05/01/26 09:00	05/01/26 21:29	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0	ng/L		05/01/26 09:00	05/01/26 21:29	1
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	<2.0		2.0	ng/L		05/01/26 09:00	05/01/26 21:29	1
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	<2.0		2.0	ng/L		05/01/26 09:00	05/01/26 21:29	1
Perfluorohexanoic acid (PFHxA)	<2.0		2.0	ng/L		05/01/26 09:00	05/01/26 21:29	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0	ng/L		05/01/26 09:00	05/01/26 21:29	1
Perfluorooctanoic acid (PFOA)	<2.0		2.0	ng/L		05/01/26 09:00	05/01/26 21:29	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0	ng/L		05/01/26 09:00	05/01/26 21:29	1
Perfluorohexanesulfonic acid (PFHxS)	<2.0		2.0	ng/L		05/01/26 09:00	05/01/26 21:29	1
Perfluorobutanesulfonic acid (PFBS)	<2.0		2.0	ng/L		05/01/26 09:00	05/01/26 21:29	1
Perfluoroheptanoic acid (PFHpA)	<2.0		2.0	ng/L		05/01/26 09:00	05/01/26 21:29	1
Perfluorononanoic acid (PFNA)	<2.0		2.0	ng/L		05/01/26 09:00	05/01/26 21:29	1
Perfluorotetradecanoic acid (PFTA)	<2.0		2.0	ng/L		05/01/26 09:00	05/01/26 21:29	1
Perfluorotridecanoic acid (PFTrDA)	<2.0		2.0	ng/L		05/01/26 09:00	05/01/26 21:29	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		2.0	ng/L		05/01/26 09:00	05/01/26 21:29	1
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0	ng/L		05/01/26 09:00	05/01/26 21:29	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0	ng/L		05/01/26 09:00	05/01/26 21:29	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	107		70 - 130			05/01/26 09:00	05/01/26 21:29	1
13C2 PFHxA	102		70 - 130			05/01/26 09:00	05/01/26 21:29	1
13C2 PFDA	116		70 - 130			05/01/26 09:00	05/01/26 21:29	1
13C3-GenX	96		70 - 130			05/01/26 09:00	05/01/26 21:29	1

Action Limit Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-211329-1
SDG: PFAS: Halawa Shaft Viewing Pool

Client Sample ID: Halawa Shaft Viewing Pool

Lab Sample ID: 380-211329-1

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL	RL	Method	Prep Type
				Limit			
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	3.2		ng/L	10	2.0	533	Total/NA
Perfluorononanoic acid (PFNA)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	3.1		ng/L	4	2.0	533	Total/NA
Perfluorooctanoic acid (PFOA)	<2.0		ng/L	4	2.0	533	Total/NA
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		ng/L	10	2.0	EPA 537.1 V2	Total/NA
Perfluorooctanesulfonic acid (PFOS)	3.5		ng/L	4	2.0	EPA 537.1 V2	Total/NA
Perfluorooctanoic acid (PFOA)	<2.0		ng/L	4	2.0	EPA 537.1 V2	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	3.6		ng/L	10	2.0	EPA 537.1 V2	Total/NA
Perfluorononanoic acid (PFNA)	<2.0		ng/L	10	2.0	EPA 537.1 V2	Total/NA

Client Sample ID: FB: Halawa Shaft Viewing Pool

Lab Sample ID: 380-211329-2

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL	RL	Method	Prep Type
				Limit			
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorononanoic acid (PFNA)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	<2.0		ng/L	4	2.0	533	Total/NA
Perfluorooctanoic acid (PFOA)	<2.0		ng/L	4	2.0	533	Total/NA
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		ng/L	10	2.0	EPA 537.1 V2	Total/NA
Perfluorooctanesulfonic acid (PFOS)	<2.0		ng/L	4	2.0	EPA 537.1 V2	Total/NA
Perfluorooctanoic acid (PFOA)	<2.0		ng/L	4	2.0	EPA 537.1 V2	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	<2.0		ng/L	10	2.0	EPA 537.1 V2	Total/NA
Perfluorononanoic acid (PFNA)	<2.0		ng/L	10	2.0	EPA 537.1 V2	Total/NA

Surrogate Summary

Client: City & County of Honolulu
 Project/Site: RED-HILL

Job ID: 380-211329-1
 SDG: PFAS: Halawa Shaft Viewing Pool

Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020

Matrix: Drinking Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		d5NEFOS (70-130)	PFHxA (70-130)	PFDA (70-130)	GenX (70-130)
380-211329-1	Halawa Shaft Viewing Pool	110	107	113	107
380-211329-2	FB: Halawa Shaft Viewing Pool	107	102	116	96

Surrogate Legend

d5NEFOS = d5-NEtFOSAA
 PFHxA = 13C2 PFHxA
 PFDA = 13C2 PFDA
 GenX = 13C3-GenX

Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		d5NEFOS (70-130)	PFHxA (70-130)	PFDA (70-130)	GenX (70-130)
380-210960-B-1-A MS	Matrix Spike	107	112	115	112
380-210960-C-1-A MSD	Matrix Spike Duplicate	111	109	115	110
LCS 380-224319/21-A	Lab Control Sample	111	107	115	105
MBL 380-224319/19-A	Method Blank	111	102	112	98
MRL 380-224319/20-A	Lab Control Sample	107	102	110	96

Surrogate Legend

d5NEFOS = d5-NEtFOSAA
 PFHxA = 13C2 PFHxA
 PFDA = 13C2 PFDA
 GenX = 13C3-GenX

Isotope Dilution Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-211329-1
SDG: PFAS: Halawa Shaft Viewing Pool

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water

Matrix: Drinking Water

Prep Type: Total/NA

Percent Isotope Dilution Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	HFPODA (50-200)	C6PFDA (50-200)	13C5PHA (50-200)	C4PFHA (50-200)	C8PFOA (50-200)	C9PFNA (50-200)	13C7PUA (50-200)	PFDoA (50-200)
380-211329-1	Halawa Shaft Viewing Pool	110	107	113	116	112	108	105	105
380-211329-2	FB: Halawa Shaft Viewing Pool	112	109	116	124	115	112	105	99

Percent Isotope Dilution Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	PFBA (50-200)	PFPeA (50-200)	C3PFBS (50-200)	C3PFHS (50-200)	C8PFOS (50-200)	42FTS (50-200)	62FTS (50-200)	82FTS (50-200)
380-211329-1	Halawa Shaft Viewing Pool	107	118	116	121	114	144	113	104
380-211329-2	FB: Halawa Shaft Viewing Pool	115	117	112	126	113	133	117	99

Surrogate Legend

- HFPODA = 13C3 HFPO-DA
- C6PFDA = 13C6 PFDA
- 13C5PHA = 13C5 PFHxA
- C4PFHA = 13C4 PFHpA
- C8PFOA = 13C8 PFOA
- C9PFNA = 13C9 PFNA
- 13C7PUA = 13C7 PFUnA
- PFDoA = 13C2 PFDoA
- PFBA = 13C4 PFBA
- PFPeA = 13C5 PFPeA
- C3PFBS = 13C3 PFBS
- C3PFHS = 13C3 PFHxS
- C8PFOS = 13C8 PFOS
- 42FTS = 13C2-4:2-FTS
- 62FTS = 13C2-6:2-FTS
- 82FTS = 13C2-8:2-FTS

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water

Matrix: Water

Prep Type: Total/NA

Percent Isotope Dilution Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	HFPODA (50-200)	C6PFDA (50-200)	13C5PHA (50-200)	C4PFHA (50-200)	C8PFOA (50-200)	C9PFNA (50-200)	13C7PUA (50-200)	PFDoA (50-200)
380-210759-B-2-A MS	Matrix Spike	114	107	113	109	108	108	108	108
380-210759-C-2-A MSD	Matrix Spike Duplicate	124	119	128	125	121	121	120	118
LCS 380-225187/22-A	Lab Control Sample	113	112	118	121	111	115	103	108
MBL 380-225187/20-A	Method Blank	102	107	105	110	110	109	106	107
MRL 380-225187/21-A	Lab Control Sample	114	110	119	118	117	114	109	116

Percent Isotope Dilution Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	PFBA (50-200)	PFPeA (50-200)	C3PFBS (50-200)	C3PFHS (50-200)	C8PFOS (50-200)	42FTS (50-200)	62FTS (50-200)	82FTS (50-200)
380-210759-B-2-A MS	Matrix Spike	109	115	107	112	109	125	106	102
380-210759-C-2-A MSD	Matrix Spike Duplicate	122	124	119	122	117	135	115	108
LCS 380-225187/22-A	Lab Control Sample	112	113	111	124	113	124	109	102
MBL 380-225187/20-A	Method Blank	110	108	112	113	114	123	111	101
MRL 380-225187/21-A	Lab Control Sample	113	114	117	121	117	134	117	99

Surrogate Legend

- HFPODA = 13C3 HFPO-DA
- C6PFDA = 13C6 PFDA
- 13C5PHA = 13C5 PFHxA

Isotope Dilution Summary

Client: City & County of Honolulu

Project/Site: RED-HILL

C4PFHA = 13C4 PFHpA
C8PFOA = 13C8 PFOA
C9PFNA = 13C9 PFNA
13C7PUA = 13C7 PFUnA
PFDoA = 13C2 PFDoA
PFBA = 13C4 PFBA
PFPeA = 13C5 PFPeA
C3PFBS = 13C3 PFBS
C3PFHS = 13C3 PFHxS
C8PFOS = 13C8 PFOS
42FTS = 13C2-4:2-FTS
62FTS = 13C2-6:2-FTS
82FTS = 13C2-8:2-FTS

Job ID: 380-211329-1
SDG: PFAS: Halawa Shaft Viewing Pool

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-211329-1
SDG: PFAS: Halawa Shaft Viewing Pool

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water

Lab Sample ID: MBL 380-225187/20-A
Matrix: Water
Analysis Batch: 225362

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 225187

Analyte	MBL Result	MBL Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
11-Chloroeicosafluoro-3-oxaundecan e-1-sulfonic acid (11Cl-PF3OUdS)	<0.30		2.0	ng/L		05/06/26 06:42	05/06/26 16:30	1
9-Chlorohexadecafluoro-3-oxanonan e-1-sulfonic acid(9Cl-PF3ONS)	<0.30		2.0	ng/L		05/06/26 06:42	05/06/26 16:30	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<0.60		2.0	ng/L		05/06/26 06:42	05/06/26 16:30	1
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<1.0		2.0	ng/L		05/06/26 06:42	05/06/26 16:30	1
Perfluorobutanesulfonic acid (PFBS)	<0.37		2.0	ng/L		05/06/26 06:42	05/06/26 16:30	1
Perfluorodecanoic acid (PFDA)	<0.31		2.0	ng/L		05/06/26 06:42	05/06/26 16:30	1
Perfluorododecanoic acid (PFDoA)	<0.54		2.0	ng/L		05/06/26 06:42	05/06/26 16:30	1
Perfluoroheptanoic acid (PFHpA)	<0.39		2.0	ng/L		05/06/26 06:42	05/06/26 16:30	1
Perfluorohexanesulfonic acid (PFHxS)	<0.32		2.0	ng/L		05/06/26 06:42	05/06/26 16:30	1
Perfluorohexanoic acid (PFHxA)	<0.46		2.0	ng/L		05/06/26 06:42	05/06/26 16:30	1
Perfluorononanoic acid (PFNA)	<0.40		2.0	ng/L		05/06/26 06:42	05/06/26 16:30	1
Perfluorooctanesulfonic acid (PFOS)	<0.43		2.0	ng/L		05/06/26 06:42	05/06/26 16:30	1
Perfluorooctanoic acid (PFOA)	<0.38		2.0	ng/L		05/06/26 06:42	05/06/26 16:30	1
Perfluoroundecanoic acid (PFUnA)	<0.42		2.0	ng/L		05/06/26 06:42	05/06/26 16:30	1
Perfluorobutanoic acid (PFBA)	<0.69		2.0	ng/L		05/06/26 06:42	05/06/26 16:30	1
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<0.38		2.0	ng/L		05/06/26 06:42	05/06/26 16:30	1
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<0.37		2.0	ng/L		05/06/26 06:42	05/06/26 16:30	1
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<0.48		2.0	ng/L		05/06/26 06:42	05/06/26 16:30	1
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<0.47		2.0	ng/L		05/06/26 06:42	05/06/26 16:30	1
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	<0.25		2.0	ng/L		05/06/26 06:42	05/06/26 16:30	1
Perfluoro-3-methoxypropanoic acid (PFMPA)	<0.46		2.0	ng/L		05/06/26 06:42	05/06/26 16:30	1
Perfluoro-4-methoxybutanoic acid (PFMBA)	<0.15		2.0	ng/L		05/06/26 06:42	05/06/26 16:30	1
Perfluoropentanoic acid (PFPeA)	<0.38		2.0	ng/L		05/06/26 06:42	05/06/26 16:30	1
Perfluoroheptanesulfonic acid (PFHpS)	<0.36		2.0	ng/L		05/06/26 06:42	05/06/26 16:30	1
Perfluoropentanesulfonic acid (PFPeS)	<0.39		2.0	ng/L		05/06/26 06:42	05/06/26 16:30	1

Isotope Dilution	MBL %Recovery	MBL Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C3 HFPO-DA	102		50 - 200	05/06/26 06:42	05/06/26 16:30	1
13C6 PFDA	107		50 - 200	05/06/26 06:42	05/06/26 16:30	1
13C5 PFHxA	105		50 - 200	05/06/26 06:42	05/06/26 16:30	1
13C4 PFHpA	110		50 - 200	05/06/26 06:42	05/06/26 16:30	1
13C8 PFOA	110		50 - 200	05/06/26 06:42	05/06/26 16:30	1
13C9 PFNA	109		50 - 200	05/06/26 06:42	05/06/26 16:30	1
13C7 PFUnA	106		50 - 200	05/06/26 06:42	05/06/26 16:30	1
13C2 PFDoA	107		50 - 200	05/06/26 06:42	05/06/26 16:30	1
13C4 PFBA	110		50 - 200	05/06/26 06:42	05/06/26 16:30	1
13C5 PFPeA	108		50 - 200	05/06/26 06:42	05/06/26 16:30	1
13C3 PFBS	112		50 - 200	05/06/26 06:42	05/06/26 16:30	1
13C3 PFHxS	113		50 - 200	05/06/26 06:42	05/06/26 16:30	1

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-211329-1
SDG: PFAS: Halawa Shaft Viewing Pool

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Lab Sample ID: MBL 380-225187/20-A
Matrix: Water
Analysis Batch: 225362

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 225187

<i>Isotope Dilution</i>	<i>MBL %Recovery</i>	<i>MBL Qualifier</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
13C8 PFOS	114		50 - 200	05/06/26 06:42	05/06/26 16:30	1
13C2-4:2-FTS	123		50 - 200	05/06/26 06:42	05/06/26 16:30	1
13C2-6:2-FTS	111		50 - 200	05/06/26 06:42	05/06/26 16:30	1
13C2-8:2-FTS	101		50 - 200	05/06/26 06:42	05/06/26 16:30	1

Lab Sample ID: LCS 380-225187/22-A
Matrix: Water
Analysis Batch: 225362

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 225187

<i>Analyte</i>	<i>Spike Added</i>	<i>LCS Result</i>	<i>LCS Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec Limits</i>
11-Chloroeicosfluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	60.1	54.3		ng/L		90	70 - 130
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	60.1	53.0		ng/L		88	70 - 130
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	60.1	53.7		ng/L		89	70 - 130
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	60.1	54.7		ng/L		91	70 - 130
Perfluorobutanesulfonic acid (PFBS)	60.1	55.3		ng/L		92	70 - 130
Perfluorodecanoic acid (PFDA)	60.1	56.6		ng/L		94	70 - 130
Perfluorododecanoic acid (PFDoA)	60.1	54.4		ng/L		90	70 - 130
Perfluoroheptanoic acid (PFHpA)	60.1	56.2		ng/L		93	70 - 130
Perfluorohexanesulfonic acid (PFHxS)	60.1	53.1		ng/L		88	70 - 130
Perfluorohexanoic acid (PFHxA)	60.1	53.1		ng/L		88	70 - 130
Perfluorononanoic acid (PFNA)	60.1	55.7		ng/L		93	70 - 130
Perfluorooctanesulfonic acid (PFOS)	60.1	56.3		ng/L		94	70 - 130
Perfluorooctanoic acid (PFOA)	60.1	55.2		ng/L		92	70 - 130
Perfluoroundecanoic acid (PFUnA)	60.1	58.4		ng/L		97	70 - 130
Perfluorobutanoic acid (PFBA)	60.1	54.0		ng/L		90	70 - 130
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	60.1	57.0		ng/L		95	70 - 130
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	60.1	58.6		ng/L		97	70 - 130
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	60.1	56.2		ng/L		93	70 - 130
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	60.1	54.7		ng/L		91	70 - 130
Perfluoro (2-ethoxyethane) sulfonic acid (PFEESA)	60.1	56.8		ng/L		94	70 - 130
Perfluoro-3-methoxypropanoic acid (PFMPA)	60.1	56.7		ng/L		94	70 - 130
Perfluoro-4-methoxybutanoic acid (PFMBA)	60.1	56.7		ng/L		94	70 - 130
Perfluoropentanoic acid (PFPeA)	60.1	57.1		ng/L		95	70 - 130
Perfluoroheptanesulfonic acid (PFHpS)	60.1	55.7		ng/L		93	70 - 130

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-211329-1
SDG: PFAS: Halawa Shaft Viewing Pool

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Lab Sample ID: LCS 380-225187/22-A
Matrix: Water
Analysis Batch: 225362

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 225187

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Perfluoropentanesulfonic acid (PFPeS)	60.1	51.0		ng/L		85	70 - 130
LCS LCS							
Isotope Dilution	%Recovery	Qualifier	Limits				
13C3 HFPO-DA	113		50 - 200				
13C6 PFDA	112		50 - 200				
13C5 PFHxA	118		50 - 200				
13C4 PFHpA	121		50 - 200				
13C8 PFOA	111		50 - 200				
13C9 PFNA	115		50 - 200				
13C7 PFUnA	103		50 - 200				
13C2 PFDoA	108		50 - 200				
13C4 PFBA	112		50 - 200				
13C5 PFPeA	113		50 - 200				
13C3 PFBS	111		50 - 200				
13C3 PFHxS	124		50 - 200				
13C8 PFOS	113		50 - 200				
13C2-4:2-FTS	124		50 - 200				
13C2-6:2-FTS	109		50 - 200				
13C2-8:2-FTS	102		50 - 200				

Lab Sample ID: MRL 380-225187/21-A
Matrix: Water
Analysis Batch: 225362

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 225187

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
11-Chloroeicosafuoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	2.00	1.92	J	ng/L		96	50 - 150
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	2.00	1.81	J	ng/L		90	50 - 150
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	2.00	1.77	J	ng/L		89	50 - 150
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	2.00	1.96	J	ng/L		98	50 - 150
Perfluorobutanesulfonic acid (PFBS)	2.00	1.87	J	ng/L		93	50 - 150
Perfluorodecanoic acid (PFDA)	2.00	1.92	J	ng/L		96	50 - 150
Perfluorododecanoic acid (PFDoA)	2.00	1.86	J	ng/L		93	50 - 150
Perfluoroheptanoic acid (PFHpA)	2.00	2.02	J	ng/L		101	50 - 150
Perfluorohexanesulfonic acid (PFHxS)	2.00	1.88	J	ng/L		94	50 - 150
Perfluorohexanoic acid (PFHxA)	2.00	1.83	J	ng/L		91	50 - 150
Perfluorononanoic acid (PFNA)	2.00	1.90	J	ng/L		95	50 - 150
Perfluorooctanesulfonic acid (PFOS)	2.00	1.87	J	ng/L		93	50 - 150
Perfluorooctanoic acid (PFOA)	2.00	1.88	J	ng/L		94	50 - 150
Perfluoroundecanoic acid (PFUnA)	2.00	1.99	J	ng/L		99	50 - 150
Perfluorobutanoic acid (PFBA)	2.00	1.95	J	ng/L		97	50 - 150

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-211329-1
SDG: PFAS: Halawa Shaft Viewing Pool

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Lab Sample ID: MRL 380-225187/21-A
Matrix: Water
Analysis Batch: 225362

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 225187

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	2.00	2.08	J	ng/L		104	50 - 150
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	2.00	2.22	J	ng/L		111	50 - 150
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	2.00	2.20	J	ng/L		110	50 - 150
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	2.00	1.82	J	ng/L		91	50 - 150
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	2.00	1.84	J	ng/L		92	50 - 150
Perfluoro-3-methoxypropanoic acid (PFMPA)	2.00	1.98	J	ng/L		99	50 - 150
Perfluoro-4-methoxybutanoic acid (PFMBA)	2.00	1.96	J	ng/L		98	50 - 150
Perfluoropentanoic acid (PFPeA)	2.00	2.09	J	ng/L		104	50 - 150
Perfluoroheptanesulfonic acid (PFHpS)	2.00	1.97	J	ng/L		98	50 - 150
Perfluoropentanesulfonic acid (PFPeS)	2.00	2.00	J	ng/L		100	50 - 150

Isotope Dilution	MRL %Recovery	MRL Qualifier	MRL Limits
13C3 HFPO-DA	114		50 - 200
13C6 PFDA	110		50 - 200
13C5 PFHxA	119		50 - 200
13C4 PFHpA	118		50 - 200
13C8 PFOA	117		50 - 200
13C9 PFNA	114		50 - 200
13C7 PFUnA	109		50 - 200
13C2 PFDoA	116		50 - 200
13C4 PFBA	113		50 - 200
13C5 PFPeA	114		50 - 200
13C3 PFBS	117		50 - 200
13C3 PFHxS	121		50 - 200
13C8 PFOS	117		50 - 200
13C2-4:2-FTS	134		50 - 200
13C2-6:2-FTS	117		50 - 200
13C2-8:2-FTS	99		50 - 200

Lab Sample ID: 380-210759-B-2-A MS
Matrix: Water
Analysis Batch: 225362

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 225187

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		60.2	55.6		ng/L		92	70 - 130
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		60.2	54.6		ng/L		91	70 - 130
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		60.2	56.8		ng/L		94	70 - 130

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-211329-1
SDG: PFAS: Halawa Shaft Viewing Pool

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Lab Sample ID: 380-210759-B-2-A MS
Matrix: Water
Analysis Batch: 225362

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 225187

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Hexafluoropropylene Oxide	<2.0		60.2	54.4		ng/L		90	70 - 130
Dimer Acid (HFPO-DA/GenX)									
Perfluorobutanesulfonic acid (PFBS)	<2.0		60.2	57.9		ng/L		96	70 - 130
Perfluorodecanoic acid (PFDA)	<2.0		60.2	57.1		ng/L		95	70 - 130
Perfluorododecanoic acid (PFDoA)	<2.0		60.2	56.6		ng/L		94	70 - 130
Perfluoroheptanoic acid (PFHpA)	<2.0		60.2	59.1		ng/L		98	70 - 130
Perfluorohexanesulfonic acid (PFHxS)	<2.0		60.2	57.2		ng/L		95	70 - 130
Perfluorohexanoic acid (PFHxA)	<2.0		60.2	51.3		ng/L		85	70 - 130
Perfluorononanoic acid (PFNA)	<2.0		60.2	55.6		ng/L		92	70 - 130
Perfluorooctanesulfonic acid (PFOS)	<2.0		60.2	56.3		ng/L		93	70 - 130
Perfluorooctanoic acid (PFOA)	<2.0		60.2	55.1		ng/L		91	70 - 130
Perfluoroundecanoic acid (PFUnA)	<2.0		60.2	54.2		ng/L		90	70 - 130
Perfluorobutanoic acid (PFBA)	<2.0		60.2	58.4		ng/L		97	70 - 130
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		60.2	55.9		ng/L		93	70 - 130
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		60.2	56.6		ng/L		94	70 - 130
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		60.2	57.7		ng/L		96	70 - 130
Nonafluoro-3,6-dioxahexanoic acid (NFDHA)	<2.0		60.2	55.6		ng/L		92	70 - 130
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	<2.0		60.2	56.8		ng/L		94	70 - 130
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		60.2	59.9		ng/L		99	70 - 130
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		60.2	54.4		ng/L		90	70 - 130
Perfluoropentanoic acid (PFPeA)	<2.0		60.2	59.2		ng/L		98	70 - 130
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		60.2	56.7		ng/L		94	70 - 130
Perfluoropentanesulfonic acid (PFPeS)	<2.0		60.2	54.0		ng/L		90	70 - 130

Isotope Dilution	MS MS		Limits
	%Recovery	Qualifier	
13C3 HFPO-DA	114		50 - 200
13C6 PFDA	107		50 - 200
13C5 PFHxA	113		50 - 200
13C4 PFHpA	109		50 - 200
13C8 PFOA	108		50 - 200
13C9 PFNA	108		50 - 200
13C7 PFUnA	108		50 - 200
13C2 PFDoA	108		50 - 200
13C4 PFBA	109		50 - 200
13C5 PFPeA	115		50 - 200
13C3 PFBS	107		50 - 200
13C3 PFHxS	112		50 - 200
13C8 PFOS	109		50 - 200

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-211329-1
SDG: PFAS: Halawa Shaft Viewing Pool

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Lab Sample ID: 380-210759-B-2-A MS
Matrix: Water
Analysis Batch: 225362

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 225187

<i>Isotope Dilution</i>	<i>%Recovery</i>	<i>MS MS Qualifier</i>	<i>Limits</i>
13C2-4:2-FTS	125		50 - 200
13C2-6:2-FTS	106		50 - 200
13C2-8:2-FTS	102		50 - 200

Lab Sample ID: 380-210759-C-2-A MSD
Matrix: Water
Analysis Batch: 225362

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: 225187

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
11-Chloroeicosfluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		60.2	57.0		ng/L		95	70 - 130	3	30
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		60.2	56.3		ng/L		93	70 - 130	3	30
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		60.2	55.0		ng/L		91	70 - 130	3	30
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		60.2	55.6		ng/L		92	70 - 130	2	30
Perfluorobutanesulfonic acid (PFBS)	<2.0		60.2	56.6		ng/L		94	70 - 130	2	30
Perfluorodecanoic acid (PFDA)	<2.0		60.2	57.4		ng/L		95	70 - 130	0	30
Perfluorododecanoic acid (PFDoA)	<2.0		60.2	56.6		ng/L		94	70 - 130	0	30
Perfluoroheptanoic acid (PFHpA)	<2.0		60.2	57.0		ng/L		95	70 - 130	4	30
Perfluorohexanesulfonic acid (PFHxS)	<2.0		60.2	57.3		ng/L		95	70 - 130	0	30
Perfluorohexanoic acid (PFHxA)	<2.0		60.2	54.0		ng/L		90	70 - 130	5	30
Perfluorononanoic acid (PFNA)	<2.0		60.2	56.4		ng/L		94	70 - 130	1	30
Perfluorooctanesulfonic acid (PFOS)	<2.0		60.2	58.5		ng/L		97	70 - 130	4	30
Perfluorooctanoic acid (PFOA)	<2.0		60.2	55.2		ng/L		92	70 - 130	0	30
Perfluoroundecanoic acid (PFUnA)	<2.0		60.2	55.3		ng/L		92	70 - 130	2	30
Perfluorobutanoic acid (PFBA)	<2.0		60.2	56.0		ng/L		93	70 - 130	4	30
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		60.2	57.2		ng/L		95	70 - 130	2	30
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		60.2	59.1		ng/L		98	70 - 130	4	30
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		60.2	57.3		ng/L		95	70 - 130	1	30
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<2.0		60.2	50.7		ng/L		84	70 - 130	9	30
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	<2.0		60.2	57.7		ng/L		96	70 - 130	2	30
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		60.2	57.2		ng/L		95	70 - 130	5	30
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		60.2	58.6		ng/L		97	70 - 130	7	30
Perfluoropentanoic acid (PFPeA)	<2.0		60.2	57.9		ng/L		96	70 - 130	2	30
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		60.2	58.6		ng/L		97	70 - 130	3	30
Perfluoropentanesulfonic acid (PFPeS)	<2.0		60.2	55.6		ng/L		92	70 - 130	3	30

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-211329-1
SDG: PFAS: Halawa Shaft Viewing Pool

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Isotope Dilution	MSD MSD		Limits
	%Recovery	Qualifier	
13C3 HFPO-DA	124		50 - 200
13C6 PFDA	119		50 - 200
13C5 PFHxA	128		50 - 200
13C4 PFHpA	125		50 - 200
13C8 PFOA	121		50 - 200
13C9 PFNA	121		50 - 200
13C7 PFUnA	120		50 - 200
13C2 PFDoA	118		50 - 200
13C4 PFBA	122		50 - 200
13C5 PFPeA	124		50 - 200
13C3 PFBS	119		50 - 200
13C3 PFHxS	122		50 - 200
13C8 PFOS	117		50 - 200
13C2-4:2-FTS	135		50 - 200
13C2-6:2-FTS	115		50 - 200
13C2-8:2-FTS	108		50 - 200

Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020

Lab Sample ID: MBL 380-224319/19-A
Matrix: Water
Analysis Batch: 224453

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 224319

Analyte	MBL MBL		RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<1.0		2.0	ng/L		05/01/26 09:00	05/01/26 17:42	1
Perfluorooctanesulfonic acid (PFOS)	<0.43		2.0	ng/L		05/01/26 09:00	05/01/26 17:42	1
Perfluoroundecanoic acid (PFUnA)	<0.42		2.0	ng/L		05/01/26 09:00	05/01/26 17:42	1
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	<0.58		2.0	ng/L		05/01/26 09:00	05/01/26 17:42	1
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	<0.42		2.0	ng/L		05/01/26 09:00	05/01/26 17:42	1
Perfluorohexanoic acid (PFHxA)	<0.46		2.0	ng/L		05/01/26 09:00	05/01/26 17:42	1
Perfluorododecanoic acid (PFDoA)	<0.54		2.0	ng/L		05/01/26 09:00	05/01/26 17:42	1
Perfluorooctanoic acid (PFOA)	<0.38		2.0	ng/L		05/01/26 09:00	05/01/26 17:42	1
Perfluorodecanoic acid (PFDA)	<0.31		2.0	ng/L		05/01/26 09:00	05/01/26 17:42	1
Perfluorohexanesulfonic acid (PFHxS)	<0.32		2.0	ng/L		05/01/26 09:00	05/01/26 17:42	1
Perfluorobutanesulfonic acid (PFBS)	<0.37		2.0	ng/L		05/01/26 09:00	05/01/26 17:42	1
Perfluoroheptanoic acid (PFHpA)	<0.39		2.0	ng/L		05/01/26 09:00	05/01/26 17:42	1
Perfluorononanoic acid (PFNA)	<0.40		2.0	ng/L		05/01/26 09:00	05/01/26 17:42	1
Perfluorotetradecanoic acid (PFTA)	<0.54		2.0	ng/L		05/01/26 09:00	05/01/26 17:42	1
Perfluorotridecanoic acid (PFTrDA)	<0.36		2.0	ng/L		05/01/26 09:00	05/01/26 17:42	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<0.30		2.0	ng/L		05/01/26 09:00	05/01/26 17:42	1
11-Chloroeicosfluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<0.30		2.0	ng/L		05/01/26 09:00	05/01/26 17:42	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<0.60		2.0	ng/L		05/01/26 09:00	05/01/26 17:42	1
Surrogate	MBL MBL		Limits			Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier						
d5-NEtFOSAA	111		70 - 130			05/01/26 09:00	05/01/26 17:42	1
13C2 PFHxA	102		70 - 130			05/01/26 09:00	05/01/26 17:42	1
13C2 PFDA	112		70 - 130			05/01/26 09:00	05/01/26 17:42	1

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-211329-1
SDG: PFAS: Halawa Shaft Viewing Pool

Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020 (Continued)

Lab Sample ID: MBL 380-224319/19-A
Matrix: Water
Analysis Batch: 224453

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 224319

<i>Surrogate</i>	<i>MBL</i>	<i>MBL</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
13C3-GenX	98	Qualifier	70 - 130	05/01/26 09:00	05/01/26 17:42	1

Lab Sample ID: LCS 380-224319/21-A
Matrix: Water
Analysis Batch: 224453

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 224319

<i>Analyte</i>	<i>Spike</i>	<i>LCS</i>	<i>LCS</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec</i>	<i>Limits</i>
	<i>Added</i>	<i>Result</i>	<i>Qualifier</i>					
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	50.1	47.1		ng/L		94		70 - 130
Perfluorooctanesulfonic acid (PFOS)	50.1	51.1		ng/L		102		70 - 130
Perfluoroundecanoic acid (PFUnA)	50.1	51.2		ng/L		102		70 - 130
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	50.1	49.4		ng/L		99		70 - 130
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	50.1	49.6		ng/L		99		70 - 130
Perfluorohexanoic acid (PFHxA)	50.1	49.4		ng/L		99		70 - 130
Perfluorododecanoic acid (PFDoA)	50.1	49.7		ng/L		99		70 - 130
Perfluorooctanoic acid (PFOA)	50.1	48.2		ng/L		96		70 - 130
Perfluorodecanoic acid (PFDA)	50.1	51.6		ng/L		103		70 - 130
Perfluorohexanesulfonic acid (PFHxS)	50.1	48.9		ng/L		98		70 - 130
Perfluorobutanesulfonic acid (PFBS)	50.1	50.4		ng/L		101		70 - 130
Perfluoroheptanoic acid (PFHpA)	50.1	48.4		ng/L		97		70 - 130
Perfluorononanoic acid (PFNA)	50.1	51.7		ng/L		103		70 - 130
Perfluorotetradecanoic acid (PFTA)	50.1	41.2		ng/L		82		70 - 130
Perfluorotridecanoic acid (PFTrDA)	50.1	50.5		ng/L		101		70 - 130
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9Cl-PF3ONS)	50.1	50.7		ng/L		101		70 - 130
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	50.1	50.7		ng/L		101		70 - 130
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	50.1	49.2		ng/L		98		70 - 130

<i>Surrogate</i>	<i>LCS</i>	<i>LCS</i>	<i>Limits</i>
	<i>%Recovery</i>	<i>Qualifier</i>	
d5-NEtFOSAA	111		70 - 130
13C2 PFHxA	107		70 - 130
13C2 PFDA	115		70 - 130
13C3-GenX	105		70 - 130

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-211329-1
SDG: PFAS: Halawa Shaft Viewing Pool

Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020 (Continued)

Lab Sample ID: MRL 380-224319/20-A
Matrix: Water
Analysis Batch: 224453

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 224319

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	Limits
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	2.00	1.80	J	ng/L		90	50 - 150
Perfluorooctanesulfonic acid (PFOS)	2.00	2.08	J	ng/L		104	50 - 150
Perfluoroundecanoic acid (PFUnA)	2.00	2.19	J	ng/L		109	50 - 150
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	2.00	2.02	J	ng/L		101	50 - 150
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	2.00	2.03	J	ng/L		102	50 - 150
Perfluorohexanoic acid (PFHxA)	2.00	1.95	J	ng/L		97	50 - 150
Perfluorododecanoic acid (PFDoA)	2.00	2.03	J	ng/L		102	50 - 150
Perfluorooctanoic acid (PFOA)	2.00	1.99	J	ng/L		99	50 - 150
Perfluorodecanoic acid (PFDA)	2.00	1.97	J	ng/L		98	50 - 150
Perfluorohexanesulfonic acid (PFHxS)	2.00	2.17	J	ng/L		108	50 - 150
Perfluorobutanesulfonic acid (PFBS)	2.00	2.04	J	ng/L		102	50 - 150
Perfluoroheptanoic acid (PFHpA)	2.00	2.02	J	ng/L		101	50 - 150
Perfluorononanoic acid (PFNA)	2.00	2.11	J	ng/L		106	50 - 150
Perfluorotetradecanoic acid (PFTA)	2.00	1.86	J	ng/L		93	50 - 150
Perfluorotridecanoic acid (PFTrDA)	2.00	2.10	J	ng/L		105	50 - 150
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	2.00	2.07	J	ng/L		103	50 - 150
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	2.00	2.03	J	ng/L		101	50 - 150
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	2.00	2.01	J	ng/L		100	50 - 150

Surrogate	MRL %Recovery	MRL Qualifier	Limits
d5-NEtFOSAA	107		70 - 130
13C2 PFHxA	102		70 - 130
13C2 PFDA	110		70 - 130
13C3-GenX	96		70 - 130

Lab Sample ID: 380-210960-B-1-A MS
Matrix: Water
Analysis Batch: 224453

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 224319

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		50.2	50.6		ng/L		101	70 - 130
Perfluorooctanesulfonic acid (PFOS)	2.6		50.2	53.4		ng/L		101	70 - 130
Perfluoroundecanoic acid (PFUnA)	<2.0		50.2	53.5		ng/L		107	70 - 130
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	<2.0		50.2	49.7		ng/L		99	70 - 130

Eurofins Pomona

QC Association Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-211329-1
SDG: PFAS: Halawa Shaft Viewing Pool

LCMS

Prep Batch: 224319

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-211329-1	Halawa Shaft Viewing Pool	Total/NA	Drinking Water	537.1 DW	
380-211329-2	FB: Halawa Shaft Viewing Pool	Total/NA	Drinking Water	537.1 DW	
MBL 380-224319/19-A	Method Blank	Total/NA	Water	537.1 DW	
LCS 380-224319/21-A	Lab Control Sample	Total/NA	Water	537.1 DW	
MRL 380-224319/20-A	Lab Control Sample	Total/NA	Water	537.1 DW	
380-210960-B-1-A MS	Matrix Spike	Total/NA	Water	537.1 DW	
380-210960-C-1-A MSD	Matrix Spike Duplicate	Total/NA	Water	537.1 DW	

Analysis Batch: 224453

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-211329-1	Halawa Shaft Viewing Pool	Total/NA	Drinking Water	EPA 537.1 V2	224319
380-211329-2	FB: Halawa Shaft Viewing Pool	Total/NA	Drinking Water	EPA 537.1 V2	224319
MBL 380-224319/19-A	Method Blank	Total/NA	Water	EPA 537.1 V2	224319
LCS 380-224319/21-A	Lab Control Sample	Total/NA	Water	EPA 537.1 V2	224319
MRL 380-224319/20-A	Lab Control Sample	Total/NA	Water	EPA 537.1 V2	224319
380-210960-B-1-A MS	Matrix Spike	Total/NA	Water	EPA 537.1 V2	224319
380-210960-C-1-A MSD	Matrix Spike Duplicate	Total/NA	Water	EPA 537.1 V2	224319

Prep Batch: 225187

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-211329-1	Halawa Shaft Viewing Pool	Total/NA	Drinking Water	533	
380-211329-2	FB: Halawa Shaft Viewing Pool	Total/NA	Drinking Water	533	
MBL 380-225187/20-A	Method Blank	Total/NA	Water	533	
LCS 380-225187/22-A	Lab Control Sample	Total/NA	Water	533	
MRL 380-225187/21-A	Lab Control Sample	Total/NA	Water	533	
380-210759-B-2-A MS	Matrix Spike	Total/NA	Water	533	
380-210759-C-2-A MSD	Matrix Spike Duplicate	Total/NA	Water	533	

Analysis Batch: 225362

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-211329-1	Halawa Shaft Viewing Pool	Total/NA	Drinking Water	533	225187
380-211329-2	FB: Halawa Shaft Viewing Pool	Total/NA	Drinking Water	533	225187
MBL 380-225187/20-A	Method Blank	Total/NA	Water	533	225187
LCS 380-225187/22-A	Lab Control Sample	Total/NA	Water	533	225187
MRL 380-225187/21-A	Lab Control Sample	Total/NA	Water	533	225187
380-210759-B-2-A MS	Matrix Spike	Total/NA	Water	533	225187
380-210759-C-2-A MSD	Matrix Spike Duplicate	Total/NA	Water	533	225187

Lab Chronicle

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-211329-1
SDG: PFAS: Halawa Shaft Viewing Pool

Client Sample ID: Halawa Shaft Viewing Pool

Lab Sample ID: 380-211329-1

Date Collected: 04/28/26 09:48

Matrix: Drinking Water

Date Received: 04/30/26 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	533			225187	XTD8	EA POM	05/06/26 06:42
Total/NA	Analysis	533		1	225362	M7ML	EA POM	05/06/26 20:19
Total/NA	Prep	537.1 DW			224319	L9UA	EA POM	05/01/26 09:00
Total/NA	Analysis	EPA 537.1 V2		1	224453	Y5FM	EA POM	05/01/26 21:20

Client Sample ID: FB: Halawa Shaft Viewing Pool

Lab Sample ID: 380-211329-2

Date Collected: 04/28/26 09:48

Matrix: Drinking Water

Date Received: 04/30/26 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	533			225187	XTD8	EA POM	05/06/26 06:42
Total/NA	Analysis	533		1	225362	M7ML	EA POM	05/06/26 20:29
Total/NA	Prep	537.1 DW			224319	L9UA	EA POM	05/01/26 09:00
Total/NA	Analysis	EPA 537.1 V2		1	224453	Y5FM	EA POM	05/01/26 21:29

Laboratory References:

EA POM = Eurofins Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100

Accreditation/Certification Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-211329-1
SDG: PFAS: Halawa Shaft Viewing Pool

Laboratory: Eurofins Pomona

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Hawaii	State	CA00006	01-31-26 *

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Method Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-211329-1
SDG: PFAS: Halawa Shaft Viewing Pool

Method	Method Description	Protocol	Laboratory
533	Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water	EPA	EA POM
EPA 537.1 V2	EPA 537.1 Ver. 2.0 March 2020	EPA	EA POM
533	Extraction of Perfluorinated and Polyfluorinated Alkyl Acids	EPA	EA POM
537.1 DW	Extraction of Perfluorinated Alkyl Acids	EPA	EA POM

Protocol References:

EPA = US Environmental Protection Agency

Laboratory References:

EA POM = Eurofins Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100



Sample Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-211329-1
SDG: PFAS: Halawa Shaft Viewing Pool

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
380-211329-1	Halawa Shaft Viewing Pool	Drinking Water	04/28/26 09:48	04/30/26 10:00	Hawaii
380-211329-2	FB: Halawa Shaft Viewing Pool	Drinking Water	04/28/26 09:48	04/30/26 10:00	Hawaii

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17

Monrovia, CA (Suite 100)
 750 Royal Oaks Drive Suite 100
 Monrovia, CA 91016
 Phone (626) 386-1100

Chain of Custody Record



Environment
America



COC No: 380-27941-2757.2
 380-211329 COC

Carrier Tracking No(s):
 State of Origin:
 Page 2 of 2
 Job #:

Lab PIN:
 Arada, Rachelle
 E-Mail:
 Rachelle.Arada@et.euronisus.com

Sampler:
 Jason Rakofsky
 Phone:
 +1 808 748 5840

Due Date Requested:
 TAT Requested (days): RUSH
 Compliance Project: Δ No
 PO #: C20525101 exp 05312023
 WO #:

Client Information
 Client Contact:
 Kirk Iwamoto
 Company:
 City & County of Honolulu
 Address:
 630 South Beretania Street, Chemistry Lab
 City:
 Honolulu
 State Zip:
 HI, 96843
 Phone:
 808-748-5840 (tel)
 Email:
 kiwamoto@hbws.org
 Project Name:
 RED-HILL/HBWS sites Event Desc: RUSH Weekly Red Hill
 Site:

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (Water, Sewage, Urine, etc.)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	Subcontract - 625 PAH Physis LL (EAL) + TICs	8015B_GRO_LL - (MOD) GRO	8015B_DRO_LL_CS - HNL Ranges C10-C24/C24-C36/C8-C18	625.2_PRC - (MOD) 625plus PLUS TICs	637.1_DM_PRC - 637.1 Full List	633 - All Analytes	Analysis Requested	Preservation Codes:	Special Instructions/Note:
Halawa Shaft Viewing Pool	28-Apr-2026	0948	G	Water	X	X								A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other	
Halawa Shaft Viewing Pool Blank	28-Apr-2026	6	G	Water	X	X								M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2SO3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 Y - Trizma Z - other (specify)	

Possible Hazard Identification
 Non-Hazard Flammable Skin Irritant Poison B Unknown Radiological
 Deliverable Requested: I, II, III, IV, Other (specify)

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return To Client Disposal By Lab Archive For _____ Months

Special Instructions/QC Requirements:

Empty Kit Relinquished by: _____ Date: _____ Time: _____
 Relinquished by: _____ Date/Time: 4/28/26 1102 Company: HBWS
 Relinquished by: _____ Date/Time: _____ Company: _____
 Relinquished by: _____ Date/Time: _____ Company: _____

Custody Seals Intact: _____ Custody Seal No. _____
 Δ Yes Δ No

Method of Shipment: FEDEX 8712 3615 2321
 Received by: _____ Date/Time: 4/26/26 1000 Company: DEAF
 Received by: _____ Date/Time: _____ Company: _____
 Received by: _____ Date/Time: _____ Company: _____

Cooler Temperature(s) °C and Other Remarks: (631A) 1.5 + 0.2 - 1.7 gel - 600251
 Ver 01/16/2019



Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-211329-1

SDG Number: PFAS: Halawa Shaft Viewing Pool

Login Number: 211329

List Number: 1

Creator: Avila, Ivan

List Source: Eurofins Pomona

Question	Answer	Comment
The coolers custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
Samples were received on ice.	True	
Cooler(s) Temperature is acceptable.	True	
Cooler(s) Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and is legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
CIO4 headspace requirement met (>50% for CA, >30% for other states).	N/A	
Samples do not require splitting or compositing.	True	
Container provided by EEA	True	