

ANALYTICAL REPORT

PREPARED FOR

Attn: Mr. Erwin Kawata
City & County of Honolulu
630 South Beretania Street
Public Service Bldg. Room 310
Honolulu, Hawaii 96843

Generated 8/4/2026 1:18:28 PM

JOB DESCRIPTION

RED-HILL
PFAS: Halawa Shaft Viewing Pool

JOB NUMBER

380-228324-1

Eurofins Pomona

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Drinking Water and Wastewater West, LLC Project Manager.

Compliance Statement

1. Laboratory is accredited in accordance with TNI 2016 Standards and ISO/IEC 17025:2017.
2. Laboratory certifies that the test results meet all TNI 2016 and ISO/IEC 17025:2017 requirements unless noted under the individual analysis
3. Test results relate only to the sample(s) tested.
4. This report shall not be reproduced except in full, without the written approval of the laboratory.
5. Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.
(DW, Water matrices)

Authorization



Authorized for release by
Maria Lopez, Project Manager
Maria.Lopez@et.eurofinsus.com
(626)386-1145

Generated
8/4/2026 1:18:28 PM

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Detection Summary	6
Client Sample Results	7
Action Limit Summary	11
Surrogate Summary	12
Isotope Dilution Summary	13
QC Sample Results	14
QC Association Summary	25
Lab Chronicle	26
Certification Summary	27
Method Summary	28
Sample Summary	29
Chain of Custody	30
Receipt Checklists	31



Definitions/Glossary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-228324-1
SDG: PFAS: Halawa Shaft Viewing Pool

Qualifiers

LCMS

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: City & County of Honolulu
Project: RED-HILL

Job ID: 380-228324-1

Job ID: 380-228324-1

Eurofins Pomona

Job Narrative 380-228324-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 7/31/2026 10:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 5.4°C.

PFAS

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Pomona

Detection Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-228324-1
SDG: PFAS: Halawa Shaft Viewing Pool

Client Sample ID: HALAWA SHAFT VIEWING POOL

Lab Sample ID: 380-228324-1

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Perfluorohexanesulfonic acid (PFHxS)	3.1		2.0	ng/L	1		533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	2.9		2.0	ng/L	1		533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	3.4		2.0	ng/L	1		EPA 537.1 V2	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	3.6		2.0	ng/L	1		EPA 537.1 V2	Total/NA

Client Sample ID: FB HALAWA SHAFT VIEWING POOL

Lab Sample ID: 380-228324-2

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-228324-1
SDG: PFAS: Halawa Shaft Viewing Pool

Client Sample ID: HALAWA SHAFT VIEWING POOL

Lab Sample ID: 380-228324-1

Date Collected: 07/28/26 09:30

Matrix: Water

Date Received: 07/31/26 10:00

Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
11-Chloroeicosafluoro-3-oxaundecan e-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:20	1
9-Chlorohexadecafluoro-3-oxanonan e-1-sulfonic acid(9Cl-PF3ONS)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:20	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:20	1
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:20	1
Perfluorobutanesulfonic acid (PFBS)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:20	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:20	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:20	1
Perfluoroheptanoic acid (PFHpA)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:20	1
Perfluorohexanesulfonic acid (PFHxS)	3.1		2.0	ng/L		08/02/26 13:13	08/03/26 10:20	1
Perfluorohexanoic acid (PFHxA)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:20	1
Perfluorononanoic acid (PFNA)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:20	1
Perfluorooctanesulfonic acid (PFOS)	2.9		2.0	ng/L		08/02/26 13:13	08/03/26 10:20	1
Perfluorooctanoic acid (PFOA)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:20	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:20	1
Perfluorobutanoic acid (PFBA)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:20	1
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:20	1
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:20	1
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:20	1
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:20	1
Perfluoro (2-ethoxyethane) sulfonic acid (PFEESA)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:20	1
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:20	1
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:20	1
Perfluoropentanoic acid (PFPeA)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:20	1
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:20	1
Perfluoropentanesulfonic acid (PFPeS)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:20	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C3 HFPO-DA	111		50 - 200	08/02/26 13:13	08/03/26 10:20	1
13C6 PFDA	113		50 - 200	08/02/26 13:13	08/03/26 10:20	1
13C5 PFHxA	119		50 - 200	08/02/26 13:13	08/03/26 10:20	1
13C4 PFHpA	116		50 - 200	08/02/26 13:13	08/03/26 10:20	1
13C8 PFOA	122		50 - 200	08/02/26 13:13	08/03/26 10:20	1
13C9 PFNA	121		50 - 200	08/02/26 13:13	08/03/26 10:20	1
13C7 PFUnA	123		50 - 200	08/02/26 13:13	08/03/26 10:20	1
13C2 PFDoA	125		50 - 200	08/02/26 13:13	08/03/26 10:20	1
13C4 PFBA	113		50 - 200	08/02/26 13:13	08/03/26 10:20	1
13C5 PFPeA	116		50 - 200	08/02/26 13:13	08/03/26 10:20	1
13C3 PFBS	117		50 - 200	08/02/26 13:13	08/03/26 10:20	1
13C3 PFHxS	119		50 - 200	08/02/26 13:13	08/03/26 10:20	1

Eurofins Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-228324-1
SDG: PFAS: Halawa Shaft Viewing Pool

Client Sample ID: HALAWA SHAFT VIEWING POOL

Lab Sample ID: 380-228324-1

Date Collected: 07/28/26 09:30

Matrix: Water

Date Received: 07/31/26 10:00

Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C8 PFOS	126		50 - 200	08/02/26 13:13	08/03/26 10:20	1
13C2-4:2-FTS	120		50 - 200	08/02/26 13:13	08/03/26 10:20	1
13C2-6:2-FTS	113		50 - 200	08/02/26 13:13	08/03/26 10:20	1
13C2-8:2-FTS	106		50 - 200	08/02/26 13:13	08/03/26 10:20	1

Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0	ng/L		08/02/26 16:00	08/03/26 17:14	1
Perfluorooctanesulfonic acid (PFOS)	3.4		2.0	ng/L		08/02/26 16:00	08/03/26 17:14	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0	ng/L		08/02/26 16:00	08/03/26 17:14	1
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	<2.0		2.0	ng/L		08/02/26 16:00	08/03/26 17:14	1
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	<2.0		2.0	ng/L		08/02/26 16:00	08/03/26 17:14	1
Perfluorohexanoic acid (PFHxA)	<2.0		2.0	ng/L		08/02/26 16:00	08/03/26 17:14	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0	ng/L		08/02/26 16:00	08/03/26 17:14	1
Perfluorooctanoic acid (PFOA)	<2.0		2.0	ng/L		08/02/26 16:00	08/03/26 17:14	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0	ng/L		08/02/26 16:00	08/03/26 17:14	1
Perfluorohexanesulfonic acid (PFHxS)	3.6		2.0	ng/L		08/02/26 16:00	08/03/26 17:14	1
Perfluorobutanesulfonic acid (PFBS)	<2.0		2.0	ng/L		08/02/26 16:00	08/03/26 17:14	1
Perfluoroheptanoic acid (PFHpA)	<2.0		2.0	ng/L		08/02/26 16:00	08/03/26 17:14	1
Perfluorononanoic acid (PFNA)	<2.0		2.0	ng/L		08/02/26 16:00	08/03/26 17:14	1
Perfluorotetradecanoic acid (PFTA)	<2.0		2.0	ng/L		08/02/26 16:00	08/03/26 17:14	1
Perfluorotridecanoic acid (PFTrDA)	<2.0		2.0	ng/L		08/02/26 16:00	08/03/26 17:14	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9Cl-PF3ONS)	<2.0		2.0	ng/L		08/02/26 16:00	08/03/26 17:14	1
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0	ng/L		08/02/26 16:00	08/03/26 17:14	1
4,8-Dioxo-3H-perfluorononanoic acid (ADONA)	<2.0		2.0	ng/L		08/02/26 16:00	08/03/26 17:14	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	101		70 - 130			08/02/26 16:00	08/03/26 17:14	1
13C2 PFHxA	105		70 - 130			08/02/26 16:00	08/03/26 17:14	1
13C2 PFDA	106		70 - 130			08/02/26 16:00	08/03/26 17:14	1
13C3-GenX	105		70 - 130			08/02/26 16:00	08/03/26 17:14	1

Client Sample ID: FB HALAWA SHAFT VIEWING POOL

Lab Sample ID: 380-228324-2

Date Collected: 07/28/26 09:30

Matrix: Water

Date Received: 07/31/26 10:00

Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:29	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9Cl-PF3ONS)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:29	1
4,8-Dioxo-3H-perfluorononanoic acid (ADONA)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:29	1

Eurofins Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-228324-1
SDG: PFAS: Halawa Shaft Viewing Pool

Client Sample ID: FB HALAWA SHAFT VIEWING POOL

Lab Sample ID: 380-228324-2

Date Collected: 07/28/26 09:30

Matrix: Water

Date Received: 07/31/26 10:00

Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:29	1
Perfluorobutanesulfonic acid (PFBS)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:29	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:29	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:29	1
Perfluoroheptanoic acid (PFHpA)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:29	1
Perfluorohexanesulfonic acid (PFHxS)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:29	1
Perfluorohexanoic acid (PFHxA)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:29	1
Perfluorononanoic acid (PFNA)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:29	1
Perfluorooctanesulfonic acid (PFOS)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:29	1
Perfluorooctanoic acid (PFOA)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:29	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:29	1
Perfluorobutanoic acid (PFBA)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:29	1
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:29	1
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:29	1
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:29	1
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:29	1
Perfluoro (2-ethoxyethane) sulfonic acid (PFEESA)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:29	1
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:29	1
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:29	1
Perfluoropentanoic acid (PFPeA)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:29	1
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:29	1
Perfluoropentanesulfonic acid (PFPeS)	<2.0		2.0	ng/L		08/02/26 13:13	08/03/26 10:29	1
Isotope Dilution	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
13C3 HFPO-DA	111		50 - 200			08/02/26 13:13	08/03/26 10:29	1
13C6 PFDA	115		50 - 200			08/02/26 13:13	08/03/26 10:29	1
13C5 PFHxA	118		50 - 200			08/02/26 13:13	08/03/26 10:29	1
13C4 PFHpA	121		50 - 200			08/02/26 13:13	08/03/26 10:29	1
13C8 PFOA	117		50 - 200			08/02/26 13:13	08/03/26 10:29	1
13C9 PFNA	124		50 - 200			08/02/26 13:13	08/03/26 10:29	1
13C7 PFUnA	122		50 - 200			08/02/26 13:13	08/03/26 10:29	1
13C2 PFDoA	127		50 - 200			08/02/26 13:13	08/03/26 10:29	1
13C4 PFBA	109		50 - 200			08/02/26 13:13	08/03/26 10:29	1
13C5 PFPeA	109		50 - 200			08/02/26 13:13	08/03/26 10:29	1
13C3 PFBS	119		50 - 200			08/02/26 13:13	08/03/26 10:29	1
13C3 PFHxS	123		50 - 200			08/02/26 13:13	08/03/26 10:29	1
13C8 PFOS	127		50 - 200			08/02/26 13:13	08/03/26 10:29	1
13C2-4:2-FTS	116		50 - 200			08/02/26 13:13	08/03/26 10:29	1
13C2-6:2-FTS	108		50 - 200			08/02/26 13:13	08/03/26 10:29	1
13C2-8:2-FTS	108		50 - 200			08/02/26 13:13	08/03/26 10:29	1

Eurofins Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-228324-1
SDG: PFAS: Halawa Shaft Viewing Pool

Client Sample ID: FB HALAWA SHAFT VIEWING POOL

Lab Sample ID: 380-228324-2

Date Collected: 07/28/26 09:30

Matrix: Water

Date Received: 07/31/26 10:00

Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0	ng/L		08/02/26 16:00	08/03/26 17:23	1
Perfluorooctanesulfonic acid (PFOS)	<2.0		2.0	ng/L		08/02/26 16:00	08/03/26 17:23	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0	ng/L		08/02/26 16:00	08/03/26 17:23	1
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	<2.0		2.0	ng/L		08/02/26 16:00	08/03/26 17:23	1
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	<2.0		2.0	ng/L		08/02/26 16:00	08/03/26 17:23	1
Perfluorohexanoic acid (PFHxA)	<2.0		2.0	ng/L		08/02/26 16:00	08/03/26 17:23	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0	ng/L		08/02/26 16:00	08/03/26 17:23	1
Perfluorooctanoic acid (PFOA)	<2.0		2.0	ng/L		08/02/26 16:00	08/03/26 17:23	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0	ng/L		08/02/26 16:00	08/03/26 17:23	1
Perfluorohexanesulfonic acid (PFHxS)	<2.0		2.0	ng/L		08/02/26 16:00	08/03/26 17:23	1
Perfluorobutanesulfonic acid (PFBS)	<2.0		2.0	ng/L		08/02/26 16:00	08/03/26 17:23	1
Perfluoroheptanoic acid (PFHpA)	<2.0		2.0	ng/L		08/02/26 16:00	08/03/26 17:23	1
Perfluorononanoic acid (PFNA)	<2.0		2.0	ng/L		08/02/26 16:00	08/03/26 17:23	1
Perfluorotetradecanoic acid (PFTA)	<2.0		2.0	ng/L		08/02/26 16:00	08/03/26 17:23	1
Perfluorotridecanoic acid (PFTrDA)	<2.0		2.0	ng/L		08/02/26 16:00	08/03/26 17:23	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9Cl-PF3ONS)	<2.0		2.0	ng/L		08/02/26 16:00	08/03/26 17:23	1
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0	ng/L		08/02/26 16:00	08/03/26 17:23	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0	ng/L		08/02/26 16:00	08/03/26 17:23	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	91		70 - 130			08/02/26 16:00	08/03/26 17:23	1
13C2 PFHxA	96		70 - 130			08/02/26 16:00	08/03/26 17:23	1
13C2 PFDA	98		70 - 130			08/02/26 16:00	08/03/26 17:23	1
13C3-GenX	94		70 - 130			08/02/26 16:00	08/03/26 17:23	1

Action Limit Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-228324-1
SDG: PFAS: Halawa Shaft Viewing Pool

Client Sample ID: HALAWA SHAFT VIEWING POOL

Lab Sample ID: 380-228324-1

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL	RL	Method	Prep Type
				Limit			
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	3.1		ng/L	10	2.0	533	Total/NA
Perfluorononanoic acid (PFNA)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	2.9		ng/L	4	2.0	533	Total/NA
Perfluorooctanoic acid (PFOA)	<2.0		ng/L	4	2.0	533	Total/NA
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		ng/L	10	2.0	EPA 537.1 V2	Total/NA
Perfluorooctanesulfonic acid (PFOS)	3.4		ng/L	4	2.0	EPA 537.1 V2	Total/NA
Perfluorooctanoic acid (PFOA)	<2.0		ng/L	4	2.0	EPA 537.1 V2	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	3.6		ng/L	10	2.0	EPA 537.1 V2	Total/NA
Perfluorononanoic acid (PFNA)	<2.0		ng/L	10	2.0	EPA 537.1 V2	Total/NA

Client Sample ID: FB HALAWA SHAFT VIEWING POOL

Lab Sample ID: 380-228324-2

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL	RL	Method	Prep Type
				Limit			
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorononanoic acid (PFNA)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	<2.0		ng/L	4	2.0	533	Total/NA
Perfluorooctanoic acid (PFOA)	<2.0		ng/L	4	2.0	533	Total/NA
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		ng/L	10	2.0	EPA 537.1 V2	Total/NA
Perfluorooctanesulfonic acid (PFOS)	<2.0		ng/L	4	2.0	EPA 537.1 V2	Total/NA
Perfluorooctanoic acid (PFOA)	<2.0		ng/L	4	2.0	EPA 537.1 V2	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	<2.0		ng/L	10	2.0	EPA 537.1 V2	Total/NA
Perfluorononanoic acid (PFNA)	<2.0		ng/L	10	2.0	EPA 537.1 V2	Total/NA

Surrogate Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-228324-1
SDG: PFAS: Halawa Shaft Viewing Pool

Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		d5NEFOS (70-130)	PFHxA (70-130)	PFDA (70-130)	GenX (70-130)
380-228310-E-4-A MS	Matrix Spike	96	107	97	103
380-228310-F-4-A MSD	Matrix Spike Duplicate	94	104	98	102
380-228324-1	HALAWA SHAFT VIEWING POOL	101	105	106	105
380-228324-2	FB HALAWA SHAFT VIEWING POOL	91	96	98	94
LCS 380-243899/21-A	Lab Control Sample	89	97	101	94
MBL 380-243899/19-A	Method Blank	100	105	108	100
MRL 380-243899/20-A	Lab Control Sample	97	97	99	92

Surrogate Legend

d5NEFOS = d5-NEtFOSAA

PFHxA = 13C2 PFHxA

PFDA = 13C2 PFDA

GenX = 13C3-GenX

Isotope Dilution Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-228324-1
SDG: PFAS: Halawa Shaft Viewing Pool

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water

Matrix: Water

Prep Type: Total/NA

		Percent Isotope Dilution Recovery (Acceptance Limits)							
Lab Sample ID	Client Sample ID	HFPODA (50-200)	C6PFDA (50-200)	13C5PHA (50-200)	C4PFHA (50-200)	C8PFOA (50-200)	C9PFNA (50-200)	13C7PUA (50-200)	PFD _o A (50-200)
380-228324-1	HALAWA SHAFT VIEWING POOL	111	113	119	116	122	121	123	125
380-228324-2	FB HALAWA SHAFT VIEWING POOL	111	115	118	121	117	124	122	127
380-228336-B-1-A MS	Matrix Spike	114	106	113	112	114	118	115	116
380-228336-B-1-B MSD	Matrix Spike Duplicate	125	111	121	120	119	122	116	118
LCS 380-243887/22-A	Lab Control Sample	102	101	103	109	105	111	111	114
MBL 380-243887/20-A	Method Blank	104	107	108	107	112	115	113	120
MRL 380-243887/21-A	Lab Control Sample	109	107	109	112	110	118	111	113
		Percent Isotope Dilution Recovery (Acceptance Limits)							
Lab Sample ID	Client Sample ID	PFBA (50-200)	PFP _e A (50-200)	C3PFBS (50-200)	C3PFHS (50-200)	C8PFOS (50-200)	42FTS (50-200)	62FTS (50-200)	82FTS (50-200)
380-228324-1	HALAWA SHAFT VIEWING POOL	113	116	117	119	126	120	113	106
380-228324-2	FB HALAWA SHAFT VIEWING POOL	109	109	119	123	127	116	108	108
380-228336-B-1-A MS	Matrix Spike	109	105	106	109	115	105	102	103
380-228336-B-1-B MSD	Matrix Spike Duplicate	114	114	117	117	120	111	110	106
LCS 380-243887/22-A	Lab Control Sample	99	101	112	114	117	109	107	104
MBL 380-243887/20-A	Method Blank	107	106	111	114	115	110	109	104
MRL 380-243887/21-A	Lab Control Sample	114	109	118	121	121	121	112	107
Surrogate Legend									
HFPODA = 13C3 HFPO-DA									
C6PFDA = 13C6 PFDA									
13C5PHA = 13C5 PFHxA									
C4PFHA = 13C4 PFHpA									
C8PFOA = 13C8 PFOA									
C9PFNA = 13C9 PFNA									
13C7PUA = 13C7 PFUnA									
PFD _o A = 13C2 PFD _o A									
PFBA = 13C4 PFBA									
PFP _e A = 13C5 PFP _e A									
C3PFBS = 13C3 PFBS									
C3PFHS = 13C3 PFHxS									
C8PFOS = 13C8 PFOS									
42FTS = 13C2-4:2-FTS									
62FTS = 13C2-6:2-FTS									
82FTS = 13C2-8:2-FTS									

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-228324-1
SDG: PFAS: Halawa Shaft Viewing Pool

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water

Lab Sample ID: MBL 380-243887/20-A

Matrix: Water

Analysis Batch: 244018

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 243887

Analyte	MBL Result	MBL Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11CI-PF3OUdS)	<0.29		2.0	ng/L		08/02/26 13:13	08/03/26 07:11	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9CI-PF3ONS)	<0.30		2.0	ng/L		08/02/26 13:13	08/03/26 07:11	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<0.59		2.0	ng/L		08/02/26 13:13	08/03/26 07:11	1
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<0.98		2.0	ng/L		08/02/26 13:13	08/03/26 07:11	1
Perfluorobutanesulfonic acid (PFBS)	<0.36		2.0	ng/L		08/02/26 13:13	08/03/26 07:11	1
Perfluorodecanoic acid (PFDA)	<0.31		2.0	ng/L		08/02/26 13:13	08/03/26 07:11	1
Perfluorododecanoic acid (PFDoA)	<0.53		2.0	ng/L		08/02/26 13:13	08/03/26 07:11	1
Perfluoroheptanoic acid (PFHpA)	<0.38		2.0	ng/L		08/02/26 13:13	08/03/26 07:11	1
Perfluorohexanesulfonic acid (PFHxS)	<0.31		2.0	ng/L		08/02/26 13:13	08/03/26 07:11	1
Perfluorohexanoic acid (PFHxA)	<0.45		2.0	ng/L		08/02/26 13:13	08/03/26 07:11	1
Perfluorononanoic acid (PFNA)	<0.39		2.0	ng/L		08/02/26 13:13	08/03/26 07:11	1
Perfluorooctanesulfonic acid (PFOS)	<0.42		2.0	ng/L		08/02/26 13:13	08/03/26 07:11	1
Perfluorooctanoic acid (PFOA)	<0.37		2.0	ng/L		08/02/26 13:13	08/03/26 07:11	1
Perfluoroundecanoic acid (PFUnA)	<0.41		2.0	ng/L		08/02/26 13:13	08/03/26 07:11	1
Perfluorobutanoic acid (PFBA)	<0.68		2.0	ng/L		08/02/26 13:13	08/03/26 07:11	1
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<0.38		2.0	ng/L		08/02/26 13:13	08/03/26 07:11	1
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<0.36		2.0	ng/L		08/02/26 13:13	08/03/26 07:11	1
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<0.47		2.0	ng/L		08/02/26 13:13	08/03/26 07:11	1
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<0.46		2.0	ng/L		08/02/26 13:13	08/03/26 07:11	1
Perfluoro (2-ethoxyethane) sulfonic acid (PFEESA)	<0.24		2.0	ng/L		08/02/26 13:13	08/03/26 07:11	1
Perfluoro-3-methoxypropanoic acid (PFMPA)	<0.45		2.0	ng/L		08/02/26 13:13	08/03/26 07:11	1
Perfluoro-4-methoxybutanoic acid (PFMBA)	<0.15		2.0	ng/L		08/02/26 13:13	08/03/26 07:11	1
Perfluoropentanoic acid (PFPeA)	<0.37		2.0	ng/L		08/02/26 13:13	08/03/26 07:11	1
Perfluoroheptanesulfonic acid (PFHpS)	<0.35		2.0	ng/L		08/02/26 13:13	08/03/26 07:11	1
Perfluoropentanesulfonic acid (PFPeS)	<0.38		2.0	ng/L		08/02/26 13:13	08/03/26 07:11	1

Isotope Dilution	MBL %Recovery	MBL Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C3 HFPO-DA	104		50 - 200	08/02/26 13:13	08/03/26 07:11	1
13C6 PFDA	107		50 - 200	08/02/26 13:13	08/03/26 07:11	1
13C5 PFHxA	108		50 - 200	08/02/26 13:13	08/03/26 07:11	1
13C4 PFHpA	107		50 - 200	08/02/26 13:13	08/03/26 07:11	1
13C8 PFOA	112		50 - 200	08/02/26 13:13	08/03/26 07:11	1
13C9 PFNA	115		50 - 200	08/02/26 13:13	08/03/26 07:11	1
13C7 PFUnA	113		50 - 200	08/02/26 13:13	08/03/26 07:11	1
13C2 PFDoA	120		50 - 200	08/02/26 13:13	08/03/26 07:11	1
13C4 PFBA	107		50 - 200	08/02/26 13:13	08/03/26 07:11	1
13C5 PFPeA	106		50 - 200	08/02/26 13:13	08/03/26 07:11	1
13C3 PFBS	111		50 - 200	08/02/26 13:13	08/03/26 07:11	1
13C3 PFHxS	114		50 - 200	08/02/26 13:13	08/03/26 07:11	1

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-228324-1
SDG: PFAS: Halawa Shaft Viewing Pool

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Lab Sample ID: MBL 380-243887/20-A

Matrix: Water

Analysis Batch: 244018

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 243887

Isotope Dilution	MBL %Recovery	MBL Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C8 PFOS	115		50 - 200	08/02/26 13:13	08/03/26 07:11	1
13C2-4:2-FTS	110		50 - 200	08/02/26 13:13	08/03/26 07:11	1
13C2-6:2-FTS	109		50 - 200	08/02/26 13:13	08/03/26 07:11	1
13C2-8:2-FTS	104		50 - 200	08/02/26 13:13	08/03/26 07:11	1

Lab Sample ID: LCS 380-243887/22-A

Matrix: Water

Analysis Batch: 244018

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 243887

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	59.1	55.1		ng/L		93	70 - 130
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	59.1	56.3		ng/L		95	70 - 130
4,8-Dioxo-3H-perfluorononanoic acid (ADONA)	59.1	53.5		ng/L		91	70 - 130
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	59.1	59.5		ng/L		101	70 - 130
Perfluorobutanesulfonic acid (PFBS)	59.1	60.4		ng/L		102	70 - 130
Perfluorodecanoic acid (PFDA)	59.1	61.3		ng/L		104	70 - 130
Perfluorododecanoic acid (PFDoA)	59.1	58.1		ng/L		98	70 - 130
Perfluoroheptanoic acid (PFHpA)	59.1	56.0		ng/L		95	70 - 130
Perfluorohexanesulfonic acid (PFHxS)	59.1	58.4		ng/L		99	70 - 130
Perfluorohexanoic acid (PFHxA)	59.1	59.4		ng/L		101	70 - 130
Perfluorononanoic acid (PFNA)	59.1	59.1		ng/L		100	70 - 130
Perfluorooctanesulfonic acid (PFOS)	59.1	57.1		ng/L		97	70 - 130
Perfluorooctanoic acid (PFOA)	59.1	59.4		ng/L		101	70 - 130
Perfluoroundecanoic acid (PFUnA)	59.1	57.0		ng/L		97	70 - 130
Perfluorobutanoic acid (PFBA)	59.1	60.5		ng/L		102	70 - 130
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	59.1	60.1		ng/L		102	70 - 130
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	59.1	58.0		ng/L		98	70 - 130
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	59.1	59.4		ng/L		101	70 - 130
Nonfluoro-3,6-dioxahexanoic acid (NFDHA)	59.1	53.9		ng/L		91	70 - 130
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	59.1	58.9		ng/L		100	70 - 130
Perfluoro-3-methoxypropanoic acid (PFMPA)	59.1	58.1		ng/L		98	70 - 130
Perfluoro-4-methoxybutanoic acid (PFMBA)	59.1	57.0		ng/L		97	70 - 130
Perfluoropentanoic acid (PFPeA)	59.1	59.2		ng/L		100	70 - 130
Perfluoroheptanesulfonic acid (PFHpS)	59.1	55.8		ng/L		94	70 - 130

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-228324-1
SDG: PFAS: Halawa Shaft Viewing Pool

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Lab Sample ID: LCS 380-243887/22-A

Matrix: Water

Analysis Batch: 244018

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 243887

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Perfluoropentanesulfonic acid (PFPeS)	59.1	58.3		ng/L		99	70 - 130
	LCS	LCS					
Isotope Dilution	%Recovery	Qualifier	Limits				
13C3 HFPO-DA	102		50 - 200				
13C6 PFDA	101		50 - 200				
13C5 PFHxA	103		50 - 200				
13C4 PFHpA	109		50 - 200				
13C8 PFOA	105		50 - 200				
13C9 PFNA	111		50 - 200				
13C7 PFUnA	111		50 - 200				
13C2 PFDoA	114		50 - 200				
13C4 PFBA	99		50 - 200				
13C5 PFPeA	101		50 - 200				
13C3 PFBS	112		50 - 200				
13C3 PFHxS	114		50 - 200				
13C8 PFOS	117		50 - 200				
13C2-4:2-FTS	109		50 - 200				
13C2-6:2-FTS	107		50 - 200				
13C2-8:2-FTS	104		50 - 200				

Lab Sample ID: MRL 380-243887/21-A

Matrix: Water

Analysis Batch: 244018

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 243887

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	1.97	1.90	J	ng/L		96	50 - 150
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	1.97	1.96	J	ng/L		99	50 - 150
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	1.97	1.86	J	ng/L		94	50 - 150
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	1.97	1.99	J	ng/L		101	50 - 150
Perfluorobutanesulfonic acid (PFBS)	1.97	1.92	J	ng/L		97	50 - 150
Perfluorodecanoic acid (PFDA)	1.97	2.05	J	ng/L		104	50 - 150
Perfluorododecanoic acid (PFDoA)	1.97	1.96	J	ng/L		99	50 - 150
Perfluoroheptanoic acid (PFHpA)	1.97	1.99	J	ng/L		101	50 - 150
Perfluorohexanesulfonic acid (PFHxS)	1.97	1.84	J	ng/L		93	50 - 150
Perfluorohexanoic acid (PFHxA)	1.97	1.94	J	ng/L		98	50 - 150
Perfluorononanoic acid (PFNA)	1.97	1.87	J	ng/L		95	50 - 150
Perfluorooctanesulfonic acid (PFOS)	1.97	1.98	J	ng/L		101	50 - 150
Perfluorooctanoic acid (PFOA)	1.97	1.98	J	ng/L		101	50 - 150
Perfluoroundecanoic acid (PFUnA)	1.97	1.93	J	ng/L		98	50 - 150
Perfluorobutanoic acid (PFBA)	1.97	2.07	J	ng/L		105	50 - 150

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-228324-1
SDG: PFAS: Halawa Shaft Viewing Pool

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Lab Sample ID: MRL 380-243887/21-A

Matrix: Water

Analysis Batch: 244018

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 243887

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	1.97	2.08	J	ng/L		105	50 - 150
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	1.97	1.99	J	ng/L		101	50 - 150
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	1.97	2.04	J	ng/L		103	50 - 150
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	1.97	1.86	J	ng/L		94	50 - 150
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEA)	1.97	1.93	J	ng/L		98	50 - 150
Perfluoro-3-methoxypropanoic acid (PFMPA)	1.97	2.01	J	ng/L		102	50 - 150
Perfluoro-4-methoxybutanoic acid (PFMBA)	1.97	1.97	J	ng/L		100	50 - 150
Perfluoropentanoic acid (PFPeA)	1.97	2.03	J	ng/L		103	50 - 150
Perfluoroheptanesulfonic acid (PFHpS)	1.97	1.84	J	ng/L		93	50 - 150
Perfluoropentanesulfonic acid (PFPeS)	1.97	1.92	J	ng/L		98	50 - 150

Isotope Dilution	%Recovery	MRL Qualifier	MRL Limits
13C3 HFPO-DA	109		50 - 200
13C6 PFDA	107		50 - 200
13C5 PFHxA	109		50 - 200
13C4 PFHpA	112		50 - 200
13C8 PFOA	110		50 - 200
13C9 PFNA	118		50 - 200
13C7 PFUnA	111		50 - 200
13C2 PFDoA	113		50 - 200
13C4 PFBA	114		50 - 200
13C5 PFPeA	109		50 - 200
13C3 PFBS	118		50 - 200
13C3 PFHxS	121		50 - 200
13C8 PFOS	121		50 - 200
13C2-4:2-FTS	121		50 - 200
13C2-6:2-FTS	112		50 - 200
13C2-8:2-FTS	107		50 - 200

Lab Sample ID: 380-228336-B-1-A MS

Matrix: Water

Analysis Batch: 244018

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 243887

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		118	109		ng/L		92	70 - 130
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9Cl-PF3ONS)	<2.0		118	108		ng/L		91	70 - 130
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		118	113		ng/L		96	70 - 130

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-228324-1
SDG: PFAS: Halawa Shaft Viewing Pool

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Lab Sample ID: 380-228336-B-1-A MS

Matrix: Water

Analysis Batch: 244018

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 243887

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Hexafluoropropylene Oxide	<2.0		118	116		ng/L		98	70 - 130
Dimer Acid (HFPO-DA/GenX)									
Perfluorobutanesulfonic acid (PFBS)	<2.0		118	116		ng/L		98	70 - 130
Perfluorodecanoic acid (PFDA)	<2.0		118	122		ng/L		103	70 - 130
Perfluorododecanoic acid (PFDoA)	<2.0		118	113		ng/L		96	70 - 130
Perfluoroheptanoic acid (PFHpA)	<2.0		118	116		ng/L		98	70 - 130
Perfluorohexanesulfonic acid (PFHxS)	<2.0		118	114		ng/L		96	70 - 130
Perfluorohexanoic acid (PFHxA)	<2.0		118	111		ng/L		94	70 - 130
Perfluorononanoic acid (PFNA)	<2.0		118	109		ng/L		92	70 - 130
Perfluorooctanesulfonic acid (PFOS)	<2.0		118	111		ng/L		94	70 - 130
Perfluorooctanoic acid (PFOA)	<2.0		118	113		ng/L		95	70 - 130
Perfluoroundecanoic acid (PFUnA)	<2.0		118	113		ng/L		96	70 - 130
Perfluorobutanoic acid (PFBA)	<2.0		118	114		ng/L		97	70 - 130
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		118	112		ng/L		95	70 - 130
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		118	109		ng/L		92	70 - 130
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		118	111		ng/L		94	70 - 130
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<2.0		118	113		ng/L		95	70 - 130
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEA)	<2.0		118	117		ng/L		99	70 - 130
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		118	117		ng/L		99	70 - 130
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		118	115		ng/L		98	70 - 130
Perfluoropentanoic acid (PFPeA)	<2.0		118	117		ng/L		99	70 - 130
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		118	109		ng/L		92	70 - 130
Perfluoropentanesulfonic acid (PFPeS)	<2.0		118	113		ng/L		96	70 - 130

Isotope Dilution	MS %Recovery	MS Qualifier	Limits
13C3 HFPO-DA	114		50 - 200
13C6 PFDA	106		50 - 200
13C5 PFHxA	113		50 - 200
13C4 PFHpA	112		50 - 200
13C8 PFOA	114		50 - 200
13C9 PFNA	118		50 - 200
13C7 PFUnA	115		50 - 200
13C2 PFDoA	116		50 - 200
13C4 PFBA	109		50 - 200
13C5 PFPeA	105		50 - 200
13C3 PFBS	106		50 - 200
13C3 PFHxS	109		50 - 200
13C8 PFOS	115		50 - 200

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-228324-1
SDG: PFAS: Halawa Shaft Viewing Pool

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Lab Sample ID: 380-228336-B-1-A MS

Matrix: Water

Analysis Batch: 244018

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 243887

Isotope Dilution	MS %Recovery	MS Qualifier	Limits
13C2-4:2-FTS	105		50 - 200
13C2-6:2-FTS	102		50 - 200
13C2-8:2-FTS	103		50 - 200

Lab Sample ID: 380-228336-B-1-B MSD

Matrix: Water

Analysis Batch: 244018

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 243887

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		118	107		ng/L		91	70 - 130	1	30
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9Cl-PF3ONS)	<2.0		118	108		ng/L		92	70 - 130	1	30
4,8-Dioxo-3H-perfluorononanoic acid (ADONA)	<2.0		118	112		ng/L		95	70 - 130	1	30
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		118	111		ng/L		94	70 - 130	5	30
Perfluorobutanesulfonic acid (PFBS)	<2.0		118	118		ng/L		100	70 - 130	1	30
Perfluorodecanoic acid (PFDA)	<2.0		118	119		ng/L		100	70 - 130	3	30
Perfluorododecanoic acid (PFDoA)	<2.0		118	115		ng/L		98	70 - 130	2	30
Perfluoroheptanoic acid (PFHpA)	<2.0		118	110		ng/L		93	70 - 130	5	30
Perfluorohexanesulfonic acid (PFHxS)	<2.0		118	114		ng/L		97	70 - 130	0	30
Perfluorohexanoic acid (PFHxA)	<2.0		118	110		ng/L		93	70 - 130	1	30
Perfluorononanoic acid (PFNA)	<2.0		118	113		ng/L		96	70 - 130	4	30
Perfluorooctanesulfonic acid (PFOS)	<2.0		118	110		ng/L		93	70 - 130	1	30
Perfluorooctanoic acid (PFOA)	<2.0		118	115		ng/L		97	70 - 130	2	30
Perfluoroundecanoic acid (PFUnA)	<2.0		118	119		ng/L		100	70 - 130	5	30
Perfluorobutanoic acid (PFBA)	<2.0		118	117		ng/L		99	70 - 130	3	30
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		118	113		ng/L		95	70 - 130	0	30
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		118	113		ng/L		96	70 - 130	4	30
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		118	112		ng/L		95	70 - 130	1	30
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<2.0		118	105		ng/L		89	70 - 130	7	30
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	<2.0		118	117		ng/L		99	70 - 130	0	30
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		118	114		ng/L		96	70 - 130	3	30
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		118	113		ng/L		96	70 - 130	2	30
Perfluoropentanoic acid (PFPeA)	<2.0		118	115		ng/L		97	70 - 130	2	30
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		118	111		ng/L		94	70 - 130	2	30
Perfluoropentanesulfonic acid (PFPeS)	<2.0		118	114		ng/L		96	70 - 130	0	30

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-228324-1
SDG: PFAS: Halawa Shaft Viewing Pool

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Isotope Dilution	MSD MSD		Limits
	%Recovery	Qualifier	
13C3 HFPO-DA	125		50 - 200
13C6 PFDA	111		50 - 200
13C5 PFHxA	121		50 - 200
13C4 PFHpA	120		50 - 200
13C8 PFOA	119		50 - 200
13C9 PFNA	122		50 - 200
13C7 PFUnA	116		50 - 200
13C2 PFDoA	118		50 - 200
13C4 PFBA	114		50 - 200
13C5 PFPeA	114		50 - 200
13C3 PFBS	117		50 - 200
13C3 PFHxS	117		50 - 200
13C8 PFOS	120		50 - 200
13C2-4:2-FTS	111		50 - 200
13C2-6:2-FTS	110		50 - 200
13C2-8:2-FTS	106		50 - 200

Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020

Lab Sample ID: MBL 380-243899/19-A
Matrix: Water
Analysis Batch: 244023

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 243899

Analyte	MBL MBL		RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<0.98		2.0	ng/L		08/02/26 16:00	08/03/26 14:20	1
Perfluorooctanesulfonic acid (PFOS)	<0.42		2.0	ng/L		08/02/26 16:00	08/03/26 14:20	1
Perfluoroundecanoic acid (PFUnA)	<0.41		2.0	ng/L		08/02/26 16:00	08/03/26 14:20	1
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	<0.57		2.0	ng/L		08/02/26 16:00	08/03/26 14:20	1
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	<0.41		2.0	ng/L		08/02/26 16:00	08/03/26 14:20	1
Perfluorohexanoic acid (PFHxA)	<0.45		2.0	ng/L		08/02/26 16:00	08/03/26 14:20	1
Perfluorododecanoic acid (PFDoA)	<0.53		2.0	ng/L		08/02/26 16:00	08/03/26 14:20	1
Perfluorooctanoic acid (PFOA)	<0.37		2.0	ng/L		08/02/26 16:00	08/03/26 14:20	1
Perfluorodecanoic acid (PFDA)	<0.31		2.0	ng/L		08/02/26 16:00	08/03/26 14:20	1
Perfluorohexanesulfonic acid (PFHxS)	<0.31		2.0	ng/L		08/02/26 16:00	08/03/26 14:20	1
Perfluorobutanesulfonic acid (PFBS)	<0.36		2.0	ng/L		08/02/26 16:00	08/03/26 14:20	1
Perfluoroheptanoic acid (PFHpA)	<0.38		2.0	ng/L		08/02/26 16:00	08/03/26 14:20	1
Perfluorononanoic acid (PFNA)	<0.39		2.0	ng/L		08/02/26 16:00	08/03/26 14:20	1
Perfluorotetradecanoic acid (PFTA)	<0.53		2.0	ng/L		08/02/26 16:00	08/03/26 14:20	1
Perfluorotridecanoic acid (PFTTrDA)	<0.35		2.0	ng/L		08/02/26 16:00	08/03/26 14:20	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9Cl-PF3ONS)	<0.30		2.0	ng/L		08/02/26 16:00	08/03/26 14:20	1
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<0.29		2.0	ng/L		08/02/26 16:00	08/03/26 14:20	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<0.59		2.0	ng/L		08/02/26 16:00	08/03/26 14:20	1
Surrogate	MBL MBL		Limits			Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier						
d5-NEtFOSAA	100		70 - 130			08/02/26 16:00	08/03/26 14:20	1
13C2 PFHxA	105		70 - 130			08/02/26 16:00	08/03/26 14:20	1
13C2 PFDA	108		70 - 130			08/02/26 16:00	08/03/26 14:20	1

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-228324-1
SDG: PFAS: Halawa Shaft Viewing Pool

Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020 (Continued)

Lab Sample ID: MBL 380-243899/19-A

Matrix: Water

Analysis Batch: 244023

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 243899

Surrogate	MBL %Recovery	MBL Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C3-GenX	100		70 - 130	08/02/26 16:00	08/03/26 14:20	1

Lab Sample ID: LCS 380-243899/21-A

Matrix: Water

Analysis Batch: 244023

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 243899

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Hexafluoropropylene Oxide	49.2	45.1		ng/L		92	70 - 130
Dimer Acid (HFPO-DA/GenX)							
Perfluorooctanesulfonic acid (PFOS)	49.2	48.3		ng/L		98	70 - 130
Perfluoroundecanoic acid (PFUnA)	49.2	47.6		ng/L		97	70 - 130
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	49.2	44.6		ng/L		91	70 - 130
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	49.2	45.6		ng/L		93	70 - 130
Perfluorohexanoic acid (PFHxA)	49.2	46.8		ng/L		95	70 - 130
Perfluorododecanoic acid (PFDoA)	49.2	48.6		ng/L		99	70 - 130
Perfluorooctanoic acid (PFOA)	49.2	47.1		ng/L		96	70 - 130
Perfluorodecanoic acid (PFDA)	49.2	47.5		ng/L		97	70 - 130
Perfluorohexanesulfonic acid (PFHxS)	49.2	50.0		ng/L		102	70 - 130
Perfluorobutanesulfonic acid (PFBS)	49.2	49.0		ng/L		100	70 - 130
Perfluoroheptanoic acid (PFHpA)	49.2	47.9		ng/L		97	70 - 130
Perfluorononanoic acid (PFNA)	49.2	48.9		ng/L		99	70 - 130
Perfluorotetradecanoic acid (PFTA)	49.2	46.3		ng/L		94	70 - 130
Perfluorotridecanoic acid (PFTrDA)	49.2	50.3		ng/L		102	70 - 130
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	49.2	48.1		ng/L		98	70 - 130
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	49.2	47.2		ng/L		96	70 - 130
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	49.2	44.6		ng/L		91	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
d5-NEtFOSAA	89		70 - 130
13C2 PFHxA	97		70 - 130
13C2 PFDA	101		70 - 130
13C3-GenX	94		70 - 130

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-228324-1
SDG: PFAS: Halawa Shaft Viewing Pool

Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020 (Continued)

Lab Sample ID: MRL 380-243899/20-A

Matrix: Water

Analysis Batch: 244023

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 243899

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Hexafluoropropylene Oxide	1.97	1.68	J	ng/L		85	50 - 150
Dimer Acid (HFPO-DA/GenX)							
Perfluorooctanesulfonic acid (PFOS)	1.97	1.89	J	ng/L		96	50 - 150
Perfluoroundecanoic acid (PFUnA)	1.97	1.81	J	ng/L		92	50 - 150
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	1.97	1.89	J	ng/L		96	50 - 150
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	1.97	2.00	J	ng/L		101	50 - 150
Perfluorohexanoic acid (PFHxA)	1.97	1.82	J	ng/L		92	50 - 150
Perfluorododecanoic acid (PFDoA)	1.97	1.83	J	ng/L		93	50 - 150
Perfluorooctanoic acid (PFOA)	1.97	1.79	J	ng/L		91	50 - 150
Perfluorodecanoic acid (PFDA)	1.97	1.86	J	ng/L		94	50 - 150
Perfluorohexanesulfonic acid (PFHxS)	1.97	1.93	J	ng/L		98	50 - 150
Perfluorobutanesulfonic acid (PFBS)	1.97	1.78	J	ng/L		90	50 - 150
Perfluoroheptanoic acid (PFHpA)	1.97	1.82	J	ng/L		92	50 - 150
Perfluorononanoic acid (PFNA)	1.97	1.85	J	ng/L		94	50 - 150
Perfluorotetradecanoic acid (PFTA)	1.97	1.74	J	ng/L		88	50 - 150
Perfluorotridecanoic acid (PFTrDA)	1.97	1.86	J	ng/L		94	50 - 150
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	1.97	1.85	J	ng/L		94	50 - 150
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	1.97	1.79	J	ng/L		91	50 - 150
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	1.97	1.72	J	ng/L		87	50 - 150

Surrogate	MRL %Recovery	MRL Qualifier	Limits
d5-NEtFOSAA	97		70 - 130
13C2 PFHxA	97		70 - 130
13C2 PFDA	99		70 - 130
13C3-GenX	92		70 - 130

Lab Sample ID: 380-228310-E-4-A MS

Matrix: Water

Analysis Batch: 244023

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 243899

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Hexafluoropropylene Oxide	<2.0		24.6	24.6		ng/L		100	70 - 130
Dimer Acid (HFPO-DA/GenX)									
Perfluorooctanesulfonic acid (PFOS)	<2.0		24.6	25.2		ng/L		100	70 - 130
Perfluoroundecanoic acid (PFUnA)	<2.0		24.6	24.7		ng/L		100	70 - 130
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	<2.0		24.6	24.5		ng/L		100	70 - 130

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-228324-1
SDG: PFAS: Halawa Shaft Viewing Pool

Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020 (Continued)

Lab Sample ID: 380-228310-E-4-A MS

Matrix: Water

Analysis Batch: 244023

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 243899

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec		
	Result	Qualifier	Added	Result	Qualifier			%Rec		
N-ethylperfluorooctanesulfonami doacetic acid (NEtFOSAA)	<2.0		24.6	24.5		ng/L		100	70 - 130	
Perfluorohexanoic acid (PFHxA)	<2.0		24.6	24.8		ng/L		101	70 - 130	
Perfluorododecanoic acid (PFDoA)	<2.0		24.6	24.6		ng/L		100	70 - 130	
Perfluorooctanoic acid (PFOA)	<2.0		24.6	24.8		ng/L		101	70 - 130	
Perfluorodecanoic acid (PFDA)	<2.0		24.6	23.9		ng/L		97	70 - 130	
Perfluorohexanesulfonic acid (PFHxS)	<2.0		24.6	25.8		ng/L		105	70 - 130	
Perfluorobutanesulfonic acid (PFBS)	<2.0		24.6	24.8		ng/L		101	70 - 130	
Perfluoroheptanoic acid (PFHpA)	<2.0		24.6	25.5		ng/L		104	70 - 130	
Perfluorononanoic acid (PFNA)	<2.0		24.6	25.5		ng/L		104	70 - 130	
Perfluorotetradecanoic acid (PFTA)	<2.0		24.6	23.1		ng/L		94	70 - 130	
Perfluorotridecanoic acid (PFTrDA)	<2.0		24.6	25.6		ng/L		104	70 - 130	
9-Chlorohexadecafluoro-3-oxan onane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		24.6	24.8		ng/L		101	70 - 130	
11-Chloroeicosafluoro-3-oxaund ecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		24.6	24.2		ng/L		98	70 - 130	
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		24.6	24.6		ng/L		100	70 - 130	

Lab Sample ID: 380-228310-F-4-A MSD

Matrix: Water

Analysis Batch: 244023

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 243899

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		24.6	25.0		ng/L		102	70 - 130	2	30
Perfluorooctanesulfonic acid (PFOS)	<2.0		24.6	25.9		ng/L		103	70 - 130	3	30
Perfluoroundecanoic acid (PFUnA)	<2.0		24.6	25.1		ng/L		102	70 - 130	1	30
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	<2.0		24.6	24.5		ng/L		100	70 - 130	0	30
N-ethylperfluorooctanesulfonamidoacetic acid (NETFOSAA)	<2.0		24.6	24.4		ng/L		99	70 - 130	0	30
Perfluorohexanoic acid (PFHxA)	<2.0		24.6	24.9		ng/L		101	70 - 130	0	30
Perfluorododecanoic acid (PFDoA)	<2.0		24.6	24.6		ng/L		100	70 - 130	0	30
Perfluorooctanoic acid (PFOA)	<2.0		24.6	25.0		ng/L		102	70 - 130	1	30
Perfluorodecanoic acid (PFDA)	<2.0		24.6	24.3		ng/L		99	70 - 130	2	30

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-228324-1
SDG: PFAS: Halawa Shaft Viewing Pool

Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020 (Continued)

Lab Sample ID: 380-228310-F-4-A MSD

Matrix: Water

Analysis Batch: 244023

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 243899

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Perfluorohexanesulfonic acid (PFHxS)	<2.0		24.6	26.3		ng/L		107	70 - 130	2	30
Perfluorobutanesulfonic acid (PFBS)	<2.0		24.6	25.8		ng/L		105	70 - 130	4	30
Perfluoroheptanoic acid (PFHpA)	<2.0		24.6	25.9		ng/L		105	70 - 130	1	30
Perfluorononanoic acid (PFNA)	<2.0		24.6	25.9		ng/L		106	70 - 130	2	30
Perfluorotetradecanoic acid (PFTA)	<2.0		24.6	23.2		ng/L		95	70 - 130	1	30
Perfluorotridecanoic acid (PFTrDA)	<2.0		24.6	25.4		ng/L		104	70 - 130	1	30
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		24.6	24.9		ng/L		101	70 - 130	0	30
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		24.6	25.3		ng/L		103	70 - 130	4	30
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		24.6	24.8		ng/L		101	70 - 130	1	30
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
d5-NEtFOSAA	94		70 - 130								
13C2 PFHxA	104		70 - 130								
13C2 PFDA	98		70 - 130								
13C3-GenX	102		70 - 130								

QC Association Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-228324-1
SDG: PFAS: Halawa Shaft Viewing Pool

LCMS

Prep Batch: 243887

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-228324-1	HALAWA SHAFT VIEWING POOL	Total/NA	Water	533	
380-228324-2	FB HALAWA SHAFT VIEWING POOL	Total/NA	Water	533	
MBL 380-243887/20-A	Method Blank	Total/NA	Water	533	
LCS 380-243887/22-A	Lab Control Sample	Total/NA	Water	533	
MRL 380-243887/21-A	Lab Control Sample	Total/NA	Water	533	
380-228336-B-1-A MS	Matrix Spike	Total/NA	Water	533	
380-228336-B-1-B MSD	Matrix Spike Duplicate	Total/NA	Water	533	

Prep Batch: 243899

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-228324-1	HALAWA SHAFT VIEWING POOL	Total/NA	Water	537.1 DW	
380-228324-2	FB HALAWA SHAFT VIEWING POOL	Total/NA	Water	537.1 DW	
MBL 380-243899/19-A	Method Blank	Total/NA	Water	537.1 DW	
LCS 380-243899/21-A	Lab Control Sample	Total/NA	Water	537.1 DW	
MRL 380-243899/20-A	Lab Control Sample	Total/NA	Water	537.1 DW	
380-228310-E-4-A MS	Matrix Spike	Total/NA	Water	537.1 DW	
380-228310-F-4-A MSD	Matrix Spike Duplicate	Total/NA	Water	537.1 DW	

Analysis Batch: 244018

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-228324-1	HALAWA SHAFT VIEWING POOL	Total/NA	Water	533	243887
380-228324-2	FB HALAWA SHAFT VIEWING POOL	Total/NA	Water	533	243887
MBL 380-243887/20-A	Method Blank	Total/NA	Water	533	243887
LCS 380-243887/22-A	Lab Control Sample	Total/NA	Water	533	243887
MRL 380-243887/21-A	Lab Control Sample	Total/NA	Water	533	243887
380-228336-B-1-A MS	Matrix Spike	Total/NA	Water	533	243887
380-228336-B-1-B MSD	Matrix Spike Duplicate	Total/NA	Water	533	243887

Analysis Batch: 244023

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-228324-1	HALAWA SHAFT VIEWING POOL	Total/NA	Water	EPA 537.1 V2	243899
380-228324-2	FB HALAWA SHAFT VIEWING POOL	Total/NA	Water	EPA 537.1 V2	243899
MBL 380-243899/19-A	Method Blank	Total/NA	Water	EPA 537.1 V2	243899
LCS 380-243899/21-A	Lab Control Sample	Total/NA	Water	EPA 537.1 V2	243899
MRL 380-243899/20-A	Lab Control Sample	Total/NA	Water	EPA 537.1 V2	243899
380-228310-E-4-A MS	Matrix Spike	Total/NA	Water	EPA 537.1 V2	243899
380-228310-F-4-A MSD	Matrix Spike Duplicate	Total/NA	Water	EPA 537.1 V2	243899

Lab Chronicle

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-228324-1
SDG: PFAS: Halawa Shaft Viewing Pool

Client Sample ID: HALAWA SHAFT VIEWING POOL

Lab Sample ID: 380-228324-1

Date Collected: 07/28/26 09:30

Matrix: Water

Date Received: 07/31/26 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	533			243887	N8NE	EA POM	08/02/26 13:13
Total/NA	Analysis	533		1	244018	SZ9R	EA POM	08/03/26 10:20
Total/NA	Prep	537.1 DW			243899	LM3A	EA POM	08/02/26 16:00
Total/NA	Analysis	EPA 537.1 V2		1	244023	SZ9R	EA POM	08/03/26 17:14

Client Sample ID: FB HALAWA SHAFT VIEWING POOL

Lab Sample ID: 380-228324-2

Date Collected: 07/28/26 09:30

Matrix: Water

Date Received: 07/31/26 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	533			243887	N8NE	EA POM	08/02/26 13:13
Total/NA	Analysis	533		1	244018	SZ9R	EA POM	08/03/26 10:29
Total/NA	Prep	537.1 DW			243899	LM3A	EA POM	08/02/26 16:00
Total/NA	Analysis	EPA 537.1 V2		1	244023	SZ9R	EA POM	08/03/26 17:23

Laboratory References:

EA POM = Eurofins Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100

Accreditation/Certification Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-228324-1
SDG: PFAS: Halawa Shaft Viewing Pool

Laboratory: Eurofins Pomona

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Hawaii	State	CA00006	01-31-26 *

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Method Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-228324-1
SDG: PFAS: Halawa Shaft Viewing Pool

Method	Method Description	Protocol	Laboratory
533	Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water	EPA	EA POM
EPA 537.1 V2	EPA 537.1 Ver. 2.0 March 2020	EPA	EA POM
533	Extraction of Perfluorinated and Polyfluorinated Alkyl Acids	EPA	EA POM
537.1 DW	Extraction of Perfluorinated Alkyl Acids	EPA	EA POM

Protocol References:

EPA = US Environmental Protection Agency

Laboratory References:

EA POM = Eurofins Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100

Sample Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-228324-1
SDG: PFAS: Halawa Shaft Viewing Pool

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
380-228324-1	HALAWA SHAFT VIEWING POOL	Water	07/28/26 09:30	07/31/26 10:00	Hawaii
380-228324-2	FB HALAWA SHAFT VIEWING POOL	Water	07/28/26 09:30	07/31/26 10:00	Hawaii

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17

Eurofins Pomona
941 Corporate Center Drive
Pomona CA 91768-2642
Phone (926) 366-1100

Chain of Custody Record



Environment Testing
America

Client Information		Sampler: Kai Edison		Lab PM: Lopez, Maria		Carrier Tracking No(s):		COC No:	
Client Contact: Kirk Iwamoto		Phone: +1 808 748 5840		E-Mail: Maria.Lopez@eurofins.com		State of Origin:		Page: Page 1 of 1	
Company: City & County of Honolulu		PWSID:		Analysis Requested		Job #:		Job #:	
Address: 630 South Beretania Street; Chemistry Lab		Due Date Requested		Field Filtered Sample (Yes or No)		Perform MS/MSD (Yes or No)		537 1_LW_PREC 537 1 Full List	
City: Honolulu		TAT Requested (days): RUSH		Sample Type (C=Comp, G=grab)		Sample Time		Sample Date	
State, Zip: HI 96843		Compliance Project: Δ No		Matrix (W=water, S=solid, O=waste/oil, A=atmos, -/H)		Sample Time		Sample Date	
Phone: 808-748-5840 (tel)		PO #: C20525101 exp 05312023		Sample Type (C=Comp, G=grab)		Sample Time		Sample Date	
Email: kiwamoto@hbws.org		WO #: 38001111		Sample Type (C=Comp, G=grab)		Sample Time		Sample Date	
Project Name: RED-HIL/HBWS sites Event Desc: RUSH Weekly Fed Hill		Project #: 38001111		Sample Type (C=Comp, G=grab)		Sample Time		Sample Date	
Site:		SSOW#:		Sample Type (C=Comp, G=grab)		Sample Time		Sample Date	
Sample Identification		Sample Date		Sample Time		Sample Type (C=Comp, G=grab)		Matrix (W=water, S=solid, O=waste/oil, A=atmos, -/H)	
HALAWA SHAFT VIEWING POOL		28-Jul-2026		9:30		G		Water	
FB HALAWA SHAFT VIEWING POOL		28-Jul-2026		9:30		G		Water	
Possible Hazard Identification		Non-Hazard		Flammable		Skin Irritant		Poison	
Deliverable Requested I II III IV Other (specify)		Unknown		Radiolog cal		Sample Disposal (A fee may be assessed if samples are retained longer than 10 months)		Return To Client	
Empty Kit Relinquished by		Date		Time		Special Instructions/QC Requirements		Disposal By Lab	
Relinquished		7/29/26		12:00		Company HBWS		Date/Time: 7/29/26	
Relinquished		Date/Time:		Company		Date/Time:		Company	
Relinquished by		Date/Time:		Company		Date/Time:		Company	
Custody Seals Intact: Δ Yes Δ No		Custody Seal No		Cooler Temperature(s) °C and Other Remarks: (631A) 54100.54 96(-f1026)		Ver 01/16/2019		380-228324 COC	

Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-228324-1

SDG Number: PFAS: Halawa Shaft Viewing Pool

Login Number: 228324

List Number: 1

Creator: Ngo, Theodore

List Source: Eurofins Pomona

Question	Answer	Comment
The coolers custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
Samples were received on ice.	True	
Cooler(s) Temperature is acceptable.	True	
Cooler(s) Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and is legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
CIO4 headspace requirement met (>50% for CA, >30% for other states).	N/A	
Samples do not require splitting or compositing.	True	
Container provided by EEA	True	