eurofins | Environment Testing

ANALYTICAL REPORT

PREPARED FOR

Attn: Mr. Erwin Kawata
City & County of Honolulu
630 South Beretania Street
Public Service Bldg. Room 310
Honolulu, Hawaii 96843

Generated 10/7/2026 5:30:45 PM

JOB DESCRIPTION

RED-HILL
Weekly: Aiea Gulch Wells Pump 1
RUSH Weekly Red Hill

JOB NUMBER

380-237868-1

Eurofins Pomona
941 Corporate Center Drive
Pomona CA 91768-2642

See page two for job notes and contact information.

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Drinking Water and Wastewater West, LLC Project Manager.

Compliance Statement

1. Laboratory is accredited in accordance with TNI 2016 Standards and ISO/IEC 17025:2017.
2. Laboratory certifies that the test results meet all TNI 2016 and ISO/IEC 17025:2017 requirements unless noted under the individual analysis
3. Test results relate only to the sample(s) tested.
4. This report shall not be reproduced except in full, without the written approval of the laboratory.
5. Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below. (DW,Water matrices)

Authorization



Generated
10/7/2026 5:30:45 PM

Authorized for release by
Maria Lopez, Project Manager
Maria.Lopez@et.eurofinsus.com
(626)386-1145

Table of Contents

Cover Page 1
Table of Contents 3
Definitions/Glossary 4
Case Narrative 5
Detection Summary 6
Client Sample Results 7
Action Limit Summary 10
Surrogate Summary 11
QC Sample Results 13
QC Association Summary 25
Lab Chronicle 26
Certification Summary 27
Method Summary 29
Sample Summary 30
Chain of Custody 31
Receipt Checklists 35

Definitions/Glossary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-237868-1
SDG: Weekly: Aiea Gulch Wells Pump 1

Qualifiers

GC/MS Semi VOA

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

GC/MS Semi VOA TICs

Qualifier	Qualifier Description
J	Indicates an Estimated Value for TICs
N	Presumptive evidence of material.
T	Result is a tentatively identified compound (TIC) and an estimated value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Job Narrative
380-237868-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt
The samples were received on 9/23/2026 9:06 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 4.2°C and 5.2°C.

Receipt Exceptions

GC/MS Semi VOA
Method 625.1 and 625.1 SIM: The following sample(s) was re-prepared outside of preparation holding time due to low failing sample surrogates recoveries not meeting the method limit. Results by 625.1 and 625.1 SIM for AIEA GULCH WELLS PUMP 1 (331-201-TP071) (380-237868-1) collected on 09/21/26 are not acceptable for compliance reporting and excluded due to surrogate recoveries not meeting the method limits. The sample is collected weekly thus follow up sample was collected on 09/28/26 under job # 380-238977-1. Analysis by EPA 625.1 and 625.1 SIM is currently in progress. (XWB4)

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Gasoline Range Organics
No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics
No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Detection Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-237868-1
SDG: Weekly: Aiea Gulch Wells Pump 1

Client Sample ID: AIEA GULCH WELLS PUMP 1 (331-201-TP071)

Lab Sample ID: 380-237868-1

PWSID Number: HI0000331

No Detections.

Client Sample ID: TB: AIEA GULCH WELLS P1 (331-201-TP071)

Lab Sample ID: 380-237868-2

No Detections.

This Detection Summary does not include radiochemical test results.

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-237868-1
SDG: Weekly: Aiea Gulch Wells Pump 1

Client Sample ID: AIEA GULCH WELLS PUMP 1 (331-201-TP071)
Date Collected: 09/21/26 11:27
Date Received: 09/23/26 09:06

Lab Sample ID: 380-237868-1
Matrix: Drinking Water
PWSID Number: HI0000331

Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 18:35	1
2,4'-DDD	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 18:35	1
2,4'-DDE	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 18:35	1
2,4'-DDT	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 18:35	1
2,4-Dinitrotoluene	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 18:35	1
2,6-Dinitrotoluene	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 18:35	1
2-Methylnaphthalene	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 18:35	1
4,4'-DDD	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 18:35	1
4,4'-DDE	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 18:35	1
4,4'-DDT	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 18:35	1
Acenaphthene	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 18:35	1
Acenaphthylene	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 18:35	1
Acetochlor	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 18:35	1
Alachlor	<0.049		0.049		ug/L		09/24/26 09:37	09/25/26 18:35	1
alpha-BHC	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 18:35	1
alpha-Chlordane	<0.049		0.049		ug/L		09/24/26 09:37	09/25/26 18:35	1
Anthracene	<0.020		0.020		ug/L		09/24/26 09:37	09/25/26 18:35	1
Atrazine	<0.049		0.049		ug/L		09/24/26 09:37	09/25/26 18:35	1
Benz(a)anthracene	<0.049		0.049		ug/L		09/24/26 09:37	09/25/26 18:35	1
Benzo[a]pyrene	<0.020		0.020		ug/L		09/24/26 09:37	09/25/26 18:35	1
Benzo[b]fluoranthene	<0.020		0.020		ug/L		09/24/26 09:37	09/25/26 18:35	1
Benzo[g,h,i]perylene	<0.049		0.049		ug/L		09/24/26 09:37	09/25/26 18:35	1
Benzo[k]fluoranthene	<0.020		0.020		ug/L		09/24/26 09:37	09/25/26 18:35	1
beta-BHC	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 18:35	1
Bis(2-ethylhexyl) phthalate	<0.59		0.59		ug/L		09/24/26 09:37	09/25/26 18:35	1
Bromacil	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 18:35	1
Butachlor	<0.049		0.049		ug/L		09/24/26 09:37	09/25/26 18:35	1
Butylbenzylphthalate	<0.49		0.49		ug/L		09/24/26 09:37	09/25/26 18:35	1
Chlorobenzilate	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 18:35	1
Chloroneb	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 18:35	1
Chlorothalonil (Draconil, Bravo)	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 18:35	1
Chlorpyrifos	<0.049		0.049		ug/L		09/24/26 09:37	09/25/26 18:35	1
Chrysene	<0.020		0.020		ug/L		09/24/26 09:37	09/25/26 18:35	1
delta-BHC	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 18:35	1
Di(2-ethylhexyl)adipate	<0.59		0.59		ug/L		09/24/26 09:37	09/25/26 18:35	1
Dibenz(a,h)anthracene	<0.049		0.049		ug/L		09/24/26 09:37	09/25/26 18:35	1
Diclorvos (DDVP)	<0.049		0.049		ug/L		09/24/26 09:37	09/25/26 18:35	1
Dieldrin	<0.0098		0.0098		ug/L		09/24/26 09:37	09/25/26 18:35	1
Diethylphthalate	<0.49		0.49		ug/L		09/24/26 09:37	09/25/26 18:35	1
Dimethylphthalate	<0.49		0.49		ug/L		09/24/26 09:37	09/25/26 18:35	1
Di-n-butyl phthalate	<0.98		0.98		ug/L		09/24/26 09:37	09/25/26 18:35	1
Di-n-octyl phthalate	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 18:35	1
Endosulfan I (Alpha)	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 18:35	1
Endosulfan II (Beta)	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 18:35	1
Endosulfan sulfate	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 18:35	1
Endrin	<0.0098		0.0098		ug/L		09/24/26 09:37	09/25/26 18:35	1
Endrin aldehyde	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 18:35	1
EPTC	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 18:35	1

Client Sample ID: AIEA GULCH WELLS PUMP 1 (331-201-TP071)

Date Collected: 09/21/26 11:27
Date Received: 09/23/26 09:06

Lab Sample ID: 380-237868-1

Matrix: Drinking Water
PWSID Number: HI0000331

Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Fluoranthene	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 18:35	1
Fluorene	<0.049		0.049		ug/L		09/24/26 09:37	09/25/26 18:35	1
gamma-Chlordane	<0.049		0.049		ug/L		09/24/26 09:37	09/25/26 18:35	1
Heptachlor	<0.0098		0.0098		ug/L		09/24/26 09:37	09/25/26 18:35	1
Heptachlor epoxide (isomer B)	<0.0098		0.0098		ug/L		09/24/26 09:37	09/25/26 18:35	1
Hexachlorobenzene	<0.049		0.049		ug/L		09/24/26 09:37	09/25/26 18:35	1
Hexachlorocyclopentadiene	<0.049		0.049		ug/L		09/24/26 09:37	09/25/26 18:35	1
Indeno[1,2,3-cd]pyrene	<0.049		0.049		ug/L		09/24/26 09:37	09/25/26 18:35	1
Isophorone	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 18:35	1
Lindane	<0.0098		0.0098		ug/L		09/24/26 09:37	09/25/26 18:35	1
Malathion	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 18:35	1
Methoxychlor	<0.049		0.049		ug/L		09/24/26 09:37	09/25/26 18:35	1
Metolachlor	<0.049		0.049		ug/L		09/24/26 09:37	09/25/26 18:35	1
Molinate	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 18:35	1
Naphthalene	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 18:35	1
Parathion	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 18:35	1
Pendimethalin (Penoxaline)	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 18:35	1
Phenanthrene	<0.039		0.039		ug/L		09/24/26 09:37	09/25/26 18:35	1
Propachlor	<0.049		0.049		ug/L		09/24/26 09:37	09/25/26 18:35	1
Pyrene	<0.049		0.049		ug/L		09/24/26 09:37	09/25/26 18:35	1
Simazine	<0.049		0.049		ug/L		09/24/26 09:37	09/25/26 18:35	1
Terbacil	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 18:35	1
Terbuthylazine	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 18:35	1
Thiobencarb	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 18:35	1
Total Permethrin (mixed isomers)	<0.20		0.20		ug/L		09/24/26 09:37	09/25/26 18:35	1
trans-Nonachlor	<0.049		0.049		ug/L		09/24/26 09:37	09/25/26 18:35	1
Trifluralin	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 18:35	1

Tentatively Identified Compound	*Est. Result*	*Qualifier*	*Unit*	*D*	*RT*	*CAS No.*	*Prepared*	*Analyzed*	*Dil Fac*
Tentatively Identified Compound	*None*		*ug/L*			*N/A*	*09/24/26 09:37*	*09/25/26 18:35*	*1*

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2-Nitro-m-xylene	*95*		*70 - 130*	*09/24/26 09:37*	*09/25/26 18:35*	*1*
Perylene-d12	*86*		*70 - 130*	*09/24/26 09:37*	*09/25/26 18:35*	*1*
Triphenylphosphate	*101*		*70 - 130*	*09/24/26 09:37*	*09/25/26 18:35*	*1*

Method: SW846 8015B GRO LL - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	<10		10		ug/L			10/01/26 20:01	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
4-Bromofluorobenzene (Surr)	*98*		*38 - 134*		*10/01/26 20:01*	*1*

Method: SW846 8015B - Diesel Range Organics (DRO) (GC) Low Level

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	<26		26		ug/L		09/27/26 14:54	10/02/26 23:38	1
Motor Oil Range Organics [C24-C36]	<26		26		ug/L		09/27/26 14:54	10/02/26 23:38	1
C8-C18	<26		26		ug/L		09/27/26 14:54	10/02/26 23:38	1

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-237868-1
SDG: Weekly: Aiea Gulch Wells Pump 1

Client Sample ID: AIEA GULCH WELLS PUMP 1 (331-201-TP071)

Lab Sample ID: 380-237868-1

Date Collected: 09/21/26 11:27
Date Received: 09/23/26 09:06

Matrix: Drinking Water
PWSID Number: HI0000331

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
n-Octacosane (Surr)	*88*		*60 - 130*	*09/27/26 14:54*	*10/02/26 23:38*	*1*

Client Sample ID: TB: AIEA GULCH WELLS P1 (331-201-TP071)

Lab Sample ID: 380-237868-2

Date Collected: 09/21/26 11:27
Date Received: 09/23/26 09:06

Matrix: Water

Method: SW846 8015B GRO LL - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	<10		10		ug/L			10/01/26 17:42	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
4-Bromofluorobenzene (Surr)	*101*		*38 - 134*		*10/01/26 17:42*	*1*

Action Limit Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-237868-1
SDG: Weekly: Aiea Gulch Wells Pump 1

Client Sample ID: AIEA GULCH WELLS PUMP 1 (331-201-TP071)

Lab Sample ID: 380-237868-1

PWSID Number: HI0000331

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Alachlor	<0.049		ug/L	2	0.049	525.2	Total/NA
Atrazine	<0.049		ug/L	3	0.049	525.2	Total/NA
Benzo[a]pyrene	<0.020		ug/L	0.2	0.020	525.2	Total/NA
Bis(2-ethylhexyl) phthalate	<0.59		ug/L	6	0.59	525.2	Total/NA
Di(2-ethylhexyl)adipate	<0.59		ug/L	400	0.59	525.2	Total/NA
Endrin	<0.0098		ug/L	2	0.0098	525.2	Total/NA
Heptachlor	<0.0098		ug/L	0.4	0.0098	525.2	Total/NA
Heptachlor epoxide (isomer B)	<0.0098		ug/L	0.2	0.0098	525.2	Total/NA
Hexachlorobenzene	<0.049		ug/L	1	0.049	525.2	Total/NA
Hexachlorocyclopentadiene	<0.049		ug/L	50	0.049	525.2	Total/NA
Lindane	<0.0098		ug/L	0.2	0.0098	525.2	Total/NA
Methoxychlor	<0.049		ug/L	40	0.049	525.2	Total/NA
Simazine	<0.049		ug/L	4	0.049	525.2	Total/NA

Surrogate Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-237868-1
SDG: Weekly: Aiea Gulch Wells Pump 1

Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Matrix: Drinking Water — **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)		
		2NMX	PRY	TPP
Lab Sample ID	Client Sample ID	(70-130)	(70-130)	(70-130)
380-237868-1	AIEA GULCH WELLS PUMP 1 (	95	86	101

Surrogate Legend

2NMX = 2-Nitro-m-xylene
PRY = Perylene-d12
TPP = Triphenylphosphate

Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Matrix: Water — **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)		
		2NMX	PRY	TPP
Lab Sample ID	Client Sample ID	(70-130)	(70-130)	(70-130)
380-237556-AC-1-A MS	Matrix Spike	95	94	101
380-237611-U-1-A DU	Duplicate	95	90	100
LCS 380-254467/23-A	Lab Control Sample	95	93	104
MB 380-254467/21-A	Method Blank	95	85	95
MRL 380-254467/22-A	Lab Control Sample	94	85	100

Surrogate Legend

2NMX = 2-Nitro-m-xylene
PRY = Perylene-d12
TPP = Triphenylphosphate

Method: 8015B GRO LL - Gasoline Range Organics - (GC)

Matrix: Drinking Water — **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)
		BFB1
Lab Sample ID	Client Sample ID	(38-134)
380-237868-1	AIEA GULCH WELLS PUMP 1 (	98

Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

Method: 8015B GRO LL - Gasoline Range Organics - (GC)

Matrix: Water — **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)
		BFB1
Lab Sample ID	Client Sample ID	(38-134)
380-237858-C-1 MS	Matrix Spike	100
380-237858-C-1 MSD	Matrix Spike Duplicate	101
380-237868-2	TB: AIEA GULCH WELLS P1 (331-201-TP071)	101
LCS 570-808619/3	Lab Control Sample	99
LCSD 570-808619/4	Lab Control Sample Dup	97
MB 570-808619/6	Method Blank	101
MRL 570-808619/5	Lab Control Sample	96

Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

Surrogate Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-237868-1
SDG: Weekly: Aiea Gulch Wells Pump 1

Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level

Matrix: Drinking Water **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)
Lab Sample ID	Client Sample ID	OTCSN1 (60-130)
380-237868-1	AIEA GULCH WELLS PUMP 1 (	88

Surrogate Legend

OTCSN = n-Octacosane (Surr)

Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level

Matrix: Water **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)
Lab Sample ID	Client Sample ID	OTCSN1 (60-130)
380-237858-A-1-A MS	Matrix Spike	103
380-237858-A-1-B MSD	Matrix Spike Duplicate	91
LCS 570-806448/2-A	Lab Control Sample	92
LCSD 570-806448/3-A	Lab Control Sample Dup	97
MB 570-806448/1-A	Method Blank	87
MRL 570-806448/4-A	Lab Control Sample	89

Surrogate Legend

OTCSN = n-Octacosane (Surr)

Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 380-254467/21-A
Matrix: Water
Analysis Batch: 254787

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 254467

Analyte	MB Result	MB Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 12:51	1
2,4'-DDD	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 12:51	1
2,4'-DDE	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 12:51	1
2,4'-DDT	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 12:51	1
2,4-Dinitrotoluene	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 12:51	1
2,6-Dinitrotoluene	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 12:51	1
2-Methylnaphthalene	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 12:51	1
4,4'-DDD	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 12:51	1
4,4'-DDE	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 12:51	1
4,4'-DDT	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 12:51	1
Acenaphthene	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 12:51	1
Acenaphthylene	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 12:51	1
Acetochlor	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 12:51	1
Alachlor	<0.049		0.049		ug/L		09/24/26 09:37	09/25/26 12:51	1
alpha-BHC	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 12:51	1
alpha-Chlordane	<0.049		0.049		ug/L		09/24/26 09:37	09/25/26 12:51	1
Anthracene	<0.020		0.020		ug/L		09/24/26 09:37	09/25/26 12:51	1
Atrazine	<0.049		0.049		ug/L		09/24/26 09:37	09/25/26 12:51	1
Benz(a)anthracene	<0.049		0.049		ug/L		09/24/26 09:37	09/25/26 12:51	1
Benzo[a]pyrene	<0.020		0.020		ug/L		09/24/26 09:37	09/25/26 12:51	1
Benzo[b]fluoranthene	<0.020		0.020		ug/L		09/24/26 09:37	09/25/26 12:51	1
Benzo[g,h,i]perylene	<0.049		0.049		ug/L		09/24/26 09:37	09/25/26 12:51	1
Benzo[k]fluoranthene	<0.020		0.020		ug/L		09/24/26 09:37	09/25/26 12:51	1
beta-BHC	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 12:51	1
Bis(2-ethylhexyl) phthalate	<0.59		0.59		ug/L		09/24/26 09:37	09/25/26 12:51	1
Bromacil	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 12:51	1
Butachlor	<0.049		0.049		ug/L		09/24/26 09:37	09/25/26 12:51	1
Butylbenzylphthalate	<0.49		0.49		ug/L		09/24/26 09:37	09/25/26 12:51	1
Chlorobenzilate	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 12:51	1
Chloroneb	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 12:51	1
Chlorothalonil (Draconil, Bravo)	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 12:51	1
Chlorpyrifos	<0.049		0.049		ug/L		09/24/26 09:37	09/25/26 12:51	1
Chrysene	<0.020		0.020		ug/L		09/24/26 09:37	09/25/26 12:51	1
delta-BHC	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 12:51	1
Di(2-ethylhexyl)adipate	<0.59		0.59		ug/L		09/24/26 09:37	09/25/26 12:51	1
Dibenz(a,h)anthracene	<0.049		0.049		ug/L		09/24/26 09:37	09/25/26 12:51	1
Diclorvos (DDVP)	<0.049		0.049		ug/L		09/24/26 09:37	09/25/26 12:51	1
Dieldrin	<0.0098		0.0098		ug/L		09/24/26 09:37	09/25/26 12:51	1
Diethylphthalate	<0.49		0.49		ug/L		09/24/26 09:37	09/25/26 12:51	1
Dimethylphthalate	<0.49		0.49		ug/L		09/24/26 09:37	09/25/26 12:51	1
Di-n-butyl phthalate	<0.98		0.98		ug/L		09/24/26 09:37	09/25/26 12:51	1
Di-n-octyl phthalate	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 12:51	1
Endosulfan I (Alpha)	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 12:51	1
Endosulfan II (Beta)	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 12:51	1
Endosulfan sulfate	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 12:51	1
Endrin	<0.0098		0.0098		ug/L		09/24/26 09:37	09/25/26 12:51	1
Endrin aldehyde	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 12:51	1
EPTC	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 12:51	1

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 380-254467/21-A
Matrix: Water
Analysis Batch: 254787

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 254467

Analyte	MB Result	MB Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Fluoranthene	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 12:51	1
Fluorene	<0.049		0.049		ug/L		09/24/26 09:37	09/25/26 12:51	1
gamma-Chlordane	<0.049		0.049		ug/L		09/24/26 09:37	09/25/26 12:51	1
Heptachlor	<0.0098		0.0098		ug/L		09/24/26 09:37	09/25/26 12:51	1
Heptachlor epoxide (isomer B)	<0.0098		0.0098		ug/L		09/24/26 09:37	09/25/26 12:51	1
Hexachlorobenzene	<0.049		0.049		ug/L		09/24/26 09:37	09/25/26 12:51	1
Hexachlorocyclopentadiene	<0.049		0.049		ug/L		09/24/26 09:37	09/25/26 12:51	1
Indeno[1,2,3-cd]pyrene	<0.049		0.049		ug/L		09/24/26 09:37	09/25/26 12:51	1
Isophorone	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 12:51	1
Lindane	<0.0098		0.0098		ug/L		09/24/26 09:37	09/25/26 12:51	1
Malathion	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 12:51	1
Methoxychlor	<0.049		0.049		ug/L		09/24/26 09:37	09/25/26 12:51	1
Metolachlor	<0.049		0.049		ug/L		09/24/26 09:37	09/25/26 12:51	1
Molinate	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 12:51	1
Naphthalene	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 12:51	1
Parathion	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 12:51	1
Pendimethalin (Penoxaline)	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 12:51	1
Phenanthrene	<0.039		0.039		ug/L		09/24/26 09:37	09/25/26 12:51	1
Propachlor	<0.049		0.049		ug/L		09/24/26 09:37	09/25/26 12:51	1
Pyrene	<0.049		0.049		ug/L		09/24/26 09:37	09/25/26 12:51	1
Simazine	<0.049		0.049		ug/L		09/24/26 09:37	09/25/26 12:51	1
Terbacil	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 12:51	1
Terbuthylazine	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 12:51	1
Thiobencarb	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 12:51	1
Total Permethrin (mixed isomers)	<0.20		0.20		ug/L		09/24/26 09:37	09/25/26 12:51	1
trans-Nonachlor	<0.049		0.049		ug/L		09/24/26 09:37	09/25/26 12:51	1
Trifluralin	<0.098		0.098		ug/L		09/24/26 09:37	09/25/26 12:51	1

Tentatively Identified Compound	*MB Est. Result*	*MB Qualifier*	*Unit*	*D*	*RT*	*CAS No.*	*Prepared*	*Analyzed*	*Dil Fac*
Cyclopentene, 1,2,3,4,5-pentamethyl-	*0.794*	*T J N*	*ug/L*		*2.62*	*1000154-28-6*	*09/24/26 09:37*	*09/25/26 12:51*	*1*
Undecane	*5.17*	*T J N*	*ug/L*		*3.22*	*1120-21-4*	*09/24/26 09:37*	*09/25/26 12:51*	*1*
Cyclopentasiloxane, decamethyl-	*0.691*	*T J N*	*ug/L*		*3.35*	*541-02-6*	*09/24/26 09:37*	*09/25/26 12:51*	*1*
Unknown	*0.944*	*T J*	*ug/L*		*3.98*	*N/A*	*09/24/26 09:37*	*09/25/26 12:51*	*1*
Unknown	*0.538*	*T J*	*ug/L*		*4.63*	*N/A*	*09/24/26 09:37*	*09/25/26 12:51*	*1*
9-Octadecenamide, (Z)-	*0.787*	*T J N*	*ug/L*		*8.10*	*301-02-0*	*09/24/26 09:37*	*09/25/26 12:51*	*1*

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2-Nitro-m-xylene	*95*		*70 - 130*	*09/24/26 09:37*	*09/25/26 12:51*	*1*
Perylene-d12	*85*		*70 - 130*	*09/24/26 09:37*	*09/25/26 12:51*	*1*
Triphenylphosphate	*95*		*70 - 130*	*09/24/26 09:37*	*09/25/26 12:51*	*1*

Lab Sample ID: LCS 380-254467/23-A
Matrix: Water
Analysis Batch: 254787

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 254467

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
1-Methylnaphthalene			2.00	2.14		ug/L		107	70 - 130		

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 380-254467/23-A
Matrix: Water
Analysis Batch: 254787

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 254467

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
2,4'-DDD	2.00	2.20		ug/L		110	70 - 130
2,4'-DDE	2.00	2.28		ug/L		114	70 - 130
2,4'-DDT	2.00	2.33		ug/L		117	70 - 130
2,4-Dinitrotoluene	2.00	2.17		ug/L		109	70 - 130
2,6-Dinitrotoluene	2.00	2.17		ug/L		109	70 - 130
2-Methylnaphthalene	2.00	2.10		ug/L		105	70 - 130
4,4'-DDD	2.00	2.40		ug/L		120	70 - 130
4,4'-DDE	2.00	2.29		ug/L		115	70 - 130
4,4'-DDT	2.00	2.34		ug/L		117	70 - 130
Acenaphthene	2.00	2.16		ug/L		108	70 - 130
Acenaphthylene	2.00	2.10		ug/L		105	70 - 130
Acetochlor	2.00	2.26		ug/L		113	70 - 130
Alachlor	2.00	2.41		ug/L		121	70 - 130
alpha-BHC	2.00	2.38		ug/L		119	70 - 130
alpha-Chlordane	2.00	2.23		ug/L		112	70 - 130
Anthracene	2.00	2.11		ug/L		106	70 - 130
Atrazine	2.00	2.31		ug/L		116	70 - 130
Benz(a)anthracene	2.00	2.20		ug/L		110	70 - 130
Benzo[a]pyrene	2.00	2.15		ug/L		108	70 - 130
Benzo[b]fluoranthene	2.00	2.16		ug/L		108	70 - 130
Benzo[g,h,i]perylene	2.00	2.08		ug/L		104	70 - 130
Benzo[k]fluoranthene	2.00	2.20		ug/L		110	70 - 130
beta-BHC	2.00	2.32		ug/L		116	70 - 130
Bis(2-ethylhexyl) phthalate	2.00	2.12		ug/L		106	70 - 130
Bromacil	2.00	2.18		ug/L		109	70 - 130
Butachlor	2.00	2.40		ug/L		120	70 - 130
Butylbenzylphthalate	2.00	2.39		ug/L		120	70 - 130
Chlorobenzilate	2.00	2.27		ug/L		114	70 - 130
Chloroneb	2.00	2.32		ug/L		116	70 - 130
Chlorothalonil (Draconil, Bravo)	2.00	2.51		ug/L		126	70 - 130
Chlorpyrifos	2.00	2.23		ug/L		112	70 - 130
Chrysene	2.00	2.30		ug/L		115	70 - 130
delta-BHC	2.00	2.54		ug/L		127	70 - 130
Di(2-ethylhexyl)adipate	2.00	2.35		ug/L		118	70 - 130
Dibenz(a,h)anthracene	2.00	2.09		ug/L		105	70 - 130
Diclorvos (DDVP)	2.00	2.11		ug/L		106	70 - 130
Dieldrin	2.00	2.21		ug/L		111	70 - 130
Diethylphthalate	2.00	2.33		ug/L		117	70 - 130
Dimethylphthalate	2.00	2.35		ug/L		118	70 - 130
Di-n-butyl phthalate	3.99	4.63		ug/L		116	70 - 130
Di-n-octyl phthalate	2.00	2.11		ug/L		106	70 - 130
Endosulfan I (Alpha)	2.00	2.25		ug/L		113	70 - 130
Endosulfan II (Beta)	2.00	2.25		ug/L		113	70 - 130
Endosulfan sulfate	2.00	2.29		ug/L		115	70 - 130
Endrin	2.00	2.24		ug/L		112	70 - 130
Endrin aldehyde	2.00	2.31		ug/L		116	60 - 130
EPTC	2.00	2.15		ug/L		108	70 - 130
Fluoranthene	2.00	2.28		ug/L		114	70 - 130
Fluorene	2.00	2.30		ug/L		115	70 - 130

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 380-254467/23-A
Matrix: Water
Analysis Batch: 254787

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 254467

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
gamma-Chlordane	2.00	2.30		ug/L		116	70 - 130
Heptachlor	2.00	2.14		ug/L		108	70 - 130
Heptachlor epoxide (isomer B)	2.00	2.27		ug/L		114	70 - 130
Hexachlorobenzene	2.00	2.17		ug/L		109	70 - 130
Hexachlorocyclopentadiene	2.00	1.97		ug/L		99	70 - 130
Indeno[1,2,3-cd]pyrene	2.00	2.04		ug/L		102	70 - 130
Isophorone	2.00	2.10		ug/L		105	70 - 130
Lindane	2.00	2.30		ug/L		115	70 - 130
Malathion	2.00	2.36		ug/L		118	70 - 130
Methoxychlor	2.00	2.25		ug/L		113	70 - 130
Metolachlor	2.00	2.37		ug/L		119	70 - 130
Molinate	2.00	2.22		ug/L		111	70 - 130
Naphthalene	2.00	1.94		ug/L		97	70 - 130
Parathion	2.00	2.16		ug/L		108	70 - 130
Pendimethalin (Penoxaline)	2.00	2.14		ug/L		107	70 - 130
Phenanthrene	2.00	2.21		ug/L		111	70 - 130
Propachlor	2.00	2.34		ug/L		117	70 - 130
Pyrene	2.00	2.30		ug/L		115	70 - 130
Simazine	2.00	2.27		ug/L		114	70 - 130
Terbacil	2.00	2.16		ug/L		108	70 - 130
Terbuthylazine	2.00	2.32		ug/L		116	70 - 130
Thiobencarb	2.00	2.34		ug/L		117	70 - 130
trans-Nonachlor	2.00	2.20		ug/L		110	70 - 130
Trifluralin	2.00	2.08		ug/L		104	70 - 130

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
2-Nitro-m-xylene	*95*		*70 - 130*
Perylene-d12	*93*		*70 - 130*
Triphenylphosphate	*104*		*70 - 130*

Lab Sample ID: MRL 380-254467/22-A
Matrix: Water
Analysis Batch: 254787

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 254467

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
1-Methylnaphthalene	0.0993	0.0840	J	ug/L		85	50 - 150
2,4'-DDD	0.0993	0.102		ug/L		103	50 - 150
2,4'-DDE	0.0993	0.116		ug/L		117	50 - 150
2,4'-DDT	0.0993	0.121		ug/L		122	50 - 150
2,4-Dinitrotoluene	0.0993	0.107		ug/L		108	50 - 150
2,6-Dinitrotoluene	0.0993	0.104		ug/L		104	50 - 150
2-Methylnaphthalene	0.0993	0.0822	J	ug/L		83	50 - 150
4,4'-DDD	0.0993	0.122		ug/L		123	50 - 150
4,4'-DDE	0.0993	0.107		ug/L		108	50 - 150
4,4'-DDT	0.0993	0.125		ug/L		126	50 - 150
Acenaphthene	0.0993	0.0929	J	ug/L		94	50 - 150
Acenaphthylene	0.0993	0.0870	J	ug/L		88	50 - 150
Acetochlor	0.0993	0.106		ug/L		106	50 - 150

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MRL 380-254467/22-A
Matrix: Water
Analysis Batch: 254787

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 254467

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Alachlor	0.0497	0.0575		ug/L		116	50 - 150
alpha-BHC	0.0993	0.117		ug/L		118	50 - 150
alpha-Chlordane	0.0248	<0.029		ug/L		115	50 - 150
Anthracene	0.0199	0.0194	J	ug/L		98	50 - 150
Atrazine	0.0497	0.0679		ug/L		137	50 - 150
Benz(a)anthracene	0.0497	0.0565		ug/L		114	50 - 150
Benzo[a]pyrene	0.0199	0.0196	J	ug/L		99	50 - 150
Benzo[b]fluoranthene	0.0199	0.0194	J	ug/L		98	50 - 150
Benzo[g,h,i]perylene	0.0497	0.0545		ug/L		110	50 - 150
Benzo[k]fluoranthene	0.0199	0.0239		ug/L		120	50 - 150
beta-BHC	0.0993	0.129		ug/L		129	50 - 150
Bis(2-ethylhexyl) phthalate	0.596	0.633		ug/L		106	50 - 150
Bromacil	0.0993	0.108		ug/L		109	50 - 150
Butachlor	0.0497	0.0547		ug/L		110	50 - 150
Butylbenzylphthalate	0.497	0.636		ug/L		128	50 - 150
Chlorobenzilate	0.0993	0.102		ug/L		103	50 - 150
Chloroneb	0.0993	0.108		ug/L		109	50 - 150
Chlorothalonil (Draconil, Bravo)	0.0993	0.133		ug/L		134	50 - 150
Chlorpyrifos	0.0497	0.0596		ug/L		120	50 - 150
Chrysene	0.0199	0.0275		ug/L		138	50 - 150
delta-BHC	0.0993	0.122		ug/L		123	50 - 150
Di(2-ethylhexyl)adipate	0.596	0.747		ug/L		125	50 - 150
Dibenz(a,h)anthracene	0.0497	0.0507		ug/L		102	50 - 150
Diclorvos (DDVP)	0.0497	0.0530		ug/L		107	50 - 150
Dieldrin	0.00993	0.0115		ug/L		116	50 - 150
Diethylphthalate	0.497	0.631		ug/L		127	50 - 150
Dimethylphthalate	0.497	0.601		ug/L		121	50 - 150
Di-n-butyl phthalate	0.497	0.634	J	ug/L		128	49 - 243
Di-n-octyl phthalate	0.0993	0.0752	J	ug/L		76	50 - 150
Endosulfan I (Alpha)	0.0993	0.104		ug/L		105	50 - 150
Endosulfan II (Beta)	0.0993	0.104		ug/L		105	50 - 150
Endosulfan sulfate	0.0993	0.129		ug/L		130	50 - 150
Endrin	0.00993	0.0117		ug/L		118	50 - 150
Endrin aldehyde	0.0993	0.0905	J	ug/L		91	50 - 150
EPTC	0.0993	0.102		ug/L		102	50 - 150
Fluoranthene	0.0993	0.118		ug/L		119	50 - 150
Fluorene	0.0497	0.0503		ug/L		101	50 - 150
gamma-Chlordane	0.0248	0.0282	J	ug/L		114	50 - 150
Heptachlor	0.00993	0.0120		ug/L		120	50 - 150
Heptachlor epoxide (isomer B)	0.00993	0.0108		ug/L		109	50 - 150
Hexachlorobenzene	0.0497	0.0477	J	ug/L		96	50 - 150
Hexachlorocyclopentadiene	0.0497	<0.038		ug/L		68	50 - 150
Indeno[1,2,3-cd]pyrene	0.0497	0.0517		ug/L		104	50 - 150
Isophorone	0.0993	0.0969	J	ug/L		98	50 - 150
Lindane	0.00993	0.0109		ug/L		110	50 - 150
Malathion	0.0993	0.100		ug/L		101	50 - 150
Methoxychlor	0.0497	0.0539		ug/L		109	50 - 150
Metolachlor	0.0497	0.0558		ug/L		112	50 - 150
Molinate	0.0993	0.113		ug/L		113	50 - 150

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MRL 380-254467/22-A
Matrix: Water
Analysis Batch: 254787

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 254467

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Naphthalene	0.0993	0.0810	J	ug/L		82	50 - 150
Parathion	0.0993	0.0978	J	ug/L		99	50 - 150
Pendimethalin (Penoxaline)	0.0993	0.0998		ug/L		101	50 - 150
Phenanthrene	0.0397	0.0449		ug/L		113	50 - 150
Propachlor	0.0497	0.0547		ug/L		110	50 - 150
Pyrene	0.0497	0.0582		ug/L		117	50 - 150
Simazine	0.0497	0.0576		ug/L		116	50 - 150
Terbacil	0.0993	0.0979	J	ug/L		99	50 - 150
Terbuthylazine	0.0993	0.126		ug/L		127	50 - 150
Thiobencarb	0.0993	0.118		ug/L		119	50 - 150
trans-Nonachlor	0.0248	0.0292	J	ug/L		118	50 - 150
Trifluralin	0.0993	0.103		ug/L		104	50 - 150

Surrogate	*MRL %Recovery*	*MRL Qualifier*	*Limits*
2-Nitro-m-xylene	*94*		*70 - 130*
Perylene-d12	*85*		*70 - 130*
Triphenylphosphate	*100*		*70 - 130*

Lab Sample ID: 380-237556-AC-1-A MS
Matrix: Water
Analysis Batch: 254787

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 254467

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1-Methylnaphthalene	<0.10		1.99	2.25		ug/L		113	70 - 130
2,4'-DDD	<0.10		1.99	2.18		ug/L		110	70 - 130
2,4'-DDE	<0.10		1.99	2.24		ug/L		113	70 - 130
2,4'-DDT	<0.10		1.99	2.26		ug/L		113	70 - 130
2,4-Dinitrotoluene	<0.10		1.99	2.26		ug/L		113	70 - 130
2,6-Dinitrotoluene	<0.10		1.99	2.23		ug/L		112	70 - 130
2-Methylnaphthalene	<0.10		1.99	2.21		ug/L		111	70 - 130
4,4'-DDD	<0.10		1.99	2.38		ug/L		120	70 - 130
4,4'-DDE	<0.10		1.99	2.29		ug/L		115	70 - 130
4,4'-DDT	<0.10		1.99	2.27		ug/L		114	70 - 130
Acenaphthene	<0.10		1.99	2.24		ug/L		112	70 - 130
Acenaphthylene	<0.10		1.99	2.18		ug/L		110	70 - 130
Acetochlor	<0.10		1.99	2.32		ug/L		116	70 - 130
Alachlor	<0.051		1.99	2.45		ug/L		123	70 - 130
alpha-BHC	<0.10		1.99	2.37		ug/L		119	70 - 130
alpha-Chlordane	<0.051		1.99	2.26		ug/L		114	70 - 130
Anthracene	<0.020		1.99	2.00		ug/L		100	70 - 130
Atrazine	<0.051		1.99	2.40		ug/L		121	70 - 130
Benz(a)anthracene	<0.051		1.99	2.16		ug/L		108	70 - 130
Benzo[a]pyrene	<0.020		1.99	2.46		ug/L		123	70 - 130
Benzo[b]fluoranthene	<0.020		1.99	2.55		ug/L		128	70 - 130
Benzo[g,h,i]perylene	<0.051		1.99	2.24		ug/L		113	70 - 130
Benzo[k]fluoranthene	<0.020	F1	1.99	2.62	F1	ug/L		131	70 - 130
beta-BHC	<0.10		1.99	2.36		ug/L		119	70 - 130
Bis(2-ethylhexyl) phthalate	<0.61		1.99	2.43		ug/L		122	70 - 130

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 380-237556-AC-1-A MS
Matrix: Water
Analysis Batch: 254787

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 254467

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Bromacil	<0.10		1.99	2.13		ug/L		107	70 - 130
Butachlor	<0.051		1.99	2.42		ug/L		121	70 - 130
Butylbenzylphthalate	<0.51		1.99	2.36		ug/L		119	70 - 130
Chlorobenzilate	<0.10		1.99	2.31		ug/L		116	70 - 130
Chloroneb	<0.10		1.99	2.34		ug/L		117	70 - 130
Chlorothalonil (Draconil, Bravo)	<0.10		1.99	2.47		ug/L		124	70 - 130
Chlorpyrifos	<0.051		1.99	2.19		ug/L		110	70 - 130
Chrysene	<0.020	F1	1.99	2.71	F1	ug/L		136	70 - 130
delta-BHC	<0.10		1.99	2.52		ug/L		126	70 - 130
Di(2-ethylhexyl)adipate	<0.61		1.99	2.28		ug/L		115	70 - 130
Dibenz(a,h)anthracene	<0.051		1.99	2.36		ug/L		119	70 - 130
Diclorvos (DDVP)	<0.051		1.99	2.10		ug/L		105	70 - 130
Dieldrin	<0.010		1.99	2.27		ug/L		114	70 - 130
Diethylphthalate	<0.51		1.99	2.37		ug/L		119	70 - 130
Dimethylphthalate	<0.51		1.99	2.35		ug/L		118	70 - 130
Di-n-butyl phthalate	<1.0		3.98	4.67		ug/L		117	70 - 130
Di-n-octyl phthalate	<0.10		1.99	2.38		ug/L		120	70 - 130
Endosulfan I (Alpha)	<0.10		1.99	2.23		ug/L		112	70 - 130
Endosulfan II (Beta)	<0.10		1.99	2.23		ug/L		112	70 - 130
Endosulfan sulfate	<0.10		1.99	2.24		ug/L		113	70 - 130
Endrin	<0.010		1.99	2.23		ug/L		112	70 - 130
Endrin aldehyde	<0.10		1.99	1.81		ug/L		91	60 - 130
EPTC	<0.10		1.99	2.22		ug/L		112	70 - 130
Fluoranthene	<0.10		1.99	2.30		ug/L		115	70 - 130
Fluorene	<0.051		1.99	2.34		ug/L		118	70 - 130
gamma-Chlordane	<0.051		1.99	2.33		ug/L		117	70 - 130
Heptachlor	<0.010		1.99	2.17		ug/L		109	70 - 130
Heptachlor epoxide (isomer B)	<0.010		1.99	2.32		ug/L		116	70 - 130
Hexachlorobenzene	<0.051		1.99	2.19		ug/L		110	70 - 130
Hexachlorocyclopentadiene	<0.051		1.99	2.04		ug/L		102	70 - 130
Indeno[1,2,3-cd]pyrene	<0.051		1.99	2.31		ug/L		116	70 - 130
Isophorone	<0.10		1.99	2.14		ug/L		107	70 - 130
Lindane	<0.010		1.99	2.34		ug/L		118	70 - 130
Malathion	<0.10		1.99	2.32		ug/L		116	70 - 130
Methoxychlor	<0.051	F1	1.99	2.64	F1	ug/L		133	70 - 130
Metolachlor	<0.051		1.99	2.38		ug/L		120	70 - 130
Molinate	<0.10		1.99	2.28		ug/L		115	70 - 130
Naphthalene	<0.10		1.99	2.06		ug/L		103	70 - 130
Parathion	<0.10		1.99	2.16		ug/L		109	70 - 130
Pendimethalin (Penoxaline)	<0.10		1.99	2.21		ug/L		111	70 - 130
Phenanthrene	<0.041		1.99	2.23		ug/L		112	70 - 130
Propachlor	<0.051		1.99	2.36		ug/L		119	70 - 130
Pyrene	<0.051		1.99	2.28		ug/L		115	70 - 130
Simazine	<0.051		1.99	2.29		ug/L		115	70 - 130
Terbacil	<0.10		1.99	2.14		ug/L		107	70 - 130
Terbuthylazine	<0.10		1.99	2.35		ug/L		118	70 - 130
Thiobencarb	<0.10		1.99	2.35		ug/L		118	70 - 130
trans-Nonachlor	<0.051		1.99	2.23		ug/L		112	70 - 130
Trifluralin	<0.10		1.99	2.18		ug/L		109	70 - 130

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Surrogate	MS %Recovery	MS Qualifier	Limits
2-Nitro-m-xylene	*95*		*70 - 130*
Perylene-d12	*94*		*70 - 130*
Triphenylphosphate	*101*		*70 - 130*

Lab Sample ID: 380-237611-U-1-A DU
Matrix: Water
Analysis Batch: 254787

Client Sample ID: Duplicate
Prep Type: Total/NA
Prep Batch: 254467

Analyte	Sample Result	Sample Qualifier		DU Result	DU Qualifier	Unit	D			RPD	RPD Limit
1-Methylnaphthalene	<0.097			<0.097		ug/L				NC	20
2,4'-DDD	<0.097			<0.097		ug/L				NC	20
2,4'-DDE	<0.097			<0.097		ug/L				NC	20
2,4'-DDT	<0.097			<0.097		ug/L				NC	20
2,4-Dinitrotoluene	<0.097			<0.097		ug/L				NC	20
2,6-Dinitrotoluene	<0.097			<0.097		ug/L				NC	20
2-Methylnaphthalene	<0.097			<0.097		ug/L				NC	20
4,4'-DDD	<0.097			<0.097		ug/L				NC	20
4,4'-DDE	<0.097			<0.097		ug/L				NC	20
4,4'-DDT	<0.097			<0.097		ug/L				NC	20
Acenaphthene	<0.097			<0.097		ug/L				NC	20
Acenaphthylene	<0.097			<0.097		ug/L				NC	20
Acetochlor	<0.097			<0.097		ug/L				NC	20
Alachlor	<0.048			<0.049		ug/L				NC	20
alpha-BHC	<0.097			<0.097		ug/L				NC	20
alpha-Chlordane	<0.048			<0.049		ug/L				NC	20
Anthracene	<0.019			<0.019		ug/L				NC	20
Atrazine	<0.048			<0.049		ug/L				NC	20
Benz(a)anthracene	<0.048			<0.049		ug/L				NC	20
Benzo[a]pyrene	<0.019			<0.019		ug/L				NC	20
Benzo[b]fluoranthene	<0.019			<0.019		ug/L				NC	20
Benzo[g,h,i]perylene	<0.048			<0.049		ug/L				NC	20
Benzo[k]fluoranthene	<0.019			<0.019		ug/L				NC	20
beta-BHC	<0.097			<0.097		ug/L				NC	20
Bis(2-ethylhexyl) phthalate	<0.58			<0.58		ug/L				NC	20
Bromacil	<0.097			<0.097		ug/L				NC	20
Butachlor	<0.048			<0.049		ug/L				NC	20
Butylbenzylphthalate	<0.48			<0.49		ug/L				NC	20
Chlorobenzilate	<0.097			<0.097		ug/L				NC	20
Chloroneb	<0.097			<0.097		ug/L				NC	20
Chlorothalonil (Draconil, Bravo)	<0.097			<0.097		ug/L				NC	20
Chlorpyrifos	<0.048			<0.049		ug/L				NC	20
Chrysene	<0.019			<0.019		ug/L				NC	20
delta-BHC	<0.097			<0.097		ug/L				NC	20
Di(2-ethylhexyl)adipate	<0.58			<0.58		ug/L				NC	20
Dibenz(a,h)anthracene	<0.048			<0.049		ug/L				NC	20
Diclorvos (DDVP)	<0.048			<0.049		ug/L				NC	20
Dieldrin	<0.0097			<0.0097		ug/L				NC	20
Diethylphthalate	<0.48			<0.49		ug/L				NC	20
Dimethylphthalate	<0.48			<0.49		ug/L				NC	20
Di-n-butyl phthalate	<0.97			<0.97		ug/L				NC	20
Di-n-octyl phthalate	<0.097			<0.097		ug/L				NC	20

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 380-237611-U-1-A DU
Matrix: Water
Analysis Batch: 254787

Client Sample ID: Duplicate
Prep Type: Total/NA
Prep Batch: 254467

Analyte	Sample Result	Sample Qualifier		DU Result	DU Qualifier	Unit	D			RPD	RPD Limit
Endosulfan I (Alpha)	<0.097			<0.097		ug/L				NC	20
Endosulfan II (Beta)	<0.097			<0.097		ug/L				NC	20
Endosulfan sulfate	<0.097			<0.097		ug/L				NC	20
Endrin	<0.0097			<0.0097		ug/L				NC	20
Endrin aldehyde	<0.097			<0.097		ug/L				NC	20
EPTC	<0.097			<0.097		ug/L				NC	20
Fluoranthene	<0.097			<0.097		ug/L				NC	20
Fluorene	<0.048			<0.049		ug/L				NC	20
gamma-Chlordane	<0.048			<0.049		ug/L				NC	20
Heptachlor	<0.0097			<0.0097		ug/L				NC	20
Heptachlor epoxide (isomer B)	<0.0097			<0.0097		ug/L				NC	20
Hexachlorobenzene	<0.048			<0.049		ug/L				NC	20
Hexachlorocyclopentadiene	<0.048			<0.049		ug/L				NC	20
Indeno[1,2,3-cd]pyrene	<0.048			<0.049		ug/L				NC	20
Isophorone	<0.097			<0.097		ug/L				NC	20
Lindane	<0.0097			<0.0097		ug/L				NC	20
Malathion	<0.097			<0.097		ug/L				NC	20
Methoxychlor	<0.048			<0.049		ug/L				NC	20
Metolachlor	<0.048			<0.049		ug/L				NC	20
Molinate	<0.097			<0.097		ug/L				NC	20
Naphthalene	<0.097			<0.097		ug/L				NC	20
Parathion	<0.097			<0.097		ug/L				NC	20
Pendimethalin (Penoxaline)	<0.097			<0.097		ug/L				NC	20
Phenanthrene	<0.039			<0.039		ug/L				NC	20
Propachlor	<0.048			<0.049		ug/L				NC	20
Pyrene	<0.048			<0.049		ug/L				NC	20
Simazine	<0.048			<0.049		ug/L				NC	20
Terbacil	<0.097			<0.097		ug/L				NC	20
Terbuthylazine	<0.097			<0.097		ug/L				NC	20
Thiobencarb	<0.097			<0.097		ug/L				NC	20
Total Permethrin (mixed isomers)	<0.19			<0.19		ug/L				NC	20
trans-Nonachlor	<0.048			<0.049		ug/L				NC	20
Trifluralin	<0.097			<0.097		ug/L				NC	20

Surrogate	*DU %Recovery*	*DU Qualifier*	*Limits*
2-Nitro-m-xylene	*95*		*70 - 130*
Perylene-d12	*90*		*70 - 130*
Triphenylphosphate	*100*		*70 - 130*

Method: 8015B GRO LL - Gasoline Range Organics - (GC)

Lab Sample ID: MB 570-808619/6
Matrix: Water
Analysis Batch: 808619

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	<10		10		ug/L			10/01/26 11:50	1

Method: 8015B GRO LL - Gasoline Range Organics - (GC) (Continued)

Lab Sample ID: MB 570-808619/6
Matrix: Water
Analysis Batch: 808619

Client Sample ID: Method Blank
Prep Type: Total/NA

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	101		38 - 134		10/01/26 11:50	1

Lab Sample ID: LCS 570-808619/3
Matrix: Water
Analysis Batch: 808619

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
Gasoline Range Organics (C4-C13)			400	396		ug/L		99	78 - 120		

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	99		38 - 134

Lab Sample ID: LCSD 570-808619/4
Matrix: Water
Analysis Batch: 808619

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (C4-C13)			400	384		ug/L		96	78 - 120	3	10

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	97		38 - 134

Lab Sample ID: MRL 570-808619/5
Matrix: Water
Analysis Batch: 808619

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte			Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits		
Gasoline Range Organics (C4-C13)			10.0	13.0		ug/L		130	50 - 150		

Surrogate	MRL %Recovery	MRL Qualifier	Limits
4-Bromofluorobenzene (Surr)	96		38 - 134

Lab Sample ID: 380-237858-C-1 MS
Matrix: Water
Analysis Batch: 808619

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
Gasoline Range Organics (C4-C13)	<10		400	383		ug/L		96	68 - 122		

Surrogate	MS %Recovery	MS Qualifier	Limits
4-Bromofluorobenzene (Surr)	100		38 - 134

Method: 8015B GRO LL - Gasoline Range Organics - (GC) (Continued)

Lab Sample ID: 380-237858-C-1 MSD
Matrix: Water
Analysis Batch: 808619

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (C4-C13)	<10		400	392		ug/L		98	68 - 122	2	18

Surrogate	*MSD %Recovery*	*MSD Qualifier*	*Limits*
4-Bromofluorobenzene (Surr)	*101*		*38 - 134*

Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level

Lab Sample ID: MB 570-806448/1-A
Matrix: Water
Analysis Batch: 809548

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 806448

Analyte	MB Result	MB Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	<25		25		ug/L		09/27/26 14:54	10/02/26 19:38	1
Motor Oil Range Organics [C24-C36]	<25		25		ug/L		09/27/26 14:54	10/02/26 19:38	1
C8-C18	<25		25		ug/L		09/27/26 14:54	10/02/26 19:38	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
n-Octacosane (Surr)	*87*		*60 - 130*	*09/27/26 14:54*	*10/02/26 19:38*	*1*

Lab Sample ID: LCS 570-806448/2-A
Matrix: Water
Analysis Batch: 809548

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 806448

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
C10-C28			1600	1380		ug/L		86	56 - 127		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
n-Octacosane (Surr)	*92*		*60 - 130*

Lab Sample ID: LCSD 570-806448/3-A
Matrix: Water
Analysis Batch: 809548

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 806448

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
C10-C28			1600	1500		ug/L		94	56 - 127	9	23

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
n-Octacosane (Surr)	*97*		*60 - 130*

Lab Sample ID: MRL 570-806448/4-A
Matrix: Water
Analysis Batch: 809548

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 806448

Analyte			Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits		
C10-C28			0.0200	0.0252		mg/L		126	50 - 150		

Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level (Continued)

Lab Sample ID: MRL 570-806448/4-A
Matrix: Water
Analysis Batch: 809548

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 806448

Surrogate	MRL %Recovery	MRL Qualifier	Limits
n-Octacosane (Surr)	*89*		*60 - 130*

Lab Sample ID: 380-237858-A-1-A MS
Matrix: Water
Analysis Batch: 809548

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 806448

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
C10-C28	<25		1650	1660		ug/L		100	70 - 130		

Surrogate	MS %Recovery	MS Qualifier	Limits
n-Octacosane (Surr)	*103*		*60 - 130*

Lab Sample ID: 380-237858-A-1-B MSD
Matrix: Water
Analysis Batch: 809548

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: 806448

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
C10-C28	<25		1620	1370		ug/L		85	70 - 130	19	20

Surrogate	MSD %Recovery	MSD Qualifier	Limits
n-Octacosane (Surr)	*91*		*60 - 130*

GC/MS Semi VOA

Prep Batch: 254467

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-237868-1	AIEA GULCH WELLS PUMP 1 (331-201-TP071)	Total/NA	Drinking Water	525.2	
MB 380-254467/21-A	Method Blank	Total/NA	Water	525.2	
LCS 380-254467/23-A	Lab Control Sample	Total/NA	Water	525.2	
MRL 380-254467/22-A	Lab Control Sample	Total/NA	Water	525.2	
380-237556-AC-1-A MS	Matrix Spike	Total/NA	Water	525.2	
380-237611-U-1-A DU	Duplicate	Total/NA	Water	525.2	

Analysis Batch: 254787

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-237868-1	AIEA GULCH WELLS PUMP 1 (331-201-TP071)	Total/NA	Drinking Water	525.2	254467
MB 380-254467/21-A	Method Blank	Total/NA	Water	525.2	254467
LCS 380-254467/23-A	Lab Control Sample	Total/NA	Water	525.2	254467
MRL 380-254467/22-A	Lab Control Sample	Total/NA	Water	525.2	254467
380-237556-AC-1-A MS	Matrix Spike	Total/NA	Water	525.2	254467
380-237611-U-1-A DU	Duplicate	Total/NA	Water	525.2	254467

GC VOA

Analysis Batch: 808619

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-237868-1	AIEA GULCH WELLS PUMP 1 (331-201-TP071)	Total/NA	Drinking Water	8015B GRO LL	
380-237868-2	TB: AIEA GULCH WELLS P1 (331-201-TP071)	Total/NA	Water	8015B GRO LL	
MB 570-808619/6	Method Blank	Total/NA	Water	8015B GRO LL	
LCS 570-808619/3	Lab Control Sample	Total/NA	Water	8015B GRO LL	
LCSD 570-808619/4	Lab Control Sample Dup	Total/NA	Water	8015B GRO LL	
MRL 570-808619/5	Lab Control Sample	Total/NA	Water	8015B GRO LL	
380-237858-C-1 MS	Matrix Spike	Total/NA	Water	8015B GRO LL	
380-237858-C-1 MSD	Matrix Spike Duplicate	Total/NA	Water	8015B GRO LL	

GC Semi VOA

Prep Batch: 806448

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-237868-1	AIEA GULCH WELLS PUMP 1 (331-201-TP071)	Total/NA	Drinking Water	3510C	
MB 570-806448/1-A	Method Blank	Total/NA	Water	3510C	
LCS 570-806448/2-A	Lab Control Sample	Total/NA	Water	3510C	
LCSD 570-806448/3-A	Lab Control Sample Dup	Total/NA	Water	3510C	
MRL 570-806448/4-A	Lab Control Sample	Total/NA	Water	3510C	
380-237858-A-1-A MS	Matrix Spike	Total/NA	Water	3510C	
380-237858-A-1-B MSD	Matrix Spike Duplicate	Total/NA	Water	3510C	

Analysis Batch: 809548

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-237868-1	AIEA GULCH WELLS PUMP 1 (331-201-TP071)	Total/NA	Drinking Water	8015B	806448
MB 570-806448/1-A	Method Blank	Total/NA	Water	8015B	806448
LCS 570-806448/2-A	Lab Control Sample	Total/NA	Water	8015B	806448
LCSD 570-806448/3-A	Lab Control Sample Dup	Total/NA	Water	8015B	806448
MRL 570-806448/4-A	Lab Control Sample	Total/NA	Water	8015B	806448
380-237858-A-1-A MS	Matrix Spike	Total/NA	Water	8015B	806448
380-237858-A-1-B MSD	Matrix Spike Duplicate	Total/NA	Water	8015B	806448

Lab Chronicle

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-237868-1
SDG: Weekly: Aiea Gulch Wells Pump 1

Client Sample ID: AIEA GULCH WELLS PUMP 1 (331-201-TP071)

Lab Sample ID: 380-237868-1

Date Collected: 09/21/26 11:27
Date Received: 09/23/26 09:06

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	525.2			254467	L9UA	EA POM	09/24/26 09:37
Total/NA	Analysis	525.2		1	254787	Q8LA	EA POM	09/25/26 18:35
Total/NA	Analysis	8015B GRO LL		1	808619	A9VE	EET CAL 4	10/01/26 20:01
Total/NA	Prep	3510C			806448	TVD6	EET CAL 4	09/27/26 14:54
Total/NA	Analysis	8015B		1	809548	H6FE	EET CAL 4	10/02/26 23:38

Client Sample ID: TB: AIEA GULCH WELLS P1 (331-201-TP071)

Lab Sample ID: 380-237868-2

Date Collected: 09/21/26 11:27
Date Received: 09/23/26 09:06

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8015B GRO LL		1	808619	A9VE	EET CAL 4	10/01/26 17:42

Laboratory References:

EA POM = Eurofins Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100
EET CAL 4 = Eurofins Calscience Tustin, 2841 Dow Avenue, Tustin, CA 92780, TEL (714)895-5494

Accreditation/Certification Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-237868-1
SDG: Weekly: Aiea Gulch Wells Pump 1

Laboratory: Eurofins Pomona

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Hawaii	State	CA00006	01-31-27

The following analytes are included in this report, but the laboratory is not certified by Hawaii State CA00006. This list may include analytes for which the agency does not offer certification:

Analysis Method	Prep Method	Matrix	Analyte
525.2	525.2	Drinking Water	1-Methylnaphthalene
525.2	525.2	Drinking Water	2,4'-DDD
525.2	525.2	Drinking Water	2,4'-DDE
525.2	525.2	Drinking Water	2,4'-DDT
525.2	525.2	Drinking Water	2,4-Dinitrotoluene
525.2	525.2	Drinking Water	2,6-Dinitrotoluene
525.2	525.2	Drinking Water	2-Methylnaphthalene
525.2	525.2	Drinking Water	4,4'-DDD
525.2	525.2	Drinking Water	4,4'-DDE
525.2	525.2	Drinking Water	4,4'-DDT
525.2	525.2	Drinking Water	Acetochlor
525.2	525.2	Drinking Water	alpha-BHC
525.2	525.2	Drinking Water	alpha-Chlordane
525.2	525.2	Drinking Water	beta-BHC
525.2	525.2	Drinking Water	Chlorobenzilate
525.2	525.2	Drinking Water	Chloroneb
525.2	525.2	Drinking Water	Chlorothalonil (Draconil, Bravo)
525.2	525.2	Drinking Water	Chlorpyrifos
525.2	525.2	Drinking Water	delta-BHC
525.2	525.2	Drinking Water	Diclorvos (DDVP)
525.2	525.2	Drinking Water	Endosulfan I (Alpha)
525.2	525.2	Drinking Water	Endosulfan II (Beta)
525.2	525.2	Drinking Water	Endosulfan sulfate
525.2	525.2	Drinking Water	Endrin aldehyde
525.2	525.2	Drinking Water	EPTC
525.2	525.2	Drinking Water	gamma-Chlordane
525.2	525.2	Drinking Water	Isophorone
525.2	525.2	Drinking Water	Malathion
525.2	525.2	Drinking Water	Parathion
525.2	525.2	Drinking Water	Pendimethalin (Penoxaline)
525.2	525.2	Drinking Water	Terbacil
525.2	525.2	Drinking Water	Terbuthylazine
525.2	525.2	Drinking Water	Total Permethrin (mixed isomers)
525.2	525.2	Drinking Water	trans-Nonachlor

Laboratory: Eurofins Calscience

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
A2LA	Dept. of Defense ELAP	7296.01	11-30-26
A2LA	ISO/IEC 17025	7296.01	11-30-26
Alaska (UST)	State	25-005	03-02-27
Arizona	State	AZ0830	11-16-26
California	Los Angeles County Sanitation Districts	9257304	07-31-28
California	SCAQMD LAP	17LA0919	11-30-26

Accreditation/Certification Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-237868-1
SDG: Weekly: Aiea Gulch Wells Pump 1

Laboratory: Eurofins Calscience (Continued)

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	3082	07-31-28
Kansas	NELAP	E-10420	07-31-27
Nevada	State	CA00111	07-31-27
Oregon	NELAP	4175	02-02-27
Texas	NELAP	T104704499	07-31-27
USDA	US Federal Programs	525-23-159-97150	01-01-27
Utah	NELAP	CA00111	02-28-27
Washington	State	C916	10-12-26

Method Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-237868-1
SDG: Weekly: Aiea Gulch Wells Pump 1

Method	Method Description	Protocol	Laboratory
525.2	Semivolatile Organic Compounds (GC/MS)	EPA	EA POM
8015B GRO LL	Gasoline Range Organics - (GC)	SW846	EET CAL 4
8015B	Diesel Range Organics (DRO) (GC) Low Level	SW846	EET CAL 4
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	EET CAL 4
5030C	Purge and Trap	SW846	EET CAL 4
525.2	Extraction of Semivolatile Compounds	EPA	EA POM

Protocol References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EA POM = Eurofins Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100

EET CAL 4 = Eurofins Calscience Tustin, 2841 Dow Avenue, Tustin, CA 92780, TEL (714)895-5494

Sample Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-237868-1
SDG: Weekly: Aiea Gulch Wells Pump 1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	PWSID Number
380-237868-1	AIEA GULCH WELLS PUMP 1 (331-201-TP071)	Drinking Water	09/21/26 11:27	09/23/26 09:06	HI0000331
380-237868-2	TB: AIEA GULCH WELLS P1 (331-201-TP071)	Water	09/21/26 11:27	09/23/26 09:06	

Eurofins Eaton Analytical Pomona
941 Corporate Center Drive
Pomona, CA 91768-2642
Phone (626) 386-1100

Chain of Custody Record

eurofins | Env

380-237868 COC

Client Information	Sampler: bailey	Lab PM: Lopez, Maria	Carrier Tracking No(s):	COC No:
Client Contact: Mr Kirk Iwamoto	Phone: +1 808 748 5840	E-Mail: Maria.Lopez@et.eurofinsus.com	State of Origin:	Page: Page 1 of 1
Company: City & County of Honolulu	PWSID:			Job #:
Address: 630 South Beretania Street Chemistry Lab	Due Date Requested:			
City: Honolulu	TAT Requested (days):			
State, Zip: HI, 96843	Compliance Project: Δ Yes Δ No			
Phone: 808-748-5840 (Tel)	PO #: C20525101 exp 05312023			
Email: kiwamoto@hbws.org	WO #:			
Project Name: RED-HILL/HBWS Sites Event Desc: RUSH Weekly Red Hill	Project #: 38001111			
Site: Hawaii	SSOW#:			

Analysis Requested

Preservation Codes:
R - NaThioSO4
RA - NaThio/HCl
Q - Na2SO3
QA - Na2SO3/HCl
Y - Trizma
I - NH4 Acetate
Other:

Sample Identification	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	625.1, 625.1_SIM	8015B_GRO_LL - (MOD) GRO	8015B_DRO_LL_C8 - HNL Ranges: C10-C24/C24-C36/C8-C18	525.2_PREC - (MOD) 525plus Plus TICs	537.1_DW_PREC - 537.1 Full List	533 - All Analytes	Total Number of containers	Special Instructions/Note:
			Preservation Code:				R	RA	Q	QA	Y	I		
Aiea Gulch Wells Pump 1 (331-201-TP071)	21-Sep-2026	1127	G	Water			2	3	2	2				
Aiea Gulch Wells Pump 1 (331-201-TP071) (Matrix Spike)				Water										
Aiea Gulch Wells Pump 1 (331-201-TP071)(Matrix Spike Duplicate)				Water										
TB: Aiea Gulch Wells Pump 1 (331-201-TP071)	21-Sep-2026	1127		Water				2						

Possible Hazard Identification
☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Radiological

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months

Deliverable Requested: I, II, III, IV, Other (specify)

Special Instructions/QC Requirements.

Empty Kit Relinquished by:	Date:	Time:	Method of Shipment: FEDEX
[redacted]	Date/Time: 22Sep26. 2026 1400	Company: HBWS	Received by:	Date/Time: 09/23/26 09:00	Company: EEAP
	Date/Time:	Company	Received by:	Date/Time:	Company
Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company

Custody Seals Intact: Δ Yes Δ No | Custody Seal No..

Cooler Temperature(s) °C and Other Remarks: FSW 4.4-0.2=4.2° GEL-FROZEN

Ver 04/02/

Eurofins Eaton Analytical Pomona
941 Corporate Center Drive
Pomona, CA 91768-2642
Phone (626) 386-1100

Chain of Custody Record

eurofins | Env

380-237868 COC

Client Information	Sampler: bailey	Lab PM: Lopez, Maria	Carrier Tracking No(s):	COC No:
Client Contact: Mr Kirk Iwamoto	Phone: +1 808 748 5840	E-Mail: Maria.Lopez@et.eurofinsus.com	State of Origin:	Page: Page 1 of 1
Company: City & County of Honolulu	PWSID:			Job #:
Address: 630 South Beretania Street Chemistry Lab	Due Date Requested:			
City: Honolulu	TAT Requested (days):			
State, Zip: HI, 96843	Compliance Project: Δ Yes Δ No			
Phone: 808-748-5840 (Tel)	PO #: C20525101 exp 05312023			
Email: kiwamoto@hbws.org	WO #:			
Project Name: RED-HILL/HBWS Sites Event Desc: RUSH Weekly Red Hill	Project #: 38001111			
Site: Hawaii	SSOW#:			

Analysis Requested

Preservation Codes:
R - NaThioSO4
RA - NaThio/HCl
Q - Na2SO3
QA - Na2SO3/HCl
Y - Trizma
I - NH4 Acetate
Other:

Sample Identification	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	625.1, 625.1_SIM	8015B_GRO_LL - (MOD) GRO	8015B_DRO_LL_C8 - HNL Ranges: C10-C24/C24-C36/C8-C18	525.2_PREC - (MOD) 525plus Plus TICs	537.1_DW_PREC - 537.1 Full List	533 - All Analytes	Total Number of containers	Special Instructions/Note:
			Preservation Code:				R	RA	Q	QA	Y	I		
Aiea Gulch Wells Pump 1 (331-201-TP071)	21-Sep-2026	1127	G	Water			2	3	2	2				
Aiea Gulch Wells Pump 1 (331-201-TP071) (Matrix Spike)				Water										
Aiea Gulch Wells Pump 1 (331-201-TP071)(Matrix Spike Duplicate)				Water										
TB: Aiea Gulch Wells Pump 1 (331-201-TP071)	21-Sep-2026	1127		Water				2						

Possible Hazard Identification
☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Radiological

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months

Deliverable Requested: I, II, III, IV, Other (specify)

Special Instructions/QC Requirements.

Empty Kit Relinquished by:	Date:	Time:	Method of Shipment: FEDEX

	Relinquished by	Date/Time	Company	Received by	Date/Time	Company
1	bailey	22Sep26 2076	HBWS		09/23/26 09:00	EEAP
2	Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company
3	Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company

Custody Seals Intact: Δ Yes Δ No | Custody Seal No..

Cooler Temperature(s) °C and Other Remarks: TSN 4.4-0.2=4.2° GEL-FROZEN

Ver 04/02/

Eurofins Pomona
941 Corporate Center Drive
Pomona, CA 91768-2642
Phone: 626-386-1100

Chain of Custody Record

eurofins | En

Loc: 380
237868

Client Information (Sub Contract Lab)	Sampler: N/A	Lab PM: Lopez, Maria	Carrier Tracking No(s): N/A	COC No: 380-384415.1
Client Contact: Shipping/Receiving	Phone: N/A	E-Mail: Maria.Lopez@et.eurofinsus.com	State of Origin: Hawaii	Page: Page 1 of 1
Company: Eurofins Environment Testing Southwest L		Accreditations Required (See note): State - Hawaii		Job #: 380-237868-1
Address: 2841 Dow Avenue, Suite 100,	Due Date Requested: 10/5/2026			
City: Tustin	TAT Requested (days): N/A			
State, Zip: CA, 92780				
Phone: 714-895-5494(Tel)	PO #: N/A			
Email: N/A	WO #: N/A			
Project Name: RED-HILL	Project #: 38001111			
Site: Honolulu BWS Sites	SSOW#: N/A			

Analysis Requested

Preservation Codes:
-

Other:
N/A

Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (Wwater, Ssolid, Owwaste/oil, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	625.1/625_Prep(MOD) Tentatively Identified Compounds (Hold)	625.1_SIM/625_Prep(MOD) Extended PAH List	8015B_DRO_LL_CSI/3510C_LLHML Ranges: C10-C24/C24-C36/C8-C18	8015B_GRO_LL/5030C(MOD) GRO	Total Number of containers	Special Instructions/Note:
			Preservation Code:									
AIEA GULCH WELLS PUMP 1 (331-201-TP071) (380-237868-1)	9/21/26	11:27 Hawaiian	G	Water			X	X	X	X	6	, MRLs are needed. Confirm any hits >RL.
TB:AIEA GULCH WELLS P1 (331-201-TP071) (380-237868-2)	9/21/26	11:27 Hawaiian	G	Water						X	2	MRLs are needed. Confirm any hits >RL.

380-237868 Chain of Custody

Note: Since laboratory accreditations are subject to change, Eurofins Drinking Water and Wastewater West, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/tests/matrix being analyzed, the samples must be shipped back to the Eurofins Drinking Water and Wastewater West, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Drinking Water and Wastewater West, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Drinking Water and Wastewater West, LLC.

Possible Hazard Identification	*Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)*
Unconfirmed	☐ *Return To Client* ☐ *Disposal By Lab* ☐ *Archive For* _____ *Months*
Deliverable Requested: I, II, III, IV, Other (specify) Primary Deliverable Rank: 2	Special Instructions/QC Requirements:

Empty Kit Relinquished by:	Date:	Time:	Method of Shipment:

Relinquished by:	Date/Time:	Company	Received by:	Date/Time	Company
[signature]	9/23/26 16:28	FEDEX	[signature] Leos	9.23.26 16:30	[illegible]
Relinquished by: [signature] Leos	Date/Time: 9.23.26 17:45	Company [illegible]	Received by: [signature]	Date/Time 9/23/26 1745	Company FEE
Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company

Custody Seals Intact: Δ Yes Δ No	Custody Seal No.:	Cooler Temperature(s) °C and Other Remarks: 1.7 / 1.8 IR-3

Ver: 08/18/2026

Eurofins Pomona
941 Corporate Center Drive
Pomona, CA 91768-2642
Phone: 626-386-1100

Chain of Custody Record

eurofins | En

Loc: 380
237868

Client Information (Sub Contract Lab)	Sampler: N/A	Lab PM: Lopez, Maria	Carrier Tracking No(s): N/A	COC No: 380-384415.1
Client Contact: Shipping/Receiving	Phone: N/A	E-Mail: Maria.Lopez@et.eurofinsus.com	State of Origin: Hawaii	Page: Page 1 of 1
Company: Eurofins Environment Testing Southwest L		Accreditations Required (See note): State - Hawaii		Job #: 380-237868-1
Address: 2841 Dow Avenue, Suite 100,	Due Date Requested: 10/5/2026			
City: Tustin	TAT Requested (days): N/A			
State, Zip: CA, 92780				
Phone: 714-895-5494(Tel)	PO #: N/A			
Email: N/A	WO #: N/A			
Project Name: RED-HILL	Project #: 38001111			
Site: Honolulu BWS Sites	SSOW#: N/A			

Analysis Requested

Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (Wwater, Ssolid, Owwaste/oil, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	625.1/625_Prep(MOD) Tentatively Identified Compounds (Hold)	625.1_SIM/625_Prep(MOD) Extended PAH List	8015B_DRO_LL_CSI/3510C_LL/HML Ranges: C10-C24/C24-C36/C8-C18	8015B_GRO_LL/5030C(MOD) GRO	Total Number of containers	Special Instructions/Note:
			Preservation Code:									
AIEA GULCH WELLS PUMP 1 (331-201-TP071) (380-237868-1)	9/21/26	11:27 Hawaiian	G	Water			X	X	X	X	6	, MRLs are needed. Confirm any hits >RL.
TB:AIEA GULCH WELLS P1 (331-201-TP071) (380-237868-2)	9/21/26	11:27 Hawaiian	G	Water						X	2	MRLs are needed. Confirm any hits >RL.

Other: N/A

Preservation Codes:

380-237868 Chain of Custody

Note: Since laboratory accreditations are subject to change, Eurofins Drinking Water and Wastewater West, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/tests/matrix being analyzed, the samples must be shipped back to the Eurofins Drinking Water and Wastewater West, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Drinking Water and Wastewater West, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Drinking Water and Wastewater West, LLC.

Possible Hazard Identification	*Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)*
Unconfirmed	☐ *Return To Client* ☐ *Disposal By Lab* ☐ *Archive For* _____ *Months*
Deliverable Requested: I, II, III, IV, Other (specify) Primary Deliverable Rank: 2	Special Instructions/QC Requirements:

Empty Kit Relinquished by:	Date:	Time:	Method of Shipment:

Relinquished by:	Date/Time:	Company	Received by:	Date/Time	Company
[signature]	9/23/26 16:28	FEDEX	[signature] Leos	9.23.26 16:30	[illegible]
Relinquished by: [signature] Leos	Date/Time: 9.23.26 17:45	Company [illegible]	Received by: [signature]	Date/Time 9/23/26 1745	Company FEE
Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company

Custody Seals Intact: Δ Yes Δ No	Custody Seal No.:	Cooler Temperature(s) °C and Other Remarks: 1.7 / 1.8 IR-3

Ver: 08/18/2026

Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-237868-1
SDG Number: Weekly: Aiea Gulch Wells Pump 1

Login Number: 237868
List Number: 1
Creator: Tran, Kristine

List Source: Eurofins Pomona

Question	Answer	Comment
The coolers custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
Samples were received on ice.	True	
Cooler(s) Temperature is acceptable.	True	
Cooler(s) Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and is legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
ClO4 headspace requirement met (>50% for CA, >30% for other states).	N/A	
Samples do not require splitting or compositing.	True	
Container provided by EEA	True	

Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-237868-1
SDG Number: Weekly: Aiea Gulch Wells Pump 1

Login Number: 237868
List Number: 2
Creator: Khana, Piyush

List Source: Eurofins Calscience
List Creation: 09/23/26 07:37 PM

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	1.8
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	Received project as a subcontract.
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-237868-1
SDG Number: Weekly: Aiea Gulch Wells Pump 1

Login Number: 237868
List Number: 3
Creator: Khana, Piyush

List Source: Eurofins Calscience
List Creation: 09/24/26 07:42 PM

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	2.3
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	Received project as a subcontract.
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	