

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Mr. Erwin Kawata  
City & County of Honolulu  
630 South Beretania Street  
Public Service Bldg. Room 310  
Honolulu, Hawaii 96843

Generated 6/15/2026 5:14:08 PM

## JOB DESCRIPTION

RED-HILL  
Weekly: Aiea Wells P2

## JOB NUMBER

380-216591-1

# Eurofins Pomona

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Drinking Water and Wastewater West, LLC Project Manager.

## Compliance Statement

1. Laboratory is accredited in accordance with TNI 2016 Standards and ISO/IEC 17025:2017.
2. Laboratory certifies that the test results meet all TNI 2016 and ISO/IEC 17025:2017 requirements unless noted under the individual analysis
3. Test results relate only to the sample(s) tested.
4. This report shall not be reproduced except in full, without the written approval of the laboratory.
5. Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below. (DW, Water matrices)

## Authorization



Authorized for release by  
Maria Lopez, Project Manager  
[Maria.Lopez@et.eurofinsus.com](mailto:Maria.Lopez@et.eurofinsus.com)  
(626)386-1100

Generated  
6/15/2026 5:14:08 PM



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Detection Summary . . . . .	6
Client Sample Results . . . . .	7
Action Limit Summary . . . . .	9
Surrogate Summary . . . . .	10
QC Sample Results . . . . .	13
QC Association Summary . . . . .	20
Lab Chronicle . . . . .	22
Certification Summary . . . . .	23
Method Summary . . . . .	24
Sample Summary . . . . .	25
Chain of Custody . . . . .	26
Receipt Checklists . . . . .	30

# Definitions/Glossary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-216591-1  
SDG: Weekly: Aiea Wells P2

## Qualifiers

### GC Semi VOA

Qualifier	Qualifier Description
^3+	Reporting Limit Check Standard is outside acceptance limits, high biased

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: City & County of Honolulu  
Project: RED-HILL

Job ID: 380-216591-1

**Job ID: 380-216591-1**

**Eurofins Pomona**

## Job Narrative 380-216591-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

### Receipt

The samples were received on 5/28/2026 10:10 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 4.6°C and 5.8°C.

### Receipt Exceptions

#### GC/MS Semi VOA

Method 525.2: Sample was re-extracted for Bis(2-ethylhexyl) phthalate conformation per PM instruction. The initial analysis and confirmation extraction did not confirm values for Bis(2-ethylhexyl) phthalate in the sample. Due to these method failures the data was excluded for AIEA WELLS P2 (260) (331-004-WL103) 380-216591-1. The sample is collected weekly, thus follow up sample was collected on 06/03/26 under job # 380-217940-1. Analysis by EPA 525.2 is currently in progress. (XWB4)

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

#### Gasoline Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

#### Diesel Range Organics

Method 8015B: The method reporting limit check (MRL) for preparation batch 570-747016 and analytical batch 570-750788 recovered outside control limits for the following analytes: C10-C28. These analytes were biased high in the MRL and were not detected in the associated samples; therefore, the data have been reported.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Pomona

# Detection Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-216591-1  
SDG: Weekly: Aiea Wells P2

**Client Sample ID: AIEA WELLS P2 (260) (331-004-WL103)**  
**PWSID Number: HI0000331**

**Lab Sample ID: 380-216591-1**

No Detections.

**Client Sample ID: TB: AIEA WELLS P2 (260) (331-004-WL103)**

**Lab Sample ID: 380-216591-2**

No Detections.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16

This Detection Summary does not include radiochemical test results.

Eurofins Pomona

# Client Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-216591-1  
SDG: Weekly: Aiea Wells P2

**Client Sample ID: AIEA WELLS P2 (260) (331-004-WL103)**

**Lab Sample ID: 380-216591-1**

Date Collected: 05/26/26 11:31

Matrix: Drinking Water

Date Received: 05/28/26 10:10

PWSID Number: HI0000331

## Method: EPA 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	<0.19		0.19	ug/L		05/31/26 08:21	06/03/26 12:37	1
2-Methylnaphthalene	<0.19		0.19	ug/L		05/31/26 08:21	06/03/26 12:37	1
Acenaphthene	<0.19		0.19	ug/L		05/31/26 08:21	06/03/26 12:37	1
Acenaphthylene	<0.19		0.19	ug/L		05/31/26 08:21	06/03/26 12:37	1
Anthracene	<0.19		0.19	ug/L		05/31/26 08:21	06/03/26 12:37	1
Benzo[a]anthracene	<0.19		0.19	ug/L		05/31/26 08:21	06/03/26 12:37	1
Benzo[a]pyrene	<0.19		0.19	ug/L		05/31/26 08:21	06/03/26 12:37	1
Benzo[b]fluoranthene	<0.19		0.19	ug/L		05/31/26 08:21	06/03/26 12:37	1
Benzo[g,h,i]perylene	<0.19		0.19	ug/L		05/31/26 08:21	06/03/26 12:37	1
Benzo[k]fluoranthene	<0.19		0.19	ug/L		05/31/26 08:21	06/03/26 12:37	1
Chrysene	<0.19		0.19	ug/L		05/31/26 08:21	06/03/26 12:37	1
Dibenz(a,h)anthracene	<0.19		0.19	ug/L		05/31/26 08:21	06/03/26 12:37	1
Fluoranthene	<0.19		0.19	ug/L		05/31/26 08:21	06/03/26 12:37	1
Fluorene	<0.19		0.19	ug/L		05/31/26 08:21	06/03/26 12:37	1
Indeno[1,2,3-cd]pyrene	<0.19		0.19	ug/L		05/31/26 08:21	06/03/26 12:37	1
Naphthalene	<0.19		0.19	ug/L		05/31/26 08:21	06/03/26 12:37	1
Phenanthrene	<0.19		0.19	ug/L		05/31/26 08:21	06/03/26 12:37	1
Pyrene	<0.19		0.19	ug/L		05/31/26 08:21	06/03/26 12:37	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	85		28 - 127	05/31/26 08:21	06/03/26 12:37	1
2-Fluorobiphenyl (Surr)	82		31 - 120	05/31/26 08:21	06/03/26 12:37	1
2-Fluorophenol (Surr)	44		17 - 120	05/31/26 08:21	06/03/26 12:37	1
Nitrobenzene-d5 (Surr)	77		27 - 120	05/31/26 08:21	06/03/26 12:37	1
Phenol-d6 (Surr)	26		10 - 120	05/31/26 08:21	06/03/26 12:37	1
p-Terphenyl-d14 (Surr)	71		45 - 120	05/31/26 08:21	06/03/26 12:37	1

## Method: EPA 625.1 - Semivolatile Organic Compounds (GC/MS)

Tentatively Identified Compound	Est. Result	Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Tentatively Identified Compound	None		ug/L			N/A	05/31/26 08:21	06/05/26 17:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	63		33 - 139	05/31/26 08:21	06/05/26 17:48	1
2-Fluorobiphenyl (Surr)	74		33 - 126	05/31/26 08:21	06/05/26 17:48	1
2-Fluorophenol (Surr)	60		12 - 120	05/31/26 08:21	06/05/26 17:48	1
Nitrobenzene-d5 (Surr)	97		36 - 120	05/31/26 08:21	06/05/26 17:48	1
Phenol-d6 (Surr)	35		10 - 120	05/31/26 08:21	06/05/26 17:48	1
p-Terphenyl-d14 (Surr)	67		47 - 131	05/31/26 08:21	06/05/26 17:48	1

## Method: SW846 8015B GRO LL - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	<10		10	ug/L			06/06/26 21:04	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		38 - 134		06/06/26 21:04	1

## Method: SW846 8015B - Diesel Range Organics (DRO) (GC) Low Level

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	<26		26	ug/L		06/01/26 09:04	06/08/26 14:16	1
Motor Oil Range Organics [C24-C36]	<26		26	ug/L		06/01/26 09:04	06/08/26 14:16	1

Eurofins Pomona

# Client Sample Results

Client: City & County of Honolulu  
 Project/Site: RED-HILL

Job ID: 380-216591-1  
 SDG: Weekly: Aiea Wells P2

**Client Sample ID: AIEA WELLS P2 (260) (331-004-WL103)**

**Lab Sample ID: 380-216591-1**

Date Collected: 05/26/26 11:31

Matrix: Drinking Water

Date Received: 05/28/26 10:10

PWSID Number: HI0000331

**Method: SW846 8015B - Diesel Range Organics (DRO) (GC) Low Level (Continued)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
C8-C18	<26		26	ug/L		06/01/26 09:04	06/08/26 14:16	1
<b>Surrogate</b>						<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
<i>n-Octacosane (Surr)</i>	103		60 - 130			06/01/26 09:04	06/08/26 14:16	1

**Client Sample ID: TB: AIEA WELLS P2 (260) (331-004-WL103)**

**Lab Sample ID: 380-216591-2**

Date Collected: 05/26/26 11:31

Matrix: Water

Date Received: 05/28/26 10:10

**Method: SW846 8015B GRO LL - Gasoline Range Organics - (GC)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	<10		10	ug/L			06/06/26 17:58	1
<b>Surrogate</b>						<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
<i>4-Bromofluorobenzene (Surr)</i>	103		38 - 134				06/06/26 17:58	1

# Action Limit Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-216591-1  
SDG: Weekly: Aiea Wells P2

**Client Sample ID: AIEA WELLS P2 (260) (331-004-WL103)**  
**PWSID Number: HI0000331**

**Lab Sample ID: 380-216591-1**

## Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Benzo[a]pyrene	<0.19		ug/L	0.2	0.19	625.1 SIM	Total/NA

# Surrogate Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-216591-1  
SDG: Weekly: Aiea Wells P2

## Method: 625.1 - Semivolatile Organic Compounds (GC/MS)

Matrix: Drinking Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		TBP (33-139)	FBP (33-126)	2FP (12-120)	NBZ (36-120)	PHL6 (10-120)	TPHd14 (47-131)
380-216591-1	AIEA WELLS P2 (260) (331-004)	6	74	60	97	35	67

### Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)  
FBP = 2-Fluorobiphenyl (Surr)  
2FP = 2-Fluorophenol (Surr)  
NBZ = Nitrobenzene-d5 (Surr)  
PHL6 = Phenol-d6 (Surr)  
TPHd14 = p-Terphenyl-d14 (Surr)

## Method: 625.1 - Semivolatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		TBP (33-139)	FBP (33-126)	2FP (12-120)	NBZ (36-120)	PHL6 (10-120)	TPHd14 (47-131)
MB 570-746664/1-A	Method Blank	106	89	60	108	37	92

### Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)  
FBP = 2-Fluorobiphenyl (Surr)  
2FP = 2-Fluorophenol (Surr)  
NBZ = Nitrobenzene-d5 (Surr)  
PHL6 = Phenol-d6 (Surr)  
TPHd14 = p-Terphenyl-d14 (Surr)

## Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Matrix: Drinking Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		TBP (28-127)	FBP (31-120)	2FP (17-120)	NBZ (27-120)	PHL6 (10-120)	TPHd14 (45-120)
380-216591-1	AIEA WELLS P2 (260) (331-004)	85	82	44	77	26	71

### Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)  
FBP = 2-Fluorobiphenyl (Surr)  
2FP = 2-Fluorophenol (Surr)  
NBZ = Nitrobenzene-d5 (Surr)  
PHL6 = Phenol-d6 (Surr)  
TPHd14 = p-Terphenyl-d14 (Surr)

## Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		TBP (28-127)	FBP (31-120)	2FP (17-120)	NBZ (27-120)	PHL6 (10-120)	TPHd14 (45-120)
380-216586-A-1-A MS	Matrix Spike	80	79	54	69	37	78
380-216586-A-1-B MSD	Matrix Spike Duplicate	77	83	57	69	39	81
LCS 570-746664/2-A	Lab Control Sample	73	75	50	64	34	70
LCSD 570-746664/3-A	Lab Control Sample Dup	69	72	47	61	33	74

Eurofins Pomona

# Surrogate Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-216591-1  
SDG: Weekly: Aiea Wells P2

## Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		TBP (28-127)	FBP (31-120)	2FP (17-120)	NBZ (27-120)	PHL6 (10-120)	TPHd14 (45-120)
MB 570-746664/1-A	Method Blank	85	83	49	80	31	78

**Surrogate Legend**

- TBP = 2,4,6-Tribromophenol (Surr)
- FBP = 2-Fluorobiphenyl (Surr)
- 2FP = 2-Fluorophenol (Surr)
- NBZ = Nitrobenzene-d5 (Surr)
- PHL6 = Phenol-d6 (Surr)
- TPHd14 = p-Terphenyl-d14 (Surr)

## Method: 8015B GRO LL - Gasoline Range Organics - (GC)

Matrix: Drinking Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		BFB1 (38-134)
380-216591-1	AIEA WELLS P2 (260) (331-004)	100

**Surrogate Legend**

- BFB = 4-Bromofluorobenzene (Surr)

## Method: 8015B GRO LL - Gasoline Range Organics - (GC)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		BFB1 (38-134)
380-216586-B-1 MS	Matrix Spike	100
380-216586-B-1 MSD	Matrix Spike Duplicate	89
380-216591-2	TB: AIEA WELLS P2 (260) (331-004-WL103)	103
LCS 570-750190/3	Lab Control Sample	98
LCSD 570-750190/4	Lab Control Sample Dup	98
MB 570-750190/6	Method Blank	102
MRL 570-750190/5	Lab Control Sample	99

**Surrogate Legend**

- BFB = 4-Bromofluorobenzene (Surr)

## Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level

Matrix: Drinking Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		OTCSN1 (60-130)
380-216591-1	AIEA WELLS P2 (260) (331-004)	103

**Surrogate Legend**

- OTCSN = n-Octacosane (Surr)

# Surrogate Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-216591-1  
SDG: Weekly: Aiea Wells P2

**Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level**

**Matrix: Water**

**Prep Type: Total/NA**

## Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	OTCSN1 (60-130)
380-216586-C-1-A MS	Matrix Spike	110
380-216586-C-1-B MSD	Matrix Spike Duplicate	102
LCS 570-747016/2-A	Lab Control Sample	108
LCSD 570-747016/3-A	Lab Control Sample Dup	109
MB 570-747016/1-A	Method Blank	103
MRL 570-747016/4-A	Lab Control Sample	98

### Surrogate Legend

OTCSN = n-Octacosane (Surr)

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-216591-1  
SDG: Weekly: Aiea Wells P2

## Method: 625.1 - Semivolatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 570-746664/1-A**  
**Matrix: Water**  
**Analysis Batch: 749030**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 746664**

<i>Tentatively Identified Compound</i>	<i>MB</i>	<i>MB</i>	<i>Unit</i>	<i>D</i>	<i>RT</i>	<i>CAS No.</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>Tentatively Identified Compound</i>	None		ug/L			N/A	05/31/26 08:21	06/04/26 11:39	1

<i>Surrogate</i>	<i>MB</i>	<i>MB</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
	<i>%Recovery</i>	<i>Qualifier</i>				
<i>2,4,6-Tribromophenol (Surr)</i>	106		33 - 139	05/31/26 08:21	06/04/26 11:39	1
<i>2-Fluorobiphenyl (Surr)</i>	89		33 - 126	05/31/26 08:21	06/04/26 11:39	1
<i>2-Fluorophenol (Surr)</i>	60		12 - 120	05/31/26 08:21	06/04/26 11:39	1
<i>Nitrobenzene-d5 (Surr)</i>	108		36 - 120	05/31/26 08:21	06/04/26 11:39	1
<i>Phenol-d6 (Surr)</i>	37		10 - 120	05/31/26 08:21	06/04/26 11:39	1
<i>p-Terphenyl-d14 (Surr)</i>	92		47 - 131	05/31/26 08:21	06/04/26 11:39	1

## Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

**Lab Sample ID: MB 570-746664/1-A**  
**Matrix: Water**  
**Analysis Batch: 748206**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 746664**

<i>Analyte</i>	<i>MB</i>	<i>MB</i>	<i>RL</i>	<i>Unit</i>	<i>D</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
	<i>Result</i>	<i>Qualifier</i>						
1-Methylnaphthalene	<0.20		0.20	ug/L		05/31/26 08:21	06/03/26 07:55	1
2-Methylnaphthalene	<0.20		0.20	ug/L		05/31/26 08:21	06/03/26 07:55	1
Acenaphthene	<0.20		0.20	ug/L		05/31/26 08:21	06/03/26 07:55	1
Acenaphthylene	<0.20		0.20	ug/L		05/31/26 08:21	06/03/26 07:55	1
Anthracene	<0.20		0.20	ug/L		05/31/26 08:21	06/03/26 07:55	1
Benzo[a]anthracene	<0.20		0.20	ug/L		05/31/26 08:21	06/03/26 07:55	1
Benzo[a]pyrene	<0.20		0.20	ug/L		05/31/26 08:21	06/03/26 07:55	1
Benzo[b]fluoranthene	<0.20		0.20	ug/L		05/31/26 08:21	06/03/26 07:55	1
Benzo[g,h,i]perylene	<0.20		0.20	ug/L		05/31/26 08:21	06/03/26 07:55	1
Benzo[k]fluoranthene	<0.20		0.20	ug/L		05/31/26 08:21	06/03/26 07:55	1
Chrysene	<0.20		0.20	ug/L		05/31/26 08:21	06/03/26 07:55	1
Dibenz(a,h)anthracene	<0.20		0.20	ug/L		05/31/26 08:21	06/03/26 07:55	1
Fluoranthene	<0.20		0.20	ug/L		05/31/26 08:21	06/03/26 07:55	1
Fluorene	<0.20		0.20	ug/L		05/31/26 08:21	06/03/26 07:55	1
Indeno[1,2,3-cd]pyrene	<0.20		0.20	ug/L		05/31/26 08:21	06/03/26 07:55	1
Naphthalene	<0.20		0.20	ug/L		05/31/26 08:21	06/03/26 07:55	1
Phenanthrene	<0.20		0.20	ug/L		05/31/26 08:21	06/03/26 07:55	1
Pyrene	<0.20		0.20	ug/L		05/31/26 08:21	06/03/26 07:55	1

<i>Surrogate</i>	<i>MB</i>	<i>MB</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
	<i>%Recovery</i>	<i>Qualifier</i>				
<i>2,4,6-Tribromophenol (Surr)</i>	85		28 - 127	05/31/26 08:21	06/03/26 07:55	1
<i>2-Fluorobiphenyl (Surr)</i>	83		31 - 120	05/31/26 08:21	06/03/26 07:55	1
<i>2-Fluorophenol (Surr)</i>	49		17 - 120	05/31/26 08:21	06/03/26 07:55	1
<i>Nitrobenzene-d5 (Surr)</i>	80		27 - 120	05/31/26 08:21	06/03/26 07:55	1
<i>Phenol-d6 (Surr)</i>	31		10 - 120	05/31/26 08:21	06/03/26 07:55	1
<i>p-Terphenyl-d14 (Surr)</i>	78		45 - 120	05/31/26 08:21	06/03/26 07:55	1

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-216591-1  
SDG: Weekly: Aiea Wells P2

## Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

**Lab Sample ID: LCS 570-746664/2-A**  
**Matrix: Water**  
**Analysis Batch: 748206**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 746664**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1-Methylnaphthalene	20.0	13.7		ug/L		69	47 - 120
2-Methylnaphthalene	20.0	12.3		ug/L		61	43 - 120
Acenaphthene	20.0	15.6		ug/L		78	60 - 132
Acenaphthylene	20.0	15.5		ug/L		77	54 - 126
Anthracene	20.0	15.2		ug/L		76	43 - 120
Benzo[a]anthracene	20.0	14.3		ug/L		71	42 - 133
Benzo[a]pyrene	20.0	15.1		ug/L		75	32 - 148
Benzo[b]fluoranthene	20.0	14.1		ug/L		71	42 - 140
Benzo[g,h,i]perylene	20.0	13.9		ug/L		69	1 - 195
Benzo[k]fluoranthene	20.0	14.2		ug/L		71	25 - 146
Chrysene	20.0	13.5		ug/L		68	44 - 140
Dibenz(a,h)anthracene	20.0	15.2		ug/L		76	1 - 200
Fluoranthene	20.0	15.7		ug/L		78	43 - 121
Fluorene	20.0	15.7		ug/L		78	70 - 120
Indeno[1,2,3-cd]pyrene	20.0	14.6		ug/L		73	1 - 151
Naphthalene	20.0	12.9		ug/L		65	36 - 120
Phenanthrene	20.0	15.2		ug/L		76	65 - 120
Pyrene	20.0	14.4		ug/L		72	70 - 120

Surrogate	LCS %Recovery	LCS Qualifier	Limits
2,4,6-Tribromophenol (Surr)	73		28 - 127
2-Fluorobiphenyl (Surr)	75		31 - 120
2-Fluorophenol (Surr)	50		17 - 120
Nitrobenzene-d5 (Surr)	64		27 - 120
Phenol-d6 (Surr)	34		10 - 120
p-Terphenyl-d14 (Surr)	70		45 - 120

**Lab Sample ID: LCSD 570-746664/3-A**  
**Matrix: Water**  
**Analysis Batch: 748206**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**  
**Prep Batch: 746664**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1-Methylnaphthalene	20.0	13.0		ug/L		65	47 - 120	6	20
2-Methylnaphthalene	20.0	11.1		ug/L		56	43 - 120	10	20
Acenaphthene	20.0	15.2		ug/L		76	60 - 132	3	29
Acenaphthylene	20.0	14.9		ug/L		75	54 - 126	4	45
Anthracene	20.0	14.4		ug/L		72	43 - 120	5	40
Benzo[a]anthracene	20.0	15.4		ug/L		77	42 - 133	8	32
Benzo[a]pyrene	20.0	16.3		ug/L		82	32 - 148	8	43
Benzo[b]fluoranthene	20.0	15.6		ug/L		78	42 - 140	10	43
Benzo[g,h,i]perylene	20.0	15.7		ug/L		79	1 - 195	12	61
Benzo[k]fluoranthene	20.0	15.7		ug/L		79	25 - 146	10	38
Chrysene	20.0	15.1		ug/L		76	44 - 140	11	53
Dibenz(a,h)anthracene	20.0	17.0		ug/L		85	1 - 200	11	75
Fluoranthene	20.0	15.0		ug/L		75	43 - 121	4	40
Fluorene	20.0	15.2		ug/L		76	70 - 120	3	23
Indeno[1,2,3-cd]pyrene	20.0	16.0		ug/L		80	1 - 151	9	60
Naphthalene	20.0	11.9		ug/L		60	36 - 120	8	39

Eurofins Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-216591-1  
SDG: Weekly: Aiea Wells P2

## Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

**Lab Sample ID: LCSD 570-746664/3-A**  
**Matrix: Water**  
**Analysis Batch: 748206**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**  
**Prep Batch: 746664**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Phenanthrene	20.0	15.2		ug/L		76	65 - 120	0	24
Pyrene	20.0	15.6		ug/L		78	70 - 120	8	30

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
2,4,6-Tribromophenol (Surr)	69		28 - 127
2-Fluorobiphenyl (Surr)	72		31 - 120
2-Fluorophenol (Surr)	47		17 - 120
Nitrobenzene-d5 (Surr)	61		27 - 120
Phenol-d6 (Surr)	33		10 - 120
p-Terphenyl-d14 (Surr)	74		45 - 120

**Lab Sample ID: 380-216586-A-1-A MS**  
**Matrix: Water**  
**Analysis Batch: 748206**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**  
**Prep Batch: 746664**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1-Methylnaphthalene	<0.19		19.6	14.6		ug/L		74	36 - 120
2-Methylnaphthalene	<0.19		19.6	13.0		ug/L		66	32 - 124
Acenaphthene	<0.19		19.6	16.6		ug/L		85	47 - 145
Acenaphthylene	<0.19		19.6	16.5		ug/L		84	33 - 145
Anthracene	<0.19		19.6	15.4		ug/L		78	27 - 133
Benzo[a]anthracene	<0.19		19.6	16.3		ug/L		83	33 - 143
Benzo[a]pyrene	<0.19		19.6	17.7		ug/L		90	17 - 163
Benzo[b]fluoranthene	<0.19		19.6	16.6		ug/L		84	24 - 159
Benzo[g,h,i]perylene	<0.19		19.6	16.6		ug/L		85	1 - 219
Benzo[k]fluoranthene	<0.19		19.6	16.4		ug/L		84	11 - 162
Chrysene	<0.19		19.6	16.5		ug/L		84	17 - 168
Dibenz(a,h)anthracene	<0.19		19.6	17.8		ug/L		90	1 - 227
Fluoranthene	<0.19		19.6	16.2		ug/L		83	26 - 137
Fluorene	<0.19		19.6	16.9		ug/L		86	59 - 121
Indeno[1,2,3-cd]pyrene	<0.19		19.6	17.2		ug/L		88	1 - 171
Naphthalene	<0.19		19.6	13.6		ug/L		69	21 - 133
Phenanthrene	<0.19		19.6	16.5		ug/L		84	54 - 120
Pyrene	<0.19		19.6	17.1		ug/L		87	52 - 120

Surrogate	MS %Recovery	MS Qualifier	Limits
2,4,6-Tribromophenol (Surr)	80		28 - 127
2-Fluorobiphenyl (Surr)	79		31 - 120
2-Fluorophenol (Surr)	54		17 - 120
Nitrobenzene-d5 (Surr)	69		27 - 120
Phenol-d6 (Surr)	37		10 - 120
p-Terphenyl-d14 (Surr)	78		45 - 120

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-216591-1  
SDG: Weekly: Aiea Wells P2

## Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

**Lab Sample ID: 380-216586-A-1-B MSD**  
**Matrix: Water**  
**Analysis Batch: 748206**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**  
**Prep Batch: 746664**

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier				Limits		
1-Methylnaphthalene	<0.19		19.6	14.8		ug/L		75	36 - 120	1	30
2-Methylnaphthalene	<0.19		19.6	13.1		ug/L		67	32 - 124	1	30
Acenaphthene	<0.19		19.6	16.6		ug/L		85	47 - 145	0	48
Acenaphthylene	<0.19		19.6	16.7		ug/L		85	33 - 145	1	74
Anthracene	<0.19		19.6	15.8		ug/L		81	27 - 133	3	66
Benzo[a]anthracene	<0.19		19.6	17.6		ug/L		90	33 - 143	8	53
Benzo[a]pyrene	<0.19		19.6	18.6		ug/L		95	17 - 163	5	72
Benzo[b]fluoranthene	<0.19		19.6	17.7		ug/L		90	24 - 159	7	71
Benzo[g,h,i]perylene	<0.19		19.6	17.3		ug/L		88	1 - 219	4	97
Benzo[k]fluoranthene	<0.19		19.6	17.5		ug/L		89	11 - 162	6	63
Chrysene	<0.19		19.6	16.8		ug/L		86	17 - 168	2	87
Dibenz(a,h)anthracene	<0.19		19.6	18.6		ug/L		95	1 - 227	4	126
Fluoranthene	<0.19		19.6	16.3		ug/L		83	26 - 137	0	66
Fluorene	<0.19		19.6	16.7		ug/L		85	59 - 121	1	38
Indeno[1,2,3-cd]pyrene	<0.19		19.6	17.7		ug/L		90	1 - 171	2	99
Naphthalene	<0.19		19.6	13.7		ug/L		70	21 - 133	0	65
Phenanthrene	<0.19		19.6	17.1		ug/L		87	54 - 120	4	39
Pyrene	<0.19		19.6	18.1		ug/L		92	52 - 120	6	49

Surrogate	MSD %Recovery	MSD Qualifier	MSD Limits
2,4,6-Tribromophenol (Surr)	77		28 - 127
2-Fluorobiphenyl (Surr)	83		31 - 120
2-Fluorophenol (Surr)	57		17 - 120
Nitrobenzene-d5 (Surr)	69		27 - 120
Phenol-d6 (Surr)	39		10 - 120
p-Terphenyl-d14 (Surr)	81		45 - 120

## Method: 8015B GRO LL - Gasoline Range Organics - (GC)

**Lab Sample ID: MB 570-750190/6**  
**Matrix: Water**  
**Analysis Batch: 750190**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB	MB	RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
GRO (C6-C10)	<10		10	ug/L			06/06/26 13:51	1

Surrogate	MB %Recovery	MB Qualifier	MB Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		38 - 134		06/06/26 13:51	1

**Lab Sample ID: LCS 570-750190/3**  
**Matrix: Water**  
**Analysis Batch: 750190**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec
							Limits
Gasoline Range Organics (C4-C13)	400	404		ug/L		101	78 - 120

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-216591-1  
SDG: Weekly: Aiea Wells P2

## Method: 8015B GRO LL - Gasoline Range Organics - (GC) (Continued)

**Lab Sample ID: LCS 570-750190/3**  
**Matrix: Water**  
**Analysis Batch: 750190**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

	LCS %Recovery	LCS Qualifier	Limits
<b>Surrogate</b> 4-Bromofluorobenzene (Surr)	98		38 - 134

**Lab Sample ID: LCSD 570-750190/4**  
**Matrix: Water**  
**Analysis Batch: 750190**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (C4-C13)	400	424		ug/L		106	78 - 120	5	10

	LCSD %Recovery	LCSD Qualifier	Limits
<b>Surrogate</b> 4-Bromofluorobenzene (Surr)	98		38 - 134

**Lab Sample ID: MRL 570-750190/5**  
**Matrix: Water**  
**Analysis Batch: 750190**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (C4-C13)	10.0	14.0		ug/L		140	50 - 150

	MRL %Recovery	MRL Qualifier	Limits
<b>Surrogate</b> 4-Bromofluorobenzene (Surr)	99		38 - 134

**Lab Sample ID: 380-216586-B-1 MS**  
**Matrix: Water**  
**Analysis Batch: 750190**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (C4-C13)	<10		400	402		ug/L		101	68 - 122

	MS %Recovery	MS Qualifier	Limits
<b>Surrogate</b> 4-Bromofluorobenzene (Surr)	100		38 - 134

**Lab Sample ID: 380-216586-B-1 MSD**  
**Matrix: Water**  
**Analysis Batch: 750190**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (C4-C13)	<10		400	399		ug/L		100	68 - 122	1	18

	MSD %Recovery	MSD Qualifier	Limits
<b>Surrogate</b> 4-Bromofluorobenzene (Surr)	89		38 - 134

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-216591-1  
SDG: Weekly: Aiea Wells P2

## Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level

**Lab Sample ID: MB 570-747016/1-A**  
**Matrix: Water**  
**Analysis Batch: 750788**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 747016**

Analyte	MB MB		RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
Diesel Range Organics (C10-C24)	<25		25	ug/L		06/01/26 09:03	06/08/26 11:46	1
Motor Oil Range Organics [C24-C36]	<25		25	ug/L		06/01/26 09:03	06/08/26 11:46	1
C8-C18	<25		25	ug/L		06/01/26 09:03	06/08/26 11:46	1
Surrogate	MB MB		Limits			Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier						
<i>n-Octacosane (Surr)</i>	103		60 - 130			06/01/26 09:03	06/08/26 11:46	1

**Lab Sample ID: LCS 570-747016/2-A**  
**Matrix: Water**  
**Analysis Batch: 750788**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 747016**

Analyte	Spike Added	LCS LCS		Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
C10-C28	1600	1720		ug/L		108	56 - 127
Surrogate	LCS LCS		Limits			%Rec	
	%Recovery	Qualifier					
<i>n-Octacosane (Surr)</i>	108		60 - 130				

**Lab Sample ID: LCSD 570-747016/3-A**  
**Matrix: Water**  
**Analysis Batch: 750788**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**  
**Prep Batch: 747016**

Analyte	Spike Added	LCSD LCSD		Unit	D	%Rec	%Rec Limits	RPD	
		Result	Qualifier					RPD	Limit
C10-C28	1600	1680		ug/L		105	56 - 127	2	23
Surrogate	LCSD LCSD		Limits			%Rec			
	%Recovery	Qualifier							
<i>n-Octacosane (Surr)</i>	109		60 - 130						

**Lab Sample ID: MRL 570-747016/4-A**  
**Matrix: Water**  
**Analysis Batch: 750788**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 747016**

Analyte	Spike Added	MRL MRL		Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
C10-C28	0.0200	0.0311	^3+	mg/L		156	50 - 150
Surrogate	MRL MRL		Limits			%Rec	
	%Recovery	Qualifier					
<i>n-Octacosane (Surr)</i>	98		60 - 130				

**Lab Sample ID: 380-216586-C-1-A MS**  
**Matrix: Water**  
**Analysis Batch: 750788**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**  
**Prep Batch: 747016**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS MS		Unit	D	%Rec	%Rec Limits
				Result	Qualifier				
C10-C28	<25	^3+	1650	1800		ug/L		109	70 - 130
Surrogate	MS MS		Limits					%Rec	
	%Recovery	Qualifier							
<i>n-Octacosane (Surr)</i>	110		60 - 130						

# QC Sample Results

Client: City & County of Honolulu  
 Project/Site: RED-HILL

Job ID: 380-216591-1  
 SDG: Weekly: Aiea Wells P2

## Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level (Continued)

**Lab Sample ID: 380-216586-C-1-B MSD**  
**Matrix: Water**  
**Analysis Batch: 750788**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**  
**Prep Batch: 747016**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
C10-C28	<25	^3+	1660	1720		ug/L		104	70 - 130	5	20
<b>Surrogate</b>											
<i>n-Octacosane (Surr)</i>	<i>MSD</i> 102	<i>MSD</i> Qualifier	<i>Limits</i> 60 - 130								

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16

# QC Association Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-216591-1  
SDG: Weekly: Aiea Wells P2

## GC/MS Semi VOA

### Prep Batch: 746664

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-216591-1	AIEA WELLS P2 (260) (331-004-WL103)	Total/NA	Drinking Water	625.1	
MB 570-746664/1-A	Method Blank	Total/NA	Water	625.1	
LCS 570-746664/2-A	Lab Control Sample	Total/NA	Water	625.1	
LCSD 570-746664/3-A	Lab Control Sample Dup	Total/NA	Water	625.1	
380-216586-A-1-A MS	Matrix Spike	Total/NA	Water	625.1	
380-216586-A-1-B MSD	Matrix Spike Duplicate	Total/NA	Water	625.1	

### Analysis Batch: 748206

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-216591-1	AIEA WELLS P2 (260) (331-004-WL103)	Total/NA	Drinking Water	625.1 SIM	746664
MB 570-746664/1-A	Method Blank	Total/NA	Water	625.1 SIM	746664
LCS 570-746664/2-A	Lab Control Sample	Total/NA	Water	625.1 SIM	746664
LCSD 570-746664/3-A	Lab Control Sample Dup	Total/NA	Water	625.1 SIM	746664
380-216586-A-1-A MS	Matrix Spike	Total/NA	Water	625.1 SIM	746664
380-216586-A-1-B MSD	Matrix Spike Duplicate	Total/NA	Water	625.1 SIM	746664

### Analysis Batch: 749030

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 570-746664/1-A	Method Blank	Total/NA	Water	625.1	746664

### Analysis Batch: 749532

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-216591-1	AIEA WELLS P2 (260) (331-004-WL103)	Total/NA	Drinking Water	625.1	746664

## GC VOA

### Analysis Batch: 750190

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-216591-1	AIEA WELLS P2 (260) (331-004-WL103)	Total/NA	Drinking Water	8015B GRO LL	
380-216591-2	TB: AIEA WELLS P2 (260) (331-004-WL103)	Total/NA	Water	8015B GRO LL	
MB 570-750190/6	Method Blank	Total/NA	Water	8015B GRO LL	
LCS 570-750190/3	Lab Control Sample	Total/NA	Water	8015B GRO LL	
LCSD 570-750190/4	Lab Control Sample Dup	Total/NA	Water	8015B GRO LL	
MRL 570-750190/5	Lab Control Sample	Total/NA	Water	8015B GRO LL	
380-216586-B-1 MS	Matrix Spike	Total/NA	Water	8015B GRO LL	
380-216586-B-1 MSD	Matrix Spike Duplicate	Total/NA	Water	8015B GRO LL	

## GC Semi VOA

### Prep Batch: 747016

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-216591-1	AIEA WELLS P2 (260) (331-004-WL103)	Total/NA	Drinking Water	3510C	
MB 570-747016/1-A	Method Blank	Total/NA	Water	3510C	
LCS 570-747016/2-A	Lab Control Sample	Total/NA	Water	3510C	
LCSD 570-747016/3-A	Lab Control Sample Dup	Total/NA	Water	3510C	
MRL 570-747016/4-A	Lab Control Sample	Total/NA	Water	3510C	
380-216586-C-1-A MS	Matrix Spike	Total/NA	Water	3510C	
380-216586-C-1-B MSD	Matrix Spike Duplicate	Total/NA	Water	3510C	

### Analysis Batch: 750788

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-216591-1	AIEA WELLS P2 (260) (331-004-WL103)	Total/NA	Drinking Water	8015B	747016

Eurofins Pomona

# QC Association Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-216591-1  
SDG: Weekly: Aiea Wells P2

## GC Semi VOA (Continued)

### Analysis Batch: 750788 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 570-747016/1-A	Method Blank	Total/NA	Water	8015B	747016
LCS 570-747016/2-A	Lab Control Sample	Total/NA	Water	8015B	747016
LCSD 570-747016/3-A	Lab Control Sample Dup	Total/NA	Water	8015B	747016
MRL 570-747016/4-A	Lab Control Sample	Total/NA	Water	8015B	747016
380-216586-C-1-A MS	Matrix Spike	Total/NA	Water	8015B	747016
380-216586-C-1-B MSD	Matrix Spike Duplicate	Total/NA	Water	8015B	747016

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16

# Lab Chronicle

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-216591-1  
SDG: Weekly: Aiea Wells P2

**Client Sample ID: AIEA WELLS P2 (260) (331-004-WL103)**

**Lab Sample ID: 380-216591-1**

**Date Collected: 05/26/26 11:31**

**Matrix: Drinking Water**

**Date Received: 05/28/26 10:10**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	625.1			746664	KLZQ	EET CAL 4	05/31/26 08:21
Total/NA	Analysis	625.1		1	749532	PQS1	EET CAL 4	06/05/26 17:48
Total/NA	Prep	625.1			746664	KLZQ	EET CAL 4	05/31/26 08:21
Total/NA	Analysis	625.1 SIM		1	748206	PQS1	EET CAL 4	06/03/26 12:37
Total/NA	Analysis	8015B GRO LL		1	750190	A9VE	EET CAL 4	06/06/26 21:04
Total/NA	Prep	3510C			747016	TVD6	EET CAL 4	06/01/26 09:04
Total/NA	Analysis	8015B		1	750788	NR	EET CAL 4	06/08/26 14:16

**Client Sample ID: TB: AIEA WELLS P2 (260) (331-004-WL103)**

**Lab Sample ID: 380-216591-2**

**Date Collected: 05/26/26 11:31**

**Matrix: Water**

**Date Received: 05/28/26 10:10**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8015B GRO LL		1	750190	A9VE	EET CAL 4	06/06/26 17:58

**Laboratory References:**

EET CAL 4 = Eurofins Calscience Tustin, 2841 Dow Avenue, Tustin, CA 92780, TEL (714)895-5494

# Accreditation/Certification Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-216591-1  
SDG: Weekly: Aiea Wells P2

## Laboratory: Eurofins Calscience

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
A2LA	Dept. of Defense ELAP	7296.01	11-30-26
A2LA	ISO/IEC 17025	7296.01	11-30-26
Alaska (UST)	State	25-005	03-02-27
Arizona	State	AZ0830	11-17-26
California	Los Angeles County Sanitation Districts	9257304	07-31-26
California	SCAQMD LAP	17LA0919	11-30-26
California	State	3082	07-31-26
Kansas	NELAP	E-10420	07-31-26
Nevada	State	CA00111	07-31-26
Oregon	NELAP	4175	02-02-27
USDA	US Federal Programs	525-23-159-97150	09-30-26
Utah	NELAP	CA00111	02-28-27
Washington	State	C916	10-12-26

# Method Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-216591-1  
SDG: Weekly: Aiea Wells P2

Method	Method Description	Protocol	Laboratory
625.1	Semivolatile Organic Compounds (GC/MS)	EPA	EET CAL 4
625.1 SIM	Semivolatile Organic Compounds GC/MS (SIM)	EPA	EET CAL 4
8015B GRO LL	Gasoline Range Organics - (GC)	SW846	EET CAL 4
8015B	Diesel Range Organics (DRO) (GC) Low Level	SW846	EET CAL 4
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	EET CAL 4
5030C	Purge and Trap	SW846	EET CAL 4
625.1	Liquid-Liquid Extraction	40CFR136A	EET CAL 4

#### Protocol References:

40CFR136A = "Methods for Organic Chemical Analysis of Municipal Industrial Wastewater", 40CFR, Part 136, Appendix A, October 26, 1984 and subsequent revisions.

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

#### Laboratory References:

EET CAL 4 = Eurofins Calscience Tustin, 2841 Dow Avenue, Tustin, CA 92780, TEL (714)895-5494

# Sample Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-216591-1  
SDG: Weekly: Aiea Wells P2

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	PWSID Number
380-216591-1	AIEA WELLS P2 (260) (331-004-WL103)	Drinking Water	05/26/26 11:31	05/28/26 10:10	HI0000331
380-216591-2	TB: AIEA WELLS P2 (260) (331-004-WL103)	Water	05/26/26 11:31	05/28/26 10:10	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16

**Eurofins Eaton Analytical Pomona**

941 Corporate Center Drive  
 Pomona, CA 91768-2842  
 Phone (626) 386-1100

**Chain of Custody Record**



Enviro



380-216591 COC

**Client Information**  
 Client Contact: Kirk Iwamoto  
 Phone: +1 808 748 5840  
 Lab P.M.: Lopez, Maria  
 E-Mail: Maria.Lopez@et.eurofins.us.com

**Company:** City & County of Honolulu  
 Address: 630 South Beretania Street Chemistry Lab  
 City: Honolulu  
 State, Zip: HI, 96843  
 Phone: 808-748-5840 (Tel)  
 Email: kiwamoto@hibus.org

**Project Name:** RED-HILL/HBWS Sites Event Desc: RUSH Weekly Red Hill  
 Project #: 38001111  
 SSON#:   
 Site: Hawaii

**Analysis Requested**

Sample Identification	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (Preserv, Specific, Quantitat, Other)	Preservation Code: (ST-TYPE, JAR)	Field Filtered Sample (Yes or No)	Perform ICM/MSD (Yes or No)	R	RA	Q	QA	Y	I	Special Instructions/Note:
Aicea Wells P2 (260) (331-004-WL103)	26-May-2026	1131	G	Water		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	2	3	1	2			
Aicea Wells P2 (260) (331-004-WL103) (Matrix Spike)				Water										
Aicea Wells P2 (260) (331-004-WL103) (Matrix Spike Duplicate)				Water										
TB: Aicea Wells P2 (260) (331-004-WL103)	26-May-2026	1131		Water										

**Due Date Requested:**  
 TAT Requested (days):  
 Compliance Project:  Yes  No  
 PO #: C20525101 exp 05312023  
 WO #:  
 Project #: 38001111  
 SSON#:   
 Site: Hawaii

**Possible Hazard Identification**  
 Non-Hazard  Flammable  Skin Irritant  Poison B  Unknown  Radiological

**Deliverable Requested:** I, II, III, IV, Other (specify)

**Special Instructions/QC Requirements:**

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)  
 Return To Client  Disposal By Lab  Archive For \_\_\_\_\_ Months

**Received by:** [Signature] Date/Time: 5/28/26 1010  
 Company: EPAR


**Received by:** [Signature] Date/Time: \_\_\_\_\_  
 Company: \_\_\_\_\_

**Received by:** [Signature] Date/Time: \_\_\_\_\_  
 Company: \_\_\_\_\_

**Custody Seal Intact:**  Yes  No  
 Custody Seal No.: (B31A) 5-8+0-0-5-8 961-100100




# Chain of Custody Record

<b>Client Information</b> Company: Kirk Iwamoto City & County of Honolulu Address: 630 South Beretania Street Chemistry Lab City: Honolulu State, Zip: HI, 96843 Phone: 808-748-5840 (Tel) Email: kiwamoto@hbws.org Project Name: RED-HILL/HBWS Sites Event Desc: RUSH Weekly Red Hill Site: Hawaii		Lab PM: Lopez, Maria E-Mail: Maria.Lopez@et.eurofins.com Phone: +1 808 748 5840 PWSID:		Carrier Tracking No(s): State of Origin: Page: Page 1 of 1 Job #:		COC No: Preservation Codes: R - NaThioSO4 Q - Na2SO3 QA - Na2SO3(HCI) Y - Trizma I - NH4 Acetate Other: 360-216591 COC 	
Due Date Requested: TAT Requested (days): Compliance Project: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No PO #: C20525101 exp 05312023 WO #:		Analysis Requested 625.1_625.1_SIM 6015B_GRO_LL_(MOD) GRO 6015B_DRO_LL_CS - HNL Ranges C10-C24/C24-C38/C8-C19 625.2_PREC - (MOD) 625plus Plus TICs 637.1_DW_PREC - 637.1 Full List 633 - All Analytes		Total Number of Containers:		Special Instructions/Note:	
Sample Identification Aiea Wells P2 (260) (331-004-WL103) Aiea Wells P2 (260) (331-004-WL103) (Matrix Spike) Aiea Wells P2 (260) (331-004-WL103) (Matrix Spike Duplicate) TB: Aiea Wells P2 (260) (331-004-WL103)		Sample Date 26-May-2026 26-May-2026		Sample Time 1131 1131		Sample Type (C=Comp, G=grab) G G	
Matrix (Water, Seawater, Stormwater, Other) Water Water Water Water		Sample Type (C=Comp, G=grab) G G G G		Sample Time 1131 1131		Matrix (Water, Seawater, Stormwater, Other) Water Water Water Water	
Possible Hazard Identification <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological		Date/Time: 21 May 2026 Date/Time: 1400 Date/Time:		Date/Time: 5/29/26 Date/Time: 1003 Date/Time:		Method of Shipment: Fed Ex 977309375556 Company: KEN Company: KEN Company:	
Deliverable Requested: <input type="checkbox"/> I, <input type="checkbox"/> II, <input type="checkbox"/> III, <input type="checkbox"/> IV, Other (specify)		Date:		Date:		Date:	
Empty Kit Relinquished by:		Relinquished by: DAISY		Relinquished by:		Relinquished by:	
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.:		Cooler Temperature(s) °C and Other Remarks: (23.1) 21.6 40.0 41.6 42.1 - FROZEN		Ver: 04/02/2024	



# Chain of Custody Record



<b>Client Information (Sub Contract Lab)</b>		Sampler: N/A		Lab PM: Lopez, Maria		Carrier Tracking No(s): N/A		COC No: 380-339717.1			
Client Contact: Shipping/Receiving		Phone: N/A		E-Mail: Maria.Lopez@et.eurofins.us		State of Origin: Hawaii		Page: Page 1 of 1			
Company: Eurofins Environment Testing Southwest L				Accreditations Required (See note): State - Hawaii				Job #: 380-216591-1			
Address: 2641 Dow Avenue, Suite 100, City: Tustin State, Zip: CA, 92780 Phone: 714-895-5494(Tel) Email: N/A Project Name: RED-HILL Site: Honolulu BWS Sites		Due Date Requested: 6/10/2026 TAT Requested (days): N/A		<b>Analysis Requested</b>						Preservation Codes:	
		PO #: N/A		WO #: N/A		Project #: 38001111		SSOW#: N/A		Other: N/A	
<b>Sample Identification - Client ID (Lab ID)</b>		<b>Sample Date</b>	<b>Sample Time</b>	<b>Sample Type</b> (C=comp, G=grab)	<b>Matrix</b> (W=water, S=solid, O=waste/oil, BT=leach, A=air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	8015B_GRO_LL5030C(MOD) GRO	Total Number of containers	<b>Special Instructions/Note:</b>	
				Preservation Code:							
AIEA WELLS P2 (260) (331-004-WL103) (380-216591-1)		5/25/26	11:31 Hawaiian	G	Water		X		3	MRLs are needed.	
 380-216591 Chain of Custody											
<p>Note: Since laboratory accreditations are subject to change, Eurofins Drinking Water and Wastewater West, LLC places the ownership of method, analyte &amp; accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/tests/matrix being analyzed, the samples must be shipped back to the Eurofins Drinking Water and Wastewater West, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Drinking Water and Wastewater West, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Drinking Water and Wastewater West, LLC.</p>											
<b>Possible Hazard Identification</b>					<b>Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)</b>						
Unconfirmed					<input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months						
Deliverable Requested: I, II, III, IV, Other (specify)					Primary Deliverable Rank: 2		Special instructions/QC Requirements:				
Empty Kit Relinquished by:			Date:		Time:		Method of Shipment:				
Relinquished by: <i>[Signature]</i>			Date/Time: 5/29/26 1330		Company: OEA		Received by: <i>[Signature]</i>		Date/Time: 5/29/26 1330		
Relinquished by:			Date/Time:		Company:		Received by:		Date/Time:		
Relinquished by:			Date/Time:		Company:		Received by:		Date/Time:		
Custody Seals Intact: Δ Yes Δ No		Custody Seal No.:			Cooler Temperature(s) °C and Other Remarks: 1.4 / 1.4 IR-8						



# Chain of Custody Record



<b>Client Information (Sub Contract Lab)</b>		Sampler: N/A	Lab PM: Lopez, Maria	Carrier Tracking No(s): N/A	COC No: 380-339922.1																																																																	
Client Contact:		Phone: N/A	E-Mail: Maria.Lopez@et.eurofinsus.com	State of Origin: Hawaii	Page: Page 1 of 1																																																																	
Shipping/Receiving		Company: Eurofins Environment Testing Southwest L			Accreditations Required (See note): State - Hawaii																																																																	
Address: 2841 Dow Avenue, Suite 100,		Due Date Requested: 6/10/2026	<table border="1"> <thead> <tr> <th colspan="10">Analysis Requested</th> </tr> <tr> <th>Field Filtered Sample (Yes or No)</th> <th>Perform MS/MSD (Yes or No)</th> <th>8015B_GRO_LLJ5030C(MOD) GRO</th> <th>8075B_DRD_LL_CS0510C_LLHML Ranges: C10-C24/C24-C36/C8-C18</th> <th>625_1_51M625_Prep(MOD) Extended PAH List</th> <th>625_1/625_Prep(MOD) Tentatively Identified Compounds (Hold)</th> <th colspan="4"></th> <th rowspan="5">Total Number of Containers</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td>4</td> </tr> <tr> <td></td> <td></td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>2</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>		Analysis Requested										Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	8015B_GRO_LLJ5030C(MOD) GRO	8075B_DRD_LL_CS0510C_LLHML Ranges: C10-C24/C24-C36/C8-C18	625_1_51M625_Prep(MOD) Extended PAH List	625_1/625_Prep(MOD) Tentatively Identified Compounds (Hold)					Total Number of Containers			X	X	X	X					4			X								2																							Job #: 380-216591-1
Analysis Requested																																																																						
Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	8015B_GRO_LLJ5030C(MOD) GRO			8075B_DRD_LL_CS0510C_LLHML Ranges: C10-C24/C24-C36/C8-C18	625_1_51M625_Prep(MOD) Extended PAH List	625_1/625_Prep(MOD) Tentatively Identified Compounds (Hold)					Total Number of Containers																																																										
		X			X	X	X						4																																																									
		X											2																																																									
City: Tustin		TAT Requested (days): N/A	Preservation Codes:																																																																			
State, Zip: CA, 92780		PO #: N/A	Other: N/A																																																																			
Phone: 714-895-5494(Tel)		WO #: N/A	Special Instructions/Note:																																																																			
Email: N/A		Project #: 38001111																																																																				
Project Name: RED-HILL		SSOWN#: N/A																																																																				
Site: Honolulu BWS Sites																																																																						
<b>Sample Identification - Client ID (Lab ID)</b>		<b>Sample Date</b>	<b>Sample Time</b>	<b>Sample Type (C=Comp, G=grab)</b>	<b>Matrix (W=water, S=solid, O=water/air, BT=Tissue, A=Air)</b>																																																																	
		Preservation Code:																																																																				
AIEA WELLS P2 (260) (331-004-WL103) (380-216591-1)		5/26/26	11:31 Hawaiian	G	Water																																																																	
TB: AIEA WELLS P2 (260) (331-004-WL103) (380-216591-2)		5/26/26	11:31 Hawaiian	G	Water																																																																	



Note: Since laboratory accreditations are subject to change, Eurofins Drinking Water and Wastewater West, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/tests/matrix being analyzed, the samples must be shipped back to the Eurofins Drinking Water and Wastewater West, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Drinking Water and Wastewater West, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Drinking Water and Wastewater West, LLC.

<b>Possible Hazard Identification</b>		<b>Sample Disposal ( A fee may be assessed if samples are retained longer than 1 month)</b>			
Unconfirmed		<input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months			
Deliverable Requested: I, II, III, IV, Other (specify)		Primary Deliverable Rank: 2		Special Instructions/QC Requirements:	
Empty Kit Relinquished by:		Date:	Time:	Method of Shipment:	
Relinquished by: <i>Maria Lopez</i>		Date/Time: <i>5/29/26 15:30</i>	Company: <i>CEAP</i>	Received by: <i>John C. Pacola</i>	Date/Time: <i>5/29/26 15:30</i> Company: <i>WP</i>
Relinquished by: <i>John C. Pacola</i>		Date/Time: <i>5/29/26 17:30</i>	Company: <i>WP</i>	Received by: <i>[Signature]</i>	Date/Time: <i>5/29/26 17:30</i> Company: <i>REC</i>
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.:		Cooler Temperature(s) °C and Other Remarks: <i>1.8/1.9 IR-4</i>	

## Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-216591-1  
SDG Number: Weekly: Aiea Wells P2

**Login Number: 216591**

**List Number: 1**

**Creator: Tran, Kristine**

**List Source: Eurofins Pomona**

Question	Answer	Comment
The coolers custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
Samples were received on ice.	True	
Cooler(s) Temperature is acceptable.	True	
Cooler(s) Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and is legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
CIO4 headspace requirement met (>50% for CA, >30% for other states).	N/A	
Samples do not require splitting or compositing.	True	
Container provided by EEA	True	



## Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-216591-1  
SDG Number: Weekly: Aiea Wells P2

**Login Number: 216591**

**List Number: 2**

**Creator: Khana, Piyush**

**List Source: Eurofins Calscience**

**List Creation: 05/29/26 03:51 PM**

Question	Answer	Comment
Radioactivity wasn't checked or is <math>\leq</math> background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	1.4
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	Received project as a subcontract.
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	fgf5
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

## Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-216591-1  
SDG Number: Weekly: Aiea Wells P2

**Login Number: 216591**

**List Number: 3**

**Creator: Khana, Piyush**

**List Source: Eurofins Calscience**

**List Creation: 05/29/26 07:12 PM**

Question	Answer	Comment
Radioactivity wasn't checked or is <math>\leq</math> background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	1.9
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	Received project as a subcontract.
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	fgf5
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	