

ANALYTICAL REPORT

PREPARED FOR

Attn: Mr. Erwin Kawata
City & County of Honolulu
630 South Beretania Street
Public Service Bldg. Room 310
Honolulu, Hawaii 96843

Generated 8/23/2026 3:28:19 PM

JOB DESCRIPTION

INTERA - Red-Hill-Incident
Site H1 625.1, 8015B_DRO/_GRO, 8260B

JOB NUMBER

380-230355-1

Eurofins Pomona

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Drinking Water and Wastewater West, LLC Project Manager.

Compliance Statement

1. Laboratory is accredited in accordance with TNI 2016 Standards and ISO/IEC 17025:2017.
2. Laboratory certifies that the test results meet all TNI 2016 and ISO/IEC 17025:2017 requirements unless noted under the individual analysis
3. Test results relate only to the sample(s) tested.
4. This report shall not be reproduced except in full, without the written approval of the laboratory.
5. Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.
(DW, Water matrices)

Authorization



Authorized for release by
Maria Lopez, Project Manager
Maria.Lopez@et.eurofinsus.com
(626)386-1145

Generated
8/23/2026 3:28:19 PM

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Detection Summary	6
Client Sample Results	7
Action Limit Summary	12
Surrogate Summary	14
QC Sample Results	16
QC Association Summary	27
Lab Chronicle	29
Certification Summary	30
Method Summary	31
Sample Summary	32
Chain of Custody	33
Receipt Checklists	35



Definitions/Glossary

Client: City & County of Honolulu
Project/Site: INTERA - Red-Hill-Incident

Job ID: 380-230355-1
SDG: Site H1 625.1, 8015B_DRO/_GRO, 8260B

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
*-	LCS and/or LCSD is outside acceptance limits, low biased.

GC/MS Semi VOA TICs

Qualifier	Qualifier Description
J	Indicates an Estimated Value for TICs
N	Presumptive evidence of material.
T	Result is a tentatively identified compound (TIC) and an estimated value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: City & County of Honolulu
Project: INTERA - Red-Hill-Incident

Job ID: 380-230355-1

Job ID: 380-230355-1

Eurofins Pomona

Job Narrative 380-230355-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 8/12/2026 9:50 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 1.9°C.

GC/MS VOA

Method 8260B: The following analyte(s) recovered outside control limits for the LCS associated with analytical batch 570-787724: Dibromomethane. This is not indicative of a systematic control problem because these were random marginal exceedances. Qualified results have been reported.

Method 8260B: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with analytical batch 570-787724. The laboratory control sample (LCS) was performed in duplicate (LCSD) to provide precision data for this batch.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC/MS Semi VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Gasoline Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Pomona

Detection Summary

Client: City & County of Honolulu
Project/Site: INTERA - Red-Hill-Incident

Job ID: 380-230355-1
SDG: Site H1 625.1, 8015B_DRO/_GRO, 8260B

Client Sample ID: BWS2253-H1-AQ

Lab Sample ID: 380-230355-1

No Detections.

Client Sample ID: BWS2253-H1-TB

Lab Sample ID: 380-230355-2

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Pomona

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16

Client Sample Results

Client: City & County of Honolulu
Project/Site: INTERA - Red-Hill-Incident

Job ID: 380-230355-1
SDG: Site H1 625.1, 8015B_DRO/_GRO, 8260B

Client Sample ID: BWS2253-H1-AQ

Lab Sample ID: 380-230355-1

Date Collected: 08/11/26 09:15

Matrix: Water

Date Received: 08/12/26 09:50

Method: SW846 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	<2.0		2.0	ug/L			08/20/26 22:21	1
1,1,1-Trichloroethane	<1.0		1.0	ug/L			08/20/26 22:21	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	ug/L			08/20/26 22:21	1
1,1,2-Trichloro-1,2,2-trifluoroethane	<10		10	ug/L			08/20/26 22:21	1
1,1,2-Trichloroethane	<1.0		1.0	ug/L			08/20/26 22:21	1
1,1-Dichloroethane	<1.0		1.0	ug/L			08/20/26 22:21	1
1,1-Dichloroethene	<1.0		1.0	ug/L			08/20/26 22:21	1
1,1-Dichloropropene	<1.0		1.0	ug/L			08/20/26 22:21	1
1,2,3-Trichlorobenzene	<1.0		1.0	ug/L			08/20/26 22:21	1
1,2,3-Trichloropropane	<5.0		5.0	ug/L			08/20/26 22:21	1
1,2,4-Trichlorobenzene	<1.0		1.0	ug/L			08/20/26 22:21	1
1,2,4-Trimethylbenzene	<1.0		1.0	ug/L			08/20/26 22:21	1
1,2-Dibromo-3-Chloropropane	<10		10	ug/L			08/20/26 22:21	1
1,2-Dichlorobenzene	<1.0		1.0	ug/L			08/20/26 22:21	1
1,2-Dichloroethane	<0.50		0.50	ug/L			08/20/26 22:21	1
1,2-Dichloropropane	<1.0		1.0	ug/L			08/20/26 22:21	1
1,3,5-Trimethylbenzene	<1.0		1.0	ug/L			08/20/26 22:21	1
1,3-Dichlorobenzene	<1.0		1.0	ug/L			08/20/26 22:21	1
1,3-Dichloropropane	<1.0		1.0	ug/L			08/20/26 22:21	1
1,4-Dichlorobenzene	<1.0		1.0	ug/L			08/20/26 22:21	1
2,2-Dichloropropane	<1.0		1.0	ug/L			08/20/26 22:21	1
2-Butanone	<10		10	ug/L			08/20/26 22:21	1
2-Chlorotoluene	<1.0		1.0	ug/L			08/20/26 22:21	1
2-Hexanone	<10		10	ug/L			08/20/26 22:21	1
4-Chlorotoluene	<1.0		1.0	ug/L			08/20/26 22:21	1
Acetone	<10		10	ug/L			08/20/26 22:21	1
Benzene	<0.50		0.50	ug/L			08/20/26 22:21	1
Bromobenzene	<1.0		1.0	ug/L			08/20/26 22:21	1
Bromochloromethane	<2.0		2.0	ug/L			08/20/26 22:21	1
Bromodichloromethane	<1.0		1.0	ug/L			08/20/26 22:21	1
Bromoform	<5.0		5.0	ug/L			08/20/26 22:21	1
Bromomethane	<10		10	ug/L			08/20/26 22:21	1
Carbon disulfide	<10		10	ug/L			08/20/26 22:21	1
Carbon tetrachloride	<0.50		0.50	ug/L			08/20/26 22:21	1
Chlorobenzene	<1.0		1.0	ug/L			08/20/26 22:21	1
Chloroethane	<5.0		5.0	ug/L			08/20/26 22:21	1
Chloroform	<1.0		1.0	ug/L			08/20/26 22:21	1
Chloromethane	<10		10	ug/L			08/20/26 22:21	1
cis-1,2-Dichloroethene	<1.0		1.0	ug/L			08/20/26 22:21	1
cis-1,3-Dichloropropene	<0.50		0.50	ug/L			08/20/26 22:21	1
Dibromochloromethane	<2.0		2.0	ug/L			08/20/26 22:21	1
Dibromomethane	<1.0	*	1.0	ug/L			08/20/26 22:21	1
Dichlorodifluoromethane	<5.0		5.0	ug/L			08/20/26 22:21	1
Diethyl ether	<10		10	ug/L			08/20/26 22:21	1
Di-isopropyl ether (DIPE)	<2.0		2.0	ug/L			08/20/26 22:21	1
Ethanol	<100		100	ug/L			08/20/26 22:21	1
Ethylbenzene	<1.0		1.0	ug/L			08/20/26 22:21	1
Ethylene Dibromide	<1.0		1.0	ug/L			08/20/26 22:21	1
Ethyl-t-butyl ether (ETBE)	<2.0		2.0	ug/L			08/20/26 22:21	1

Eurofins Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: INTERA - Red-Hill-Incident

Job ID: 380-230355-1
SDG: Site H1 625.1, 8015B_DRO/_GRO, 8260B

Client Sample ID: BWS2253-H1-AQ

Lab Sample ID: 380-230355-1

Date Collected: 08/11/26 09:15

Matrix: Water

Date Received: 08/12/26 09:50

Method: SW846 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Hexachloro-1,3-butadiene	<10		10	ug/L			08/20/26 22:21	1
Hexane	<5.0		5.0	ug/L			08/20/26 22:21	1
Isobutyl alcohol	<75		75	ug/L			08/20/26 22:21	1
Isopropanol	<75		75	ug/L			08/20/26 22:21	1
Isopropylbenzene	<1.0		1.0	ug/L			08/20/26 22:21	1
m,p-Xylene	<2.0		2.0	ug/L			08/20/26 22:21	1
Methylene Chloride	<10		10	ug/L			08/20/26 22:21	1
Methyl-t-Butyl Ether (MTBE)	<1.0		1.0	ug/L			08/20/26 22:21	1
MIBK	<10		10	ug/L			08/20/26 22:21	1
Naphthalene	<10		10	ug/L			08/20/26 22:21	1
n-Butylbenzene	<1.0		1.0	ug/L			08/20/26 22:21	1
N-Propylbenzene	<1.0		1.0	ug/L			08/20/26 22:21	1
o-Xylene	<1.0		1.0	ug/L			08/20/26 22:21	1
p-Isopropyltoluene	<1.0		1.0	ug/L			08/20/26 22:21	1
sec-Butylbenzene	<1.0		1.0	ug/L			08/20/26 22:21	1
Styrene	<1.0		1.0	ug/L			08/20/26 22:21	1
tert-Amyl alcohol	<50		50	ug/L			08/20/26 22:21	1
Tert-amyl-methyl ether (TAME)	<2.0		2.0	ug/L			08/20/26 22:21	1
tert-Butyl alcohol (TBA)	<10		10	ug/L			08/20/26 22:21	1
tert-Butylbenzene	<1.0		1.0	ug/L			08/20/26 22:21	1
Tetrachloroethene	<1.0		1.0	ug/L			08/20/26 22:21	1
Toluene	<1.0		1.0	ug/L			08/20/26 22:21	1
trans-1,2-Dichloroethene	<1.0		1.0	ug/L			08/20/26 22:21	1
trans-1,3-Dichloropropene	<0.50		0.50	ug/L			08/20/26 22:21	1
Trichloroethene	<1.0		1.0	ug/L			08/20/26 22:21	1
Trichlorofluoromethane	<10		10	ug/L			08/20/26 22:21	1
Vinyl acetate	<10		10	ug/L			08/20/26 22:21	1
Vinyl chloride	<0.50		0.50	ug/L			08/20/26 22:21	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		80 - 120		08/20/26 22:21	1
4-Bromofluorobenzene (Surr)	93		80 - 120		08/20/26 22:21	1
Dibromofluoromethane (Surr)	101		80 - 120		08/20/26 22:21	1
Toluene-d8 (Surr)	99		80 - 120		08/20/26 22:21	1

Method: EPA 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	<0.19		0.19	ug/L		08/15/26 08:02	08/19/26 09:18	1
2-Methylnaphthalene	<0.19		0.19	ug/L		08/15/26 08:02	08/19/26 09:18	1
Acenaphthene	<0.19		0.19	ug/L		08/15/26 08:02	08/19/26 09:18	1
Acenaphthylene	<0.19		0.19	ug/L		08/15/26 08:02	08/19/26 09:18	1
Anthracene	<0.19		0.19	ug/L		08/15/26 08:02	08/19/26 09:18	1
Benzo[a]anthracene	<0.19		0.19	ug/L		08/15/26 08:02	08/19/26 09:18	1
Benzo[a]pyrene	<0.19		0.19	ug/L		08/15/26 08:02	08/19/26 09:18	1
Benzo[b]fluoranthene	<0.19		0.19	ug/L		08/15/26 08:02	08/19/26 09:18	1
Benzo[g,h,i]perylene	<0.19		0.19	ug/L		08/15/26 08:02	08/19/26 09:18	1
Benzo[k]fluoranthene	<0.19		0.19	ug/L		08/15/26 08:02	08/19/26 09:18	1
Chrysene	<0.19		0.19	ug/L		08/15/26 08:02	08/19/26 09:18	1
Dibenz(a,h)anthracene	<0.19		0.19	ug/L		08/15/26 08:02	08/19/26 09:18	1
Fluoranthene	<0.19		0.19	ug/L		08/15/26 08:02	08/19/26 09:18	1

Eurofins Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: INTERA - Red-Hill-Incident

Job ID: 380-230355-1
SDG: Site H1 625.1, 8015B_DRO/_GRO, 8260B

Client Sample ID: BWS2253-H1-AQ

Lab Sample ID: 380-230355-1

Date Collected: 08/11/26 09:15

Matrix: Water

Date Received: 08/12/26 09:50

Method: EPA 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Fluorene	<0.19		0.19	ug/L		08/15/26 08:02	08/19/26 09:18	1
Indeno[1,2,3-cd]pyrene	<0.19		0.19	ug/L		08/15/26 08:02	08/19/26 09:18	1
Naphthalene	<0.19		0.19	ug/L		08/15/26 08:02	08/19/26 09:18	1
Phenanthrene	<0.19		0.19	ug/L		08/15/26 08:02	08/19/26 09:18	1
Pyrene	<0.19		0.19	ug/L		08/15/26 08:02	08/19/26 09:18	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	88		28 - 127	08/15/26 08:02	08/19/26 09:18	1
2-Fluorobiphenyl (Surr)	76		31 - 120	08/15/26 08:02	08/19/26 09:18	1
2-Fluorophenol (Surr)	48		17 - 120	08/15/26 08:02	08/19/26 09:18	1
Nitrobenzene-d5 (Surr)	78		27 - 120	08/15/26 08:02	08/19/26 09:18	1
Phenol-d6 (Surr)	30		10 - 120	08/15/26 08:02	08/19/26 09:18	1
p-Terphenyl-d14 (Surr)	73		45 - 120	08/15/26 08:02	08/19/26 09:18	1

Method: EPA 625.1 - Semivolatile Organic Compounds (GC/MS)

Tentatively Identified Compound	Est. Result	Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Butylated Hydroxytoluene	6.8	T J N	ug/L		6.70	128-37-0	08/15/26 08:02	08/19/26 11:42	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	71		33 - 139	08/15/26 08:02	08/19/26 11:42	1
2-Fluorobiphenyl (Surr)	85		33 - 126	08/15/26 08:02	08/19/26 11:42	1
2-Fluorophenol (Surr)	47		12 - 120	08/15/26 08:02	08/19/26 11:42	1
Nitrobenzene-d5 (Surr)	88		36 - 120	08/15/26 08:02	08/19/26 11:42	1
Phenol-d6 (Surr)	28		10 - 120	08/15/26 08:02	08/19/26 11:42	1
p-Terphenyl-d14 (Surr)	87		47 - 131	08/15/26 08:02	08/19/26 11:42	1

Method: SW846 8015B GRO LL - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	<10		10	ug/L			08/20/26 14:47	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	97		38 - 134		08/20/26 14:47	1

Method: SW846 8015B - Diesel Range Organics (DRO) (GC) Low Level

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	<25		25	ug/L		08/13/26 10:22	08/23/26 03:42	1
Motor Oil Range Organics [C24-C36]	<25		25	ug/L		08/13/26 10:22	08/23/26 03:42	1
C8-C18	<25		25	ug/L		08/13/26 10:22	08/23/26 03:42	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
n-Octacosane (Surr)	102		60 - 130	08/13/26 10:22	08/23/26 03:42	1

Client Sample ID: BWS2253-H1-TB

Lab Sample ID: 380-230355-2

Date Collected: 08/11/26 09:15

Matrix: Water

Date Received: 08/12/26 09:50

Method: SW846 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	<2.0		2.0	ug/L			08/20/26 19:52	1
1,1,1-Trichloroethane	<1.0		1.0	ug/L			08/20/26 19:52	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	ug/L			08/20/26 19:52	1

Eurofins Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: INTERA - Red-Hill-Incident

Job ID: 380-230355-1
SDG: Site H1 625.1, 8015B_DRO/_GRO, 8260B

Client Sample ID: BWS2253-H1-TB

Lab Sample ID: 380-230355-2

Date Collected: 08/11/26 09:15

Matrix: Water

Date Received: 08/12/26 09:50

Method: SW846 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,2-Trichloro-1,2,2-trifluoroethane	<10		10	ug/L			08/20/26 19:52	1
1,1,2-Trichloroethane	<1.0		1.0	ug/L			08/20/26 19:52	1
1,1-Dichloroethane	<1.0		1.0	ug/L			08/20/26 19:52	1
1,1-Dichloroethene	<1.0		1.0	ug/L			08/20/26 19:52	1
1,1-Dichloropropene	<1.0		1.0	ug/L			08/20/26 19:52	1
1,2,3-Trichlorobenzene	<1.0		1.0	ug/L			08/20/26 19:52	1
1,2,3-Trichloropropane	<5.0		5.0	ug/L			08/20/26 19:52	1
1,2,4-Trichlorobenzene	<1.0		1.0	ug/L			08/20/26 19:52	1
1,2,4-Trimethylbenzene	<1.0		1.0	ug/L			08/20/26 19:52	1
1,2-Dibromo-3-Chloropropane	<10		10	ug/L			08/20/26 19:52	1
1,2-Dichlorobenzene	<1.0		1.0	ug/L			08/20/26 19:52	1
1,2-Dichloroethane	<0.50		0.50	ug/L			08/20/26 19:52	1
1,2-Dichloropropane	<1.0		1.0	ug/L			08/20/26 19:52	1
1,3,5-Trimethylbenzene	<1.0		1.0	ug/L			08/20/26 19:52	1
1,3-Dichlorobenzene	<1.0		1.0	ug/L			08/20/26 19:52	1
1,3-Dichloropropane	<1.0		1.0	ug/L			08/20/26 19:52	1
1,4-Dichlorobenzene	<1.0		1.0	ug/L			08/20/26 19:52	1
2,2-Dichloropropane	<1.0		1.0	ug/L			08/20/26 19:52	1
2-Butanone	<10		10	ug/L			08/20/26 19:52	1
2-Chlorotoluene	<1.0		1.0	ug/L			08/20/26 19:52	1
2-Hexanone	<10		10	ug/L			08/20/26 19:52	1
4-Chlorotoluene	<1.0		1.0	ug/L			08/20/26 19:52	1
Acetone	<10		10	ug/L			08/20/26 19:52	1
Benzene	<0.50		0.50	ug/L			08/20/26 19:52	1
Bromobenzene	<1.0		1.0	ug/L			08/20/26 19:52	1
Bromochloromethane	<2.0		2.0	ug/L			08/20/26 19:52	1
Bromodichloromethane	<1.0		1.0	ug/L			08/20/26 19:52	1
Bromoform	<5.0		5.0	ug/L			08/20/26 19:52	1
Bromomethane	<10		10	ug/L			08/20/26 19:52	1
Carbon disulfide	<10		10	ug/L			08/20/26 19:52	1
Carbon tetrachloride	<0.50		0.50	ug/L			08/20/26 19:52	1
Chlorobenzene	<1.0		1.0	ug/L			08/20/26 19:52	1
Chloroethane	<5.0		5.0	ug/L			08/20/26 19:52	1
Chloroform	<1.0		1.0	ug/L			08/20/26 19:52	1
Chloromethane	<10		10	ug/L			08/20/26 19:52	1
cis-1,2-Dichloroethene	<1.0		1.0	ug/L			08/20/26 19:52	1
cis-1,3-Dichloropropene	<0.50		0.50	ug/L			08/20/26 19:52	1
Dibromochloromethane	<2.0		2.0	ug/L			08/20/26 19:52	1
Dibromomethane	<1.0	*	1.0	ug/L			08/20/26 19:52	1
Dichlorodifluoromethane	<5.0		5.0	ug/L			08/20/26 19:52	1
Diethyl ether	<10		10	ug/L			08/20/26 19:52	1
Di-isopropyl ether (DIPE)	<2.0		2.0	ug/L			08/20/26 19:52	1
Ethanol	<100		100	ug/L			08/20/26 19:52	1
Ethylbenzene	<1.0		1.0	ug/L			08/20/26 19:52	1
Ethylene Dibromide	<1.0		1.0	ug/L			08/20/26 19:52	1
Ethyl-t-butyl ether (ETBE)	<2.0		2.0	ug/L			08/20/26 19:52	1
Hexachloro-1,3-butadiene	<10		10	ug/L			08/20/26 19:52	1
Hexane	<5.0		5.0	ug/L			08/20/26 19:52	1
Isobutyl alcohol	<75		75	ug/L			08/20/26 19:52	1

Eurofins Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: INTERA - Red-Hill-Incident

Job ID: 380-230355-1
SDG: Site H1 625.1, 8015B_DRO/_GRO, 8260B

Client Sample ID: BWS2253-H1-TB

Lab Sample ID: 380-230355-2

Date Collected: 08/11/26 09:15

Matrix: Water

Date Received: 08/12/26 09:50

Method: SW846 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Isopropanol	<75		75	ug/L			08/20/26 19:52	1
Isopropylbenzene	<1.0		1.0	ug/L			08/20/26 19:52	1
m,p-Xylene	<2.0		2.0	ug/L			08/20/26 19:52	1
Methylene Chloride	<10		10	ug/L			08/20/26 19:52	1
Methyl-t-Butyl Ether (MTBE)	<1.0		1.0	ug/L			08/20/26 19:52	1
MIBK	<10		10	ug/L			08/20/26 19:52	1
Naphthalene	<10		10	ug/L			08/20/26 19:52	1
n-Butylbenzene	<1.0		1.0	ug/L			08/20/26 19:52	1
N-Propylbenzene	<1.0		1.0	ug/L			08/20/26 19:52	1
o-Xylene	<1.0		1.0	ug/L			08/20/26 19:52	1
p-Isopropyltoluene	<1.0		1.0	ug/L			08/20/26 19:52	1
sec-Butylbenzene	<1.0		1.0	ug/L			08/20/26 19:52	1
Styrene	<1.0		1.0	ug/L			08/20/26 19:52	1
tert-Amyl alcohol	<50		50	ug/L			08/20/26 19:52	1
Tert-amyl-methyl ether (TAME)	<2.0		2.0	ug/L			08/20/26 19:52	1
tert-Butyl alcohol (TBA)	<10		10	ug/L			08/20/26 19:52	1
tert-Butylbenzene	<1.0		1.0	ug/L			08/20/26 19:52	1
Tetrachloroethene	<1.0		1.0	ug/L			08/20/26 19:52	1
Toluene	<1.0		1.0	ug/L			08/20/26 19:52	1
trans-1,2-Dichloroethene	<1.0		1.0	ug/L			08/20/26 19:52	1
trans-1,3-Dichloropropene	<0.50		0.50	ug/L			08/20/26 19:52	1
Trichloroethene	<1.0		1.0	ug/L			08/20/26 19:52	1
Trichlorofluoromethane	<10		10	ug/L			08/20/26 19:52	1
Vinyl acetate	<10		10	ug/L			08/20/26 19:52	1
Vinyl chloride	<0.50		0.50	ug/L			08/20/26 19:52	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		80 - 120		08/20/26 19:52	1
4-Bromofluorobenzene (Surr)	95		80 - 120		08/20/26 19:52	1
Dibromofluoromethane (Surr)	100		80 - 120		08/20/26 19:52	1
Toluene-d8 (Surr)	95		80 - 120		08/20/26 19:52	1

Method: SW846 8015B GRO LL - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	<10		10	ug/L			08/20/26 19:31	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		38 - 134		08/20/26 19:31	1

Action Limit Summary

Client: City & County of Honolulu
Project/Site: INTERA - Red-Hill-Incident

Job ID: 380-230355-1
SDG: Site H1 625.1, 8015B_DRO/_GRO, 8260B

Client Sample ID: BWS2253-H1-AQ

Lab Sample ID: 380-230355-1

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	HI Org Limit	RL	Method	Prep Type
1,1,1-Trichloroethane	<1.0		ug/L	200	200.0	1.0	8260B	Total/NA
1,1,2-Trichloroethane	<1.0		ug/L	5	5.000	1.0	8260B	Total/NA
1,1-Dichloroethene	<1.0		ug/L	7	7.000	1.0	8260B	Total/NA
1,2,3-Trichloropropane	<5.0		ug/L		0.6000	5.0	8260B	Total/NA
1,2,4-Trichlorobenzene	<1.0		ug/L	70	70.00	1.0	8260B	Total/NA
1,2-Dibromo-3-Chloropropane	<10		ug/L	0.2		10	8260B	Total/NA
1,2-Dichlorobenzene	<1.0		ug/L	600	600.0	1.0	8260B	Total/NA
1,2-Dichloroethane	<0.50		ug/L	5	5.000	0.50	8260B	Total/NA
1,2-Dichloropropane	<1.0		ug/L	5	5.000	1.0	8260B	Total/NA
1,4-Dichlorobenzene	<1.0		ug/L	75	75.000	1.0	8260B	Total/NA
Benzene	<0.50		ug/L	5	5.000	0.50	8260B	Total/NA
Bromodichloromethane	<1.0		ug/L	80		1.0	8260B	Total/NA
Bromoform	<5.0		ug/L	80		5.0	8260B	Total/NA
Carbon tetrachloride	<0.50		ug/L	5	5.000	0.50	8260B	Total/NA
Chlorobenzene	<1.0		ug/L	100	100.0	1.0	8260B	Total/NA
Chloroform	<1.0		ug/L	80		1.0	8260B	Total/NA
cis-1,2-Dichloroethene	<1.0		ug/L	70	70.00	1.0	8260B	Total/NA
Dibromochloromethane	<2.0		ug/L	80		2.0	8260B	Total/NA
Ethylbenzene	<1.0		ug/L	700	700.0	1.0	8260B	Total/NA
Ethylene Dibromide	<1.0		ug/L	0.05		1.0	8260B	Total/NA
Methylene Chloride	<10		ug/L	5	5.000	10	8260B	Total/NA
Styrene	<1.0		ug/L	100	100.0	1.0	8260B	Total/NA
Tetrachloroethene	<1.0		ug/L	5	5.000	1.0	8260B	Total/NA
Toluene	<1.0		ug/L	1000	1000	1.0	8260B	Total/NA
trans-1,2-Dichloroethene	<1.0		ug/L	100	100.0	1.0	8260B	Total/NA
Trichloroethene	<1.0		ug/L	5	5.000	1.0	8260B	Total/NA
Vinyl chloride	<0.50		ug/L	2	2.000	0.50	8260B	Total/NA
Benzo[a]pyrene	<0.19		ug/L	0.2		0.19	625.1 SIM	Total/NA

Client Sample ID: BWS2253-H1-TB

Lab Sample ID: 380-230355-2

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	HI Org Limit	RL	Method	Prep Type
1,1,1-Trichloroethane	<1.0		ug/L	200	200.0	1.0	8260B	Total/NA
1,1,2-Trichloroethane	<1.0		ug/L	5	5.000	1.0	8260B	Total/NA
1,1-Dichloroethene	<1.0		ug/L	7	7.000	1.0	8260B	Total/NA
1,2,3-Trichloropropane	<5.0		ug/L		0.6000	5.0	8260B	Total/NA
1,2,4-Trichlorobenzene	<1.0		ug/L	70	70.00	1.0	8260B	Total/NA
1,2-Dibromo-3-Chloropropane	<10		ug/L	0.2		10	8260B	Total/NA
1,2-Dichlorobenzene	<1.0		ug/L	600	600.0	1.0	8260B	Total/NA
1,2-Dichloroethane	<0.50		ug/L	5	5.000	0.50	8260B	Total/NA
1,2-Dichloropropane	<1.0		ug/L	5	5.000	1.0	8260B	Total/NA
1,4-Dichlorobenzene	<1.0		ug/L	75	75.000	1.0	8260B	Total/NA
Benzene	<0.50		ug/L	5	5.000	0.50	8260B	Total/NA

Eurofins Pomona

Action Limit Summary

Client: City & County of Honolulu
Project/Site: INTERA - Red-Hill-Incident

Job ID: 380-230355-1
SDG: Site H1 625.1, 8015B_DRO/_GRO, 8260B

Client Sample ID: BWS2253-H1-TB (Continued)

Lab Sample ID: 380-230355-2

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL	HI Org	RL	Method	Prep Type
				Limit	Limit			
Bromodichloromethane	<1.0		ug/L	80		1.0	8260B	Total/NA
Bromoform	<5.0		ug/L	80		5.0	8260B	Total/NA
Carbon tetrachloride	<0.50		ug/L	5	5.000	0.50	8260B	Total/NA
Chlorobenzene	<1.0		ug/L	100	100.0	1.0	8260B	Total/NA
Chloroform	<1.0		ug/L	80		1.0	8260B	Total/NA
cis-1,2-Dichloroethene	<1.0		ug/L	70	70.00	1.0	8260B	Total/NA
Dibromochloromethane	<2.0		ug/L	80		2.0	8260B	Total/NA
Ethylbenzene	<1.0		ug/L	700	700.0	1.0	8260B	Total/NA
Ethylene Dibromide	<1.0		ug/L	0.05		1.0	8260B	Total/NA
Methylene Chloride	<10		ug/L	5	5.000	10	8260B	Total/NA
Styrene	<1.0		ug/L	100	100.0	1.0	8260B	Total/NA
Tetrachloroethene	<1.0		ug/L	5	5.000	1.0	8260B	Total/NA
Toluene	<1.0		ug/L	1000	1000	1.0	8260B	Total/NA
trans-1,2-Dichloroethene	<1.0		ug/L	100	100.0	1.0	8260B	Total/NA
Trichloroethene	<1.0		ug/L	5	5.000	1.0	8260B	Total/NA
Vinyl chloride	<0.50		ug/L	2	2.000	0.50	8260B	Total/NA

Surrogate Summary

Client: City & County of Honolulu
Project/Site: INTERA - Red-Hill-Incident

Job ID: 380-230355-1
SDG: Site H1 625.1, 8015B_DRO/_GRO, 8260B

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (80-120)	BFB (80-120)	DBFM (80-120)	TOL (80-120)
380-230355-1	BWS2253-H1-AQ	94	93	101	99
380-230355-2	BWS2253-H1-TB	93	95	100	95
LCS 570-787724/1003	Lab Control Sample	89	96	98	98
LCSD 570-787724/7	Lab Control Sample Dup	94	92	99	98
MB 570-787724/6	Method Blank	92	91	101	97

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
DBFM = Dibromofluoromethane (Surr)
TOL = Toluene-d8 (Surr)

Method: 625.1 - Semivolatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		TBP (33-139)	FBP (33-126)	2FP (12-120)	NBZ (36-120)	PHL6 (10-120)	TPHd14 (47-131)
380-230355-1	BWS2253-H1-AQ	71	85	47	88	28	87
MB 570-784853/1-A	Method Blank	77	91	57	100	33	90

Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)
FBP = 2-Fluorobiphenyl (Surr)
2FP = 2-Fluorophenol (Surr)
NBZ = Nitrobenzene-d5 (Surr)
PHL6 = Phenol-d6 (Surr)
TPHd14 = p-Terphenyl-d14 (Surr)

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		TBP (28-127)	FBP (31-120)	2FP (17-120)	NBZ (27-120)	PHL6 (10-120)	TPHd14 (45-120)
380-230355-1	BWS2253-H1-AQ	88	76	48	78	30	73
LCS 570-784853/2-A	Lab Control Sample	89	89	71	68	46	95
LCSD 570-784853/3-A	Lab Control Sample Dup	86	84	66	66	44	94
MB 570-784853/1-A	Method Blank	88	79	55	90	33	74

Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)
FBP = 2-Fluorobiphenyl (Surr)
2FP = 2-Fluorophenol (Surr)
NBZ = Nitrobenzene-d5 (Surr)
PHL6 = Phenol-d6 (Surr)
TPHd14 = p-Terphenyl-d14 (Surr)

Surrogate Summary

Client: City & County of Honolulu
Project/Site: INTERA - Red-Hill-Incident

Job ID: 380-230355-1
SDG: Site H1 625.1, 8015B_DRO/_GRO, 8260B

Method: 8015B GRO LL - Gasoline Range Organics - (GC)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)		
Lab Sample ID	Client Sample ID	BFB1 (38-134)
380-230355-1	BWS2253-H1-AQ	97
380-230355-2	BWS2253-H1-TB	100
380-230428-C-1 MS	Matrix Spike	91
380-230428-C-1 MSD	Matrix Spike Duplicate	103
LCS 570-787520/3	Lab Control Sample	98
LCSD 570-787520/4	Lab Control Sample Dup	97
MB 570-787520/5	Method Blank	85
MRL 570-787520/6	Lab Control Sample	99
Surrogate Legend		
BFB = 4-Bromofluorobenzene (Surr)		

Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)		
Lab Sample ID	Client Sample ID	OTCSN1 (60-130)
380-230355-1	BWS2253-H1-AQ	102
380-230428-B-1-A MS	Matrix Spike	88
380-230428-B-1-B MSD	Matrix Spike Duplicate	92
LCS 570-783767/2-A	Lab Control Sample	101
LCSD 570-783767/3-A	Lab Control Sample Dup	108
MB 570-783767/1-A	Method Blank	104
MRL 570-783767/4-A	Lab Control Sample	105
Surrogate Legend		
OTCSN = n-Octacosane (Surr)		

QC Sample Results

Client: City & County of Honolulu
Project/Site: INTERA - Red-Hill-Incident

Job ID: 380-230355-1
SDG: Site H1 625.1, 8015B_DRO/_GRO, 8260B

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 570-787724/6

Matrix: Water

Analysis Batch: 787724

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	<2.0		2.0	ug/L			08/20/26 18:05	1
1,1,1-Trichloroethane	<1.0		1.0	ug/L			08/20/26 18:05	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	ug/L			08/20/26 18:05	1
1,1,2-Trichloro-1,2,2-trifluoroethane	<10		10	ug/L			08/20/26 18:05	1
1,1,2-Trichloroethane	<1.0		1.0	ug/L			08/20/26 18:05	1
1,1-Dichloroethane	<1.0		1.0	ug/L			08/20/26 18:05	1
1,1-Dichloroethene	<1.0		1.0	ug/L			08/20/26 18:05	1
1,1-Dichloropropene	<1.0		1.0	ug/L			08/20/26 18:05	1
1,2,3-Trichlorobenzene	<1.0		1.0	ug/L			08/20/26 18:05	1
1,2,3-Trichloropropane	<5.0		5.0	ug/L			08/20/26 18:05	1
1,2,4-Trichlorobenzene	<1.0		1.0	ug/L			08/20/26 18:05	1
1,2,4-Trimethylbenzene	<1.0		1.0	ug/L			08/20/26 18:05	1
1,2-Dibromo-3-Chloropropane	<10		10	ug/L			08/20/26 18:05	1
1,2-Dichlorobenzene	<1.0		1.0	ug/L			08/20/26 18:05	1
1,2-Dichloroethane	<0.50		0.50	ug/L			08/20/26 18:05	1
1,2-Dichloropropane	<1.0		1.0	ug/L			08/20/26 18:05	1
1,3,5-Trimethylbenzene	<1.0		1.0	ug/L			08/20/26 18:05	1
1,3-Dichlorobenzene	<1.0		1.0	ug/L			08/20/26 18:05	1
1,3-Dichloropropane	<1.0		1.0	ug/L			08/20/26 18:05	1
1,4-Dichlorobenzene	<1.0		1.0	ug/L			08/20/26 18:05	1
2,2-Dichloropropane	<1.0		1.0	ug/L			08/20/26 18:05	1
2-Butanone	<10		10	ug/L			08/20/26 18:05	1
2-Chlorotoluene	<1.0		1.0	ug/L			08/20/26 18:05	1
2-Hexanone	<10		10	ug/L			08/20/26 18:05	1
4-Chlorotoluene	<1.0		1.0	ug/L			08/20/26 18:05	1
Acetone	<10		10	ug/L			08/20/26 18:05	1
Benzene	<0.50		0.50	ug/L			08/20/26 18:05	1
Bromobenzene	<1.0		1.0	ug/L			08/20/26 18:05	1
Bromochloromethane	<2.0		2.0	ug/L			08/20/26 18:05	1
Bromodichloromethane	<1.0		1.0	ug/L			08/20/26 18:05	1
Bromoform	<5.0		5.0	ug/L			08/20/26 18:05	1
Bromomethane	<10		10	ug/L			08/20/26 18:05	1
Carbon disulfide	<10		10	ug/L			08/20/26 18:05	1
Carbon tetrachloride	<0.50		0.50	ug/L			08/20/26 18:05	1
Chlorobenzene	<1.0		1.0	ug/L			08/20/26 18:05	1
Chloroethane	<5.0		5.0	ug/L			08/20/26 18:05	1
Chloroform	<1.0		1.0	ug/L			08/20/26 18:05	1
Chloromethane	<10		10	ug/L			08/20/26 18:05	1
cis-1,2-Dichloroethene	<1.0		1.0	ug/L			08/20/26 18:05	1
cis-1,3-Dichloropropene	<0.50		0.50	ug/L			08/20/26 18:05	1
Dibromochloromethane	<2.0		2.0	ug/L			08/20/26 18:05	1
Dibromomethane	<1.0		1.0	ug/L			08/20/26 18:05	1
Dichlorodifluoromethane	<5.0		5.0	ug/L			08/20/26 18:05	1
Diethyl ether	<10		10	ug/L			08/20/26 18:05	1
Di-isopropyl ether (DIPE)	<2.0		2.0	ug/L			08/20/26 18:05	1
Ethanol	<100		100	ug/L			08/20/26 18:05	1
Ethylbenzene	<1.0		1.0	ug/L			08/20/26 18:05	1
Ethylene Dibromide	<1.0		1.0	ug/L			08/20/26 18:05	1

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: INTERA - Red-Hill-Incident

Job ID: 380-230355-1
SDG: Site H1 625.1, 8015B_DRO/_GRO, 8260B

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 570-787724/6

Matrix: Water

Analysis Batch: 787724

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Ethyl-t-butyl ether (ETBE)	<2.0		2.0	ug/L			08/20/26 18:05	1
Hexachloro-1,3-butadiene	<10		10	ug/L			08/20/26 18:05	1
Hexane	<5.0		5.0	ug/L			08/20/26 18:05	1
Isobutyl alcohol	<75		75	ug/L			08/20/26 18:05	1
Isopropanol	<75		75	ug/L			08/20/26 18:05	1
Isopropylbenzene	<1.0		1.0	ug/L			08/20/26 18:05	1
m,p-Xylene	<2.0		2.0	ug/L			08/20/26 18:05	1
Methylene Chloride	<10		10	ug/L			08/20/26 18:05	1
Methyl-t-Butyl Ether (MTBE)	<1.0		1.0	ug/L			08/20/26 18:05	1
MIBK	<10		10	ug/L			08/20/26 18:05	1
Naphthalene	<10		10	ug/L			08/20/26 18:05	1
n-Butylbenzene	<1.0		1.0	ug/L			08/20/26 18:05	1
N-Propylbenzene	<1.0		1.0	ug/L			08/20/26 18:05	1
o-Xylene	<1.0		1.0	ug/L			08/20/26 18:05	1
p-Isopropyltoluene	<1.0		1.0	ug/L			08/20/26 18:05	1
sec-Butylbenzene	<1.0		1.0	ug/L			08/20/26 18:05	1
Styrene	<1.0		1.0	ug/L			08/20/26 18:05	1
tert-Amyl alcohol	<50		50	ug/L			08/20/26 18:05	1
Tert-amyl-methyl ether (TAME)	<2.0		2.0	ug/L			08/20/26 18:05	1
tert-Butyl alcohol (TBA)	<10		10	ug/L			08/20/26 18:05	1
tert-Butylbenzene	<1.0		1.0	ug/L			08/20/26 18:05	1
Tetrachloroethene	<1.0		1.0	ug/L			08/20/26 18:05	1
Toluene	<1.0		1.0	ug/L			08/20/26 18:05	1
trans-1,2-Dichloroethene	<1.0		1.0	ug/L			08/20/26 18:05	1
trans-1,3-Dichloropropene	<0.50		0.50	ug/L			08/20/26 18:05	1
Trichloroethene	<1.0		1.0	ug/L			08/20/26 18:05	1
Trichlorofluoromethane	<10		10	ug/L			08/20/26 18:05	1
Vinyl acetate	<10		10	ug/L			08/20/26 18:05	1
Vinyl chloride	<0.50		0.50	ug/L			08/20/26 18:05	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	92		80 - 120		08/20/26 18:05	1
4-Bromofluorobenzene (Surr)	91		80 - 120		08/20/26 18:05	1
Dibromofluoromethane (Surr)	101		80 - 120		08/20/26 18:05	1
Toluene-d8 (Surr)	97		80 - 120		08/20/26 18:05	1

Lab Sample ID: LCS 570-787724/1003

Matrix: Water

Analysis Batch: 787724

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1,1,2-Tetrachloroethane	20.0	18.3		ug/L		92	83 - 120
1,1,1,1-Trichloroethane	20.0	19.0		ug/L		95	78 - 123
1,1,1,2,2-Tetrachloroethane	20.0	17.7		ug/L		89	74 - 125
1,1,1,2-Trichloro-1,2,2-trifluoroethane	20.0	21.4		ug/L		107	72 - 130
1,1,2-Trichloroethane	20.0	17.9		ug/L		89	82 - 120
1,1-Dichloroethane	20.0	19.2		ug/L		96	79 - 122
1,1-Dichloroethene	20.0	20.2		ug/L		101	74 - 127

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: INTERA - Red-Hill-Incident

Job ID: 380-230355-1
SDG: Site H1 625.1, 8015B_DRO/_GRO, 8260B

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 570-787724/1003

Matrix: Water

Analysis Batch: 787724

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloropropene	20.0	20.5		ug/L		102	75 - 124
1,2,3-Trichlorobenzene	20.0	15.7		ug/L		78	71 - 126
1,2,3-Trichloropropane	20.0	18.2		ug/L		91	73 - 121
1,2,4-Trichlorobenzene	20.0	16.3		ug/L		81	70 - 130
1,2,4-Trimethylbenzene	20.0	19.7		ug/L		99	80 - 125
1,2-Dibromo-3-Chloropropane	20.0	16.1		ug/L		81	64 - 127
1,2-Dichlorobenzene	20.0	18.6		ug/L		93	78 - 122
1,2-Dichloroethane	20.0	16.4		ug/L		82	76 - 123
1,2-Dichloropropane	20.0	19.1		ug/L		95	82 - 120
1,3,5-Trimethylbenzene	20.0	19.5		ug/L		97	79 - 124
1,3-Dichlorobenzene	20.0	19.1		ug/L		96	81 - 120
1,3-Dichloropropane	20.0	17.6		ug/L		88	82 - 120
1,4-Dichlorobenzene	20.0	18.5		ug/L		92	78 - 121
2,2-Dichloropropane	20.0	19.4		ug/L		97	69 - 133
2-Butanone	20.0	16.4		ug/L		82	55 - 142
2-Chlorotoluene	20.0	18.6		ug/L		93	80 - 120
2-Hexanone	20.0	17.0		ug/L		85	54 - 138
4-Chlorotoluene	20.0	19.3		ug/L		96	80 - 121
Acetone	20.0	12.4		ug/L		62	50 - 157
Benzene	20.0	18.8		ug/L		94	80 - 120
Bromobenzene	20.0	18.8		ug/L		94	80 - 120
Bromochloromethane	20.0	18.9		ug/L		95	83 - 123
Bromodichloromethane	20.0	17.1		ug/L		86	83 - 120
Bromoform	20.0	18.2		ug/L		91	75 - 128
Bromomethane	20.0	18.2		ug/L		91	31 - 120
Carbon disulfide	20.0	20.8		ug/L		104	71 - 128
Carbon tetrachloride	20.0	20.3		ug/L		102	72 - 135
Chlorobenzene	20.0	19.0		ug/L		95	84 - 120
Chloroethane	20.0	17.4		ug/L		87	72 - 129
Chloroform	20.0	18.4		ug/L		92	79 - 120
Chloromethane	20.0	23.0		ug/L		115	36 - 148
cis-1,2-Dichloroethene	20.0	19.9		ug/L		99	81 - 120
cis-1,3-Dichloropropene	20.0	17.0		ug/L		85	76 - 125
Dibromochloromethane	20.0	17.3		ug/L		86	82 - 120
Dibromomethane	20.0	16.7	*-	ug/L		84	85 - 120
Dichlorodifluoromethane	20.0	20.9		ug/L		104	52 - 147
Diethyl ether	20.0	17.8		ug/L		89	71 - 127
Di-isopropyl ether (DIPE)	20.0	20.4		ug/L		102	70 - 132
Ethanol	200	207		ug/L		104	48 - 163
Ethylbenzene	20.0	19.6		ug/L		98	81 - 120
Ethylene Dibromide	20.0	18.3		ug/L		92	81 - 120
Ethyl-t-butyl ether (ETBE)	20.0	18.2		ug/L		91	68 - 126
Isopropylbenzene	20.0	20.4		ug/L		102	80 - 122
m,p-Xylene	40.0	38.1		ug/L		95	79 - 122
Methylene Chloride	20.0	18.9		ug/L		94	76 - 120
Methyl-t-Butyl Ether (MTBE)	20.0	17.0		ug/L		85	70 - 124
MIBK	20.0	16.5		ug/L		83	57 - 133
Naphthalene	20.0	15.6		ug/L		78	64 - 124
n-Butylbenzene	20.0	20.3		ug/L		102	78 - 127

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: INTERA - Red-Hill-Incident

Job ID: 380-230355-1
SDG: Site H1 625.1, 8015B_DRO/_GRO, 8260B

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 570-787724/1003

Matrix: Water

Analysis Batch: 787724

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
N-Propylbenzene	20.0	18.9		ug/L		94	80 - 121
o-Xylene	20.0	18.9		ug/L		94	81 - 120
p-Isopropyltoluene	20.0	20.4		ug/L		102	81 - 124
sec-Butylbenzene	20.0	19.3		ug/L		97	80 - 123
Styrene	20.0	19.7		ug/L		98	82 - 120
tert-Amyl alcohol	100	71.4		ug/L		71	30 - 157
Tert-amyl-methyl ether (TAME)	20.0	17.3		ug/L		86	71 - 121
tert-Butyl alcohol (TBA)	100	90.3		ug/L		90	68 - 128
tert-Butylbenzene	20.0	19.1		ug/L		96	80 - 124
Tetrachloroethene	20.0	18.6		ug/L		93	78 - 126
Toluene	20.0	19.2		ug/L		96	82 - 120
trans-1,2-Dichloroethene	20.0	21.4		ug/L		107	79 - 122
trans-1,3-Dichloropropene	20.0	17.1		ug/L		85	73 - 127
Trichloroethene	20.0	19.2		ug/L		96	83 - 120
Trichlorofluoromethane	20.0	21.6		ug/L		108	74 - 135
Vinyl acetate	20.0	15.7		ug/L		79	56 - 135
Vinyl chloride	20.0	19.2		ug/L		96	68 - 131

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	89		80 - 120
4-Bromofluorobenzene (Surr)	96		80 - 120
Dibromofluoromethane (Surr)	98		80 - 120
Toluene-d8 (Surr)	98		80 - 120

Lab Sample ID: LCSD 570-787724/7

Matrix: Water

Analysis Batch: 787724

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	20.0	18.6		ug/L		93	83 - 120	2	20
1,1,1-Trichloroethane	20.0	18.8		ug/L		94	78 - 123	1	20
1,1,2,2-Tetrachloroethane	20.0	17.7		ug/L		89	74 - 125	0	20
1,1,2-Trichloro-1,2,2-trifluoroethane	20.0	21.0		ug/L		105	72 - 130	2	20
1,1,2-Trichloroethane	20.0	18.2		ug/L		91	82 - 120	2	20
1,1-Dichloroethane	20.0	20.0		ug/L		100	79 - 122	4	20
1,1-Dichloroethene	20.0	20.4		ug/L		102	74 - 127	1	20
1,1-Dichloropropene	20.0	20.9		ug/L		104	75 - 124	2	20
1,2,3-Trichlorobenzene	20.0	15.3		ug/L		77	71 - 126	2	20
1,2,3-Trichloropropane	20.0	17.9		ug/L		89	73 - 121	2	20
1,2,4-Trichlorobenzene	20.0	16.4		ug/L		82	70 - 130	1	20
1,2,4-Trimethylbenzene	20.0	19.8		ug/L		99	80 - 125	0	20
1,2-Dibromo-3-Chloropropane	20.0	16.7		ug/L		84	64 - 127	3	20
1,2-Dichlorobenzene	20.0	18.9		ug/L		94	78 - 122	2	20
1,2-Dichloroethane	20.0	17.0		ug/L		85	76 - 123	4	20
1,2-Dichloropropane	20.0	19.5		ug/L		97	82 - 120	2	20
1,3,5-Trimethylbenzene	20.0	18.4		ug/L		92	79 - 124	5	20
1,3-Dichlorobenzene	20.0	19.7		ug/L		98	81 - 120	3	20
1,3-Dichloropropane	20.0	18.0		ug/L		90	82 - 120	2	20

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: INTERA - Red-Hill-Incident

Job ID: 380-230355-1
SDG: Site H1 625.1, 8015B_DRO/_GRO, 8260B

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 570-787724/7

Matrix: Water

Analysis Batch: 787724

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dichlorobenzene	20.0	19.1		ug/L		95	78 - 121	3	20
2,2-Dichloropropane	20.0	20.1		ug/L		101	69 - 133	4	20
2-Butanone	20.0	16.5		ug/L		82	55 - 142	1	21
2-Chlorotoluene	20.0	18.0		ug/L		90	80 - 120	3	20
2-Hexanone	20.0	17.8		ug/L		89	54 - 138	5	21
4-Chlorotoluene	20.0	19.4		ug/L		97	80 - 121	1	20
Acetone	20.0	14.1		ug/L		71	50 - 157	13	26
Benzene	20.0	19.2		ug/L		96	80 - 120	2	20
Bromobenzene	20.0	18.0		ug/L		90	80 - 120	5	20
Bromochloromethane	20.0	19.9		ug/L		100	83 - 123	5	20
Bromodichloromethane	20.0	17.8		ug/L		89	83 - 120	4	20
Bromoform	20.0	18.0		ug/L		90	75 - 128	1	20
Bromomethane	20.0	19.4		ug/L		97	31 - 120	7	22
Carbon disulfide	20.0	21.1		ug/L		105	71 - 128	1	20
Carbon tetrachloride	20.0	20.3		ug/L		102	72 - 135	0	20
Chlorobenzene	20.0	19.2		ug/L		96	84 - 120	1	20
Chloroethane	20.0	18.3		ug/L		92	72 - 129	6	20
Chloroform	20.0	19.1		ug/L		95	79 - 120	4	20
Chloromethane	20.0	22.1		ug/L		111	36 - 148	4	20
cis-1,2-Dichloroethene	20.0	20.4		ug/L		102	81 - 120	3	20
cis-1,3-Dichloropropene	20.0	18.0		ug/L		90	76 - 125	6	20
Dibromochloromethane	20.0	17.7		ug/L		88	82 - 120	2	20
Dibromomethane	20.0	18.0		ug/L		90	85 - 120	7	20
Dichlorodifluoromethane	20.0	21.6		ug/L		108	52 - 147	4	20
Diethyl ether	20.0	18.2		ug/L		91	71 - 127	3	20
Di-isopropyl ether (DIPE)	20.0	21.2		ug/L		106	70 - 132	4	20
Ethanol	200	248		ug/L		124	48 - 163	18	30
Ethylbenzene	20.0	19.1		ug/L		95	81 - 120	2	20
Ethylene Dibromide	20.0	18.4		ug/L		92	81 - 120	0	20
Ethyl-t-butyl ether (ETBE)	20.0	19.0		ug/L		95	68 - 126	4	20
Isopropylbenzene	20.0	19.0		ug/L		95	80 - 122	7	20
m,p-Xylene	40.0	37.6		ug/L		94	79 - 122	1	20
Methylene Chloride	20.0	19.3		ug/L		97	76 - 120	2	20
Methyl-t-Butyl Ether (MTBE)	20.0	17.5		ug/L		87	70 - 124	2	20
MIBK	20.0	14.9		ug/L		74	57 - 133	11	20
Naphthalene	20.0	15.4		ug/L		77	64 - 124	1	20
n-Butylbenzene	20.0	20.5		ug/L		103	78 - 127	1	20
N-Propylbenzene	20.0	17.9		ug/L		90	80 - 121	5	20
o-Xylene	20.0	18.2		ug/L		91	81 - 120	3	20
p-Isopropyltoluene	20.0	20.5		ug/L		102	81 - 124	0	20
sec-Butylbenzene	20.0	19.3		ug/L		97	80 - 123	0	20
Styrene	20.0	18.9		ug/L		94	82 - 120	4	20
tert-Amyl alcohol	100	58.0		ug/L		58	30 - 157	21	30
Tert-amyl-methyl ether (TAME)	20.0	17.9		ug/L		89	71 - 121	3	20
tert-Butyl alcohol (TBA)	100	108		ug/L		108	68 - 128	18	20
tert-Butylbenzene	20.0	19.0		ug/L		95	80 - 124	1	20
Tetrachloroethene	20.0	18.6		ug/L		93	78 - 126	0	20
Toluene	20.0	19.3		ug/L		96	82 - 120	1	20
trans-1,2-Dichloroethene	20.0	21.6		ug/L		108	79 - 122	1	20

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: INTERA - Red-Hill-Incident

Job ID: 380-230355-1
SDG: Site H1 625.1, 8015B_DRO/_GRO, 8260B

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 570-787724/7

Matrix: Water

Analysis Batch: 787724

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
trans-1,3-Dichloropropene	20.0	17.4		ug/L		87	73 - 127	2	20
Trichloroethene	20.0	19.1		ug/L		95	83 - 120	1	20
Trichlorofluoromethane	20.0	22.0		ug/L		110	74 - 135	2	20
Vinyl acetate	20.0	16.6		ug/L		83	56 - 135	6	24
Vinyl chloride	20.0	20.3		ug/L		102	68 - 131	6	20

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	94		80 - 120
4-Bromofluorobenzene (Surr)	92		80 - 120
Dibromofluoromethane (Surr)	99		80 - 120
Toluene-d8 (Surr)	98		80 - 120

Method: 625.1 - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 570-784853/1-A

Matrix: Water

Analysis Batch: 786745

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 784853

Tentatively Identified Compound	MB Est. Result	MB Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Tentatively Identified Compound	None		ug/L			N/A	08/15/26 08:02	08/19/26 08:29	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	77		33 - 139	08/15/26 08:02	08/19/26 08:29	1
2-Fluorobiphenyl (Surr)	91		33 - 126	08/15/26 08:02	08/19/26 08:29	1
2-Fluorophenol (Surr)	57		12 - 120	08/15/26 08:02	08/19/26 08:29	1
Nitrobenzene-d5 (Surr)	100		36 - 120	08/15/26 08:02	08/19/26 08:29	1
Phenol-d6 (Surr)	33		10 - 120	08/15/26 08:02	08/19/26 08:29	1
p-Terphenyl-d14 (Surr)	90		47 - 131	08/15/26 08:02	08/19/26 08:29	1

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Lab Sample ID: MB 570-784853/1-A

Matrix: Water

Analysis Batch: 786738

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 784853

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	<0.20		0.20	ug/L		08/15/26 08:02	08/19/26 07:27	1
2-Methylnaphthalene	<0.20		0.20	ug/L		08/15/26 08:02	08/19/26 07:27	1
Acenaphthene	<0.20		0.20	ug/L		08/15/26 08:02	08/19/26 07:27	1
Acenaphthylene	<0.20		0.20	ug/L		08/15/26 08:02	08/19/26 07:27	1
Anthracene	<0.20		0.20	ug/L		08/15/26 08:02	08/19/26 07:27	1
Benzo[a]anthracene	<0.20		0.20	ug/L		08/15/26 08:02	08/19/26 07:27	1
Benzo[a]pyrene	<0.20		0.20	ug/L		08/15/26 08:02	08/19/26 07:27	1
Benzo[b]fluoranthene	<0.20		0.20	ug/L		08/15/26 08:02	08/19/26 07:27	1
Benzo[g,h,i]perylene	<0.20		0.20	ug/L		08/15/26 08:02	08/19/26 07:27	1
Benzo[k]fluoranthene	<0.20		0.20	ug/L		08/15/26 08:02	08/19/26 07:27	1
Chrysene	<0.20		0.20	ug/L		08/15/26 08:02	08/19/26 07:27	1
Dibenz(a,h)anthracene	<0.20		0.20	ug/L		08/15/26 08:02	08/19/26 07:27	1

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: INTERA - Red-Hill-Incident

Job ID: 380-230355-1
SDG: Site H1 625.1, 8015B_DRO/_GRO, 8260B

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

Lab Sample ID: MB 570-784853/1-A

Matrix: Water

Analysis Batch: 786738

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 784853

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoranthene	<0.20		0.20	ug/L		08/15/26 08:02	08/19/26 07:27	1
Fluorene	<0.20		0.20	ug/L		08/15/26 08:02	08/19/26 07:27	1
Indeno[1,2,3-cd]pyrene	<0.20		0.20	ug/L		08/15/26 08:02	08/19/26 07:27	1
Naphthalene	<0.20		0.20	ug/L		08/15/26 08:02	08/19/26 07:27	1
Phenanthrene	<0.20		0.20	ug/L		08/15/26 08:02	08/19/26 07:27	1
Pyrene	<0.20		0.20	ug/L		08/15/26 08:02	08/19/26 07:27	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	88		28 - 127	08/15/26 08:02	08/19/26 07:27	1
2-Fluorobiphenyl (Surr)	79		31 - 120	08/15/26 08:02	08/19/26 07:27	1
2-Fluorophenol (Surr)	55		17 - 120	08/15/26 08:02	08/19/26 07:27	1
Nitrobenzene-d5 (Surr)	90		27 - 120	08/15/26 08:02	08/19/26 07:27	1
Phenol-d6 (Surr)	33		10 - 120	08/15/26 08:02	08/19/26 07:27	1
p-Terphenyl-d14 (Surr)	74		45 - 120	08/15/26 08:02	08/19/26 07:27	1

Lab Sample ID: LCS 570-784853/2-A

Matrix: Water

Analysis Batch: 786738

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 784853

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1-Methylnaphthalene	20.0	12.4		ug/L		62	47 - 120
2-Methylnaphthalene	20.0	12.2		ug/L		61	43 - 120
Acenaphthene	20.0	17.2		ug/L		86	60 - 132
Acenaphthylene	20.0	17.5		ug/L		87	54 - 126
Anthracene	20.0	17.3		ug/L		86	43 - 120
Benzo[a]anthracene	20.0	19.4		ug/L		97	42 - 133
Benzo[a]pyrene	20.0	22.5		ug/L		113	32 - 148
Benzo[b]fluoranthene	20.0	20.0		ug/L		100	42 - 140
Benzo[g,h,i]perylene	20.0	19.2		ug/L		96	1 - 195
Benzo[k]fluoranthene	20.0	19.3		ug/L		97	25 - 146
Chrysene	20.0	18.1		ug/L		90	44 - 140
Dibenz[a,h]anthracene	20.0	19.7		ug/L		99	1 - 200
Fluoranthene	20.0	18.1		ug/L		90	43 - 121
Fluorene	20.0	17.5		ug/L		87	70 - 120
Indeno[1,2,3-cd]pyrene	20.0	18.6		ug/L		93	1 - 151
Naphthalene	20.0	11.6		ug/L		58	36 - 120
Phenanthrene	20.0	17.4		ug/L		87	65 - 120
Pyrene	20.0	19.9		ug/L		100	70 - 120

Surrogate	LCS %Recovery	LCS Qualifier	Limits
2,4,6-Tribromophenol (Surr)	89		28 - 127
2-Fluorobiphenyl (Surr)	89		31 - 120
2-Fluorophenol (Surr)	71		17 - 120
Nitrobenzene-d5 (Surr)	68		27 - 120
Phenol-d6 (Surr)	46		10 - 120
p-Terphenyl-d14 (Surr)	95		45 - 120

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: INTERA - Red-Hill-Incident

Job ID: 380-230355-1
SDG: Site H1 625.1, 8015B_DRO/_GRO, 8260B

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

Lab Sample ID: LCSD 570-784853/3-A

Matrix: Water

Analysis Batch: 786738

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 784853

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1-Methylnaphthalene	20.0	12.1		ug/L		60	47 - 120	3	20
2-Methylnaphthalene	20.0	12.0		ug/L		60	43 - 120	1	20
Acenaphthene	20.0	16.8		ug/L		84	60 - 132	3	29
Acenaphthylene	20.0	16.8		ug/L		84	54 - 126	4	45
Anthracene	20.0	16.7		ug/L		84	43 - 120	3	40
Benzo[a]anthracene	20.0	19.2		ug/L		96	42 - 133	1	32
Benzo[a]pyrene	20.0	22.5		ug/L		113	32 - 148	0	43
Benzo[b]fluoranthene	20.0	20.2		ug/L		101	42 - 140	1	43
Benzo[g,h,i]perylene	20.0	19.1		ug/L		95	1 - 195	1	61
Benzo[k]fluoranthene	20.0	19.2		ug/L		96	25 - 146	1	38
Chrysene	20.0	17.9		ug/L		89	44 - 140	1	53
Dibenz(a,h)anthracene	20.0	19.9		ug/L		100	1 - 200	1	75
Fluoranthene	20.0	18.0		ug/L		90	43 - 121	1	40
Fluorene	20.0	17.2		ug/L		86	70 - 120	1	23
Indeno[1,2,3-cd]pyrene	20.0	18.5		ug/L		93	1 - 151	1	60
Naphthalene	20.0	11.4		ug/L		57	36 - 120	2	39
Phenanthrene	20.0	17.2		ug/L		86	65 - 120	2	24
Pyrene	20.0	19.6		ug/L		98	70 - 120	2	30

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
2,4,6-Tribromophenol (Surr)	86		28 - 127
2-Fluorobiphenyl (Surr)	84		31 - 120
2-Fluorophenol (Surr)	66		17 - 120
Nitrobenzene-d5 (Surr)	66		27 - 120
Phenol-d6 (Surr)	44		10 - 120
p-Terphenyl-d14 (Surr)	94		45 - 120

Method: 8015B GRO LL - Gasoline Range Organics - (GC)

Lab Sample ID: MB 570-787520/5

Matrix: Water

Analysis Batch: 787520

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
GRO (C6-C10)	<10		10	ug/L			08/20/26 10:52	1
Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac		
	%Recovery	Qualifier						
4-Bromofluorobenzene (Surr)	85		38 - 134		08/20/26 10:52	1		

Lab Sample ID: LCS 570-787520/3

Matrix: Water

Analysis Batch: 787520

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (C4-C13)	400	329		ug/L		82	78 - 120

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: INTERA - Red-Hill-Incident

Job ID: 380-230355-1
SDG: Site H1 625.1, 8015B_DRO/_GRO, 8260B

Method: 8015B GRO LL - Gasoline Range Organics - (GC) (Continued)

Lab Sample ID: LCS 570-787520/3

Matrix: Water

Analysis Batch: 787520

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	98		38 - 134

Lab Sample ID: LCSD 570-787520/4

Matrix: Water

Analysis Batch: 787520

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (C4-C13)	400	326		ug/L		82	78 - 120	1	10

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	97		38 - 134

Lab Sample ID: MRL 570-787520/6

Matrix: Water

Analysis Batch: 787520

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (C4-C13)	10.0	11.8		ug/L		118	50 - 150

	MRL	MRL	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	99		38 - 134

Lab Sample ID: 380-230428-C-1 MS

Matrix: Water

Analysis Batch: 787520

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (C4-C13)	<10		400	371		ug/L		93	68 - 122

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	91		38 - 134

Lab Sample ID: 380-230428-C-1 MSD

Matrix: Water

Analysis Batch: 787520

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (C4-C13)	<10		400	374		ug/L		93	68 - 122	1	18

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	103		38 - 134

QC Sample Results

Client: City & County of Honolulu
Project/Site: INTERA - Red-Hill-Incident

Job ID: 380-230355-1
SDG: Site H1 625.1, 8015B_DRO/_GRO, 8260B

Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level

Lab Sample ID: MB 570-783767/1-A

Matrix: Water

Analysis Batch: 788809

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 783767

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	<25		25	ug/L		08/13/26 10:21	08/23/26 01:11	1
Motor Oil Range Organics [C24-C36]	<25		25	ug/L		08/13/26 10:21	08/23/26 01:11	1
C8-C18	<25		25	ug/L		08/13/26 10:21	08/23/26 01:11	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
n-Octacosane (Surr)	104		60 - 130			08/13/26 10:21	08/23/26 01:11	1

Lab Sample ID: LCS 570-783767/2-A

Matrix: Water

Analysis Batch: 788809

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 783767

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits	
C10-C28	1600	1550		ug/L		97	56 - 127	
Surrogate	LCS %Recovery	LCS Qualifier	Limits					
n-Octacosane (Surr)	101		60 - 130					

Lab Sample ID: LCSD 570-783767/3-A

Matrix: Water

Analysis Batch: 788809

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 783767

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
C10-C28	1600	1570		ug/L		98	56 - 127	1	23
Surrogate	LCSD %Recovery	LCSD Qualifier	Limits						
n-Octacosane (Surr)	108		60 - 130						

Lab Sample ID: MRL 570-783767/4-A

Matrix: Water

Analysis Batch: 788809

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 783767

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits	
C10-C28	0.0200	0.0286		mg/L		143	50 - 150	
Surrogate	MRL %Recovery	MRL Qualifier	Limits					
n-Octacosane (Surr)	105		60 - 130					

Lab Sample ID: 380-230428-B-1-A MS

Matrix: Water

Analysis Batch: 788809

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 783767

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
C10-C28	<26		1650	1320		ug/L		80	70 - 130
Surrogate	MS %Recovery	MS Qualifier	Limits						
n-Octacosane (Surr)	88		60 - 130						

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: INTERA - Red-Hill-Incident

Job ID: 380-230355-1
SDG: Site H1 625.1, 8015B_DRO/_GRO, 8260B

Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level (Continued)

Lab Sample ID: 380-230428-B-1-B MSD

Matrix: Water

Analysis Batch: 788809

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 783767

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
C10-C28	<26		1660	1530		ug/L		92	70 - 130	15	20
Surrogate	%Recovery	MSD Qualifier	MSD Limits								
n-Octacosane (Surr)	92		60 - 130								

QC Association Summary

Client: City & County of Honolulu
Project/Site: INTERA - Red-Hill-Incident

Job ID: 380-230355-1
SDG: Site H1 625.1, 8015B_DRO/_GRO, 8260B

GC/MS VOA

Analysis Batch: 787724

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-230355-1	BWS2253-H1-AQ	Total/NA	Water	8260B	
380-230355-2	BWS2253-H1-TB	Total/NA	Water	8260B	
MB 570-787724/6	Method Blank	Total/NA	Water	8260B	
LCS 570-787724/1003	Lab Control Sample	Total/NA	Water	8260B	
LCSD 570-787724/7	Lab Control Sample Dup	Total/NA	Water	8260B	

GC/MS Semi VOA

Prep Batch: 784853

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-230355-1	BWS2253-H1-AQ	Total/NA	Water	625.1	
MB 570-784853/1-A	Method Blank	Total/NA	Water	625.1	
LCS 570-784853/2-A	Lab Control Sample	Total/NA	Water	625.1	
LCSD 570-784853/3-A	Lab Control Sample Dup	Total/NA	Water	625.1	

Analysis Batch: 786738

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-230355-1	BWS2253-H1-AQ	Total/NA	Water	625.1 SIM	784853
MB 570-784853/1-A	Method Blank	Total/NA	Water	625.1 SIM	784853
LCS 570-784853/2-A	Lab Control Sample	Total/NA	Water	625.1 SIM	784853
LCSD 570-784853/3-A	Lab Control Sample Dup	Total/NA	Water	625.1 SIM	784853

Analysis Batch: 786745

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-230355-1	BWS2253-H1-AQ	Total/NA	Water	625.1	784853
MB 570-784853/1-A	Method Blank	Total/NA	Water	625.1	784853

GC VOA

Analysis Batch: 787520

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-230355-1	BWS2253-H1-AQ	Total/NA	Water	8015B GRO LL	
380-230355-2	BWS2253-H1-TB	Total/NA	Water	8015B GRO LL	
MB 570-787520/5	Method Blank	Total/NA	Water	8015B GRO LL	
LCS 570-787520/3	Lab Control Sample	Total/NA	Water	8015B GRO LL	
LCSD 570-787520/4	Lab Control Sample Dup	Total/NA	Water	8015B GRO LL	
MRL 570-787520/6	Lab Control Sample	Total/NA	Water	8015B GRO LL	
380-230428-C-1 MS	Matrix Spike	Total/NA	Water	8015B GRO LL	
380-230428-C-1 MSD	Matrix Spike Duplicate	Total/NA	Water	8015B GRO LL	

GC Semi VOA

Prep Batch: 783767

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-230355-1	BWS2253-H1-AQ	Total/NA	Water	3510C	
MB 570-783767/1-A	Method Blank	Total/NA	Water	3510C	
LCS 570-783767/2-A	Lab Control Sample	Total/NA	Water	3510C	
LCSD 570-783767/3-A	Lab Control Sample Dup	Total/NA	Water	3510C	
MRL 570-783767/4-A	Lab Control Sample	Total/NA	Water	3510C	
380-230428-B-1-A MS	Matrix Spike	Total/NA	Water	3510C	
380-230428-B-1-B MSD	Matrix Spike Duplicate	Total/NA	Water	3510C	

Eurofins Pomona

QC Association Summary

Client: City & County of Honolulu
Project/Site: INTERA - Red-Hill-Incident

Job ID: 380-230355-1
SDG: Site H1 625.1, 8015B_DRO/_GRO, 8260B

GC Semi VOA

Analysis Batch: 788809

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-230355-1	BWS2253-H1-AQ	Total/NA	Water	8015B	783767
MB 570-783767/1-A	Method Blank	Total/NA	Water	8015B	783767
LCS 570-783767/2-A	Lab Control Sample	Total/NA	Water	8015B	783767
LCSD 570-783767/3-A	Lab Control Sample Dup	Total/NA	Water	8015B	783767
MRL 570-783767/4-A	Lab Control Sample	Total/NA	Water	8015B	783767
380-230428-B-1-A MS	Matrix Spike	Total/NA	Water	8015B	783767
380-230428-B-1-B MSD	Matrix Spike Duplicate	Total/NA	Water	8015B	783767

Lab Chronicle

Client: City & County of Honolulu
Project/Site: INTERA - Red-Hill-Incident

Job ID: 380-230355-1
SDG: Site H1 625.1, 8015B_DRO/_GRO, 8260B

Client Sample ID: BWS2253-H1-AQ

Lab Sample ID: 380-230355-1

Date Collected: 08/11/26 09:15

Matrix: Water

Date Received: 08/12/26 09:50

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260B		1	787724	N8SB	EET CAL 4	08/20/26 22:21
Total/NA	Prep	625.1			784853	KLZQ	EET CAL 4	08/15/26 08:02
Total/NA	Analysis	625.1		1	786745	PQS1	EET CAL 4	08/19/26 11:42
Total/NA	Prep	625.1			784853	KLZQ	EET CAL 4	08/15/26 08:02
Total/NA	Analysis	625.1 SIM		1	786738	PQS1	EET CAL 4	08/19/26 09:18
Total/NA	Analysis	8015B GRO LL		1	787520	W4LC	EET CAL 4	08/20/26 14:47
Total/NA	Prep	3510C			783767	EP2G	EET CAL 4	08/13/26 10:22
Total/NA	Analysis	8015B		1	788809	H6FE	EET CAL 4	08/23/26 03:42

Client Sample ID: BWS2253-H1-TB

Lab Sample ID: 380-230355-2

Date Collected: 08/11/26 09:15

Matrix: Water

Date Received: 08/12/26 09:50

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260B		1	787724	N8SB	EET CAL 4	08/20/26 19:52
Total/NA	Analysis	8015B GRO LL		1	787520	W4LC	EET CAL 4	08/20/26 19:31

Laboratory References:

EET CAL 4 = Eurofins Calscience Tustin, 2841 Dow Avenue, Tustin, CA 92780, TEL (714)895-5494

Accreditation/Certification Summary

Client: City & County of Honolulu
Project/Site: INTERA - Red-Hill-Incident

Job ID: 380-230355-1
SDG: Site H1 625.1, 8015B_DRO/_GRO, 8260B

Laboratory: Eurofins Calscience

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
A2LA	Dept. of Defense ELAP	7296.01	11-30-26
A2LA	ISO/IEC 17025	7296.01	11-30-26
Alaska (UST)	State	25-005	03-02-27
Arizona	State	AZ0830	11-17-26
California	Los Angeles County Sanitation Districts	9257304	07-31-28
California	SCAQMD LAP	17LA0919	11-30-26
California	State	3082	07-31-28
Kansas	NELAP	E-10420	07-31-27
Nevada	State	CA00111	07-31-27
Oregon	NELAP	4175	02-02-27
Texas	NELAP	T104704499	07-31-27
USDA	US Federal Programs	525-23-159-97150	09-30-26
Utah	NELAP	CA00111	02-28-27
Washington	State	C916	10-12-26

Method Summary

Client: City & County of Honolulu
Project/Site: INTERA - Red-Hill-Incident

Job ID: 380-230355-1
SDG: Site H1 625.1, 8015B_DRO/_GRO, 8260B

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	EET CAL 4
625.1	Semivolatile Organic Compounds (GC/MS)	EPA	EET CAL 4
625.1 SIM	Semivolatile Organic Compounds GC/MS (SIM)	EPA	EET CAL 4
8015B GRO LL	Gasoline Range Organics - (GC)	SW846	EET CAL 4
8015B	Diesel Range Organics (DRO) (GC) Low Level	SW846	EET CAL 4
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	EET CAL 4
5030C	Purge and Trap	SW846	EET CAL 4
625.1	Liquid-Liquid Extraction	40CFR136A	EET CAL 4

Protocol References:

40CFR136A = "Methods for Organic Chemical Analysis of Municipal Industrial Wastewater", 40CFR, Part 136, Appendix A, October 26, 1984 and subsequent revisions.

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CAL 4 = Eurofins Calscience Tustin, 2841 Dow Avenue, Tustin, CA 92780, TEL (714)895-5494

Sample Summary

Client: City & County of Honolulu
Project/Site: INTERA - Red-Hill-Incident

Job ID: 380-230355-1
SDG: Site H1 625.1, 8015B_DRO/_GRO, 8260B

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
380-230355-1	BWS2253-H1-AQ	Water	08/11/26 09:15	08/12/26 09:50	Hawaii
380-230355-2	BWS2253-H1-TB	Water	08/11/26 09:15	08/12/26 09:50	Hawaii

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16

[illegible]

Ver: 03/20/2026
8/23/2026

Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-230355-1

SDG Number: Site H1 625.1, 8015B_DRO/_GRO, 8260B

Login Number: 230355

List Source: Eurofins Pomona

List Number: 1

Creator: Tran, Kristine

Question	Answer	Comment
The coolers custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
Samples were received on ice.	True	
Cooler(s) Temperature is acceptable.	True	
Cooler(s) Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and is legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
CIO4 headspace requirement met (>50% for CA, >30% for other states).	N/A	
Samples do not require splitting or compositing.	True	
Container provided by EEA	True	

Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-230355-1

SDG Number: Site H1 625.1, 8015B_DRO/_GRO, 8260B

Login Number: 230355

List Source: Eurofins Calscience

List Number: 2

List Creation: 08/12/26 07:37 PM

Creator: Khana, Piyush

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	1.8
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	Received project as a subcontract.
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	fgf5
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	