

ANALYTICAL REPORT

PREPARED FOR

Attn: Mr. Erwin Kawata
City & County of Honolulu
630 South Beretania Street
Public Service Bldg. Room 310
Honolulu, Hawaii 96843

Generated 7/6/2026 2:28:17 PM

JOB DESCRIPTION

RED-HILL
Weekly: Aiea Gulch Wells Pump 2

JOB NUMBER

380-220701-1

Eurofins Pomona

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Drinking Water and Wastewater West, LLC Project Manager.

Compliance Statement

1. Laboratory is accredited in accordance with TNI 2016 Standards and ISO/IEC 17025:2017.
2. Laboratory certifies that the test results meet all TNI 2016 and ISO/IEC 17025:2017 requirements unless noted under the individual analysis
3. Test results relate only to the sample(s) tested.
4. This report shall not be reproduced except in full, without the written approval of the laboratory.
5. Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below. (DW, Water matrices)

Authorization



Authorized for release by
Maria Lopez, Project Manager
Maria.Lopez@et.eurofinsus.com
(626)386-1100

Generated
7/6/2026 2:28:17 PM



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Detection Summary	6
Client Sample Results	7
Action Limit Summary	11
Surrogate Summary	12
QC Sample Results	15
QC Association Summary	27
Lab Chronicle	29
Certification Summary	30
Method Summary	32
Sample Summary	33
Chain of Custody	34
Receipt Checklists	36

Definitions/Glossary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-220701-1
SDG: Weekly: Aiea Gulch Wells Pump 2

Qualifiers

GC/MS Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

GC/MS Semi VOA TICs

Qualifier	Qualifier Description
J	Indicates an Estimated Value for TICs
N	Presumptive evidence of material.
T	Result is a tentatively identified compound (TIC) and an estimated value.

GC Semi VOA

Qualifier	Qualifier Description
^3+	Reporting Limit Check Standard is outside acceptance limits, high biased

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: City & County of Honolulu
Project: RED-HILL

Job ID: 380-220701-1

Job ID: 380-220701-1

Eurofins Pomona

Job Narrative 380-220701-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 6/19/2026 9:55 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 3.0°C.

GC/MS Semi VOA

Method 625.1: The laboratory control sample (LCS) was performed in duplicate (LCSD) to provide precision data for this batch. Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with preparation batch 570-757352.

Method 625.1 SIM: The laboratory control sample (LCS) was performed in duplicate (LCSD) to provide precision data for this batch. Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with preparation batch 570-757352.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Gasoline Range Organics

Method 8015B GRO LL: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with analytical batch 570-761708. The laboratory control sample (LCS) was performed in duplicate (LCSD) to provide precision data for this batch.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

Method 8015B: The method reporting limit check (MRL) for preparation batch 570-758469 and analytical batch 570-764164 recovered outside control limits for the following analytes: C10-C28. These analytes were biased high in the MRL and were not detected in the associated samples; therefore, the data have been reported.

Method: 8015B_DRO_LL_CS

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Pomona

Detection Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-220701-1
SDG: Weekly: Aiea Gulch Wells Pump 2

**Client Sample ID: AIEA GULCH WELLS PUMP 2
(331-202-TP072)**

Lab Sample ID: 380-220701-1

No Detections.

**Client Sample ID: TB: AIEA GULCH WELLS PUMP 2
(331-202-TP072)**

Lab Sample ID: 380-220701-2

No Detections.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16

This Detection Summary does not include radiochemical test results.

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-220701-1
SDG: Weekly: Aiea Gulch Wells Pump 2

**Client Sample ID: AIEA GULCH WELLS PUMP 2
(331-202-TP072)**

Lab Sample ID: 380-220701-1

Date Collected: 06/17/26 09:30

Matrix: Drinking Water

Date Received: 06/19/26 09:55

Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	<0.098		0.098	ug/L		06/22/26 14:16	06/23/26 23:42	1
2,4'-DDD	<0.098		0.098	ug/L		06/22/26 14:16	06/23/26 23:42	1
2,4'-DDE	<0.098		0.098	ug/L		06/22/26 14:16	06/23/26 23:42	1
2,4'-DDT	<0.098		0.098	ug/L		06/22/26 14:16	06/23/26 23:42	1
2,4-Dinitrotoluene	<0.098		0.098	ug/L		06/22/26 14:16	06/23/26 23:42	1
2,6-Dinitrotoluene	<0.098		0.098	ug/L		06/22/26 14:16	06/23/26 23:42	1
2-Methylnaphthalene	<0.098		0.098	ug/L		06/22/26 14:16	06/23/26 23:42	1
4,4'-DDD	<0.098		0.098	ug/L		06/22/26 14:16	06/23/26 23:42	1
4,4'-DDE	<0.098		0.098	ug/L		06/22/26 14:16	06/23/26 23:42	1
4,4'-DDT	<0.098		0.098	ug/L		06/22/26 14:16	06/23/26 23:42	1
Acenaphthene	<0.098		0.098	ug/L		06/22/26 14:16	06/23/26 23:42	1
Acenaphthylene	<0.098		0.098	ug/L		06/22/26 14:16	06/23/26 23:42	1
Acetochlor	<0.098		0.098	ug/L		06/22/26 14:16	06/23/26 23:42	1
Alachlor	<0.049		0.049	ug/L		06/22/26 14:16	06/23/26 23:42	1
alpha-BHC	<0.098		0.098	ug/L		06/22/26 14:16	06/23/26 23:42	1
alpha-Chlordane	<0.049		0.049	ug/L		06/22/26 14:16	06/23/26 23:42	1
Anthracene	<0.020		0.020	ug/L		06/22/26 14:16	06/23/26 23:42	1
Atrazine	<0.049		0.049	ug/L		06/22/26 14:16	06/23/26 23:42	1
Benz(a)anthracene	<0.049		0.049	ug/L		06/22/26 14:16	06/23/26 23:42	1
Benzo[a]pyrene	<0.020		0.020	ug/L		06/22/26 14:16	06/23/26 23:42	1
Benzo[b]fluoranthene	<0.020		0.020	ug/L		06/22/26 14:16	06/23/26 23:42	1
Benzo[g,h,i]perylene	<0.049		0.049	ug/L		06/22/26 14:16	06/23/26 23:42	1
Benzo[k]fluoranthene	<0.020		0.020	ug/L		06/22/26 14:16	06/23/26 23:42	1
beta-BHC	<0.098		0.098	ug/L		06/22/26 14:16	06/23/26 23:42	1
Bis(2-ethylhexyl) phthalate	<0.59		0.59	ug/L		06/22/26 14:16	06/23/26 23:42	1
Bromacil	<0.098		0.098	ug/L		06/22/26 14:16	06/23/26 23:42	1
Butachlor	<0.049		0.049	ug/L		06/22/26 14:16	06/23/26 23:42	1
Butylbenzylphthalate	<0.49		0.49	ug/L		06/22/26 14:16	06/23/26 23:42	1
Chlorobenzilate	<0.098		0.098	ug/L		06/22/26 14:16	06/23/26 23:42	1
Chloroneb	<0.098		0.098	ug/L		06/22/26 14:16	06/23/26 23:42	1
Chlorothalonil (Draconil, Bravo)	<0.098		0.098	ug/L		06/22/26 14:16	06/23/26 23:42	1
Chlorpyrifos	<0.049		0.049	ug/L		06/22/26 14:16	06/23/26 23:42	1
Chrysene	<0.020		0.020	ug/L		06/22/26 14:16	06/23/26 23:42	1
delta-BHC	<0.098		0.098	ug/L		06/22/26 14:16	06/23/26 23:42	1
Di(2-ethylhexyl)adipate	<0.59		0.59	ug/L		06/22/26 14:16	06/23/26 23:42	1
Dibenz(a,h)anthracene	<0.049		0.049	ug/L		06/22/26 14:16	06/23/26 23:42	1
Diclorvos (DDVP)	<0.049		0.049	ug/L		06/22/26 14:16	06/23/26 23:42	1
Dieldrin	<0.0098		0.0098	ug/L		06/22/26 14:16	06/23/26 23:42	1
Diethylphthalate	<0.49		0.49	ug/L		06/22/26 14:16	06/23/26 23:42	1
Dimethylphthalate	<0.49		0.49	ug/L		06/22/26 14:16	06/23/26 23:42	1
Di-n-butyl phthalate	<0.98		0.98	ug/L		06/22/26 14:16	06/23/26 23:42	1
Di-n-octyl phthalate	<0.098		0.098	ug/L		06/22/26 14:16	06/23/26 23:42	1
Endosulfan I (Alpha)	<0.098		0.098	ug/L		06/22/26 14:16	06/23/26 23:42	1
Endosulfan II (Beta)	<0.098		0.098	ug/L		06/22/26 14:16	06/23/26 23:42	1
Endosulfan sulfate	<0.098		0.098	ug/L		06/22/26 14:16	06/23/26 23:42	1
Endrin	<0.0098		0.0098	ug/L		06/22/26 14:16	06/23/26 23:42	1
Endrin aldehyde	<0.098		0.098	ug/L		06/22/26 14:16	06/23/26 23:42	1
EPTC	<0.098		0.098	ug/L		06/22/26 14:16	06/23/26 23:42	1

Eurofins Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-220701-1
SDG: Weekly: Aiea Gulch Wells Pump 2

**Client Sample ID: AIEA GULCH WELLS PUMP 2
(331-202-TP072)**

Lab Sample ID: 380-220701-1

Date Collected: 06/17/26 09:30

Matrix: Drinking Water

Date Received: 06/19/26 09:55

Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoranthene	<0.098		0.098	ug/L		06/22/26 14:16	06/23/26 23:42	1
Fluorene	<0.049		0.049	ug/L		06/22/26 14:16	06/23/26 23:42	1
gamma-Chlordane	<0.049		0.049	ug/L		06/22/26 14:16	06/23/26 23:42	1
Heptachlor	<0.0098		0.0098	ug/L		06/22/26 14:16	06/23/26 23:42	1
Heptachlor epoxide (isomer B)	<0.0098		0.0098	ug/L		06/22/26 14:16	06/23/26 23:42	1
Hexachlorobenzene	<0.049		0.049	ug/L		06/22/26 14:16	06/23/26 23:42	1
Hexachlorocyclopentadiene	<0.049		0.049	ug/L		06/22/26 14:16	06/23/26 23:42	1
Indeno[1,2,3-cd]pyrene	<0.049		0.049	ug/L		06/22/26 14:16	06/23/26 23:42	1
Isophorone	<0.098		0.098	ug/L		06/22/26 14:16	06/23/26 23:42	1
Lindane	<0.0098		0.0098	ug/L		06/22/26 14:16	06/23/26 23:42	1
Malathion	<0.098		0.098	ug/L		06/22/26 14:16	06/23/26 23:42	1
Methoxychlor	<0.049		0.049	ug/L		06/22/26 14:16	06/23/26 23:42	1
Metolachlor	<0.049		0.049	ug/L		06/22/26 14:16	06/23/26 23:42	1
Molinate	<0.098		0.098	ug/L		06/22/26 14:16	06/23/26 23:42	1
Naphthalene	<0.098		0.098	ug/L		06/22/26 14:16	06/23/26 23:42	1
Parathion	<0.098		0.098	ug/L		06/22/26 14:16	06/23/26 23:42	1
Pendimethalin (Penoxaline)	<0.098		0.098	ug/L		06/22/26 14:16	06/23/26 23:42	1
Phenanthrene	<0.039		0.039	ug/L		06/22/26 14:16	06/23/26 23:42	1
Propachlor	<0.049		0.049	ug/L		06/22/26 14:16	06/23/26 23:42	1
Pyrene	<0.049		0.049	ug/L		06/22/26 14:16	06/23/26 23:42	1
Simazine	<0.049		0.049	ug/L		06/22/26 14:16	06/23/26 23:42	1
Terbacil	<0.098		0.098	ug/L		06/22/26 14:16	06/23/26 23:42	1
Terbutylazine	<0.098		0.098	ug/L		06/22/26 14:16	06/23/26 23:42	1
Thiobencarb	<0.098		0.098	ug/L		06/22/26 14:16	06/23/26 23:42	1
Total Permethrin (mixed isomers)	<0.20		0.20	ug/L		06/22/26 14:16	06/23/26 23:42	1
trans-Nonachlor	<0.049		0.049	ug/L		06/22/26 14:16	06/23/26 23:42	1
Trifluralin	<0.098		0.098	ug/L		06/22/26 14:16	06/23/26 23:42	1

Tentatively Identified Compound	Est. Result	Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Tentatively Identified Compound	None		ug/L			N/A	06/22/26 14:16	06/23/26 23:42	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Nitro-m-xylene	98		70 - 130	06/22/26 14:16	06/23/26 23:42	1
Perylene-d12	72		70 - 130	06/22/26 14:16	06/23/26 23:42	1
Triphenylphosphate	93		70 - 130	06/22/26 14:16	06/23/26 23:42	1

Method: EPA 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	<0.19		0.19	ug/L		06/21/26 08:48	06/24/26 13:05	1
2-Methylnaphthalene	<0.19		0.19	ug/L		06/21/26 08:48	06/24/26 13:05	1
Acenaphthene	<0.19		0.19	ug/L		06/21/26 08:48	06/24/26 13:05	1
Acenaphthylene	<0.19		0.19	ug/L		06/21/26 08:48	06/24/26 13:05	1
Anthracene	<0.19		0.19	ug/L		06/21/26 08:48	06/24/26 13:05	1
Benzo[a]anthracene	<0.19		0.19	ug/L		06/21/26 08:48	06/24/26 13:05	1
Benzo[a]pyrene	<0.19		0.19	ug/L		06/21/26 08:48	06/24/26 13:05	1
Benzo[b]fluoranthene	<0.19		0.19	ug/L		06/21/26 08:48	06/24/26 13:05	1
Benzo[g,h,i]perylene	<0.19		0.19	ug/L		06/21/26 08:48	06/24/26 13:05	1
Benzo[k]fluoranthene	<0.19		0.19	ug/L		06/21/26 08:48	06/24/26 13:05	1
Chrysene	<0.19		0.19	ug/L		06/21/26 08:48	06/24/26 13:05	1

Eurofins Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-220701-1
SDG: Weekly: Aiea Gulch Wells Pump 2

**Client Sample ID: AIEA GULCH WELLS PUMP 2
(331-202-TP072)**

Lab Sample ID: 380-220701-1

Date Collected: 06/17/26 09:30

Matrix: Drinking Water

Date Received: 06/19/26 09:55

Method: EPA 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Dibenz(a,h)anthracene	<0.19		0.19	ug/L		06/21/26 08:48	06/24/26 13:05	1
Fluoranthene	<0.19		0.19	ug/L		06/21/26 08:48	06/24/26 13:05	1
Fluorene	<0.19		0.19	ug/L		06/21/26 08:48	06/24/26 13:05	1
Indeno[1,2,3-cd]pyrene	<0.19		0.19	ug/L		06/21/26 08:48	06/24/26 13:05	1
Naphthalene	<0.19		0.19	ug/L		06/21/26 08:48	06/24/26 13:05	1
Phenanthrene	<0.19		0.19	ug/L		06/21/26 08:48	06/24/26 13:05	1
Pyrene	<0.19		0.19	ug/L		06/21/26 08:48	06/24/26 13:05	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	82		28 - 127			06/21/26 08:48	06/24/26 13:05	1
2-Fluorobiphenyl (Surr)	82		31 - 120			06/21/26 08:48	06/24/26 13:05	1
2-Fluorophenol (Surr)	77		17 - 120			06/21/26 08:48	06/24/26 13:05	1
Nitrobenzene-d5 (Surr)	77		27 - 120			06/21/26 08:48	06/24/26 13:05	1
Phenol-d6 (Surr)	59		10 - 120			06/21/26 08:48	06/24/26 13:05	1
p-Terphenyl-d14 (Surr)	83		45 - 120			06/21/26 08:48	06/24/26 13:05	1

Method: EPA 625.1 - Semivolatile Organic Compounds (GC/MS)

Tentatively Identified Compound	Est. Result	Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Tentatively Identified Compound	None		ug/L			N/A	06/21/26 08:48	06/29/26 20:44	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	69		33 - 139				06/21/26 08:48	06/29/26 20:44	1
2-Fluorobiphenyl (Surr)	77		33 - 126				06/21/26 08:48	06/29/26 20:44	1
2-Fluorophenol (Surr)	74		12 - 120				06/21/26 08:48	06/29/26 20:44	1
Nitrobenzene-d5 (Surr)	97		36 - 120				06/21/26 08:48	06/29/26 20:44	1
Phenol-d6 (Surr)	54		10 - 120				06/21/26 08:48	06/29/26 20:44	1
p-Terphenyl-d14 (Surr)	78		47 - 131				06/21/26 08:48	06/29/26 20:44	1

Method: SW846 8015B GRO LL - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	<10		10	ug/L			06/29/26 14:58	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		38 - 134				06/29/26 14:58	1

Method: SW846 8015B - Diesel Range Organics (DRO) (GC) Low Level

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	<25		25	ug/L		06/23/26 09:43	07/03/26 23:12	1
Motor Oil Range Organics [C24-C36]	<25		25	ug/L		06/23/26 09:43	07/03/26 23:12	1
C8-C18	<25		25	ug/L		06/23/26 09:43	07/03/26 23:12	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
n-Octacosane (Surr)	79		60 - 130			06/23/26 09:43	07/03/26 23:12	1

Client Sample Results

Client: City & County of Honolulu
 Project/Site: RED-HILL

Job ID: 380-220701-1
 SDG: Weekly: Aiea Gulch Wells Pump 2

**Client Sample ID: TB: AIEA GULCH WELLS PUMP 2
 (331-202-TP072)**

Lab Sample ID: 380-220701-2

Date Collected: 06/17/26 09:30

Matrix: Water

Date Received: 06/19/26 09:55

Method: SW846 8015B GRO LL - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	<10		10	ug/L			06/29/26 19:23	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		38 - 134				06/29/26 19:23	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16

Action Limit Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-220701-1
SDG: Weekly: Aiea Gulch Wells Pump 2

**Client Sample ID: AIEA GULCH WELLS PUMP 2
(331-202-TP072)**

Lab Sample ID: 380-220701-1

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL	RL	Method	Prep Type
				Limit			
Alachlor	<0.049		ug/L	2	0.049	525.2	Total/NA
Atrazine	<0.049		ug/L	3	0.049	525.2	Total/NA
Benzo[a]pyrene	<0.020		ug/L	0.2	0.020	525.2	Total/NA
Bis(2-ethylhexyl) phthalate	<0.59		ug/L	6	0.59	525.2	Total/NA
Di(2-ethylhexyl)adipate	<0.59		ug/L	400	0.59	525.2	Total/NA
Endrin	<0.0098		ug/L	2	0.0098	525.2	Total/NA
Heptachlor	<0.0098		ug/L	0.4	0.0098	525.2	Total/NA
Heptachlor epoxide (isomer B)	<0.0098		ug/L	0.2	0.0098	525.2	Total/NA
Hexachlorobenzene	<0.049		ug/L	1	0.049	525.2	Total/NA
Hexachlorocyclopentadiene	<0.049		ug/L	50	0.049	525.2	Total/NA
Lindane	<0.0098		ug/L	0.2	0.0098	525.2	Total/NA
Methoxychlor	<0.049		ug/L	40	0.049	525.2	Total/NA
Simazine	<0.049		ug/L	4	0.049	525.2	Total/NA
Benzo[a]pyrene	<0.19		ug/L	0.2	0.19	625.1 SIM	Total/NA

Surrogate Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-220701-1
SDG: Weekly: Aiea Gulch Wells Pump 2

Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Matrix: Drinking Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		2NMX (70-130)	PRY (70-130)	TPP (70-130)
380-220701-1	AIEA GULCH WELLS PUMP 2 (331)	98	72	93

Surrogate Legend

2NMX = 2-Nitro-m-xylene
PRY = Perylene-d12
TPP = Triphenylphosphate

Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		2NMX (70-130)	PRY (70-130)	TPP (70-130)
380-220437-I-1-A MS	Matrix Spike	98	92	94
380-220460-I-1-A DU	Duplicate	98	87	89
LCS 380-235470/23-A	Lab Control Sample	96	91	94
MB 380-235470/21-A	Method Blank	98	89	90
MRL 380-235470/22-A	Lab Control Sample	96	89	92

Surrogate Legend

2NMX = 2-Nitro-m-xylene
PRY = Perylene-d12
TPP = Triphenylphosphate

Method: 625.1 - Semivolatile Organic Compounds (GC/MS)

Matrix: Drinking Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		TBP (33-139)	FBP (33-126)	2FP (12-120)	NBZ (36-120)	PHL6 (10-120)	TPHd14 (47-131)
380-220701-1	AIEA GULCH WELLS PUMP 2 (331)	69	77	74	97	54	78

Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)
FBP = 2-Fluorobiphenyl (Surr)
2FP = 2-Fluorophenol (Surr)
NBZ = Nitrobenzene-d5 (Surr)
PHL6 = Phenol-d6 (Surr)
TPHd14 = p-Terphenyl-d14 (Surr)

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Matrix: Drinking Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		TBP (28-127)	FBP (31-120)	2FP (17-120)	NBZ (27-120)	PHL6 (10-120)	TPHd14 (45-120)
380-220701-1	AIEA GULCH WELLS PUMP 2 (331)	82	82	77	77	59	83

Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)
FBP = 2-Fluorobiphenyl (Surr)
2FP = 2-Fluorophenol (Surr)
NBZ = Nitrobenzene-d5 (Surr)

Surrogate Summary

Client: City & County of Honolulu

Job ID: 380-220701-1

Project/Site: RED-HILL

SDG: Weekly: Aiea Gulch Wells Pump 2

PHL6 = Phenol-d6 (Surr)

TPHd14 = p-Terphenyl-d14 (Surr)

Method: 625.1 SIM - Semivolatle Organic Compounds GC/MS (SIM)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		TBP (28-127)	FBP (31-120)	2FP (17-120)	NBZ (27-120)	PHL6 (10-120)	TPHd14 (45-120)
LCS 570-757352/2-A	Lab Control Sample	82	82	73	77	47	88
LCS 570-757352/3-A	Lab Control Sample Dup	83	78	71	74	45	88
MB 570-757352/1-A	Method Blank	92	93	70	90	43	90

Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)

FBP = 2-Fluorobiphenyl (Surr)

2FP = 2-Fluorophenol (Surr)

NBZ = Nitrobenzene-d5 (Surr)

PHL6 = Phenol-d6 (Surr)

TPHd14 = p-Terphenyl-d14 (Surr)

Method: 8015B GRO LL - Gasoline Range Organics - (GC)

Matrix: Drinking Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		BFB1 (38-134)
380-220701-1	AIEA GULCH WELLS PUMP 2 (331)	105

Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

Method: 8015B GRO LL - Gasoline Range Organics - (GC)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		BFB1 (38-134)
380-220701-2	TB: AIEA GULCH WELLS PUMP 2 (102
LCS 570-761708/3	Lab Control Sample	106
LCS 570-761708/4	Lab Control Sample Dup	105
MB 570-761708/6	Method Blank	103
MRL 570-761708/5	Lab Control Sample	103

Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level

Matrix: Drinking Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		OTCSN1 (60-130)
380-220701-1	AIEA GULCH WELLS PUMP 2 (331)	79

Surrogate Legend

OTCSN = n-Octacosane (Surr)

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-220701-1
SDG: Weekly: Aiea Gulch Wells Pump 2

Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 380-235470/21-A
Matrix: Water
Analysis Batch: 235688

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 235470

Analyte	MB	MB	RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
1-Methylnaphthalene	<0.099		0.099	ug/L		06/22/26 14:16	06/23/26 13:56	1
2,4'-DDD	<0.099		0.099	ug/L		06/22/26 14:16	06/23/26 13:56	1
2,4'-DDE	<0.099		0.099	ug/L		06/22/26 14:16	06/23/26 13:56	1
2,4'-DDT	<0.099		0.099	ug/L		06/22/26 14:16	06/23/26 13:56	1
2,4-Dinitrotoluene	<0.099		0.099	ug/L		06/22/26 14:16	06/23/26 13:56	1
2,6-Dinitrotoluene	<0.099		0.099	ug/L		06/22/26 14:16	06/23/26 13:56	1
2-Methylnaphthalene	<0.099		0.099	ug/L		06/22/26 14:16	06/23/26 13:56	1
4,4'-DDD	<0.099		0.099	ug/L		06/22/26 14:16	06/23/26 13:56	1
4,4'-DDE	<0.099		0.099	ug/L		06/22/26 14:16	06/23/26 13:56	1
4,4'-DDT	<0.099		0.099	ug/L		06/22/26 14:16	06/23/26 13:56	1
Acenaphthene	<0.099		0.099	ug/L		06/22/26 14:16	06/23/26 13:56	1
Acenaphthylene	<0.099		0.099	ug/L		06/22/26 14:16	06/23/26 13:56	1
Acetochlor	<0.099		0.099	ug/L		06/22/26 14:16	06/23/26 13:56	1
Alachlor	<0.050		0.050	ug/L		06/22/26 14:16	06/23/26 13:56	1
alpha-BHC	<0.099		0.099	ug/L		06/22/26 14:16	06/23/26 13:56	1
alpha-Chlordane	<0.050		0.050	ug/L		06/22/26 14:16	06/23/26 13:56	1
Anthracene	<0.020		0.020	ug/L		06/22/26 14:16	06/23/26 13:56	1
Atrazine	<0.050		0.050	ug/L		06/22/26 14:16	06/23/26 13:56	1
Benz(a)anthracene	<0.050		0.050	ug/L		06/22/26 14:16	06/23/26 13:56	1
Benzo[a]pyrene	<0.020		0.020	ug/L		06/22/26 14:16	06/23/26 13:56	1
Benzo[b]fluoranthene	<0.020		0.020	ug/L		06/22/26 14:16	06/23/26 13:56	1
Benzo[g,h,i]perylene	<0.050		0.050	ug/L		06/22/26 14:16	06/23/26 13:56	1
Benzo[k]fluoranthene	<0.020		0.020	ug/L		06/22/26 14:16	06/23/26 13:56	1
beta-BHC	<0.099		0.099	ug/L		06/22/26 14:16	06/23/26 13:56	1
Bis(2-ethylhexyl) phthalate	<0.60		0.60	ug/L		06/22/26 14:16	06/23/26 13:56	1
Bromacil	<0.099		0.099	ug/L		06/22/26 14:16	06/23/26 13:56	1
Butachlor	<0.050		0.050	ug/L		06/22/26 14:16	06/23/26 13:56	1
Butylbenzylphthalate	<0.50		0.50	ug/L		06/22/26 14:16	06/23/26 13:56	1
Chlorobenzilate	<0.099		0.099	ug/L		06/22/26 14:16	06/23/26 13:56	1
Chloroneb	<0.099		0.099	ug/L		06/22/26 14:16	06/23/26 13:56	1
Chlorothalonil (Draconil, Bravo)	<0.099		0.099	ug/L		06/22/26 14:16	06/23/26 13:56	1
Chlorpyrifos	<0.050		0.050	ug/L		06/22/26 14:16	06/23/26 13:56	1
Chrysene	<0.020		0.020	ug/L		06/22/26 14:16	06/23/26 13:56	1
delta-BHC	<0.099		0.099	ug/L		06/22/26 14:16	06/23/26 13:56	1
Di(2-ethylhexyl)adipate	<0.60		0.60	ug/L		06/22/26 14:16	06/23/26 13:56	1
Dibenz(a,h)anthracene	<0.050		0.050	ug/L		06/22/26 14:16	06/23/26 13:56	1
Diclorvos (DDVP)	<0.050		0.050	ug/L		06/22/26 14:16	06/23/26 13:56	1
Dieldrin	<0.0099		0.0099	ug/L		06/22/26 14:16	06/23/26 13:56	1
Diethylphthalate	<0.50		0.50	ug/L		06/22/26 14:16	06/23/26 13:56	1
Dimethylphthalate	<0.50		0.50	ug/L		06/22/26 14:16	06/23/26 13:56	1
Di-n-butyl phthalate	<0.99		0.99	ug/L		06/22/26 14:16	06/23/26 13:56	1
Di-n-octyl phthalate	<0.099		0.099	ug/L		06/22/26 14:16	06/23/26 13:56	1
Endosulfan I (Alpha)	<0.099		0.099	ug/L		06/22/26 14:16	06/23/26 13:56	1
Endosulfan II (Beta)	<0.099		0.099	ug/L		06/22/26 14:16	06/23/26 13:56	1
Endosulfan sulfate	<0.099		0.099	ug/L		06/22/26 14:16	06/23/26 13:56	1
Endrin	<0.0099		0.0099	ug/L		06/22/26 14:16	06/23/26 13:56	1
Endrin aldehyde	<0.099		0.099	ug/L		06/22/26 14:16	06/23/26 13:56	1
EPTC	<0.099		0.099	ug/L		06/22/26 14:16	06/23/26 13:56	1

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-220701-1
SDG: Weekly: Aiea Gulch Wells Pump 2

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 380-235470/21-A
Matrix: Water
Analysis Batch: 235688

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 235470

Analyte	MB	MB	RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
Fluoranthene	<0.099		0.099	ug/L		06/22/26 14:16	06/23/26 13:56	1
Fluorene	<0.050		0.050	ug/L		06/22/26 14:16	06/23/26 13:56	1
gamma-Chlordane	<0.050		0.050	ug/L		06/22/26 14:16	06/23/26 13:56	1
Heptachlor	<0.0099		0.0099	ug/L		06/22/26 14:16	06/23/26 13:56	1
Heptachlor epoxide (isomer B)	<0.0099		0.0099	ug/L		06/22/26 14:16	06/23/26 13:56	1
Hexachlorobenzene	<0.050		0.050	ug/L		06/22/26 14:16	06/23/26 13:56	1
Hexachlorocyclopentadiene	<0.050		0.050	ug/L		06/22/26 14:16	06/23/26 13:56	1
Indeno[1,2,3-cd]pyrene	<0.050		0.050	ug/L		06/22/26 14:16	06/23/26 13:56	1
Isophorone	<0.099		0.099	ug/L		06/22/26 14:16	06/23/26 13:56	1
Lindane	<0.0099		0.0099	ug/L		06/22/26 14:16	06/23/26 13:56	1
Malathion	<0.099		0.099	ug/L		06/22/26 14:16	06/23/26 13:56	1
Methoxychlor	<0.050		0.050	ug/L		06/22/26 14:16	06/23/26 13:56	1
Metolachlor	<0.050		0.050	ug/L		06/22/26 14:16	06/23/26 13:56	1
Molinate	<0.099		0.099	ug/L		06/22/26 14:16	06/23/26 13:56	1
Naphthalene	<0.099		0.099	ug/L		06/22/26 14:16	06/23/26 13:56	1
Parathion	<0.099		0.099	ug/L		06/22/26 14:16	06/23/26 13:56	1
Pendimethalin (Penoxaline)	<0.099		0.099	ug/L		06/22/26 14:16	06/23/26 13:56	1
Phenanthrene	<0.040		0.040	ug/L		06/22/26 14:16	06/23/26 13:56	1
Propachlor	<0.050		0.050	ug/L		06/22/26 14:16	06/23/26 13:56	1
Pyrene	<0.050		0.050	ug/L		06/22/26 14:16	06/23/26 13:56	1
Simazine	<0.050		0.050	ug/L		06/22/26 14:16	06/23/26 13:56	1
Terbacil	<0.099		0.099	ug/L		06/22/26 14:16	06/23/26 13:56	1
Terbutylazine	<0.099		0.099	ug/L		06/22/26 14:16	06/23/26 13:56	1
Thiobencarb	<0.099		0.099	ug/L		06/22/26 14:16	06/23/26 13:56	1
Total Permethrin (mixed isomers)	<0.20		0.20	ug/L		06/22/26 14:16	06/23/26 13:56	1
trans-Nonachlor	<0.050		0.050	ug/L		06/22/26 14:16	06/23/26 13:56	1
Trifluralin	<0.099		0.099	ug/L		06/22/26 14:16	06/23/26 13:56	1

Tentatively Identified Compound	MB	MB	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
	Est. Result	Qualifier							
Undecane	5.47	T J N	ug/L		3.14	1120-21-4	06/22/26 14:16	06/23/26 13:56	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
2-Nitro-m-xylene	98		70 - 130	06/22/26 14:16	06/23/26 13:56	1
Perylene-d12	89		70 - 130	06/22/26 14:16	06/23/26 13:56	1
Triphenylphosphate	90		70 - 130	06/22/26 14:16	06/23/26 13:56	1

Lab Sample ID: LCS 380-235470/23-A
Matrix: Water
Analysis Batch: 235688

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 235470

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1-Methylnaphthalene	1.99	2.08		ug/L		104	70 - 130
2,4'-DDD	1.99	2.00		ug/L		101	70 - 130
2,4'-DDE	1.99	2.08		ug/L		104	70 - 130
2,4'-DDT	1.99	1.99		ug/L		100	70 - 130
2,4-Dinitrotoluene	1.99	1.85		ug/L		93	70 - 130
2,6-Dinitrotoluene	1.99	1.86		ug/L		94	70 - 130
2-Methylnaphthalene	1.99	1.97		ug/L		99	70 - 130

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-220701-1
SDG: Weekly: Aiea Gulch Wells Pump 2

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 380-235470/23-A

Matrix: Water

Analysis Batch: 235688

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 235470

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec Limits
	Added	Result	Qualifier				
4,4'-DDD	1.99	1.95		ug/L		98	70 - 130
4,4'-DDE	1.99	1.94		ug/L		98	70 - 130
4,4'-DDT	1.99	1.94		ug/L		98	70 - 130
Acenaphthene	1.99	1.99		ug/L		100	70 - 130
Acenaphthylene	1.99	2.00		ug/L		100	70 - 130
Acetochlor	1.99	2.02		ug/L		102	70 - 130
Alachlor	1.99	2.05		ug/L		103	70 - 130
alpha-BHC	1.99	1.97		ug/L		99	70 - 130
alpha-Chlordane	1.99	2.08		ug/L		105	70 - 130
Anthracene	1.99	1.92		ug/L		97	70 - 130
Atrazine	1.99	2.13		ug/L		107	70 - 130
Benz(a)anthracene	1.99	1.94		ug/L		98	70 - 130
Benzo[a]pyrene	1.99	1.85		ug/L		93	70 - 130
Benzo[b]fluoranthene	1.99	1.86		ug/L		94	70 - 130
Benzo[g,h,i]perylene	1.99	1.81		ug/L		91	70 - 130
Benzo[k]fluoranthene	1.99	1.89		ug/L		95	70 - 130
beta-BHC	1.99	1.96		ug/L		99	70 - 130
Bis(2-ethylhexyl) phthalate	1.99	1.82		ug/L		92	70 - 130
Bromacil	1.99	1.73		ug/L		87	70 - 130
Butachlor	1.99	1.97		ug/L		99	70 - 130
Butylbenzylphthalate	1.99	1.95		ug/L		98	70 - 130
Chlorobenzilate	1.99	1.85		ug/L		93	70 - 130
Chloroneb	1.99	2.03		ug/L		102	70 - 130
Chlorothalonil (Draconil, Bravo)	1.99	2.04		ug/L		103	70 - 130
Chlorpyrifos	1.99	2.06		ug/L		103	70 - 130
Chrysene	1.99	1.98		ug/L		100	70 - 130
delta-BHC	1.99	1.94		ug/L		97	70 - 130
Di(2-ethylhexyl)adipate	1.99	1.93		ug/L		97	70 - 130
Dibenz(a,h)anthracene	1.99	1.84		ug/L		93	70 - 130
Diclorvos (DDVP)	1.99	1.90		ug/L		96	70 - 130
Dieldrin	1.99	1.99		ug/L		100	70 - 130
Diethylphthalate	1.99	2.14		ug/L		107	70 - 130
Dimethylphthalate	1.99	2.08		ug/L		105	70 - 130
Di-n-butyl phthalate	3.97	4.30		ug/L		108	70 - 130
Di-n-octyl phthalate	1.99	1.72		ug/L		86	70 - 130
Endosulfan I (Alpha)	1.99	1.95		ug/L		98	70 - 130
Endosulfan II (Beta)	1.99	1.92		ug/L		97	70 - 130
Endosulfan sulfate	1.99	1.92		ug/L		97	70 - 130
Endrin	1.99	2.09		ug/L		105	70 - 130
Endrin aldehyde	1.99	1.83		ug/L		92	60 - 130
EPTC	1.99	2.06		ug/L		104	70 - 130
Fluoranthene	1.99	2.08		ug/L		105	70 - 130
Fluorene	1.99	2.08		ug/L		105	70 - 130
gamma-Chlordane	1.99	2.02		ug/L		102	70 - 130
Heptachlor	1.99	2.18		ug/L		110	70 - 130
Heptachlor epoxide (isomer B)	1.99	2.04		ug/L		103	70 - 130
Hexachlorobenzene	1.99	1.98		ug/L		100	70 - 130
Hexachlorocyclopentadiene	1.99	2.12		ug/L		107	70 - 130
Indeno[1,2,3-cd]pyrene	1.99	1.81		ug/L		91	70 - 130

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-220701-1
SDG: Weekly: Aiea Gulch Wells Pump 2

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 380-235470/23-A

Matrix: Water

Analysis Batch: 235688

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 235470

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Isophorone	1.99	1.94		ug/L		98	70 - 130
Lindane	1.99	2.04		ug/L		103	70 - 130
Malathion	1.99	2.04		ug/L		103	70 - 130
Methoxychlor	1.99	1.96		ug/L		99	70 - 130
Metolachlor	1.99	1.97		ug/L		99	70 - 130
Molinate	1.99	2.09		ug/L		105	70 - 130
Naphthalene	1.99	2.05		ug/L		103	70 - 130
Parathion	1.99	1.91		ug/L		96	70 - 130
Pendimethalin (Penoxaline)	1.99	1.87		ug/L		94	70 - 130
Phenanthrene	1.99	2.01		ug/L		101	70 - 130
Propachlor	1.99	2.04		ug/L		102	70 - 130
Pyrene	1.99	2.10		ug/L		106	70 - 130
Simazine	1.99	2.10		ug/L		106	70 - 130
Terbacil	1.99	1.77		ug/L		89	70 - 130
Terbutylazine	1.99	2.10		ug/L		106	70 - 130
Thiobencarb	1.99	2.08		ug/L		105	70 - 130
trans-Nonachlor	1.99	2.08		ug/L		105	70 - 130
Trifluralin	1.99	1.74		ug/L		87	70 - 130

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
2-Nitro-m-xylene	96		70 - 130
Perylene-d12	91		70 - 130
Triphenylphosphate	94		70 - 130

Lab Sample ID: MRL 380-235470/22-A

Matrix: Water

Analysis Batch: 235688

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 235470

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
1-Methylnaphthalene	0.0997	0.127		ug/L		127	50 - 150
2,4'-DDD	0.0997	0.103		ug/L		103	50 - 150
2,4'-DDE	0.0997	0.117		ug/L		117	50 - 150
2,4'-DDT	0.0997	0.129		ug/L		129	50 - 150
2,4-Dinitrotoluene	0.0997	0.126		ug/L		127	50 - 150
2,6-Dinitrotoluene	0.0997	0.121		ug/L		122	50 - 150
2-Methylnaphthalene	0.0997	0.126		ug/L		126	50 - 150
4,4'-DDD	0.0997	0.116		ug/L		116	50 - 150
4,4'-DDE	0.0997	0.113		ug/L		114	50 - 150
4,4'-DDT	0.0997	0.129		ug/L		129	50 - 150
Acenaphthene	0.0997	0.109		ug/L		109	50 - 150
Acenaphthylene	0.0997	0.0953	J	ug/L		96	50 - 150
Acetochlor	0.0997	0.111		ug/L		112	50 - 150
Alachlor	0.0499	0.0609		ug/L		122	50 - 150
alpha-BHC	0.0997	0.115		ug/L		116	50 - 150
alpha-Chlordane	0.0249	0.0294	J	ug/L		118	50 - 150
Anthracene	0.0199	0.0242		ug/L		121	50 - 150
Atrazine	0.0499	0.0591		ug/L		119	50 - 150
Benz(a)anthracene	0.0499	0.0582		ug/L		117	50 - 150

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-220701-1
SDG: Weekly: Aiea Gulch Wells Pump 2

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MRL 380-235470/22-A

Matrix: Water

Analysis Batch: 235688

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 235470

Analyte	Spike	MRL	MRL	Unit	D	%Rec	%Rec Limits
	Added	Result	Qualifier				
Benzo[a]pyrene	0.0199	0.0217		ug/L		109	50 - 150
Benzo[b]fluoranthene	0.0199	0.0252		ug/L		127	50 - 150
Benzo[g,h,i]perylene	0.0499	0.0502		ug/L		101	50 - 150
Benzo[k]fluoranthene	0.0199	0.0292		ug/L		147	50 - 150
beta-BHC	0.0997	0.120		ug/L		120	50 - 150
Bis(2-ethylhexyl) phthalate	0.598	0.636		ug/L		106	50 - 150
Bromacil	0.0997	0.126		ug/L		126	50 - 150
Butachlor	0.0499	0.0612		ug/L		123	50 - 150
Butylbenzylphthalate	0.499	0.591		ug/L		119	50 - 150
Chlorobenzilate	0.0997	0.109		ug/L		109	50 - 150
Chloroneb	0.0997	0.119		ug/L		119	50 - 150
Chlorothalonil (Draconil, Bravo)	0.0997	0.112		ug/L		113	50 - 150
Chlorpyrifos	0.0499	0.0572		ug/L		115	50 - 150
Chrysene	0.0199	0.0279		ug/L		140	50 - 150
delta-BHC	0.0997	0.127		ug/L		127	50 - 150
Di(2-ethylhexyl)adipate	0.598	0.707		ug/L		118	50 - 150
Dibenz(a,h)anthracene	0.0499	0.0499	J	ug/L		100	50 - 150
Diclorvos (DDVP)	0.0499	0.0676		ug/L		136	50 - 150
Dieldrin	0.00997	0.0129		ug/L		129	50 - 150
Diethylphthalate	0.499	0.650		ug/L		130	50 - 150
Dimethylphthalate	0.499	0.628		ug/L		126	50 - 150
Di-n-butyl phthalate	0.499	0.677	J	ug/L		136	49 - 243
Di-n-octyl phthalate	0.0997	0.0982	J	ug/L		98	50 - 150
Endosulfan I (Alpha)	0.0997	0.0819	J	ug/L		82	50 - 150
Endosulfan II (Beta)	0.0997	0.111		ug/L		112	50 - 150
Endosulfan sulfate	0.0997	0.120		ug/L		120	50 - 150
Endrin	0.00997	0.0118		ug/L		118	50 - 150
Endrin aldehyde	0.0997	0.123		ug/L		123	50 - 150
EPTC	0.0997	0.115		ug/L		115	50 - 150
Fluoranthene	0.0997	0.113		ug/L		114	50 - 150
Fluorene	0.0499	0.0610		ug/L		122	50 - 150
gamma-Chlordane	0.0249	0.0255	J	ug/L		102	50 - 150
Heptachlor	0.00997	0.0145		ug/L		145	50 - 150
Heptachlor epoxide (isomer B)	0.00997	0.0125		ug/L		125	50 - 150
Hexachlorobenzene	0.0499	0.0587		ug/L		118	50 - 150
Hexachlorocyclopentadiene	0.0499	0.0694		ug/L		139	50 - 150
Indeno[1,2,3-cd]pyrene	0.0499	0.0475	J	ug/L		95	50 - 150
Isophorone	0.0997	0.107		ug/L		107	50 - 150
Lindane	0.00997	0.0129		ug/L		129	50 - 150
Malathion	0.0997	0.111		ug/L		112	50 - 150
Methoxychlor	0.0499	0.0575		ug/L		115	50 - 150
Metolachlor	0.0499	0.0612		ug/L		123	50 - 150
Molinate	0.0997	0.124		ug/L		124	50 - 150
Naphthalene	0.0997	0.118		ug/L		118	50 - 150
Parathion	0.0997	0.101		ug/L		101	50 - 150
Pendimethalin (Penoxaline)	0.0997	0.111		ug/L		111	50 - 150
Phenanthrene	0.0399	0.0488		ug/L		122	50 - 150
Propachlor	0.0499	0.0572		ug/L		115	50 - 150
Pyrene	0.0499	0.0575		ug/L		115	50 - 150

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-220701-1
SDG: Weekly: Aiea Gulch Wells Pump 2

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MRL 380-235470/22-A

Matrix: Water

Analysis Batch: 235688

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 235470

Analyte	Spike	MRL	MRL	Unit	D	%Rec	%Rec Limits
	Added	Result	Qualifier				
Simazine	0.0499	0.0508		ug/L		102	50 - 150
Terbacil	0.0997	0.115		ug/L		116	50 - 150
Terbutylazine	0.0997	0.119		ug/L		119	50 - 150
Thiobencarb	0.0997	0.117		ug/L		117	50 - 150
trans-Nonachlor	0.0249	0.0286	J	ug/L		115	50 - 150
Trifluralin	0.0997	0.110		ug/L		110	50 - 150

Surrogate	MRL	MRL	Limits
	%Recovery	Qualifier	
2-Nitro-m-xylene	96		70 - 130
Perylene-d12	89		70 - 130
Triphenylphosphate	92		70 - 130

Lab Sample ID: 380-220437-I-1-A MS

Matrix: Water

Analysis Batch: 235688

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 235470

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier	Added	Result	Qualifier				
1-Methylnaphthalene	<0.098		1.96	2.06		ug/L		105	70 - 130
2,4'-DDD	<0.098		1.96	1.98		ug/L		101	70 - 130
2,4'-DDE	<0.098		1.96	2.02		ug/L		103	70 - 130
2,4'-DDT	<0.098		1.96	1.95		ug/L		99	70 - 130
2,4-Dinitrotoluene	<0.098		1.96	1.92		ug/L		98	70 - 130
2,6-Dinitrotoluene	<0.098		1.96	1.91		ug/L		98	70 - 130
2-Methylnaphthalene	<0.098		1.96	1.98		ug/L		100	70 - 130
4,4'-DDD	<0.098		1.96	1.92		ug/L		98	70 - 130
4,4'-DDE	<0.098		1.96	1.88		ug/L		96	70 - 130
4,4'-DDT	<0.098		1.96	1.91		ug/L		98	70 - 130
Acenaphthene	<0.098		1.96	1.98		ug/L		101	70 - 130
Acenaphthylene	<0.098		1.96	1.95		ug/L		100	70 - 130
Acetochlor	<0.098		1.96	2.04		ug/L		104	70 - 130
Alachlor	<0.049		1.96	2.07		ug/L		106	70 - 130
alpha-BHC	<0.098		1.96	1.96		ug/L		100	70 - 130
alpha-Chlordane	<0.049		1.96	2.07		ug/L		106	70 - 130
Anthracene	<0.020		1.96	1.76		ug/L		90	70 - 130
Atrazine	<0.049		1.96	2.15		ug/L		110	70 - 130
Benz(a)anthracene	<0.049		1.96	1.92		ug/L		98	70 - 130
Benzo[a]pyrene	<0.020		1.96	1.83		ug/L		94	70 - 130
Benzo[b]fluoranthene	<0.020		1.96	1.83		ug/L		93	70 - 130
Benzo[g,h,i]perylene	<0.049		1.96	1.75		ug/L		89	70 - 130
Benzo[k]fluoranthene	<0.020		1.96	1.98		ug/L		101	70 - 130
beta-BHC	<0.098		1.96	1.96		ug/L		100	70 - 130
Bis(2-ethylhexyl) phthalate	<0.59		1.96	1.72		ug/L		88	70 - 130
Bromacil	<0.098		1.96	1.85		ug/L		95	70 - 130
Butachlor	<0.049		1.96	1.97		ug/L		101	70 - 130
Butylbenzylphthalate	<0.49		1.96	1.95		ug/L		100	70 - 130
Chlorobenzilate	<0.098		1.96	1.87		ug/L		96	70 - 130
Chloroneb	<0.098		1.96	2.02		ug/L		103	70 - 130
Chlorothalonil (Draconil, Bravo)	<0.098		1.96	2.07		ug/L		106	70 - 130

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-220701-1
SDG: Weekly: Aiea Gulch Wells Pump 2

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 380-220437-I-1-A MS

Client Sample ID: Matrix Spike

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 235688

Prep Batch: 235470

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier	Added	Result	Qualifier				
Chlorpyrifos	<0.049		1.96	2.03		ug/L		104	70 - 130
Chrysene	<0.020		1.96	2.04		ug/L		104	70 - 130
delta-BHC	<0.098		1.96	1.94		ug/L		99	70 - 130
Di(2-ethylhexyl)adipate	<0.59		1.96	1.83		ug/L		93	70 - 130
Dibenz(a,h)anthracene	<0.049		1.96	1.73		ug/L		88	70 - 130
Diclorvos (DDVP)	<0.049		1.96	1.99		ug/L		102	70 - 130
Dieldrin	<0.0098		1.96	1.94		ug/L		99	70 - 130
Diethylphthalate	<0.49		1.96	2.15		ug/L		110	70 - 130
Dimethylphthalate	<0.49		1.96	2.12		ug/L		108	70 - 130
Di-n-butyl phthalate	<0.98		3.92	4.24		ug/L		108	70 - 130
Di-n-octyl phthalate	<0.098		1.96	1.59		ug/L		81	70 - 130
Endosulfan I (Alpha)	<0.098		1.96	1.93		ug/L		99	70 - 130
Endosulfan II (Beta)	<0.098		1.96	1.87		ug/L		95	70 - 130
Endosulfan sulfate	<0.098		1.96	1.93		ug/L		98	70 - 130
Endrin	<0.0098		1.96	2.10		ug/L		107	70 - 130
Endrin aldehyde	<0.098		1.96	1.64		ug/L		84	60 - 130
EPTC	<0.098		1.96	2.05		ug/L		105	70 - 130
Fluoranthene	<0.098		1.96	2.09		ug/L		107	70 - 130
Fluorene	<0.049		1.96	2.10		ug/L		107	70 - 130
gamma-Chlordane	<0.049		1.96	2.02		ug/L		103	70 - 130
Heptachlor	<0.0098		1.96	2.19		ug/L		112	70 - 130
Heptachlor epoxide (isomer B)	<0.0098		1.96	2.05		ug/L		105	70 - 130
Hexachlorobenzene	<0.049		1.96	1.96		ug/L		100	70 - 130
Hexachlorocyclopentadiene	<0.049		1.96	2.18		ug/L		111	70 - 130
Indeno[1,2,3-cd]pyrene	<0.049		1.96	1.74		ug/L		89	70 - 130
Isophorone	<0.098		1.96	1.96		ug/L		100	70 - 130
Lindane	<0.0098		1.96	2.06		ug/L		105	70 - 130
Malathion	<0.098		1.96	2.05		ug/L		105	70 - 130
Methoxychlor	<0.049		1.96	2.05		ug/L		105	70 - 130
Metolachlor	<0.049		1.96	1.96		ug/L		100	70 - 130
Molinate	<0.098		1.96	2.12		ug/L		108	70 - 130
Naphthalene	<0.098		1.96	2.04		ug/L		104	70 - 130
Parathion	<0.098		1.96	1.98		ug/L		101	70 - 130
Pendimethalin (Penoxaline)	<0.098		1.96	1.91		ug/L		98	70 - 130
Phenanthrene	<0.039		1.96	2.01		ug/L		103	70 - 130
Propachlor	<0.049		1.96	2.07		ug/L		106	70 - 130
Pyrene	<0.049		1.96	2.10		ug/L		107	70 - 130
Simazine	<0.049		1.96	2.15		ug/L		110	70 - 130
Terbacil	<0.098		1.96	1.84		ug/L		94	70 - 130
Terbutylazine	<0.098		1.96	2.11		ug/L		108	70 - 130
Thiobencarb	<0.098		1.96	2.10		ug/L		107	70 - 130
trans-Nonachlor	<0.049		1.96	2.04		ug/L		104	70 - 130
Trifluralin	<0.098		1.96	1.77		ug/L		90	70 - 130

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
2-Nitro-m-xylene	98		70 - 130
Perylene-d12	92		70 - 130
Triphenylphosphate	94		70 - 130

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-220701-1
SDG: Weekly: Aiea Gulch Wells Pump 2

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 380-220460-I-1-A DU

Matrix: Water

Analysis Batch: 235688

Client Sample ID: Duplicate

Prep Type: Total/NA

Prep Batch: 235470

Analyte	Sample	Sample	DU	DU	Unit	D	RPD	Limit
	Result	Qualifier	Result	Qualifier				
1-Methylnaphthalene	<0.098		<0.098		ug/L		NC	20
2,4'-DDD	<0.098		<0.098		ug/L		NC	20
2,4'-DDE	<0.098		<0.098		ug/L		NC	20
2,4'-DDT	<0.098		<0.098		ug/L		NC	20
2,4-Dinitrotoluene	<0.098		<0.098		ug/L		NC	20
2,6-Dinitrotoluene	<0.098		<0.098		ug/L		NC	20
2-Methylnaphthalene	<0.098		<0.098		ug/L		NC	20
4,4'-DDD	<0.098		<0.098		ug/L		NC	20
4,4'-DDE	<0.098		<0.098		ug/L		NC	20
4,4'-DDT	<0.098		<0.098		ug/L		NC	20
Acenaphthene	<0.098		<0.098		ug/L		NC	20
Acenaphthylene	<0.098		<0.098		ug/L		NC	20
Acetochlor	<0.098		<0.098		ug/L		NC	20
Alachlor	<0.049		<0.049		ug/L		NC	20
alpha-BHC	<0.098		<0.098		ug/L		NC	20
alpha-Chlordane	<0.049		<0.049		ug/L		NC	20
Anthracene	<0.020		<0.020		ug/L		NC	20
Atrazine	<0.049		<0.049		ug/L		NC	20
Benz(a)anthracene	<0.049		<0.049		ug/L		NC	20
Benzo[a]pyrene	<0.020		<0.020		ug/L		NC	20
Benzo[b]fluoranthene	<0.020		<0.020		ug/L		NC	20
Benzo[g,h,i]perylene	<0.049		<0.049		ug/L		NC	20
Benzo[k]fluoranthene	<0.020		<0.020		ug/L		NC	20
beta-BHC	<0.098		<0.098		ug/L		NC	20
Bis(2-ethylhexyl) phthalate	<0.59		<0.59		ug/L		NC	20
Bromacil	<0.098		<0.098		ug/L		NC	20
Butachlor	<0.049		<0.049		ug/L		NC	20
Butylbenzylphthalate	<0.49		<0.49		ug/L		NC	20
Chlorobenzilate	<0.098		<0.098		ug/L		NC	20
Chloroneb	<0.098		<0.098		ug/L		NC	20
Chlorothalonil (Draconil, Bravo)	<0.098		<0.098		ug/L		NC	20
Chlorpyrifos	<0.049		<0.049		ug/L		NC	20
Chrysene	<0.020		<0.020		ug/L		NC	20
delta-BHC	<0.098		<0.098		ug/L		NC	20
Di(2-ethylhexyl)adipate	<0.59		<0.59		ug/L		NC	20
Dibenz(a,h)anthracene	<0.049		<0.049		ug/L		NC	20
Diclorvos (DDVP)	<0.049		<0.049		ug/L		NC	20
Dieldrin	0.072		0.0654		ug/L		10	20
Diethylphthalate	<0.49		<0.49		ug/L		NC	20
Dimethylphthalate	<0.49		<0.49		ug/L		NC	20
Di-n-butyl phthalate	<0.98		<0.98		ug/L		NC	20
Di-n-octyl phthalate	<0.098		<0.098		ug/L		NC	20
Endosulfan I (Alpha)	<0.098		<0.098		ug/L		NC	20
Endosulfan II (Beta)	<0.098		<0.098		ug/L		NC	20
Endosulfan sulfate	<0.098		<0.098		ug/L		NC	20
Endrin	<0.0098		<0.0098		ug/L		NC	20
Endrin aldehyde	<0.098		<0.098		ug/L		NC	20
EPTC	<0.098		<0.098		ug/L		NC	20

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-220701-1
SDG: Weekly: Aiea Gulch Wells Pump 2

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 380-220460-I-1-A DU

Matrix: Water

Analysis Batch: 235688

Client Sample ID: Duplicate

Prep Type: Total/NA

Prep Batch: 235470

Analyte	Sample	Sample	DU	DU	Unit	D	RPD	Limit
	Result	Qualifier	Result	Qualifier				
Fluoranthene	<0.098		<0.098		ug/L		NC	20
Fluorene	<0.049		<0.049		ug/L		NC	20
gamma-Chlordane	<0.049		<0.049		ug/L		NC	20
Heptachlor	<0.0098		<0.0098		ug/L		NC	20
Heptachlor epoxide (isomer B)	0.015		0.0119		ug/L		20	20
Hexachlorobenzene	<0.049		<0.049		ug/L		NC	20
Hexachlorocyclopentadiene	<0.049		<0.049		ug/L		NC	20
Indeno[1,2,3-cd]pyrene	<0.049		<0.049		ug/L		NC	20
Isophorone	<0.098		<0.098		ug/L		NC	20
Lindane	<0.0098		<0.0098		ug/L		NC	20
Malathion	<0.098		<0.098		ug/L		NC	20
Methoxychlor	<0.049		<0.049		ug/L		NC	20
Metolachlor	<0.049		<0.049		ug/L		NC	20
Molinate	<0.098		<0.098		ug/L		NC	20
Naphthalene	<0.098		<0.098		ug/L		NC	20
Parathion	<0.098		<0.098		ug/L		NC	20
Pendimethalin (Penoxaline)	<0.098		<0.098		ug/L		NC	20
Phenanthrene	<0.039		<0.039		ug/L		NC	20
Propachlor	<0.049		<0.049		ug/L		NC	20
Pyrene	<0.049		<0.049		ug/L		NC	20
Simazine	<0.049		<0.049		ug/L		NC	20
Terbacil	<0.098		<0.098		ug/L		NC	20
Terbutylazine	<0.098		<0.098		ug/L		NC	20
Thiobencarb	<0.098		<0.098		ug/L		NC	20
Total Permethrin (mixed isomers)	<0.20		<0.20		ug/L		NC	20
trans-Nonachlor	<0.049		<0.049		ug/L		NC	20
Trifluralin	<0.098		<0.098		ug/L		NC	20

Surrogate	DU	DU	Limits
	%Recovery	Qualifier	
2-Nitro-m-xylene	98		70 - 130
Perylene-d12	87		70 - 130
Triphenylphosphate	89		70 - 130

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Lab Sample ID: MB 570-757352/1-A

Matrix: Water

Analysis Batch: 759081

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 757352

Analyte	MB	MB	RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
1-Methylnaphthalene	<0.20		0.20	ug/L		06/20/26 10:43	06/24/26 07:45	1
2-Methylnaphthalene	<0.20		0.20	ug/L		06/20/26 10:43	06/24/26 07:45	1
Acenaphthene	<0.20		0.20	ug/L		06/20/26 10:43	06/24/26 07:45	1
Acenaphthylene	<0.20		0.20	ug/L		06/20/26 10:43	06/24/26 07:45	1
Anthracene	<0.20		0.20	ug/L		06/20/26 10:43	06/24/26 07:45	1
Benzo[a]anthracene	<0.20		0.20	ug/L		06/20/26 10:43	06/24/26 07:45	1
Benzo[a]pyrene	<0.20		0.20	ug/L		06/20/26 10:43	06/24/26 07:45	1
Benzo[b]fluoranthene	<0.20		0.20	ug/L		06/20/26 10:43	06/24/26 07:45	1
Benzo[g,h,i]perylene	<0.20		0.20	ug/L		06/20/26 10:43	06/24/26 07:45	1

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-220701-1
SDG: Weekly: Aiea Gulch Wells Pump 2

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

Lab Sample ID: MB 570-757352/1-A

Client Sample ID: Method Blank

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 759081

Prep Batch: 757352

Analyte	MB	MB	RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
Benzo[k]fluoranthene	<0.20		0.20	ug/L		06/20/26 10:43	06/24/26 07:45	1
Chrysene	<0.20		0.20	ug/L		06/20/26 10:43	06/24/26 07:45	1
Dibenz(a,h)anthracene	<0.20		0.20	ug/L		06/20/26 10:43	06/24/26 07:45	1
Fluoranthene	<0.20		0.20	ug/L		06/20/26 10:43	06/24/26 07:45	1
Fluorene	<0.20		0.20	ug/L		06/20/26 10:43	06/24/26 07:45	1
Indeno[1,2,3-cd]pyrene	<0.20		0.20	ug/L		06/20/26 10:43	06/24/26 07:45	1
Naphthalene	<0.20		0.20	ug/L		06/20/26 10:43	06/24/26 07:45	1
Phenanthrene	<0.20		0.20	ug/L		06/20/26 10:43	06/24/26 07:45	1
Pyrene	<0.20		0.20	ug/L		06/20/26 10:43	06/24/26 07:45	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
2,4,6-Tribromophenol (Surr)	92		28 - 127	06/20/26 10:43	06/24/26 07:45	1
2-Fluorobiphenyl (Surr)	93		31 - 120	06/20/26 10:43	06/24/26 07:45	1
2-Fluorophenol (Surr)	70		17 - 120	06/20/26 10:43	06/24/26 07:45	1
Nitrobenzene-d5 (Surr)	90		27 - 120	06/20/26 10:43	06/24/26 07:45	1
Phenol-d6 (Surr)	43		10 - 120	06/20/26 10:43	06/24/26 07:45	1
p-Terphenyl-d14 (Surr)	90		45 - 120	06/20/26 10:43	06/24/26 07:45	1

Lab Sample ID: LCS 570-757352/2-A

Client Sample ID: Lab Control Sample

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 759081

Prep Batch: 757352

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1-Methylnaphthalene	20.0	16.8		ug/L		84	47 - 120
2-Methylnaphthalene	20.0	15.8		ug/L		79	43 - 120
Acenaphthene	20.0	16.6		ug/L		83	60 - 132
Acenaphthylene	20.0	16.5		ug/L		83	54 - 126
Anthracene	20.0	16.2		ug/L		81	43 - 120
Benzo[a]anthracene	20.0	17.3		ug/L		86	42 - 133
Benzo[a]pyrene	20.0	18.2		ug/L		91	32 - 148
Benzo[b]fluoranthene	20.0	17.6		ug/L		88	42 - 140
Benzo[g,h,i]perylene	20.0	17.5		ug/L		87	1 - 195
Benzo[k]fluoranthene	20.0	16.8		ug/L		84	25 - 146
Chrysene	20.0	17.4		ug/L		87	44 - 140
Dibenz(a,h)anthracene	20.0	18.0		ug/L		90	1 - 200
Fluoranthene	20.0	17.1		ug/L		85	43 - 121
Fluorene	20.0	17.5		ug/L		87	70 - 120
Indeno[1,2,3-cd]pyrene	20.0	17.7		ug/L		88	1 - 151
Naphthalene	20.0	16.6		ug/L		83	36 - 120
Phenanthrene	20.0	17.1		ug/L		86	65 - 120
Pyrene	20.0	17.3		ug/L		87	70 - 120

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
2,4,6-Tribromophenol (Surr)	82		28 - 127
2-Fluorobiphenyl (Surr)	82		31 - 120
2-Fluorophenol (Surr)	73		17 - 120
Nitrobenzene-d5 (Surr)	77		27 - 120
Phenol-d6 (Surr)	47		10 - 120

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-220701-1
SDG: Weekly: Aiea Gulch Wells Pump 2

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

Lab Sample ID: LCS 570-757352/2-A

Matrix: Water

Analysis Batch: 759081

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 757352

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
p-Terphenyl-d14 (Surr)	88		45 - 120

Lab Sample ID: LCSD 570-757352/3-A

Matrix: Water

Analysis Batch: 759081

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 757352

Analyte	Spike Added	LCSD LCSD		Unit	D	%Rec	%Rec		RPD	Limit
		Result	Qualifier				Limits	RPD		
1-Methylnaphthalene	20.0	16.5		ug/L		83	47 - 120	2	20	
2-Methylnaphthalene	20.0	15.1		ug/L		76	43 - 120	4	20	
Acenaphthene	20.0	16.3		ug/L		82	60 - 132	2	29	
Acenaphthylene	20.0	15.8		ug/L		79	54 - 126	5	45	
Anthracene	20.0	16.7		ug/L		83	43 - 120	3	40	
Benzo[a]anthracene	20.0	17.6		ug/L		88	42 - 133	2	32	
Benzo[a]pyrene	20.0	18.5		ug/L		92	32 - 148	2	43	
Benzo[b]fluoranthene	20.0	17.8		ug/L		89	42 - 140	1	43	
Benzo[g,h,i]perylene	20.0	17.7		ug/L		88	1 - 195	1	61	
Benzo[k]fluoranthene	20.0	17.8		ug/L		89	25 - 146	6	38	
Chrysene	20.0	17.6		ug/L		88	44 - 140	1	53	
Dibenz(a,h)anthracene	20.0	18.1		ug/L		91	1 - 200	1	75	
Fluoranthene	20.0	17.6		ug/L		88	43 - 121	3	40	
Fluorene	20.0	17.1		ug/L		85	70 - 120	2	23	
Indeno[1,2,3-cd]pyrene	20.0	17.8		ug/L		89	1 - 151	1	60	
Naphthalene	20.0	16.1		ug/L		81	36 - 120	3	39	
Phenanthrene	20.0	17.5		ug/L		88	65 - 120	2	24	
Pyrene	20.0	17.7		ug/L		89	70 - 120	2	30	

Surrogate	LCSD LCSD		Limits
	%Recovery	Qualifier	
2,4,6-Tribromophenol (Surr)	83		28 - 127
2-Fluorobiphenyl (Surr)	78		31 - 120
2-Fluorophenol (Surr)	71		17 - 120
Nitrobenzene-d5 (Surr)	74		27 - 120
Phenol-d6 (Surr)	45		10 - 120
p-Terphenyl-d14 (Surr)	88		45 - 120

Method: 8015B GRO LL - Gasoline Range Organics - (GC)

Lab Sample ID: MB 570-761708/6

Matrix: Water

Analysis Batch: 761708

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB MB		RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
GRO (C6-C10)	<10		10	ug/L			06/29/26 12:27	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
4-Bromofluorobenzene (Surr)	103		38 - 134		06/29/26 12:27	1

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-220701-1
SDG: Weekly: Aiea Gulch Wells Pump 2

Method: 8015B GRO LL - Gasoline Range Organics - (GC) (Continued)

Lab Sample ID: LCS 570-761708/3
Matrix: Water
Analysis Batch: 761708

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (C4-C13)	400	398		ug/L		99	78 - 120
Surrogate		LCS %Recovery	LCS Qualifier				Limits
4-Bromofluorobenzene (Surr)		106					38 - 134

Lab Sample ID: LCSD 570-761708/4
Matrix: Water
Analysis Batch: 761708

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (C4-C13)	400	389		ug/L		97	78 - 120	2	10
Surrogate		LCSD %Recovery	LCSD Qualifier				Limits		
4-Bromofluorobenzene (Surr)		105					38 - 134		

Lab Sample ID: MRL 570-761708/5
Matrix: Water
Analysis Batch: 761708

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (C4-C13)	10.0	14.1		ug/L		141	50 - 150
Surrogate		MRL %Recovery	MRL Qualifier				Limits
4-Bromofluorobenzene (Surr)		103					38 - 134

Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level

Lab Sample ID: MRL 570-758469/4-A
Matrix: Water
Analysis Batch: 764164

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 758469

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
C10-C28	0.0200	0.0408	^3+	mg/L		204	50 - 150
Surrogate		MRL %Recovery	MRL Qualifier				Limits
n-Octacosane (Surr)		73					60 - 130

QC Association Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-220701-1
SDG: Weekly: Aiea Gulch Wells Pump 2

GC/MS Semi VOA

Prep Batch: 235470

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-220701-1	AIEA GULCH WELLS PUMP 2 (331-202-TP072)	Total/NA	Drinking Water	525.2	
MB 380-235470/21-A	Method Blank	Total/NA	Water	525.2	
LCS 380-235470/23-A	Lab Control Sample	Total/NA	Water	525.2	
MRL 380-235470/22-A	Lab Control Sample	Total/NA	Water	525.2	
380-220437-I-1-A MS	Matrix Spike	Total/NA	Water	525.2	
380-220460-I-1-A DU	Duplicate	Total/NA	Water	525.2	

Analysis Batch: 235688

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-220701-1	AIEA GULCH WELLS PUMP 2 (331-202-TP072)	Total/NA	Drinking Water	525.2	235470
MB 380-235470/21-A	Method Blank	Total/NA	Water	525.2	235470
LCS 380-235470/23-A	Lab Control Sample	Total/NA	Water	525.2	235470
MRL 380-235470/22-A	Lab Control Sample	Total/NA	Water	525.2	235470
380-220437-I-1-A MS	Matrix Spike	Total/NA	Water	525.2	235470
380-220460-I-1-A DU	Duplicate	Total/NA	Water	525.2	235470

Prep Batch: 757352

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-220701-1	AIEA GULCH WELLS PUMP 2 (331-202-TP072)	Total/NA	Drinking Water	625.1	
MB 570-757352/1-A	Method Blank	Total/NA	Water	625.1	
LCS 570-757352/2-A	Lab Control Sample	Total/NA	Water	625.1	
LCSD 570-757352/3-A	Lab Control Sample Dup	Total/NA	Water	625.1	

Analysis Batch: 759081

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-220701-1	AIEA GULCH WELLS PUMP 2 (331-202-TP072)	Total/NA	Drinking Water	625.1 SIM	757352
MB 570-757352/1-A	Method Blank	Total/NA	Water	625.1 SIM	757352
LCS 570-757352/2-A	Lab Control Sample	Total/NA	Water	625.1 SIM	757352
LCSD 570-757352/3-A	Lab Control Sample Dup	Total/NA	Water	625.1 SIM	757352

Analysis Batch: 761897

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-220701-1	AIEA GULCH WELLS PUMP 2 (331-202-TP072)	Total/NA	Drinking Water	625.1	757352

GC VOA

Analysis Batch: 761708

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-220701-1	AIEA GULCH WELLS PUMP 2 (331-202-TP072)	Total/NA	Drinking Water	8015B GRO LL	
380-220701-2	TB: AIEA GULCH WELLS PUMP 2 (331-202-TP072)	Total/NA	Water	8015B GRO LL	
MB 570-761708/6	Method Blank	Total/NA	Water	8015B GRO LL	
LCS 570-761708/3	Lab Control Sample	Total/NA	Water	8015B GRO LL	
LCSD 570-761708/4	Lab Control Sample Dup	Total/NA	Water	8015B GRO LL	
MRL 570-761708/5	Lab Control Sample	Total/NA	Water	8015B GRO LL	

GC Semi VOA

Prep Batch: 758469

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-220701-1	AIEA GULCH WELLS PUMP 2 (331-202-TP072)	Total/NA	Drinking Water	3510C	
MRL 570-758469/4-A	Lab Control Sample	Total/NA	Water	3510C	

QC Association Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-220701-1
SDG: Weekly: Aiea Gulch Wells Pump 2

GC Semi VOA

Analysis Batch: 764164

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-220701-1	AIEA GULCH WELLS PUMP 2 (331-202-TP072)	Total/NA	Drinking Water	8015B	758469
MRL 570-758469/4-A	Lab Control Sample	Total/NA	Water	8015B	758469

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16

Lab Chronicle

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-220701-1
SDG: Weekly: Aiea Gulch Wells Pump 2

**Client Sample ID: AIEA GULCH WELLS PUMP 2
(331-202-TP072)**

Lab Sample ID: 380-220701-1

Date Collected: 06/17/26 09:30

Matrix: Drinking Water

Date Received: 06/19/26 09:55

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	525.2			235470	IQ42	EA POM	06/22/26 14:16
Total/NA	Analysis	525.2		1	235688	Q8LA	EA POM	06/23/26 23:42
Total/NA	Prep	625.1			757352	TIZL	EET CAL 4	06/21/26 08:48
Total/NA	Analysis	625.1		1	761897	S4EA	EET CAL 4	06/29/26 20:44
Total/NA	Prep	625.1			757352	TIZL	EET CAL 4	06/21/26 08:48
Total/NA	Analysis	625.1 SIM		1	759081	PQS1	EET CAL 4	06/24/26 13:05
Total/NA	Analysis	8015B GRO LL		1	761708	YD9V	EET CAL 4	06/29/26 14:58
Total/NA	Prep	3510C			758469	TVD6	EET CAL 4	06/23/26 09:43
Total/NA	Analysis	8015B		1	764164	H6FE	EET CAL 4	07/03/26 23:12

**Client Sample ID: TB: AIEA GULCH WELLS PUMP 2
(331-202-TP072)**

Lab Sample ID: 380-220701-2

Date Collected: 06/17/26 09:30

Matrix: Water

Date Received: 06/19/26 09:55

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8015B GRO LL		1	761708	YD9V	EET CAL 4	06/29/26 19:23

Laboratory References:

EA POM = Eurofins Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100
EET CAL 4 = Eurofins Calscience Tustin, 2841 Dow Avenue, Tustin, CA 92780, TEL (714)895-5494

Accreditation/Certification Summary

Client: City & County of Honolulu
 Project/Site: RED-HILL

Job ID: 380-220701-1
 SDG: Weekly: Aiea Gulch Wells Pump 2

Laboratory: Eurofins Pomona

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Hawaii	State	CA00006	01-31-26 *

The following analytes are included in this report, but the laboratory is not certified by Hawaii State CA00006. This list may include analytes for which the agency does not offer certification :

Analysis Method	Prep Method	Matrix	Analyte
525.2	525.2	Drinking Water	1-Methylnaphthalene
525.2	525.2	Drinking Water	2,4'-DDD
525.2	525.2	Drinking Water	2,4'-DDE
525.2	525.2	Drinking Water	2,4'-DDT
525.2	525.2	Drinking Water	2,4-Dinitrotoluene
525.2	525.2	Drinking Water	2,6-Dinitrotoluene
525.2	525.2	Drinking Water	2-Methylnaphthalene
525.2	525.2	Drinking Water	4,4'-DDD
525.2	525.2	Drinking Water	4,4'-DDE
525.2	525.2	Drinking Water	4,4'-DDT
525.2	525.2	Drinking Water	Acetochlor
525.2	525.2	Drinking Water	alpha-BHC
525.2	525.2	Drinking Water	alpha-Chlordane
525.2	525.2	Drinking Water	beta-BHC
525.2	525.2	Drinking Water	Chlorobenzilate
525.2	525.2	Drinking Water	Chloroneb
525.2	525.2	Drinking Water	Chlorothalonil (Draconil, Bravo)
525.2	525.2	Drinking Water	Chlorpyrifos
525.2	525.2	Drinking Water	delta-BHC
525.2	525.2	Drinking Water	Diclorvos (DDVP)
525.2	525.2	Drinking Water	Endosulfan I (Alpha)
525.2	525.2	Drinking Water	Endosulfan II (Beta)
525.2	525.2	Drinking Water	Endosulfan sulfate
525.2	525.2	Drinking Water	Endrin aldehyde
525.2	525.2	Drinking Water	EPTC
525.2	525.2	Drinking Water	gamma-Chlordane
525.2	525.2	Drinking Water	Isophorone
525.2	525.2	Drinking Water	Malathion
525.2	525.2	Drinking Water	Parathion
525.2	525.2	Drinking Water	Pendimethalin (Penoxaline)
525.2	525.2	Drinking Water	Terbacil
525.2	525.2	Drinking Water	Terbutylazine
525.2	525.2	Drinking Water	Total Permethrin (mixed isomers)
525.2	525.2	Drinking Water	trans-Nonachlor

Laboratory: Eurofins Calscience

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
A2LA	Dept. of Defense ELAP	7296.01	11-30-26
A2LA	ISO/IEC 17025	7296.01	11-30-26
Alaska (UST)	State	25-005	03-02-27
Arizona	State	AZ0830	11-17-26
California	Los Angeles County Sanitation Districts	9257304	07-31-26
California	SCAQMD LAP	17LA0919	11-30-26

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Accreditation/Certification Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-220701-1
SDG: Weekly: Aiea Gulch Wells Pump 2

Laboratory: Eurofins Calscience (Continued)

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	3082	07-31-26
Kansas	NELAP	E-10420	07-31-26
Nevada	State	CA00111	07-31-26
Oregon	NELAP	4175	02-02-27
USDA	US Federal Programs	525-23-159-97150	09-30-26
Utah	NELAP	CA00111	02-28-27
Washington	State	C916	10-12-26

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16

Method Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-220701-1
SDG: Weekly: Aiea Gulch Wells Pump 2

Method	Method Description	Protocol	Laboratory
525.2	Semivolatile Organic Compounds (GC/MS)	EPA	EA POM
625.1	Semivolatile Organic Compounds (GC/MS)	EPA	EET CAL 4
625.1 SIM	Semivolatile Organic Compounds GC/MS (SIM)	EPA	EET CAL 4
8015B GRO LL	Gasoline Range Organics - (GC)	SW846	EET CAL 4
8015B	Diesel Range Organics (DRO) (GC) Low Level	SW846	EET CAL 4
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	EET CAL 4
5030C	Purge and Trap	SW846	EET CAL 4
525.2	Extraction of Semivolatile Compounds	EPA	EA POM
625.1	Liquid-Liquid Extraction	40CFR136A	EET CAL 4

Protocol References:

40CFR136A = "Methods for Organic Chemical Analysis of Municipal Industrial Wastewater", 40CFR, Part 136, Appendix A, October 26, 1984 and subsequent revisions.

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EA POM = Eurofins Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100

EET CAL 4 = Eurofins Calscience Tustin, 2841 Dow Avenue, Tustin, CA 92780, TEL (714)895-5494

Sample Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-220701-1
SDG: Weekly: Aiea Gulch Wells Pump 2

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
380-220701-1	AIEA GULCH WELLS PUMP 2 (331-202-TP072)	Drinking Water	06/17/26 09:30	06/19/26 09:55	Hawaii
380-220701-2	TB: AIEA GULCH WELLS PUMP 2 (331-202-TP072)	Water	06/17/26 09:30	06/19/26 09:55	Hawaii

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16

Chain of Custody Record



ENWH



380-220701 COC

Client Information		Lab PM		Carrier Tracking No(s)		COC No:		
Client Contact: Kirk Iwamoto		Lopez Maria		State of Origin:		Page: Page 1 of 1		
Company City & County of Honolulu		E-Mail: Maria.Lopez@et.eurofins.com		Job #:		380-220701 COC		
Address: 630 South Beretania Street Chemistry Lab Honolulu HI 96843		Due Date Requested		Analysis Requested		Preservation Codes: R - NaThioSC4 RA - NaThioHCl Q - Na2SO3 QA - Na2SO3/HCl Y - Trizma I - NH4 Acetate		
TAT Requested (days):		TAT Requested (days):		8015B_DRO_LL_CS - HNL Ranges C10-C24/C24-C36/C8-C18		Total Number of Containers		
Compliance Project: <input type="checkbox"/> Yes <input type="checkbox"/> No		Compliance Project: <input type="checkbox"/> Yes <input type="checkbox"/> No		8015B_GRO_LL - (MOD) GRO		Other		
PO #: C20525101 exp 05312023		PO #: C20525101 exp 05312023		8015B_DRO_LL_CS - HNL Ranges C10-C24/C24-C36/C8-C18		Special Instructions/Note:		
WO #:		WO #:		525 1, 625 1 SIM		Perform MS/MSD (Yes or No)		
Project #: 38001111		Project #: 38001111		525 2_PREC - (MOD) 525plus Plus TICs		Field Filtered Sample (Yes or No)		
Site: Hawaii		Site: Hawaii		8015B_DRO_LL_CS - HNL Ranges C10-C24/C24-C36/C8-C18		Special Instructions/Note:		
SSOW#:		SSOW#:		8015B_GRO_LL - (MOD) GRO		Special Instructions/Note:		
Project Name: RED-HILL/HBWS Sites Event Desc: RUSH Weekly Red Hill		Project Name: RED-HILL/HBWS Sites Event Desc: RUSH Weekly Red Hill		8015B_DRO_LL_CS - HNL Ranges C10-C24/C24-C36/C8-C18		Special Instructions/Note:		
Sample Identification		Sample Identification		8015B_DRO_LL_CS - HNL Ranges C10-C24/C24-C36/C8-C18		Special Instructions/Note:		
AIEA GULCH WELLS PUMP 2 (331-202-TP072)		AIEA GULCH WELLS PUMP 2 (331-202-TP072)		8015B_DRO_LL_CS - HNL Ranges C10-C24/C24-C36/C8-C18		Special Instructions/Note:		
AIEA GULCH WELLS PUMP 2 (331-202-TP072) (Matrix Spike)		AIEA GULCH WELLS PUMP 2 (331-202-TP072) (Matrix Spike)		8015B_DRO_LL_CS - HNL Ranges C10-C24/C24-C36/C8-C18		Special Instructions/Note:		
AIEA GULCH WELLS PUMP 2 (331-202-TP072) (Matrix Spike Duplicate)		AIEA GULCH WELLS PUMP 2 (331-202-TP072) (Matrix Spike Duplicate)		8015B_DRO_LL_CS - HNL Ranges C10-C24/C24-C36/C8-C18		Special Instructions/Note:		
TB AIEA GULCH WELLS PUMP 2 (331-202-TP072)		TB AIEA GULCH WELLS PUMP 2 (331-202-TP072)		8015B_DRO_LL_CS - HNL Ranges C10-C24/C24-C36/C8-C18		Special Instructions/Note:		
Possible Hazard Identification		Possible Hazard Identification		8015B_DRO_LL_CS - HNL Ranges C10-C24/C24-C36/C8-C18		Special Instructions/Note:		
<input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant		<input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant		8015B_DRO_LL_CS - HNL Ranges C10-C24/C24-C36/C8-C18		Special Instructions/Note:		
Deliverable Requested I, II, III, IV Other (specify)		Deliverable Requested I, II, III, IV Other (specify)		8015B_DRO_LL_CS - HNL Ranges C10-C24/C24-C36/C8-C18		Special Instructions/Note:		
Empty Kit Relinquished by		Empty Kit Relinquished by		8015B_DRO_LL_CS - HNL Ranges C10-C24/C24-C36/C8-C18		Special Instructions/Note:		
Relinquished by		Relinquished by		8015B_DRO_LL_CS - HNL Ranges C10-C24/C24-C36/C8-C18		Special Instructions/Note:		
Relinquished by		Relinquished by		8015B_DRO_LL_CS - HNL Ranges C10-C24/C24-C36/C8-C18		Special Instructions/Note:		
Relinquished by		Relinquished by		8015B_DRO_LL_CS - HNL Ranges C10-C24/C24-C36/C8-C18		Special Instructions/Note:		
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		8015B_DRO_LL_CS - HNL Ranges C10-C24/C24-C36/C8-C18		Special Instructions/Note:		
Custody Seal No.		Custody Seal No.		8015B_DRO_LL_CS - HNL Ranges C10-C24/C24-C36/C8-C18		Special Instructions/Note:		
Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Preservation Code	Matrix (W=water, S=solid, O=oil, A=air)	R	RA	Q	QA
17-Jun-2026	9:30	G		Water	2	3	2	2
17-Jun-2026	9:30	G		Water				

Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-220701-1
SDG Number: Weekly: Aiea Gulch Wells Pump 2

Login Number: 220701

List Number: 1

Creator: Edrosa, Rey

List Source: Eurofins Pomona

Question	Answer	Comment
The coolers custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
Samples were received on ice.	True	
Cooler(s) Temperature is acceptable.	True	
Cooler(s) Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and is legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
CIO4 headspace requirement met (>50% for CA, >30% for other states).	N/A	
Samples do not require splitting or compositing.	True	
Container provided by EEA	True	



Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-220701-1
SDG Number: Weekly: Aiea Gulch Wells Pump 2

Login Number: 220701

List Number: 2

Creator: Ferreira, Bruno

List Source: Eurofins Calscience

List Creation: 06/19/26 07:07 PM

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	Seal present with no number.
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	2.2
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	Received project as a subcontract.
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	vu9z
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	