

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Mr. Erwin Kawata  
City & County of Honolulu  
630 South Beretania Street  
Public Service Bldg. Room 310  
Honolulu, Hawaii 96843

Generated 6/4/2026 4:53:40 PM

## JOB DESCRIPTION

RED-HILL  
Weekly: Aiea Wells P2

## JOB NUMBER

380-215103-1

# Eurofins Pomona

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Drinking Water and Wastewater West, LLC Project Manager.

## Compliance Statement

1. Laboratory is accredited in accordance with TNI 2016 Standards and ISO/IEC 17025:2017.
2. Laboratory certifies that the test results meet all TNI 2016 and ISO/IEC 17025:2017 requirements unless noted under the individual analysis
3. Test results relate only to the sample(s) tested.
4. This report shall not be reproduced except in full, without the written approval of the laboratory.
5. Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below. (DW, Water matrices)

## Authorization



Authorized for release by  
Maria Lopez, Project Manager  
[Maria.Lopez@et.eurofinsus.com](mailto:Maria.Lopez@et.eurofinsus.com)  
(626)386-1100

Generated  
6/4/2026 4:53:40 PM



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Detection Summary . . . . .	6
Client Sample Results . . . . .	7
Action Limit Summary . . . . .	11
Surrogate Summary . . . . .	12
QC Sample Results . . . . .	15
QC Association Summary . . . . .	31
Lab Chronicle . . . . .	33
Certification Summary . . . . .	34
Method Summary . . . . .	36
Sample Summary . . . . .	37
Chain of Custody . . . . .	38
Receipt Checklists . . . . .	41

# Definitions/Glossary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-215103-1  
SDG: Weekly: Aiea Wells P2

## Qualifiers

### GC/MS Semi VOA

Qualifier	Qualifier Description
*+	LCS and/or LCSD is outside acceptance limits, high biased.
^3+	Reporting Limit Check Standard is outside acceptance limits, high biased
F1	MS and/or MSD recovery exceeds control limits.
F5	Duplicate RPD exceeds limit, and one or both sample results are less than 5 times RL, and the absolute difference between results is < the upper reporting limits for both.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

### GC/MS Semi VOA TICs

Qualifier	Qualifier Description
J	Indicates an Estimated Value for TICs
N	Presumptive evidence of material.
T	Result is a tentatively identified compound (TIC) and an estimated value.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: City & County of Honolulu  
Project: RED-HILL

Job ID: 380-215103-1

**Job ID: 380-215103-1**

**Eurofins Pomona**

## Job Narrative 380-215103-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

### Receipt

The samples were received on 5/20/2026 9:27 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 2.2°C and 2.6°C.

### GC/MS Semi VOA

Method 625.1: The laboratory control sample (LCS) was performed in duplicate (LCSD) to provide precision data for this batch. Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with preparation batch 570-741583.

Method 625.1 SIM: The laboratory control sample (LCS) was performed in duplicate (LCSD) to provide precision data for this batch.

Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with preparation batch 570-741583.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### Gasoline Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### Diesel Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Pomona

# Detection Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-215103-1  
SDG: Weekly: Aiea Wells P2

**Client Sample ID: AIEA WELLS P2 (260) (331-004-WL103)**  
**PWSID Number: HI0000331**

**Lab Sample ID: 380-215103-1**

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Dieldrin	0.021		0.0098	ug/L	1		525.2	Total/NA
Heptachlor epoxide (isomer B)	0.019		0.0098	ug/L	1		525.2	Total/NA

**Client Sample ID: TB: AIEA WELLS P2 (260) (331-004-WL103)**

**Lab Sample ID: 380-215103-2**

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Pomona



# Client Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-215103-1  
SDG: Weekly: Aiea Wells P2

**Client Sample ID: AIEA WELLS P2 (260) (331-004-WL103)**

**Lab Sample ID: 380-215103-1**

Date Collected: 05/18/26 11:38

Matrix: Drinking Water

Date Received: 05/20/26 09:27

PWSID Number: HI0000331

**Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	<0.098		0.098	ug/L		05/27/26 14:14	05/28/26 15:10	1
2,4'-DDD	<0.098		0.098	ug/L		05/27/26 14:14	05/28/26 15:10	1
2,4'-DDE	<0.098		0.098	ug/L		05/27/26 14:14	05/28/26 15:10	1
2,4'-DDT	<0.098		0.098	ug/L		05/27/26 14:14	05/28/26 15:10	1
2,4-Dinitrotoluene	<0.098		0.098	ug/L		05/27/26 14:14	05/28/26 15:10	1
2,6-Dinitrotoluene	<0.098		0.098	ug/L		05/27/26 14:14	05/28/26 15:10	1
2-Methylnaphthalene	<0.098		0.098	ug/L		05/27/26 14:14	05/28/26 15:10	1
4,4'-DDD	<0.098		0.098	ug/L		05/27/26 14:14	05/28/26 15:10	1
4,4'-DDE	<0.098		0.098	ug/L		05/27/26 14:14	05/28/26 15:10	1
4,4'-DDT	<0.098		0.098	ug/L		05/27/26 14:14	05/28/26 15:10	1
Acenaphthene	<0.098		0.098	ug/L		05/27/26 14:14	05/28/26 15:10	1
Acenaphthylene	<0.098		0.098	ug/L		05/27/26 14:14	05/28/26 15:10	1
Acetochlor	<0.098		0.098	ug/L		05/27/26 14:14	05/28/26 15:10	1
Alachlor	<0.049		0.049	ug/L		05/27/26 14:14	05/28/26 15:10	1
alpha-BHC	<0.098		0.098	ug/L		05/27/26 14:14	05/28/26 15:10	1
alpha-Chlordane	<0.049		0.049	ug/L		05/27/26 14:14	05/28/26 15:10	1
Anthracene	<0.020		0.020	ug/L		05/27/26 14:14	05/28/26 15:10	1
Atrazine	<0.049		0.049	ug/L		05/27/26 14:14	05/28/26 15:10	1
Benz(a)anthracene	<0.049		0.049	ug/L		05/27/26 14:14	05/28/26 15:10	1
Benzo[a]pyrene	<0.020		0.020	ug/L		05/27/26 14:14	05/28/26 15:10	1
Benzo[b]fluoranthene	<0.020		0.020	ug/L		05/27/26 14:14	05/28/26 15:10	1
Benzo[g,h,i]perylene	<0.049		0.049	ug/L		05/27/26 14:14	05/28/26 15:10	1
Benzo[k]fluoranthene	<0.020		0.020	ug/L		05/27/26 14:14	05/28/26 15:10	1
beta-BHC	<0.098		0.098	ug/L		05/27/26 14:14	05/28/26 15:10	1
Bis(2-ethylhexyl) phthalate	<0.59		0.59	ug/L		05/27/26 14:14	05/28/26 15:10	1
Bromacil	<0.098		0.098	ug/L		05/27/26 14:14	05/28/26 15:10	1
Butachlor	<0.049		0.049	ug/L		05/27/26 14:14	05/28/26 15:10	1
Butylbenzylphthalate	<0.49		0.49	ug/L		05/27/26 14:14	05/28/26 15:10	1
Chlorobenzilate	<0.098		0.098	ug/L		05/27/26 14:14	05/28/26 15:10	1
Chloroneb	<0.098		0.098	ug/L		05/27/26 14:14	05/28/26 15:10	1
Chlorothalonil (Draconil, Bravo)	<0.098		0.098	ug/L		05/27/26 14:14	05/28/26 15:10	1
Chlorpyrifos	<0.049		0.049	ug/L		05/27/26 14:14	05/28/26 15:10	1
Chrysene	<0.020		0.020	ug/L		05/27/26 14:14	05/28/26 15:10	1
delta-BHC	<0.098		0.098	ug/L		05/27/26 14:14	05/28/26 15:10	1
Di(2-ethylhexyl)adipate	<0.59		0.59	ug/L		05/27/26 14:14	05/28/26 15:10	1
Dibenz(a,h)anthracene	<0.049		0.049	ug/L		05/27/26 14:14	05/28/26 15:10	1
Diclorvos (DDVP)	<0.049		0.049	ug/L		05/27/26 14:14	05/28/26 15:10	1
<b>Dieldrin</b>	<b>0.021</b>		0.0098	ug/L		05/27/26 14:14	05/28/26 15:10	1
Diethylphthalate	<0.49		0.49	ug/L		05/27/26 14:14	05/28/26 15:10	1
Dimethylphthalate	<0.49		0.49	ug/L		05/27/26 14:14	05/28/26 15:10	1
Di-n-butyl phthalate	<0.98		0.98	ug/L		05/27/26 14:14	05/28/26 15:10	1
Di-n-octyl phthalate	<0.098		0.098	ug/L		05/27/26 14:14	05/28/26 15:10	1
Endosulfan I (Alpha)	<0.098		0.098	ug/L		05/27/26 14:14	05/28/26 15:10	1
Endosulfan II (Beta)	<0.098		0.098	ug/L		05/27/26 14:14	05/28/26 15:10	1
Endosulfan sulfate	<0.098		0.098	ug/L		05/27/26 14:14	05/28/26 15:10	1
Endrin	<0.0098		0.0098	ug/L		05/27/26 14:14	05/28/26 15:10	1
Endrin aldehyde	<0.098		0.098	ug/L		05/27/26 14:14	05/28/26 15:10	1
EPTC	<0.098		0.098	ug/L		05/27/26 14:14	05/28/26 15:10	1
Fluoranthene	<0.098		0.098	ug/L		05/27/26 14:14	05/28/26 15:10	1

Eurofins Pomona

# Client Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-215103-1  
SDG: Weekly: Aiea Wells P2

**Client Sample ID: AIEA WELLS P2 (260) (331-004-WL103)**

**Lab Sample ID: 380-215103-1**

Date Collected: 05/18/26 11:38

Matrix: Drinking Water

Date Received: 05/20/26 09:27

PWSID Number: HI0000331

**Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Fluorene	<0.049		0.049	ug/L		05/27/26 14:14	05/28/26 15:10	1
gamma-Chlordane	<0.049	*+	0.049	ug/L		05/27/26 14:14	05/28/26 15:10	1
Heptachlor	<0.0098		0.0098	ug/L		05/27/26 14:14	05/28/26 15:10	1
<b>Heptachlor epoxide (isomer B)</b>	<b>0.019</b>		0.0098	ug/L		05/27/26 14:14	05/28/26 15:10	1
Hexachlorobenzene	<0.049		0.049	ug/L		05/27/26 14:14	05/28/26 15:10	1
Hexachlorocyclopentadiene	<0.049		0.049	ug/L		05/27/26 14:14	05/28/26 15:10	1
Indeno[1,2,3-cd]pyrene	<0.049		0.049	ug/L		05/27/26 14:14	05/28/26 15:10	1
Isophorone	<0.098		0.098	ug/L		05/27/26 14:14	05/28/26 15:10	1
Lindane	<0.0098	^3+	0.0098	ug/L		05/27/26 14:14	05/28/26 15:10	1
Malathion	<0.098		0.098	ug/L		05/27/26 14:14	05/28/26 15:10	1
Methoxychlor	<0.049		0.049	ug/L		05/27/26 14:14	05/28/26 15:10	1
Metolachlor	<0.049		0.049	ug/L		05/27/26 14:14	05/28/26 15:10	1
Molinate	<0.098		0.098	ug/L		05/27/26 14:14	05/28/26 15:10	1
Naphthalene	<0.098		0.098	ug/L		05/27/26 14:14	05/28/26 15:10	1
Parathion	<0.098		0.098	ug/L		05/27/26 14:14	05/28/26 15:10	1
Pendimethalin (Penoxaline)	<0.098		0.098	ug/L		05/27/26 14:14	05/28/26 15:10	1
Phenanthrene	<0.039		0.039	ug/L		05/27/26 14:14	05/28/26 15:10	1
Propachlor	<0.049		0.049	ug/L		05/27/26 14:14	05/28/26 15:10	1
Pyrene	<0.049		0.049	ug/L		05/27/26 14:14	05/28/26 15:10	1
Simazine	<0.049		0.049	ug/L		05/27/26 14:14	05/28/26 15:10	1
Terbacil	<0.098		0.098	ug/L		05/27/26 14:14	05/28/26 15:10	1
Terbutylazine	<0.098		0.098	ug/L		05/27/26 14:14	05/28/26 15:10	1
Thiobencarb	<0.098		0.098	ug/L		05/27/26 14:14	05/28/26 15:10	1
Total Permethrin (mixed isomers)	<0.20		0.20	ug/L		05/27/26 14:14	05/28/26 15:10	1
trans-Nonachlor	<0.049		0.049	ug/L		05/27/26 14:14	05/28/26 15:10	1
Trifluralin	<0.098		0.098	ug/L		05/27/26 14:14	05/28/26 15:10	1

Tentatively Identified Compound	Est. Result	Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Tentatively Identified Compound	None		ug/L			N/A	05/27/26 14:14	05/28/26 15:10	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Nitro-m-xylene	97		70 - 130	05/27/26 14:14	05/28/26 15:10	1
Perylene-d12	89		70 - 130	05/27/26 14:14	05/28/26 15:10	1
Triphenylphosphate	103		70 - 130	05/27/26 14:14	05/28/26 15:10	1

**Method: EPA 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	<0.19		0.19	ug/L		05/21/26 05:09	05/22/26 20:02	1
2-Methylnaphthalene	<0.19		0.19	ug/L		05/21/26 05:09	05/22/26 20:02	1
Acenaphthene	<0.19		0.19	ug/L		05/21/26 05:09	05/22/26 20:02	1
Acenaphthylene	<0.19		0.19	ug/L		05/21/26 05:09	05/22/26 20:02	1
Anthracene	<0.19		0.19	ug/L		05/21/26 05:09	05/22/26 20:02	1
Benzo[a]anthracene	<0.19		0.19	ug/L		05/21/26 05:09	05/22/26 20:02	1
Benzo[a]pyrene	<0.19		0.19	ug/L		05/21/26 05:09	05/22/26 20:02	1
Benzo[b]fluoranthene	<0.19		0.19	ug/L		05/21/26 05:09	05/22/26 20:02	1
Benzo[g,h,i]perylene	<0.19		0.19	ug/L		05/21/26 05:09	05/22/26 20:02	1
Benzo[k]fluoranthene	<0.19		0.19	ug/L		05/21/26 05:09	05/22/26 20:02	1
Chrysene	<0.19		0.19	ug/L		05/21/26 05:09	05/22/26 20:02	1
Dibenz(a,h)anthracene	<0.19		0.19	ug/L		05/21/26 05:09	05/22/26 20:02	1
Fluoranthene	<0.19		0.19	ug/L		05/21/26 05:09	05/22/26 20:02	1

Eurofins Pomona

# Client Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-215103-1  
SDG: Weekly: Aiea Wells P2

**Client Sample ID: AIEA WELLS P2 (260) (331-004-WL103)**

**Lab Sample ID: 380-215103-1**

Date Collected: 05/18/26 11:38

Matrix: Drinking Water

Date Received: 05/20/26 09:27

PWSID Number: HI0000331

**Method: EPA 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Fluorene	<0.19		0.19	ug/L		05/21/26 05:09	05/22/26 20:02	1
Indeno[1,2,3-cd]pyrene	<0.19		0.19	ug/L		05/21/26 05:09	05/22/26 20:02	1
Naphthalene	<0.19		0.19	ug/L		05/21/26 05:09	05/22/26 20:02	1
Phenanthrene	<0.19		0.19	ug/L		05/21/26 05:09	05/22/26 20:02	1
Pyrene	<0.19		0.19	ug/L		05/21/26 05:09	05/22/26 20:02	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	80		28 - 127	05/21/26 05:09	05/22/26 20:02	1
2-Fluorobiphenyl (Surr)	73		31 - 120	05/21/26 05:09	05/22/26 20:02	1
2-Fluorophenol (Surr)	32		17 - 120	05/21/26 05:09	05/22/26 20:02	1
Nitrobenzene-d5 (Surr)	71		27 - 120	05/21/26 05:09	05/22/26 20:02	1
Phenol-d6 (Surr)	22		10 - 120	05/21/26 05:09	05/22/26 20:02	1
p-Terphenyl-d14 (Surr)	72		45 - 120	05/21/26 05:09	05/22/26 20:02	1

**Method: EPA 625.1 - Semivolatile Organic Compounds (GC/MS)**

Tentatively Identified Compound	Est. Result	Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Tentatively Identified Compound	None		ug/L			N/A	05/21/26 05:09	06/02/26 13:08	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	65		33 - 139	05/21/26 05:09	06/02/26 13:08	1
2-Fluorobiphenyl (Surr)	80		33 - 126	05/21/26 05:09	06/02/26 13:08	1
2-Fluorophenol (Surr)	52		12 - 120	05/21/26 05:09	06/02/26 13:08	1
Nitrobenzene-d5 (Surr)	89		36 - 120	05/21/26 05:09	06/02/26 13:08	1
Phenol-d6 (Surr)	29		10 - 120	05/21/26 05:09	06/02/26 13:08	1
p-Terphenyl-d14 (Surr)	75		47 - 131	05/21/26 05:09	06/02/26 13:08	1

**Method: SW846 8015B GRO LL - Gasoline Range Organics - (GC)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	<10		10	ug/L			05/30/26 00:31	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	98		38 - 134		05/30/26 00:31	1

**Method: SW846 8015B - Diesel Range Organics (DRO) (GC) Low Level**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	<26		26	ug/L		05/24/26 09:44	06/01/26 15:49	1
Motor Oil Range Organics [C24-C36]	<26		26	ug/L		05/24/26 09:44	06/01/26 15:49	1
C8-C18	<26		26	ug/L		05/24/26 09:44	06/01/26 15:49	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
n-Octacosane (Surr)	104		60 - 130	05/24/26 09:44	06/01/26 15:49	1

**Client Sample ID: TB: AIEA WELLS P2 (260) (331-004-WL103)**

**Lab Sample ID: 380-215103-2**

Date Collected: 05/18/26 11:38

Matrix: Water

Date Received: 05/20/26 09:27

**Method: SW846 8015B GRO LL - Gasoline Range Organics - (GC)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	<10		10	ug/L			05/29/26 23:22	1

# Client Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-215103-1  
SDG: Weekly: Aiea Wells P2

**Client Sample ID: TB: AIEA WELLS P2 (260) (331-004-WL103)**

**Lab Sample ID: 380-215103-2**

**Date Collected: 05/18/26 11:38**

**Matrix: Water**

**Date Received: 05/20/26 09:27**

<u>Surrogate</u>	<u>%Recovery</u>	<u>Qualifier</u>	<u>Limits</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Dil Fac</u>
4-Bromofluorobenzene (Surr)	97		38 - 134		05/29/26 23:22	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16

# Action Limit Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-215103-1  
SDG: Weekly: Aiea Wells P2

**Client Sample ID: AIEA WELLS P2 (260) (331-004-WL103)**  
**PWSID Number: HI0000331**

**Lab Sample ID: 380-215103-1**

## Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL	RL	Method	Prep Type
				Limit			
Alachlor	<0.049		ug/L	2	0.049	525.2	Total/NA
Atrazine	<0.049		ug/L	3	0.049	525.2	Total/NA
Benzo[a]pyrene	<0.020		ug/L	0.2	0.020	525.2	Total/NA
Bis(2-ethylhexyl) phthalate	<0.59		ug/L	6	0.59	525.2	Total/NA
Di(2-ethylhexyl)adipate	<0.59		ug/L	400	0.59	525.2	Total/NA
Endrin	<0.0098		ug/L	2	0.0098	525.2	Total/NA
Heptachlor	<0.0098		ug/L	0.4	0.0098	525.2	Total/NA
Heptachlor epoxide (isomer B)	0.019		ug/L	0.2	0.0098	525.2	Total/NA
Hexachlorobenzene	<0.049		ug/L	1	0.049	525.2	Total/NA
Hexachlorocyclopentadiene	<0.049		ug/L	50	0.049	525.2	Total/NA
Lindane	<0.0098	^3+	ug/L	0.2	0.0098	525.2	Total/NA
Methoxychlor	<0.049		ug/L	40	0.049	525.2	Total/NA
Simazine	<0.049		ug/L	4	0.049	525.2	Total/NA
Benzo[a]pyrene	<0.19		ug/L	0.2	0.19	625.1 SIM	Total/NA

# Surrogate Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-215103-1  
SDG: Weekly: Aiea Wells P2

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Matrix: Drinking Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		2NMX (70-130)	PRY (70-130)	TPP (70-130)
380-215103-1	AIEA WELLS P2 (260) (331-004)	97	89	103

**Surrogate Legend**  
 2NMX = 2-Nitro-m-xylene  
 PRY = Perylene-d12  
 TPP = Triphenylphosphate

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		2NMX (70-130)	PRY (70-130)	TPP (70-130)
380-215095-I-1-A MS	Matrix Spike	95	87	112
380-215096-I-1-A DU	Duplicate	98	92	108
LCS 380-229858/23-A	Lab Control Sample	96	97	109
MB 380-229858/21-A	Method Blank	99	86	103
MRL 380-229858/22-A	Lab Control Sample	97	88	110

**Surrogate Legend**  
 2NMX = 2-Nitro-m-xylene  
 PRY = Perylene-d12  
 TPP = Triphenylphosphate

## Method: 625.1 - Semivolatile Organic Compounds (GC/MS)

Matrix: Drinking Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		TBP (33-139)	FBP (33-126)	2FP (12-120)	NBZ (36-120)	PHL6 (10-120)	TPHd14 (47-131)
380-215103-1	AIEA WELLS P2 (260) (331-004)	65	80	52	89	29	75

**Surrogate Legend**  
 TBP = 2,4,6-Tribromophenol (Surr)  
 FBP = 2-Fluorobiphenyl (Surr)  
 2FP = 2-Fluorophenol (Surr)  
 NBZ = Nitrobenzene-d5 (Surr)  
 PHL6 = Phenol-d6 (Surr)  
 TPHd14 = p-Terphenyl-d14 (Surr)

## Method: 625.1 - Semivolatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		TBP (33-139)	FBP (33-126)	2FP (12-120)	NBZ (36-120)	PHL6 (10-120)	TPHd14 (47-131)
MB 570-741583/1-A	Method Blank	63	74	57	83	34	75

**Surrogate Legend**  
 TBP = 2,4,6-Tribromophenol (Surr)  
 FBP = 2-Fluorobiphenyl (Surr)  
 2FP = 2-Fluorophenol (Surr)  
 NBZ = Nitrobenzene-d5 (Surr)

# Surrogate Summary

Client: City & County of Honolulu

Job ID: 380-215103-1

Project/Site: RED-HILL

SDG: Weekly: Aiea Wells P2

PHL6 = Phenol-d6 (Surr)

TPHd14 = p-Terphenyl-d14 (Surr)

## Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Matrix: Drinking Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	TBP (28-127)	FBP (31-120)	2FP (17-120)	NBZ (27-120)	PHL6 (10-120)	TPHd14 (45-120)
380-215103-1	AIEA WELLS P2 (260) (331-004)	80	73	32	71	22	72

#### Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)

FBP = 2-Fluorobiphenyl (Surr)

2FP = 2-Fluorophenol (Surr)

NBZ = Nitrobenzene-d5 (Surr)

PHL6 = Phenol-d6 (Surr)

TPHd14 = p-Terphenyl-d14 (Surr)

## Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	TBP (28-127)	FBP (31-120)	2FP (17-120)	NBZ (27-120)	PHL6 (10-120)	TPHd14 (45-120)
380-215107-A-1-A MS	Matrix Spike	83	78	43	64	30	85
380-215107-A-1-B MSD	Matrix Spike Duplicate	79	76	45	63	30	83
LCS 570-741583/2-A	Lab Control Sample	84	77	55	66	36	86
LCSD 570-741583/3-A	Lab Control Sample Dup	87	75	54	65	36	87
MB 570-741583/1-A	Method Blank	90	78	53	80	32	82

#### Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)

FBP = 2-Fluorobiphenyl (Surr)

2FP = 2-Fluorophenol (Surr)

NBZ = Nitrobenzene-d5 (Surr)

PHL6 = Phenol-d6 (Surr)

TPHd14 = p-Terphenyl-d14 (Surr)

## Method: 8015B GRO LL - Gasoline Range Organics - (GC)

Matrix: Drinking Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	BFB1 (38-134)
380-215103-1	AIEA WELLS P2 (260) (331-004)	98

#### Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

## Method: 8015B GRO LL - Gasoline Range Organics - (GC)

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	BFB1 (38-134)
380-215103-2	TB: AIEA WELLS P2 (260) (331-	97
380-215107-C-1 MS	Matrix Spike	99
380-215107-C-1 MSD	Matrix Spike Duplicate	99

Eurofins Pomona

# Surrogate Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-215103-1  
SDG: Weekly: Aiea Wells P2

## Method: 8015B GRO LL - Gasoline Range Organics - (GC) (Continued)

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	BFB1 (38-134)
LCS 570-746091/3	Lab Control Sample	99
LCSD 570-746091/4	Lab Control Sample Dup	101
MB 570-746091/6	Method Blank	97
MRL 570-746091/5	Lab Control Sample	101

#### Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

## Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level

Matrix: Drinking Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	OTCSN1 (60-130)
380-215103-1	AIEA WELLS P2 (260) (331-004)	104

#### Surrogate Legend

OTCSN = n-Octacosane (Surr)

## Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	OTCSN1 (60-130)
380-215071-I-1-A MS	Matrix Spike	116
380-215071-J-1-A MSD	Matrix Spike Duplicate	115
LCS 570-743620/2-A	Lab Control Sample	108
LCSD 570-743620/3-A	Lab Control Sample Dup	108
MB 570-743620/1-A	Method Blank	107
MRL 570-743620/4-A	Lab Control Sample	113

#### Surrogate Legend

OTCSN = n-Octacosane (Surr)

# QC Sample Results

Client: City & County of Honolulu  
 Project/Site: RED-HILL

Job ID: 380-215103-1  
 SDG: Weekly: Aiea Wells P2

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 380-229858/21-A**  
**Matrix: Water**  
**Analysis Batch: 230071**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 229858**

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	<0.099		0.099	ug/L		05/27/26 14:14	05/28/26 11:29	1
2,4'-DDD	<0.099		0.099	ug/L		05/27/26 14:14	05/28/26 11:29	1
2,4'-DDE	<0.099		0.099	ug/L		05/27/26 14:14	05/28/26 11:29	1
2,4'-DDT	<0.099		0.099	ug/L		05/27/26 14:14	05/28/26 11:29	1
2,4-Dinitrotoluene	<0.099		0.099	ug/L		05/27/26 14:14	05/28/26 11:29	1
2,6-Dinitrotoluene	<0.099		0.099	ug/L		05/27/26 14:14	05/28/26 11:29	1
2-Methylnaphthalene	<0.099		0.099	ug/L		05/27/26 14:14	05/28/26 11:29	1
4,4'-DDD	<0.099		0.099	ug/L		05/27/26 14:14	05/28/26 11:29	1
4,4'-DDE	<0.099		0.099	ug/L		05/27/26 14:14	05/28/26 11:29	1
4,4'-DDT	<0.099		0.099	ug/L		05/27/26 14:14	05/28/26 11:29	1
Acenaphthene	<0.099		0.099	ug/L		05/27/26 14:14	05/28/26 11:29	1
Acenaphthylene	<0.099		0.099	ug/L		05/27/26 14:14	05/28/26 11:29	1
Acetochlor	<0.099		0.099	ug/L		05/27/26 14:14	05/28/26 11:29	1
Alachlor	<0.049		0.049	ug/L		05/27/26 14:14	05/28/26 11:29	1
alpha-BHC	<0.099		0.099	ug/L		05/27/26 14:14	05/28/26 11:29	1
alpha-Chlordane	<0.049		0.049	ug/L		05/27/26 14:14	05/28/26 11:29	1
Anthracene	<0.020		0.020	ug/L		05/27/26 14:14	05/28/26 11:29	1
Atrazine	<0.049		0.049	ug/L		05/27/26 14:14	05/28/26 11:29	1
Benz(a)anthracene	<0.049		0.049	ug/L		05/27/26 14:14	05/28/26 11:29	1
Benzo[a]pyrene	<0.020		0.020	ug/L		05/27/26 14:14	05/28/26 11:29	1
Benzo[b]fluoranthene	<0.020		0.020	ug/L		05/27/26 14:14	05/28/26 11:29	1
Benzo[g,h,i]perylene	<0.049		0.049	ug/L		05/27/26 14:14	05/28/26 11:29	1
Benzo[k]fluoranthene	<0.020		0.020	ug/L		05/27/26 14:14	05/28/26 11:29	1
beta-BHC	<0.099		0.099	ug/L		05/27/26 14:14	05/28/26 11:29	1
Bis(2-ethylhexyl) phthalate	<0.59		0.59	ug/L		05/27/26 14:14	05/28/26 11:29	1
Bromacil	<0.099		0.099	ug/L		05/27/26 14:14	05/28/26 11:29	1
Butachlor	<0.049		0.049	ug/L		05/27/26 14:14	05/28/26 11:29	1
Butylbenzylphthalate	<0.49		0.49	ug/L		05/27/26 14:14	05/28/26 11:29	1
Chlorobenzilate	<0.099		0.099	ug/L		05/27/26 14:14	05/28/26 11:29	1
Chloroneb	<0.099		0.099	ug/L		05/27/26 14:14	05/28/26 11:29	1
Chlorothalonil (Draconil, Bravo)	<0.099		0.099	ug/L		05/27/26 14:14	05/28/26 11:29	1
Chlorpyrifos	<0.049		0.049	ug/L		05/27/26 14:14	05/28/26 11:29	1
Chrysene	<0.020		0.020	ug/L		05/27/26 14:14	05/28/26 11:29	1
delta-BHC	<0.099		0.099	ug/L		05/27/26 14:14	05/28/26 11:29	1
Di(2-ethylhexyl)adipate	<0.59		0.59	ug/L		05/27/26 14:14	05/28/26 11:29	1
Dibenz(a,h)anthracene	<0.049		0.049	ug/L		05/27/26 14:14	05/28/26 11:29	1
Diclorvos (DDVP)	<0.049		0.049	ug/L		05/27/26 14:14	05/28/26 11:29	1
Dieldrin	<0.0099		0.0099	ug/L		05/27/26 14:14	05/28/26 11:29	1
Diethylphthalate	<0.49		0.49	ug/L		05/27/26 14:14	05/28/26 11:29	1
Dimethylphthalate	<0.49		0.49	ug/L		05/27/26 14:14	05/28/26 11:29	1
Di-n-butyl phthalate	<0.99		0.99	ug/L		05/27/26 14:14	05/28/26 11:29	1
Di-n-octyl phthalate	<0.099		0.099	ug/L		05/27/26 14:14	05/28/26 11:29	1
Endosulfan I (Alpha)	<0.099		0.099	ug/L		05/27/26 14:14	05/28/26 11:29	1
Endosulfan II (Beta)	<0.099		0.099	ug/L		05/27/26 14:14	05/28/26 11:29	1
Endosulfan sulfate	<0.099		0.099	ug/L		05/27/26 14:14	05/28/26 11:29	1
Endrin	<0.0099		0.0099	ug/L		05/27/26 14:14	05/28/26 11:29	1
Endrin aldehyde	<0.099		0.099	ug/L		05/27/26 14:14	05/28/26 11:29	1
EPTC	<0.099		0.099	ug/L		05/27/26 14:14	05/28/26 11:29	1

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-215103-1  
SDG: Weekly: Aiea Wells P2

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: MB 380-229858/21-A**  
**Matrix: Water**  
**Analysis Batch: 230071**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 229858**

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoranthene	<0.099		0.099	ug/L		05/27/26 14:14	05/28/26 11:29	1
Fluorene	<0.049		0.049	ug/L		05/27/26 14:14	05/28/26 11:29	1
gamma-Chlordane	<0.049		0.049	ug/L		05/27/26 14:14	05/28/26 11:29	1
Heptachlor	<0.0099		0.0099	ug/L		05/27/26 14:14	05/28/26 11:29	1
Heptachlor epoxide (isomer B)	<0.0099		0.0099	ug/L		05/27/26 14:14	05/28/26 11:29	1
Hexachlorobenzene	<0.049		0.049	ug/L		05/27/26 14:14	05/28/26 11:29	1
Hexachlorocyclopentadiene	<0.049		0.049	ug/L		05/27/26 14:14	05/28/26 11:29	1
Indeno[1,2,3-cd]pyrene	<0.049		0.049	ug/L		05/27/26 14:14	05/28/26 11:29	1
Isophorone	<0.099		0.099	ug/L		05/27/26 14:14	05/28/26 11:29	1
Lindane	<0.0099	^3+	0.0099	ug/L		05/27/26 14:14	05/28/26 11:29	1
Malathion	<0.099		0.099	ug/L		05/27/26 14:14	05/28/26 11:29	1
Methoxychlor	<0.049		0.049	ug/L		05/27/26 14:14	05/28/26 11:29	1
Metolachlor	<0.049		0.049	ug/L		05/27/26 14:14	05/28/26 11:29	1
Molinate	<0.099		0.099	ug/L		05/27/26 14:14	05/28/26 11:29	1
Naphthalene	<0.099		0.099	ug/L		05/27/26 14:14	05/28/26 11:29	1
Parathion	<0.099		0.099	ug/L		05/27/26 14:14	05/28/26 11:29	1
Pendimethalin (Penoxaline)	<0.099		0.099	ug/L		05/27/26 14:14	05/28/26 11:29	1
Phenanthrene	<0.039		0.039	ug/L		05/27/26 14:14	05/28/26 11:29	1
Propachlor	<0.049		0.049	ug/L		05/27/26 14:14	05/28/26 11:29	1
Pyrene	<0.049		0.049	ug/L		05/27/26 14:14	05/28/26 11:29	1
Simazine	<0.049		0.049	ug/L		05/27/26 14:14	05/28/26 11:29	1
Terbacil	<0.099		0.099	ug/L		05/27/26 14:14	05/28/26 11:29	1
Terbutylazine	<0.099		0.099	ug/L		05/27/26 14:14	05/28/26 11:29	1
Thiobencarb	<0.099		0.099	ug/L		05/27/26 14:14	05/28/26 11:29	1
Total Permethrin (mixed isomers)	<0.20		0.20	ug/L		05/27/26 14:14	05/28/26 11:29	1
trans-Nonachlor	<0.049		0.049	ug/L		05/27/26 14:14	05/28/26 11:29	1
Trifluralin	<0.099		0.099	ug/L		05/27/26 14:14	05/28/26 11:29	1

<i>Tentatively Identified Compound</i>	MB Est. Result	MB Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
<i>Undecane</i>	4.76	T J N	ug/L		3.18	1120-21-4	05/27/26 14:14	05/28/26 11:29	1
<i>Plumbane, diethyldimethyl-</i>	0.884	T J N	ug/L		3.31	1762-27-2	05/27/26 14:14	05/28/26 11:29	1
<i>Cyclohexasiloxane, dodecamethyl-</i>	0.714	T J N	ug/L		3.93	540-97-6	05/27/26 14:14	05/28/26 11:29	1
<i>9-Octadecenamamide, (Z)-</i>	0.923	T J N	ug/L		7.97	301-02-0	05/27/26 14:14	05/28/26 11:29	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
<i>2-Nitro-m-xylene</i>	99		70 - 130	05/27/26 14:14	05/28/26 11:29	1
<i>Perylene-d12</i>	86		70 - 130	05/27/26 14:14	05/28/26 11:29	1
<i>Triphenylphosphate</i>	103		70 - 130	05/27/26 14:14	05/28/26 11:29	1

**Lab Sample ID: LCS 380-229858/23-A**  
**Matrix: Water**  
**Analysis Batch: 230071**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 229858**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1-Methylnaphthalene	1.96	1.99		ug/L		101	70 - 130
2,4'-DDD	1.96	2.18		ug/L		111	70 - 130
2,4'-DDE	1.96	2.03		ug/L		103	70 - 130
2,4'-DDT	1.96	2.21		ug/L		113	70 - 130

Eurofins Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-215103-1  
SDG: Weekly: Aiea Wells P2

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: LCS 380-229858/23-A**  
**Matrix: Water**  
**Analysis Batch: 230071**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 229858**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
2,4-Dinitrotoluene	1.96	2.02		ug/L		103	70 - 130
2,6-Dinitrotoluene	1.96	1.96		ug/L		100	70 - 130
2-Methylnaphthalene	1.96	1.99		ug/L		102	70 - 130
4,4'-DDD	1.96	2.29		ug/L		117	70 - 130
4,4'-DDE	1.96	2.06		ug/L		105	70 - 130
4,4'-DDT	1.96	2.34		ug/L		119	70 - 130
Acenaphthene	1.96	2.01		ug/L		103	70 - 130
Acenaphthylene	1.96	1.82		ug/L		93	70 - 130
Acetochlor	1.96	2.13		ug/L		109	70 - 130
Alachlor	1.96	2.13		ug/L		109	70 - 130
alpha-BHC	1.96	2.06		ug/L		105	70 - 130
alpha-Chlordane	1.96	2.48		ug/L		127	70 - 130
Anthracene	1.96	2.03		ug/L		103	70 - 130
Atrazine	1.96	2.24		ug/L		114	70 - 130
Benz(a)anthracene	1.96	2.36		ug/L		120	70 - 130
Benzo[a]pyrene	1.96	2.08		ug/L		106	70 - 130
Benzo[b]fluoranthene	1.96	2.32		ug/L		118	70 - 130
Benzo[g,h,i]perylene	1.96	2.25		ug/L		115	70 - 130
Benzo[k]fluoranthene	1.96	2.16		ug/L		110	70 - 130
beta-BHC	1.96	2.22		ug/L		113	70 - 130
Bis(2-ethylhexyl) phthalate	1.96	2.08		ug/L		106	70 - 130
Bromacil	1.96	2.27		ug/L		116	70 - 130
Butachlor	1.96	2.20		ug/L		112	70 - 130
Butylbenzylphthalate	1.96	2.22		ug/L		113	70 - 130
Chlorobenzilate	1.96	2.20		ug/L		112	70 - 130
Chloroneb	1.96	2.15		ug/L		110	70 - 130
Chlorothalonil (Draconil, Bravo)	1.96	1.97		ug/L		100	70 - 130
Chlorpyrifos	1.96	2.21		ug/L		113	70 - 130
Chrysene	1.96	2.09		ug/L		107	70 - 130
delta-BHC	1.96	2.01		ug/L		103	70 - 130
Di(2-ethylhexyl)adipate	1.96	2.28		ug/L		116	70 - 130
Dibenz(a,h)anthracene	1.96	2.19		ug/L		112	70 - 130
Diclorvos (DDVP)	1.96	2.08		ug/L		106	70 - 130
Dieldrin	1.96	2.20		ug/L		112	70 - 130
Diethylphthalate	1.96	2.11		ug/L		108	70 - 130
Dimethylphthalate	1.96	2.08		ug/L		106	70 - 130
Di-n-butyl phthalate	3.92	4.35		ug/L		111	70 - 130
Di-n-octyl phthalate	1.96	2.00		ug/L		102	70 - 130
Endosulfan I (Alpha)	1.96	2.23		ug/L		113	70 - 130
Endosulfan II (Beta)	1.96	2.22		ug/L		113	70 - 130
Endosulfan sulfate	1.96	2.11		ug/L		107	70 - 130
Endrin	1.96	2.42		ug/L		124	70 - 130
Endrin aldehyde	1.96	2.26		ug/L		115	60 - 130
EPTC	1.96	2.03		ug/L		103	70 - 130
Fluoranthene	1.96	2.15		ug/L		110	70 - 130
Fluorene	1.96	2.10		ug/L		107	70 - 130
gamma-Chlordane	1.96	2.59	*+	ug/L		132	70 - 130
Heptachlor	1.96	1.92		ug/L		98	70 - 130
Heptachlor epoxide (isomer B)	1.96	2.44		ug/L		125	70 - 130

Eurofins Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-215103-1  
SDG: Weekly: Aiea Wells P2

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: LCS 380-229858/23-A**  
**Matrix: Water**  
**Analysis Batch: 230071**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 229858**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Hexachlorobenzene	1.96	1.96		ug/L		100	70 - 130
Hexachlorocyclopentadiene	1.96	1.66		ug/L		85	70 - 130
Indeno[1,2,3-cd]pyrene	1.96	2.28		ug/L		116	70 - 130
Isophorone	1.96	2.17		ug/L		110	70 - 130
Lindane	1.96	2.34		ug/L		119	70 - 130
Malathion	1.96	2.14		ug/L		109	70 - 130
Methoxychlor	1.96	2.44		ug/L		124	70 - 130
Metolachlor	1.96	2.20		ug/L		112	70 - 130
Molinate	1.96	2.07		ug/L		106	70 - 130
Naphthalene	1.96	1.92		ug/L		98	70 - 130
Parathion	1.96	2.23		ug/L		114	70 - 130
Pendimethalin (Penoxaline)	1.96	2.12		ug/L		108	70 - 130
Phenanthrene	1.96	2.12		ug/L		108	70 - 130
Propachlor	1.96	2.14		ug/L		109	70 - 130
Pyrene	1.96	2.19		ug/L		112	70 - 130
Simazine	1.96	2.19		ug/L		111	70 - 130
Terbacil	1.96	2.25		ug/L		115	70 - 130
Terbutylazine	1.96	2.21		ug/L		113	70 - 130
Thiobencarb	1.96	2.09		ug/L		106	70 - 130
trans-Nonachlor	1.96	2.47		ug/L		126	70 - 130
Trifluralin	1.96	1.99		ug/L		102	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
2-Nitro-m-xylene	96		70 - 130
Perylene-d12	97		70 - 130
Triphenylphosphate	109		70 - 130

**Lab Sample ID: MRL 380-229858/22-A**  
**Matrix: Water**  
**Analysis Batch: 230071**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 229858**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
1-Methylnaphthalene	0.0983	0.110		ug/L		112	50 - 150
2,4'-DDD	0.0983	0.109		ug/L		111	50 - 150
2,4'-DDE	0.0983	0.112		ug/L		114	50 - 150
2,4'-DDT	0.0983	0.125		ug/L		128	50 - 150
2,4-Dinitrotoluene	0.0983	0.114		ug/L		116	50 - 150
2,6-Dinitrotoluene	0.0983	0.134		ug/L		136	50 - 150
2-Methylnaphthalene	0.0983	0.104		ug/L		106	50 - 150
4,4'-DDD	0.0983	0.127		ug/L		129	50 - 150
4,4'-DDE	0.0983	0.107		ug/L		109	50 - 150
4,4'-DDT	0.0983	0.126		ug/L		128	50 - 150
Acenaphthene	0.0983	0.0973	J	ug/L		99	50 - 150
Acenaphthylene	0.0983	0.0862	J	ug/L		88	50 - 150
Acetochlor	0.0983	0.116		ug/L		118	50 - 150
Alachlor	0.0492	0.0564		ug/L		115	50 - 150
alpha-BHC	0.0983	0.106		ug/L		108	50 - 150
alpha-Chlordane	0.0246	0.0329	J	ug/L		134	50 - 150

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-215103-1  
SDG: Weekly: Aiea Wells P2

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: MRL 380-229858/22-A**  
**Matrix: Water**  
**Analysis Batch: 230071**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 229858**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Anthracene	0.0197	0.0228		ug/L		116	50 - 150
Atrazine	0.0492	0.0624		ug/L		127	50 - 150
Benz(a)anthracene	0.0492	0.0566		ug/L		115	50 - 150
Benzo[a]pyrene	0.0197	0.0245		ug/L		124	50 - 150
Benzo[b]fluoranthene	0.0197	0.0233		ug/L		118	50 - 150
Benzo[g,h,i]perylene	0.0492	0.0491		ug/L		100	50 - 150
Benzo[k]fluoranthene	0.0197	0.0272		ug/L		139	50 - 150
beta-BHC	0.0983	0.112		ug/L		114	50 - 150
Bis(2-ethylhexyl) phthalate	0.590	0.616		ug/L		104	50 - 150
Bromacil	0.0983	0.138		ug/L		140	50 - 150
Butachlor	0.0492	0.0614		ug/L		125	50 - 150
Butylbenzylphthalate	0.492	0.559		ug/L		114	50 - 150
Chlorobenzilate	0.0983	0.115		ug/L		117	50 - 150
Chloroneb	0.0983	0.110		ug/L		112	50 - 150
Chlorothalonil (Draconil, Bravo)	0.0983	0.0980		ug/L		100	50 - 150
Chlorpyrifos	0.0492	0.0643		ug/L		131	50 - 150
Chrysene	0.0197	0.0275		ug/L		140	50 - 150
delta-BHC	0.0983	0.105		ug/L		106	50 - 150
Di(2-ethylhexyl)adipate	0.590	0.667		ug/L		113	50 - 150
Dibenz(a,h)anthracene	0.0492	0.0469	J	ug/L		95	50 - 150
Diclorvos (DDVP)	0.0492	0.0574		ug/L		117	50 - 150
Dieldrin	0.00983	0.0108		ug/L		110	50 - 150
Diethylphthalate	0.492	0.513		ug/L		104	50 - 150
Dimethylphthalate	0.492	0.514		ug/L		105	50 - 150
Di-n-butyl phthalate	0.492	0.681	J	ug/L		139	49 - 243
Di-n-octyl phthalate	0.0983	0.103		ug/L		104	50 - 150
Endosulfan I (Alpha)	0.0983	0.120		ug/L		122	50 - 150
Endosulfan II (Beta)	0.0983	0.121		ug/L		123	50 - 150
Endosulfan sulfate	0.0983	0.108		ug/L		110	50 - 150
Endrin	0.00983	0.0142		ug/L		144	50 - 150
Endrin aldehyde	0.0983	0.130		ug/L		133	50 - 150
EPTC	0.0983	0.104		ug/L		105	50 - 150
Fluoranthene	0.0983	0.113		ug/L		115	50 - 150
Fluorene	0.0492	0.0533		ug/L		108	50 - 150
gamma-Chlordane	0.0246	0.0332	J	ug/L		135	50 - 150
Heptachlor	0.00983	0.0132		ug/L		135	50 - 150
Heptachlor epoxide (isomer B)	0.00983	0.0137		ug/L		139	50 - 150
Hexachlorobenzene	0.0492	0.0467	J	ug/L		95	50 - 150
Hexachlorocyclopentadiene	0.0492	0.0398	J	ug/L		81	50 - 150
Indeno[1,2,3-cd]pyrene	0.0492	0.0527		ug/L		107	50 - 150
Isophorone	0.0983	0.126		ug/L		128	50 - 150
Lindane	0.00983	0.0167	^3+	ug/L		170	50 - 150
Malathion	0.0983	0.110		ug/L		112	50 - 150
Methoxychlor	0.0492	0.0643		ug/L		131	50 - 150
Metolachlor	0.0492	0.0593		ug/L		121	50 - 150
Molinate	0.0983	0.108		ug/L		109	50 - 150
Naphthalene	0.0983	0.0988		ug/L		101	50 - 150
Parathion	0.0983	0.0977	J	ug/L		99	50 - 150
Pendimethalin (Penoxaline)	0.0983	0.111		ug/L		113	50 - 150

Eurofins Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-215103-1  
SDG: Weekly: Aiea Wells P2

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: MRL 380-229858/22-A**  
**Matrix: Water**  
**Analysis Batch: 230071**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 229858**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Phenanthrene	0.0393	0.0446		ug/L		113	50 - 150
Propachlor	0.0492	0.0589		ug/L		120	50 - 150
Pyrene	0.0492	0.0570		ug/L		116	50 - 150
Simazine	0.0492	0.0637		ug/L		130	50 - 150
Terbacil	0.0983	0.111		ug/L		113	50 - 150
Terbutylazine	0.0983	0.125		ug/L		127	50 - 150
Thiobencarb	0.0983	0.116		ug/L		118	50 - 150
trans-Nonachlor	0.0246	0.0338	J	ug/L		137	50 - 150
Trifluralin	0.0983	0.110		ug/L		112	50 - 150

Surrogate	MRL %Recovery	MRL Qualifier	Limits
2-Nitro-m-xylene	97		70 - 130
Perylene-d12	88		70 - 130
Triphenylphosphate	110		70 - 130

**Lab Sample ID: 380-215095-I-1-A MS**  
**Matrix: Water**  
**Analysis Batch: 230071**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**  
**Prep Batch: 229858**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1-Methylnaphthalene	<0.098		1.95	1.96		ug/L		99	70 - 130
2,4'-DDD	<0.098		1.95	2.10		ug/L		108	70 - 130
2,4'-DDE	<0.098		1.95	1.99		ug/L		102	70 - 130
2,4'-DDT	<0.098		1.95	2.14		ug/L		109	70 - 130
2,4-Dinitrotoluene	<0.098		1.95	2.15		ug/L		110	70 - 130
2,6-Dinitrotoluene	<0.098		1.95	2.12		ug/L		109	70 - 130
2-Methylnaphthalene	<0.098		1.95	1.96		ug/L		99	70 - 130
4,4'-DDD	<0.098		1.95	2.25		ug/L		115	70 - 130
4,4'-DDE	<0.098		1.95	2.11		ug/L		108	70 - 130
4,4'-DDT	<0.098		1.95	2.27		ug/L		116	70 - 130
Acenaphthene	<0.098		1.95	2.02		ug/L		103	70 - 130
Acenaphthylene	<0.098		1.95	1.86		ug/L		95	70 - 130
Acetochlor	<0.098		1.95	2.11		ug/L		108	70 - 130
Alachlor	<0.049		1.95	2.21		ug/L		113	70 - 130
alpha-BHC	<0.098		1.95	2.10		ug/L		107	70 - 130
alpha-Chlordane	<0.049		1.95	2.56		ug/L		129	70 - 130
Anthracene	<0.020		1.95	2.02		ug/L		103	70 - 130
Atrazine	<0.049		1.95	2.22		ug/L		114	70 - 130
Benz(a)anthracene	<0.049		1.95	2.29		ug/L		117	70 - 130
Benzo[a]pyrene	<0.020		1.95	1.97		ug/L		101	70 - 130
Benzo[b]fluoranthene	<0.020		1.95	2.18		ug/L		111	70 - 130
Benzo[g,h,i]perylene	<0.049		1.95	2.03		ug/L		104	70 - 130
Benzo[k]fluoranthene	<0.020		1.95	2.11		ug/L		108	70 - 130
beta-BHC	<0.098		1.95	2.20		ug/L		113	70 - 130
Bis(2-ethylhexyl) phthalate	<0.59		1.95	2.08		ug/L		106	70 - 130
Bromacil	<0.098		1.95	2.30		ug/L		115	70 - 130
Butachlor	<0.049		1.95	2.24		ug/L		115	70 - 130
Butylbenzylphthalate	<0.49		1.95	2.14		ug/L		109	70 - 130

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-215103-1  
SDG: Weekly: Aiea Wells P2

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: 380-215095-I-1-A MS**  
**Matrix: Water**  
**Analysis Batch: 230071**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**  
**Prep Batch: 229858**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chlorobenzilate	<0.098		1.95	2.14		ug/L		109	70 - 130
Chloroneb	<0.098		1.95	2.13		ug/L		109	70 - 130
Chlorothalonil (Draconil, Bravo)	<0.098		1.95	2.03		ug/L		104	70 - 130
Chlorpyrifos	<0.049		1.95	2.19		ug/L		112	70 - 130
Chrysene	<0.020		1.95	2.04		ug/L		105	70 - 130
delta-BHC	<0.098		1.95	2.09		ug/L		107	70 - 130
Di(2-ethylhexyl)adipate	<0.59		1.95	2.21		ug/L		113	70 - 130
Dibenz(a,h)anthracene	<0.049		1.95	2.05		ug/L		105	70 - 130
Diclorvos (DDVP)	<0.049		1.95	2.06		ug/L		105	70 - 130
Dieldrin	0.083		1.95	2.28		ug/L		112	70 - 130
Diethylphthalate	<0.49		1.95	2.14		ug/L		110	70 - 130
Dimethylphthalate	<0.49		1.95	2.15		ug/L		110	70 - 130
Di-n-butyl phthalate	<0.98		3.91	4.31		ug/L		110	70 - 130
Di-n-octyl phthalate	<0.098		1.95	1.99		ug/L		102	70 - 130
Endosulfan I (Alpha)	<0.098		1.95	2.21		ug/L		113	70 - 130
Endosulfan II (Beta)	<0.098		1.95	2.23		ug/L		114	70 - 130
Endosulfan sulfate	<0.098		1.95	2.09		ug/L		107	70 - 130
Endrin	<0.0098		1.95	2.38		ug/L		122	70 - 130
Endrin aldehyde	<0.098		1.95	2.27		ug/L		116	60 - 130
EPTC	<0.098		1.95	2.02		ug/L		103	70 - 130
Fluoranthene	<0.098		1.95	2.12		ug/L		109	70 - 130
Fluorene	<0.049		1.95	2.10		ug/L		108	70 - 130
gamma-Chlordane	<0.049	*+ F1	1.95	2.65	F1	ug/L		134	70 - 130
Heptachlor	<0.0098		1.95	1.98		ug/L		101	70 - 130
Heptachlor epoxide (isomer B)	0.016		1.95	2.53		ug/L		129	70 - 130
Hexachlorobenzene	<0.049		1.95	1.99		ug/L		102	70 - 130
Hexachlorocyclopentadiene	<0.049		1.95	1.63		ug/L		83	70 - 130
Indeno[1,2,3-cd]pyrene	<0.049		1.95	2.10		ug/L		108	70 - 130
Isophorone	<0.098		1.95	2.22		ug/L		114	70 - 130
Lindane	<0.0098	^3+	1.95	2.31		ug/L		118	70 - 130
Malathion	<0.098		1.95	2.20		ug/L		112	70 - 130
Methoxychlor	<0.049		1.95	2.42		ug/L		124	70 - 130
Metolachlor	<0.049		1.95	2.24		ug/L		115	70 - 130
Molinate	<0.098		1.95	2.04		ug/L		104	70 - 130
Naphthalene	<0.098		1.95	1.88		ug/L		96	70 - 130
Parathion	<0.098		1.95	2.19		ug/L		112	70 - 130
Pendimethalin (Penoxaline)	<0.098		1.95	2.02		ug/L		104	70 - 130
Phenanthrene	<0.039		1.95	2.15		ug/L		110	70 - 130
Propachlor	<0.049		1.95	2.13		ug/L		109	70 - 130
Pyrene	<0.049		1.95	2.17		ug/L		111	70 - 130
Simazine	<0.049		1.95	2.22		ug/L		114	70 - 130
Terbacil	<0.098		1.95	2.26		ug/L		115	70 - 130
Terbutylazine	<0.098		1.95	2.18		ug/L		112	70 - 130
Thiobencarb	<0.098		1.95	2.08		ug/L		106	70 - 130
trans-Nonachlor	<0.049		1.95	2.51		ug/L		128	70 - 130
Trifluralin	<0.098		1.95	1.98		ug/L		101	70 - 130

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-215103-1  
SDG: Weekly: Aiea Wells P2

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: 380-215095-I-1-A MS**  
**Matrix: Water**  
**Analysis Batch: 230071**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**  
**Prep Batch: 229858**

<i>Surrogate</i>	<i>%Recovery</i>	<i>MS MS Qualifier</i>	<i>Limits</i>
2-Nitro-m-xylene	95		70 - 130
Perylene-d12	87		70 - 130
Triphenylphosphate	112		70 - 130

**Lab Sample ID: 380-215096-I-1-A DU**  
**Matrix: Water**  
**Analysis Batch: 230071**

**Client Sample ID: Duplicate**  
**Prep Type: Total/NA**  
**Prep Batch: 229858**

<b>Analyte</b>	<b>Sample Result</b>	<b>Sample Qualifier</b>	<b>DU DU</b>		<b>Unit</b>	<b>D</b>	<b>RPD</b>	<b>Limit</b>
			<b>Result</b>	<b>Qualifier</b>				
1-Methylnaphthalene	<0.098		<0.098		ug/L		NC	20
2,4'-DDD	<0.098		<0.098		ug/L		NC	20
2,4'-DDE	<0.098		<0.098		ug/L		NC	20
2,4'-DDT	<0.098		<0.098		ug/L		NC	20
2,4-Dinitrotoluene	<0.098		<0.098		ug/L		NC	20
2,6-Dinitrotoluene	<0.098		<0.098		ug/L		NC	20
2-Methylnaphthalene	<0.098		<0.098		ug/L		NC	20
4,4'-DDD	<0.098		<0.098		ug/L		NC	20
4,4'-DDE	<0.098		<0.098		ug/L		NC	20
4,4'-DDT	<0.098		<0.098		ug/L		NC	20
Acenaphthene	<0.098		<0.098		ug/L		NC	20
Acenaphthylene	<0.098		<0.098		ug/L		NC	20
Acetochlor	<0.098		<0.098		ug/L		NC	20
Alachlor	<0.049		<0.049		ug/L		NC	20
alpha-BHC	<0.098		<0.098		ug/L		NC	20
alpha-Chlordane	<0.049		<0.049		ug/L		NC	20
Anthracene	<0.020		<0.020		ug/L		NC	20
Atrazine	<0.049		<0.049		ug/L		NC	20
Benz(a)anthracene	<0.049		<0.049		ug/L		NC	20
Benzo[a]pyrene	<0.020		<0.020		ug/L		NC	20
Benzo[b]fluoranthene	<0.020		<0.020		ug/L		NC	20
Benzo[g,h,i]perylene	<0.049		<0.049		ug/L		NC	20
Benzo[k]fluoranthene	<0.020		<0.020		ug/L		NC	20
beta-BHC	<0.098		<0.098		ug/L		NC	20
Bis(2-ethylhexyl) phthalate	<0.59		<0.59		ug/L		NC	20
Bromacil	<0.098		<0.098		ug/L		NC	20
Butachlor	<0.049		<0.049		ug/L		NC	20
Butylbenzylphthalate	<0.49		<0.49		ug/L		NC	20
Chlorobenzilate	<0.098		<0.098		ug/L		NC	20
Chloroneb	<0.098		<0.098		ug/L		NC	20
Chlorothalonil (Draconil, Bravo)	<0.098		<0.098		ug/L		NC	20
Chlorpyrifos	<0.049		<0.049		ug/L		NC	20
Chrysene	<0.020		<0.020		ug/L		NC	20
delta-BHC	<0.098		<0.098		ug/L		NC	20
Di(2-ethylhexyl)adipate	<0.59		<0.59		ug/L		NC	20
Dibenz(a,h)anthracene	<0.049		<0.049		ug/L		NC	20
Diclorvos (DDVP)	<0.049		<0.049		ug/L		NC	20
Dieldrin	0.095		0.0814		ug/L		15	20
Diethylphthalate	<0.49		<0.49		ug/L		NC	20

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-215103-1  
SDG: Weekly: Aiea Wells P2

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: 380-215096-I-1-A DU**  
**Matrix: Water**  
**Analysis Batch: 230071**

**Client Sample ID: Duplicate**  
**Prep Type: Total/NA**  
**Prep Batch: 229858**

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Dimethylphthalate	<0.49		<0.49		ug/L		NC	20
Di-n-butyl phthalate	<0.98		<0.98		ug/L		NC	20
Di-n-octyl phthalate	<0.098		<0.098		ug/L		NC	20
Endosulfan I (Alpha)	<0.098		<0.098		ug/L		NC	20
Endosulfan II (Beta)	<0.098		<0.098		ug/L		NC	20
Endosulfan sulfate	<0.098		<0.098		ug/L		NC	20
Endrin	<0.0098		<0.0098		ug/L		NC	20
Endrin aldehyde	<0.098		<0.098		ug/L		NC	20
EPTC	<0.098		<0.098		ug/L		NC	20
Fluoranthene	<0.098		<0.098		ug/L		NC	20
Fluorene	<0.049		<0.049		ug/L		NC	20
gamma-Chlordane	<0.049	*+	<0.049	*+	ug/L		NC	20
Heptachlor	<0.0098		<0.0098		ug/L		NC	20
Heptachlor epoxide (isomer B)	0.012		0.0152	F5	ug/L		26	20
Hexachlorobenzene	<0.049		<0.049		ug/L		NC	20
Hexachlorocyclopentadiene	<0.049		<0.049		ug/L		NC	20
Indeno[1,2,3-cd]pyrene	<0.049		<0.049		ug/L		NC	20
Isophorone	<0.098		<0.098		ug/L		NC	20
Lindane	<0.0098	^3+	<0.0098		ug/L		NC	20
Malathion	<0.098		<0.098		ug/L		NC	20
Methoxychlor	<0.049		<0.049		ug/L		NC	20
Metolachlor	<0.049		<0.049		ug/L		NC	20
Molinate	<0.098		<0.098		ug/L		NC	20
Naphthalene	<0.098		<0.098		ug/L		NC	20
Parathion	<0.098		<0.098		ug/L		NC	20
Pendimethalin (Penoxaline)	<0.098		<0.098		ug/L		NC	20
Phenanthrene	<0.039		<0.039		ug/L		NC	20
Propachlor	<0.049		<0.049		ug/L		NC	20
Pyrene	<0.049		<0.049		ug/L		NC	20
Simazine	<0.049		<0.049		ug/L		NC	20
Terbacil	<0.098		<0.098		ug/L		NC	20
Terbutylazine	<0.098		<0.098		ug/L		NC	20
Thiobencarb	<0.098		<0.098		ug/L		NC	20
Total Permethrin (mixed isomers)	<0.20		<0.20		ug/L		NC	20
trans-Nonachlor	<0.049		<0.049		ug/L		NC	20
Trifluralin	<0.098		<0.098		ug/L		NC	20

Surrogate	DU %Recovery	DU Qualifier	Limits
2-Nitro-m-xylene	98		70 - 130
Perylene-d12	92		70 - 130
Triphenylphosphate	108		70 - 130

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-215103-1  
SDG: Weekly: Aiea Wells P2

## Method: 625.1 - Semivolatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 570-741583/1-A**  
**Matrix: Water**  
**Analysis Batch: 747560**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 741583**

<i>Tentatively Identified Compound</i>	<i>Est. Result</i>	<i>MB MB Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>RT</i>	<i>CAS No.</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>Tentatively Identified Compound</i>	<i>None</i>		<i>ug/L</i>			<i>N/A</i>	<i>05/20/26 08:18</i>	<i>06/02/26 08:24</i>	<i>1</i>

  

<i>Surrogate</i>	<i>%Recovery</i>	<i>MB MB Qualifier</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>2,4,6-Tribromophenol (Surr)</i>	<i>63</i>		<i>33 - 139</i>	<i>05/20/26 08:18</i>	<i>06/02/26 08:24</i>	<i>1</i>
<i>2-Fluorobiphenyl (Surr)</i>	<i>74</i>		<i>33 - 126</i>	<i>05/20/26 08:18</i>	<i>06/02/26 08:24</i>	<i>1</i>
<i>2-Fluorophenol (Surr)</i>	<i>57</i>		<i>12 - 120</i>	<i>05/20/26 08:18</i>	<i>06/02/26 08:24</i>	<i>1</i>
<i>Nitrobenzene-d5 (Surr)</i>	<i>83</i>		<i>36 - 120</i>	<i>05/20/26 08:18</i>	<i>06/02/26 08:24</i>	<i>1</i>
<i>Phenol-d6 (Surr)</i>	<i>34</i>		<i>10 - 120</i>	<i>05/20/26 08:18</i>	<i>06/02/26 08:24</i>	<i>1</i>
<i>p-Terphenyl-d14 (Surr)</i>	<i>75</i>		<i>47 - 131</i>	<i>05/20/26 08:18</i>	<i>06/02/26 08:24</i>	<i>1</i>

## Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

**Lab Sample ID: MB 570-741583/1-A**  
**Matrix: Water**  
**Analysis Batch: 742601**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 741583**

<i>Analyte</i>	<i>Result</i>	<i>MB MB Qualifier</i>	<i>RL</i>	<i>Unit</i>	<i>D</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>1-Methylnaphthalene</i>	<i>&lt;0.20</i>		<i>0.20</i>	<i>ug/L</i>		<i>05/20/26 08:18</i>	<i>05/21/26 21:27</i>	<i>1</i>
<i>2-Methylnaphthalene</i>	<i>&lt;0.20</i>		<i>0.20</i>	<i>ug/L</i>		<i>05/20/26 08:18</i>	<i>05/21/26 21:27</i>	<i>1</i>
<i>Acenaphthene</i>	<i>&lt;0.20</i>		<i>0.20</i>	<i>ug/L</i>		<i>05/20/26 08:18</i>	<i>05/21/26 21:27</i>	<i>1</i>
<i>Acenaphthylene</i>	<i>&lt;0.20</i>		<i>0.20</i>	<i>ug/L</i>		<i>05/20/26 08:18</i>	<i>05/21/26 21:27</i>	<i>1</i>
<i>Anthracene</i>	<i>&lt;0.20</i>		<i>0.20</i>	<i>ug/L</i>		<i>05/20/26 08:18</i>	<i>05/21/26 21:27</i>	<i>1</i>
<i>Benzo[a]anthracene</i>	<i>&lt;0.20</i>		<i>0.20</i>	<i>ug/L</i>		<i>05/20/26 08:18</i>	<i>05/21/26 21:27</i>	<i>1</i>
<i>Benzo[a]pyrene</i>	<i>&lt;0.20</i>		<i>0.20</i>	<i>ug/L</i>		<i>05/20/26 08:18</i>	<i>05/21/26 21:27</i>	<i>1</i>
<i>Benzo[b]fluoranthene</i>	<i>&lt;0.20</i>		<i>0.20</i>	<i>ug/L</i>		<i>05/20/26 08:18</i>	<i>05/21/26 21:27</i>	<i>1</i>
<i>Benzo[g,h,i]perylene</i>	<i>&lt;0.20</i>		<i>0.20</i>	<i>ug/L</i>		<i>05/20/26 08:18</i>	<i>05/21/26 21:27</i>	<i>1</i>
<i>Benzo[k]fluoranthene</i>	<i>&lt;0.20</i>		<i>0.20</i>	<i>ug/L</i>		<i>05/20/26 08:18</i>	<i>05/21/26 21:27</i>	<i>1</i>
<i>Chrysene</i>	<i>&lt;0.20</i>		<i>0.20</i>	<i>ug/L</i>		<i>05/20/26 08:18</i>	<i>05/21/26 21:27</i>	<i>1</i>
<i>Dibenz(a,h)anthracene</i>	<i>&lt;0.20</i>		<i>0.20</i>	<i>ug/L</i>		<i>05/20/26 08:18</i>	<i>05/21/26 21:27</i>	<i>1</i>
<i>Fluoranthene</i>	<i>&lt;0.20</i>		<i>0.20</i>	<i>ug/L</i>		<i>05/20/26 08:18</i>	<i>05/21/26 21:27</i>	<i>1</i>
<i>Fluorene</i>	<i>&lt;0.20</i>		<i>0.20</i>	<i>ug/L</i>		<i>05/20/26 08:18</i>	<i>05/21/26 21:27</i>	<i>1</i>
<i>Indeno[1,2,3-cd]pyrene</i>	<i>&lt;0.20</i>		<i>0.20</i>	<i>ug/L</i>		<i>05/20/26 08:18</i>	<i>05/21/26 21:27</i>	<i>1</i>
<i>Naphthalene</i>	<i>&lt;0.20</i>		<i>0.20</i>	<i>ug/L</i>		<i>05/20/26 08:18</i>	<i>05/21/26 21:27</i>	<i>1</i>
<i>Phenanthrene</i>	<i>&lt;0.20</i>		<i>0.20</i>	<i>ug/L</i>		<i>05/20/26 08:18</i>	<i>05/21/26 21:27</i>	<i>1</i>
<i>Pyrene</i>	<i>&lt;0.20</i>		<i>0.20</i>	<i>ug/L</i>		<i>05/20/26 08:18</i>	<i>05/21/26 21:27</i>	<i>1</i>

  

<i>Surrogate</i>	<i>%Recovery</i>	<i>MB MB Qualifier</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>2,4,6-Tribromophenol (Surr)</i>	<i>90</i>		<i>28 - 127</i>	<i>05/20/26 08:18</i>	<i>05/21/26 21:27</i>	<i>1</i>
<i>2-Fluorobiphenyl (Surr)</i>	<i>78</i>		<i>31 - 120</i>	<i>05/20/26 08:18</i>	<i>05/21/26 21:27</i>	<i>1</i>
<i>2-Fluorophenol (Surr)</i>	<i>53</i>		<i>17 - 120</i>	<i>05/20/26 08:18</i>	<i>05/21/26 21:27</i>	<i>1</i>
<i>Nitrobenzene-d5 (Surr)</i>	<i>80</i>		<i>27 - 120</i>	<i>05/20/26 08:18</i>	<i>05/21/26 21:27</i>	<i>1</i>
<i>Phenol-d6 (Surr)</i>	<i>32</i>		<i>10 - 120</i>	<i>05/20/26 08:18</i>	<i>05/21/26 21:27</i>	<i>1</i>
<i>p-Terphenyl-d14 (Surr)</i>	<i>82</i>		<i>45 - 120</i>	<i>05/20/26 08:18</i>	<i>05/21/26 21:27</i>	<i>1</i>

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-215103-1  
SDG: Weekly: Aiea Wells P2

## Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

**Lab Sample ID: LCS 570-741583/2-A**  
**Matrix: Water**  
**Analysis Batch: 742601**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 741583**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1-Methylnaphthalene	20.0	14.8		ug/L		74	47 - 120
2-Methylnaphthalene	20.0	13.7		ug/L		68	43 - 120
Acenaphthene	20.0	16.6		ug/L		83	60 - 132
Acenaphthylene	20.0	16.4		ug/L		82	54 - 126
Anthracene	20.0	18.7		ug/L		94	43 - 120
Benzo[a]anthracene	20.0	18.4		ug/L		92	42 - 133
Benzo[a]pyrene	20.0	21.4		ug/L		107	32 - 148
Benzo[b]fluoranthene	20.0	20.0		ug/L		100	42 - 140
Benzo[g,h,i]perylene	20.0	19.2		ug/L		96	1 - 195
Benzo[k]fluoranthene	20.0	19.2		ug/L		96	25 - 146
Chrysene	20.0	18.1		ug/L		90	44 - 140
Dibenz(a,h)anthracene	20.0	20.1		ug/L		100	1 - 200
Fluoranthene	20.0	19.6		ug/L		98	43 - 121
Fluorene	20.0	17.1		ug/L		86	70 - 120
Indeno[1,2,3-cd]pyrene	20.0	19.0		ug/L		95	1 - 151
Naphthalene	20.0	14.1		ug/L		70	36 - 120
Phenanthrene	20.0	18.2		ug/L		91	65 - 120
Pyrene	20.0	17.0		ug/L		85	70 - 120

Surrogate	LCS %Recovery	LCS Qualifier	Limits
2,4,6-Tribromophenol (Surr)	84		28 - 127
2-Fluorobiphenyl (Surr)	77		31 - 120
2-Fluorophenol (Surr)	55		17 - 120
Nitrobenzene-d5 (Surr)	66		27 - 120
Phenol-d6 (Surr)	36		10 - 120
p-Terphenyl-d14 (Surr)	86		45 - 120

**Lab Sample ID: LCSD 570-741583/3-A**  
**Matrix: Water**  
**Analysis Batch: 742601**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**  
**Prep Batch: 741583**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1-Methylnaphthalene	20.0	14.3		ug/L		71	47 - 120	3	20
2-Methylnaphthalene	20.0	13.7		ug/L		69	43 - 120	0	20
Acenaphthene	20.0	16.4		ug/L		82	60 - 132	1	29
Acenaphthylene	20.0	16.1		ug/L		81	54 - 126	2	45
Anthracene	20.0	18.7		ug/L		93	43 - 120	0	40
Benzo[a]anthracene	20.0	18.2		ug/L		91	42 - 133	1	32
Benzo[a]pyrene	20.0	20.8		ug/L		104	32 - 148	3	43
Benzo[b]fluoranthene	20.0	19.5		ug/L		97	42 - 140	2	43
Benzo[g,h,i]perylene	20.0	18.8		ug/L		94	1 - 195	2	61
Benzo[k]fluoranthene	20.0	19.6		ug/L		98	25 - 146	2	38
Chrysene	20.0	17.8		ug/L		89	44 - 140	1	53
Dibenz(a,h)anthracene	20.0	19.6		ug/L		98	1 - 200	3	75
Fluoranthene	20.0	19.7		ug/L		98	43 - 121	0	40
Fluorene	20.0	16.8		ug/L		84	70 - 120	2	23
Indeno[1,2,3-cd]pyrene	20.0	18.8		ug/L		94	1 - 151	1	60
Naphthalene	20.0	14.0		ug/L		70	36 - 120	0	39

Eurofins Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-215103-1  
SDG: Weekly: Aiea Wells P2

## Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

**Lab Sample ID: LCSD 570-741583/3-A**  
**Matrix: Water**  
**Analysis Batch: 742601**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**  
**Prep Batch: 741583**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Phenanthrene	20.0	17.7		ug/L		89	65 - 120	3	24
Pyrene	20.0	17.2		ug/L		86	70 - 120	1	30

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
2,4,6-Tribromophenol (Surr)	87		28 - 127
2-Fluorobiphenyl (Surr)	75		31 - 120
2-Fluorophenol (Surr)	54		17 - 120
Nitrobenzene-d5 (Surr)	65		27 - 120
Phenol-d6 (Surr)	36		10 - 120
p-Terphenyl-d14 (Surr)	87		45 - 120

**Lab Sample ID: 380-215107-A-1-A MS**  
**Matrix: Water**  
**Analysis Batch: 743023**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**  
**Prep Batch: 741583**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1-Methylnaphthalene	<0.20		19.5	14.4		ug/L		74	36 - 120
2-Methylnaphthalene	<0.20		19.5	13.5		ug/L		70	32 - 124
Acenaphthene	<0.20		19.5	16.4		ug/L		84	47 - 145
Acenaphthylene	<0.20		19.5	16.0		ug/L		82	33 - 145
Anthracene	<0.20		19.5	17.3		ug/L		89	27 - 133
Benzo[a]anthracene	<0.20		19.5	16.9		ug/L		87	33 - 143
Benzo[a]pyrene	<0.20		19.5	19.0		ug/L		98	17 - 163
Benzo[b]fluoranthene	<0.20		19.5	17.7		ug/L		91	24 - 159
Benzo[g,h,i]perylene	<0.20		19.5	17.6		ug/L		91	1 - 219
Benzo[k]fluoranthene	<0.20		19.5	17.9		ug/L		92	11 - 162
Chrysene	<0.20		19.5	16.5		ug/L		85	17 - 168
Dibenz(a,h)anthracene	<0.20		19.5	18.0		ug/L		92	1 - 227
Fluoranthene	<0.20		19.5	18.3		ug/L		94	26 - 137
Fluorene	<0.20		19.5	16.8		ug/L		86	59 - 121
Indeno[1,2,3-cd]pyrene	<0.20		19.5	18.1		ug/L		93	1 - 171
Naphthalene	<0.20		19.5	13.3		ug/L		68	21 - 133
Phenanthrene	<0.20		19.5	16.7		ug/L		86	54 - 120
Pyrene	<0.20		19.5	16.4		ug/L		84	52 - 120

Surrogate	MS %Recovery	MS Qualifier	Limits
2,4,6-Tribromophenol (Surr)	83		28 - 127
2-Fluorobiphenyl (Surr)	78		31 - 120
2-Fluorophenol (Surr)	43		17 - 120
Nitrobenzene-d5 (Surr)	64		27 - 120
Phenol-d6 (Surr)	30		10 - 120
p-Terphenyl-d14 (Surr)	85		45 - 120

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-215103-1  
SDG: Weekly: Aiea Wells P2

## Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

**Lab Sample ID: 380-215107-A-1-B MSD**

**Matrix: Water**

**Analysis Batch: 743023**

**Client Sample ID: Matrix Spike Duplicate**

**Prep Type: Total/NA**

**Prep Batch: 741583**

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier				Limits		
1-Methylnaphthalene	<0.20		19.3	14.4		ug/L		75	36 - 120	0	30
2-Methylnaphthalene	<0.20		19.3	13.5		ug/L		70	32 - 124	0	30
Acenaphthene	<0.20		19.3	15.7		ug/L		81	47 - 145	5	48
Acenaphthylene	<0.20		19.3	15.1		ug/L		78	33 - 145	6	74
Anthracene	<0.20		19.3	16.5		ug/L		85	27 - 133	5	66
Benzo[a]anthracene	<0.20		19.3	16.7		ug/L		87	33 - 143	1	53
Benzo[a]pyrene	<0.20		19.3	18.2		ug/L		94	17 - 163	4	72
Benzo[b]fluoranthene	<0.20		19.3	16.9		ug/L		88	24 - 159	5	71
Benzo[g,h,i]perylene	<0.20		19.3	17.4		ug/L		90	1 - 219	2	97
Benzo[k]fluoranthene	<0.20		19.3	17.3		ug/L		90	11 - 162	4	63
Chrysene	<0.20		19.3	16.2		ug/L		84	17 - 168	2	87
Dibenz(a,h)anthracene	<0.20		19.3	18.0		ug/L		94	1 - 227	0	126
Fluoranthene	<0.20		19.3	17.8		ug/L		92	26 - 137	2	66
Fluorene	<0.20		19.3	15.7		ug/L		82	59 - 121	6	38
Indeno[1,2,3-cd]pyrene	<0.20		19.3	17.2		ug/L		89	1 - 171	5	99
Naphthalene	<0.20		19.3	13.2		ug/L		69	21 - 133	1	65
Phenanthrene	<0.20		19.3	16.4		ug/L		85	54 - 120	2	39
Pyrene	<0.20		19.3	15.9		ug/L		83	52 - 120	3	49

Surrogate	MSD %Recovery	MSD Qualifier	MSD Limits
2,4,6-Tribromophenol (Surr)	79		28 - 127
2-Fluorobiphenyl (Surr)	76		31 - 120
2-Fluorophenol (Surr)	45		17 - 120
Nitrobenzene-d5 (Surr)	63		27 - 120
Phenol-d6 (Surr)	30		10 - 120
p-Terphenyl-d14 (Surr)	83		45 - 120

## Method: 8015B GRO LL - Gasoline Range Organics - (GC)

**Lab Sample ID: MB 570-746091/6**

**Matrix: Water**

**Analysis Batch: 746091**

**Client Sample ID: Method Blank**

**Prep Type: Total/NA**

Analyte	MB	MB	RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
GRO (C6-C10)	<10		10	ug/L			05/29/26 14:45	1

  

Surrogate	MB %Recovery	MB Qualifier	MB Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	97		38 - 134		05/29/26 14:45	1

**Lab Sample ID: LCS 570-746091/3**

**Matrix: Water**

**Analysis Batch: 746091**

**Client Sample ID: Lab Control Sample**

**Prep Type: Total/NA**

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec
		Result	Qualifier				Limits
Gasoline Range Organics (C4-C13)	400	416		ug/L		104	78 - 120

Eurofins Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-215103-1  
SDG: Weekly: Aiea Wells P2

## Method: 8015B GRO LL - Gasoline Range Organics - (GC) (Continued)

**Lab Sample ID: LCS 570-746091/3**  
**Matrix: Water**  
**Analysis Batch: 746091**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

	LCS %Recovery	LCS Qualifier	Limits
<b>Surrogate</b>			
4-Bromofluorobenzene (Surr)	99		38 - 134

**Lab Sample ID: LCSD 570-746091/4**  
**Matrix: Water**  
**Analysis Batch: 746091**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (C4-C13)	400	416		ug/L		104	78 - 120	0	10

	LCSD %Recovery	LCSD Qualifier	Limits
<b>Surrogate</b>			
4-Bromofluorobenzene (Surr)	101		38 - 134

**Lab Sample ID: MRL 570-746091/5**  
**Matrix: Water**  
**Analysis Batch: 746091**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (C4-C13)	10.0	12.9		ug/L		129	50 - 150

	MRL %Recovery	MRL Qualifier	Limits
<b>Surrogate</b>			
4-Bromofluorobenzene (Surr)	101		38 - 134

**Lab Sample ID: 380-215107-C-1 MS**  
**Matrix: Water**  
**Analysis Batch: 746091**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (C4-C13)	<10		400	393		ug/L		98	68 - 122

	MS %Recovery	MS Qualifier	Limits
<b>Surrogate</b>			
4-Bromofluorobenzene (Surr)	99		38 - 134

**Lab Sample ID: 380-215107-C-1 MSD**  
**Matrix: Water**  
**Analysis Batch: 746091**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (C4-C13)	<10		400	403		ug/L		101	68 - 122	2	18

	MSD %Recovery	MSD Qualifier	Limits
<b>Surrogate</b>			
4-Bromofluorobenzene (Surr)	99		38 - 134

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-215103-1  
SDG: Weekly: Aiea Wells P2

## Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level

**Lab Sample ID: MB 570-743620/1-A**  
**Matrix: Water**  
**Analysis Batch: 744450**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 743620**

Analyte	MB MB		RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
Diesel Range Organics (C10-C24)	<25		25	ug/L		05/24/26 09:43	05/26/26 22:11	1
Motor Oil Range Organics [C24-C36]	<25		25	ug/L		05/24/26 09:43	05/26/26 22:11	1
C8-C18	<25		25	ug/L		05/24/26 09:43	05/26/26 22:11	1
Surrogate	MB MB		Limits			Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier						
<i>n-Octacosane (Surr)</i>	107		60 - 130			05/24/26 09:43	05/26/26 22:11	1

**Lab Sample ID: LCS 570-743620/2-A**  
**Matrix: Water**  
**Analysis Batch: 744450**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 743620**

Analyte	Spike Added	LCS LCS		Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
C10-C28	1600	1470		ug/L		92	56 - 127
Surrogate	LCS LCS		Limits			%Rec	
	%Recovery	Qualifier					
<i>n-Octacosane (Surr)</i>	108		60 - 130				

**Lab Sample ID: LCSD 570-743620/3-A**  
**Matrix: Water**  
**Analysis Batch: 744450**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**  
**Prep Batch: 743620**

Analyte	Spike Added	LCSD LCSD		Unit	D	%Rec	%Rec Limits	RPD	
		Result	Qualifier					RPD	Limit
C10-C28	1600	1420		ug/L		89	56 - 127	3	23
Surrogate	LCSD LCSD		Limits			%Rec			
	%Recovery	Qualifier							
<i>n-Octacosane (Surr)</i>	108		60 - 130						

**Lab Sample ID: MRL 570-743620/4-A**  
**Matrix: Water**  
**Analysis Batch: 746987**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 743620**

Analyte	Spike Added	MRL MRL		Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
C10-C28	0.0200	0.0264		mg/L		132	50 - 150
Surrogate	MRL MRL		Limits			%Rec	
	%Recovery	Qualifier					
<i>n-Octacosane (Surr)</i>	113		60 - 130				

**Lab Sample ID: 380-215071-I-1-A MS**  
**Matrix: Water**  
**Analysis Batch: 744450**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**  
**Prep Batch: 743620**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS MS		Unit	D	%Rec	%Rec Limits
				Result	Qualifier				
C10-C28	<25		1600	1580		ug/L		99	70 - 130
Surrogate	MS MS		Limits					%Rec	
	%Recovery	Qualifier							
<i>n-Octacosane (Surr)</i>	116		60 - 130						

# QC Sample Results

Client: City & County of Honolulu  
 Project/Site: RED-HILL

Job ID: 380-215103-1  
 SDG: Weekly: Aiea Wells P2

## Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level (Continued)

**Lab Sample ID: 380-215071-J-1-A MSD**  
**Matrix: Water**  
**Analysis Batch: 744450**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**  
**Prep Batch: 743620**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
C10-C28	<25		1600	1550		ug/L		97	70 - 130	2	20
<b>Surrogate</b>		<b>MSD %Recovery</b>	<b>MSD Qualifier</b>								<b>Limits</b>
<i>n-Octacosane (Surr)</i>		115									60 - 130

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16

# QC Association Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-215103-1  
SDG: Weekly: Aiea Wells P2

## GC/MS Semi VOA

### Prep Batch: 229858

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-215103-1	AIEA WELLS P2 (260) (331-004-WL103)	Total/NA	Drinking Water	525.2	
MB 380-229858/21-A	Method Blank	Total/NA	Water	525.2	
LCS 380-229858/23-A	Lab Control Sample	Total/NA	Water	525.2	
MRL 380-229858/22-A	Lab Control Sample	Total/NA	Water	525.2	
380-215095-I-1-A MS	Matrix Spike	Total/NA	Water	525.2	
380-215096-I-1-A DU	Duplicate	Total/NA	Water	525.2	

### Analysis Batch: 230071

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-215103-1	AIEA WELLS P2 (260) (331-004-WL103)	Total/NA	Drinking Water	525.2	229858
MB 380-229858/21-A	Method Blank	Total/NA	Water	525.2	229858
LCS 380-229858/23-A	Lab Control Sample	Total/NA	Water	525.2	229858
MRL 380-229858/22-A	Lab Control Sample	Total/NA	Water	525.2	229858
380-215095-I-1-A MS	Matrix Spike	Total/NA	Water	525.2	229858
380-215096-I-1-A DU	Duplicate	Total/NA	Water	525.2	229858

### Prep Batch: 741583

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-215103-1	AIEA WELLS P2 (260) (331-004-WL103)	Total/NA	Drinking Water	625.1	
MB 570-741583/1-A	Method Blank	Total/NA	Water	625.1	
LCS 570-741583/2-A	Lab Control Sample	Total/NA	Water	625.1	
LCSD 570-741583/3-A	Lab Control Sample Dup	Total/NA	Water	625.1	
380-215107-A-1-A MS	Matrix Spike	Total/NA	Water	625.1	
380-215107-A-1-B MSD	Matrix Spike Duplicate	Total/NA	Water	625.1	

### Analysis Batch: 742601

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 570-741583/1-A	Method Blank	Total/NA	Water	625.1 SIM	741583
LCS 570-741583/2-A	Lab Control Sample	Total/NA	Water	625.1 SIM	741583
LCSD 570-741583/3-A	Lab Control Sample Dup	Total/NA	Water	625.1 SIM	741583

### Analysis Batch: 743023

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-215103-1	AIEA WELLS P2 (260) (331-004-WL103)	Total/NA	Drinking Water	625.1 SIM	741583
380-215107-A-1-A MS	Matrix Spike	Total/NA	Water	625.1 SIM	741583
380-215107-A-1-B MSD	Matrix Spike Duplicate	Total/NA	Water	625.1 SIM	741583

### Analysis Batch: 747560

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-215103-1	AIEA WELLS P2 (260) (331-004-WL103)	Total/NA	Drinking Water	625.1	741583
MB 570-741583/1-A	Method Blank	Total/NA	Water	625.1	741583

## GC VOA

### Analysis Batch: 746091

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-215103-1	AIEA WELLS P2 (260) (331-004-WL103)	Total/NA	Drinking Water	8015B GRO LL	
380-215103-2	TB: AIEA WELLS P2 (260) (331-004-WL103)	Total/NA	Water	8015B GRO LL	
MB 570-746091/6	Method Blank	Total/NA	Water	8015B GRO LL	
LCS 570-746091/3	Lab Control Sample	Total/NA	Water	8015B GRO LL	
LCSD 570-746091/4	Lab Control Sample Dup	Total/NA	Water	8015B GRO LL	

Eurofins Pomona

# QC Association Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-215103-1  
SDG: Weekly: Aiea Wells P2

## GC VOA (Continued)

### Analysis Batch: 746091 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MRL 570-746091/5	Lab Control Sample	Total/NA	Water	8015B GRO LL	
380-215107-C-1 MS	Matrix Spike	Total/NA	Water	8015B GRO LL	
380-215107-C-1 MSD	Matrix Spike Duplicate	Total/NA	Water	8015B GRO LL	

## GC Semi VOA

### Prep Batch: 743620

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-215103-1	AIEA WELLS P2 (260) (331-004-WL103)	Total/NA	Drinking Water	3510C	
MB 570-743620/1-A	Method Blank	Total/NA	Water	3510C	
LCS 570-743620/2-A	Lab Control Sample	Total/NA	Water	3510C	
LCSD 570-743620/3-A	Lab Control Sample Dup	Total/NA	Water	3510C	
MRL 570-743620/4-A	Lab Control Sample	Total/NA	Water	3510C	
380-215071-I-1-A MS	Matrix Spike	Total/NA	Water	3510C	
380-215071-J-1-A MSD	Matrix Spike Duplicate	Total/NA	Water	3510C	

### Analysis Batch: 744450

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 570-743620/1-A	Method Blank	Total/NA	Water	8015B	743620
LCS 570-743620/2-A	Lab Control Sample	Total/NA	Water	8015B	743620
LCSD 570-743620/3-A	Lab Control Sample Dup	Total/NA	Water	8015B	743620
380-215071-I-1-A MS	Matrix Spike	Total/NA	Water	8015B	743620
380-215071-J-1-A MSD	Matrix Spike Duplicate	Total/NA	Water	8015B	743620

### Analysis Batch: 746987

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-215103-1	AIEA WELLS P2 (260) (331-004-WL103)	Total/NA	Drinking Water	8015B	743620
MRL 570-743620/4-A	Lab Control Sample	Total/NA	Water	8015B	743620

# Lab Chronicle

Client: City & County of Honolulu  
 Project/Site: RED-HILL

Job ID: 380-215103-1  
 SDG: Weekly: Aiea Wells P2

**Client Sample ID: AIEA WELLS P2 (260) (331-004-WL103)**

**Lab Sample ID: 380-215103-1**

**Date Collected: 05/18/26 11:38**

**Matrix: Drinking Water**

**Date Received: 05/20/26 09:27**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	525.2			229858	IQ42	EA POM	05/27/26 14:14
Total/NA	Analysis	525.2		1	230071	UPAC	EA POM	05/28/26 15:10
Total/NA	Prep	625.1			741583	H1SH	EET CAL 4	05/21/26 05:09
Total/NA	Analysis	625.1		1	747560	PQS1	EET CAL 4	06/02/26 13:08
Total/NA	Prep	625.1			741583	H1SH	EET CAL 4	05/21/26 05:09
Total/NA	Analysis	625.1 SIM		1	743023	CG	EET CAL 4	05/22/26 20:02
Total/NA	Analysis	8015B GRO LL		1	746091	A9VE	EET CAL 4	05/30/26 00:31
Total/NA	Prep	3510C			743620	TVD6	EET CAL 4	05/24/26 09:44
Total/NA	Analysis	8015B		1	746987	H6FE	EET CAL 4	06/01/26 15:49

**Client Sample ID: TB: AIEA WELLS P2 (260) (331-004-WL103)**

**Lab Sample ID: 380-215103-2**

**Date Collected: 05/18/26 11:38**

**Matrix: Water**

**Date Received: 05/20/26 09:27**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8015B GRO LL		1	746091	A9VE	EET CAL 4	05/29/26 23:22

**Laboratory References:**

EA POM = Eurofins Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100

EET CAL 4 = Eurofins Calscience Tustin, 2841 Dow Avenue, Tustin, CA 92780, TEL (714)895-5494

# Accreditation/Certification Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-215103-1  
SDG: Weekly: Aiea Wells P2

## Laboratory: Eurofins Pomona

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Hawaii	State	CA00006	01-31-26 *
The following analytes are included in this report, but the laboratory is not certified by Hawaii State CA00006. This list may include analytes for which the agency does not offer certification:			
Analysis Method	Prep Method	Matrix	Analyte
525.2	525.2	Drinking Water	1-Methylnaphthalene
525.2	525.2	Drinking Water	2,4'-DDD
525.2	525.2	Drinking Water	2,4'-DDE
525.2	525.2	Drinking Water	2,4'-DDT
525.2	525.2	Drinking Water	2,4-Dinitrotoluene
525.2	525.2	Drinking Water	2,6-Dinitrotoluene
525.2	525.2	Drinking Water	2-Methylnaphthalene
525.2	525.2	Drinking Water	4,4'-DDD
525.2	525.2	Drinking Water	4,4'-DDE
525.2	525.2	Drinking Water	4,4'-DDT
525.2	525.2	Drinking Water	Acetochlor
525.2	525.2	Drinking Water	alpha-BHC
525.2	525.2	Drinking Water	alpha-Chlordane
525.2	525.2	Drinking Water	beta-BHC
525.2	525.2	Drinking Water	Chlorobenzilate
525.2	525.2	Drinking Water	Chloroneb
525.2	525.2	Drinking Water	Chlorothalonil (Draconil, Bravo)
525.2	525.2	Drinking Water	Chlorpyrifos
525.2	525.2	Drinking Water	delta-BHC
525.2	525.2	Drinking Water	Diclorvos (DDVP)
525.2	525.2	Drinking Water	Endosulfan I (Alpha)
525.2	525.2	Drinking Water	Endosulfan II (Beta)
525.2	525.2	Drinking Water	Endosulfan sulfate
525.2	525.2	Drinking Water	Endrin aldehyde
525.2	525.2	Drinking Water	EPTC
525.2	525.2	Drinking Water	gamma-Chlordane
525.2	525.2	Drinking Water	Isophorone
525.2	525.2	Drinking Water	Malathion
525.2	525.2	Drinking Water	Parathion
525.2	525.2	Drinking Water	Pendimethalin (Penoxaline)
525.2	525.2	Drinking Water	Terbacil
525.2	525.2	Drinking Water	Terbutylazine
525.2	525.2	Drinking Water	Total Permethrin (mixed isomers)
525.2	525.2	Drinking Water	trans-Nonachlor

## Laboratory: Eurofins Calscience

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
A2LA	Dept. of Defense ELAP	7296.01	11-30-26
A2LA	ISO/IEC 17025	7296.01	11-30-26
Alaska (UST)	State	25-005	03-02-27
Arizona	State	AZ0830	11-17-26
California	Los Angeles County Sanitation Districts	9257304	07-31-26
California	SCAQMD LAP	17LA0919	11-30-26

\* Accreditation/Certification renewal pending - accreditation/certification considered valid.

# Accreditation/Certification Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-215103-1  
SDG: Weekly: Aiea Wells P2

## Laboratory: Eurofins Calscience (Continued)

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	3082	07-31-26
Kansas	NELAP	E-10420	07-31-26
Nevada	State	CA00111	07-31-26
Oregon	NELAP	4175	02-02-27
USDA	US Federal Programs	525-23-159-97150	09-30-26
Utah	NELAP	CA00111	02-28-27
Washington	State	C916	10-12-26

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16

# Method Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-215103-1  
SDG: Weekly: Aiea Wells P2

Method	Method Description	Protocol	Laboratory
525.2	Semivolatile Organic Compounds (GC/MS)	EPA	EA POM
625.1	Semivolatile Organic Compounds (GC/MS)	EPA	EET CAL 4
625.1 SIM	Semivolatile Organic Compounds GC/MS (SIM)	EPA	EET CAL 4
8015B GRO LL	Gasoline Range Organics - (GC)	SW846	EET CAL 4
8015B	Diesel Range Organics (DRO) (GC) Low Level	SW846	EET CAL 4
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	EET CAL 4
5030C	Purge and Trap	SW846	EET CAL 4
525.2	Extraction of Semivolatile Compounds	EPA	EA POM
625.1	Liquid-Liquid Extraction	40CFR136A	EET CAL 4

#### Protocol References:

40CFR136A = "Methods for Organic Chemical Analysis of Municipal Industrial Wastewater", 40CFR, Part 136, Appendix A, October 26, 1984 and subsequent revisions.

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

#### Laboratory References:

EA POM = Eurofins Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100

EET CAL 4 = Eurofins Calscience Tustin, 2841 Dow Avenue, Tustin, CA 92780, TEL (714)895-5494

# Sample Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-215103-1  
SDG: Weekly: Aiea Wells P2

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	PWSID Number
380-215103-1	AIEA WELLS P2 (260) (331-004-WL103)	Drinking Water	05/18/26 11:38	05/20/26 09:27	HI0000331
380-215103-2	TB: AIEA WELLS P2 (260) (331-004-WL103)	Water	05/18/26 11:38	05/20/26 09:27	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16

# Chain of Custody Record

<b>Client Information</b> Client Contact: Kirik Iwamoto Phone: +1 808 748 5840 PWSID:		Lab PM: Lopez, Mana E-Mail: Maria.Lopez@et.eurofins.com		Carrier Tracking No(s): State of Origin:		COC No: Page: Page 1 of 1 Job #:	
Address: 630 South Beretania Street Chemistry Lab City: Honolulu State, Zip: HI, 96843 Phone: 808-748-5840 (Tel) Email: kiwamoto@hbws.org		Due Date Requested: TAT Requested (days): Compliance Project: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No PO #: C20525101 exp 05312023 WO #:		<b>Analysis Requested</b> 626.1, 626.1, SIM 8015B_GRO_LL - (MOD) GRO 8015B_DRO_LL_CS - HNL Ranges, C10-C24/C24-C38/C8-C18 626.2_PREC - (MOD) 626plus Plus TICs 637.1_DW_PREC - 637.1 Full List 633 - All Analytes		Preservation Codes: R - NaThioSO4 RA - NaThioHCl Q - Na2SO3 QA - Na2SO3/HCl Y - Trizma I - NH4 Acetate Other: 380-215103 COC	
Project Name: RED-HILL/HBWS Sites Event Desc: RUSH Weekly Red Hill Site: Hawaii		Field Filled Sample (Yes or No) <input checked="" type="checkbox"/> Perform MS/MSD (Yes or No) <input checked="" type="checkbox"/>		Total Number of Containers:		Special Instructions/Note:	
<b>Sample Identification</b> Aiea Wells P2 (260) (331-004-WL103) Aiea Wells P2 (260) (331-004-WL103) (Matrix Spike) Aiea Wells P2 (260) (331-004-WL103) (Matrix Spike Duplicate) TB: Aiea Wells P2 (260) (331-004-WL103)		Sample Date: 18-May-2026 Sample Time: 1138 Matrix: Water Sample Type (C=Comp, G=grab): G Preservation Code:		R: 2 RA: 3 Q: 1 QA: 2 Y: 1 I: 2		380-215103 COC	
<b>Possible Hazard Identification</b> <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological		Date:		Method of Shipment: FedX 8720 0324 5847		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months	
Empty Kit Relinquished by:		Date:		Special Instructions/QC Requirements:		Received by: [Signature] Company: EHR Date/Time: 5/20/26 4:27 Date/Time:	
Relinquished by:		Date/Time:		Date/Time:		Date/Time:	
Custody Seals Intact: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		Relinquished by:		Date/Time:		Date/Time:	
Custody Seal No.		Date/Time:		Date/Time:		Date/Time:	



ORIGIN ID HIKA (808) 748-5840  
BWS-CHEMLAB  
HONOLULU BOARD OF WATER SUPPLY  
630 S. BERETANIA ST.  
CHEMICAL LABORATORY  
HONOLULU, HI 96843  
UNITED STATES US

SHIP DATE: 19MAY26  
ACTWGT: 62.00 LB  
CAD: 258050552/NET4535

BILL RECIPIENT

TO EUROFINS RECEIVING DEPARTMENT  
EUROFINS DRINKING WATER TESTING  
941 CORPORATE CENTER DR

68KJ3/A906/4848

POMONA CA 91768

(626) 386-1100 REF:

INV# PC: DEPT.



WED - 20 MAY 10:30A

PRIORITY OVERNIGHT

5 of 8

MPS# 8720 0324 5836

Mstr# 8720 0324 5799

0201

91768

WM ONTA

CA-US ONT



(631A) 2650-D-26 901- f/drc  
MAY 19 10:30 AM '26  
Mark Warrington 5/20/26 9177

After printing this label  
1 Fold the printed page along the horizontal line  
2 Place label in shipping pouch and affix it to your shipment

CONSIGNEE COPY - PLEASE PLACE IN FRONT OF POUCH

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16



## Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-215103-1  
SDG Number: Weekly: Aiea Wells P2

**Login Number: 215103**

**List Number: 1**

**Creator: Segura, Ryan**

**List Source: Eurofins Pomona**

Question	Answer	Comment
The coolers custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
Samples were received on ice.	True	
Cooler(s) Temperature is acceptable.	True	
Cooler(s) Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and is legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
CIO4 headspace requirement met (>50% for CA, >30% for other states).	True	
Samples do not require splitting or compositing.	True	
Container provided by EEA	True	



# Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-215103-1  
SDG Number: Weekly: Aiea Wells P2

**Login Number: 215103**

**List Number: 2**

**Creator: Khana, Piyush**

**List Source: Eurofins Calscience**

**List Creation: 05/20/26 07:19 PM**

Question	Answer	Comment
Radioactivity wasn't checked or is <math>\leq</math> background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	1.5
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	Received project as a subcontract.
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	fgf5
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

