

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16

ANALYTICAL REPORT

PREPARED FOR

Attn: Mr. Erwin Kawata
City & County of Honolulu
630 South Beretania Street
Public Service Bldg. Room 310
Honolulu, Hawaii 96843

Generated 6/25/2026 5:01:00 PM

JOB DESCRIPTION

RED-HILL
Weekly: Aiea Wells P2

JOB NUMBER

380-219280-1

Eurofins Pomona

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Drinking Water and Wastewater West, LLC Project Manager.

Compliance Statement

1. Laboratory is accredited in accordance with TNI 2016 Standards and ISO/IEC 17025:2017.
2. Laboratory certifies that the test results meet all TNI 2016 and ISO/IEC 17025:2017 requirements unless noted under the individual analysis
3. Test results relate only to the sample(s) tested.
4. This report shall not be reproduced except in full, without the written approval of the laboratory.
5. Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below. (DW, Water matrices)

Authorization



Authorized for release by
Maria Lopez, Project Manager
Maria.Lopez@et.eurofinsus.com
(626)386-1100

Generated
6/25/2026 5:01:00 PM



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Detection Summary	6
Client Sample Results	7
Action Limit Summary	11
Surrogate Summary	12
QC Sample Results	15
QC Association Summary	29
Lab Chronicle	31
Certification Summary	32
Method Summary	34
Sample Summary	35
Chain of Custody	36
Receipt Checklists	38

Definitions/Glossary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-219280-1
SDG: Weekly: Aiea Wells P2

Qualifiers

GC/MS Semi VOA

Qualifier	Qualifier Description
^3+	Reporting Limit Check Standard is outside acceptance limits, high biased
F1	MS and/or MSD recovery exceeds control limits.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

GC/MS Semi VOA TICs

Qualifier	Qualifier Description
J	Indicates an Estimated Value for TICs
N	Presumptive evidence of material.
T	Result is a tentatively identified compound (TIC) and an estimated value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: City & County of Honolulu
Project: RED-HILL

Job ID: 380-219280-1

Job ID: 380-219280-1

Eurofins Pomona

Job Narrative 380-219280-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 6/11/2026 10:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 1.4°C.

GC/MS Semi VOA

Method 625.1: The laboratory control sample (LCS) was performed in duplicate (LCSD) to provide precision data for this batch. Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with preparation batch 570-753881.

Method 625.1 SIM: The laboratory control sample (LCS) was performed in duplicate (LCSD) to provide precision data for this batch.

Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with preparation batch 570-753881.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Gasoline Range Organics

Method 8015B GRO LL: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with analytical batch 570-757721. The laboratory control sample (LCS) was performed in duplicate (LCSD) to provide precision data for this batch.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

Method 8015B: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with preparation batch 570-753329. The laboratory control sample (LCS) was performed in duplicate (LCSD) to provide precision data for this batch.

Method: 8015 DRO

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Pomona

Detection Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-219280-1
SDG: Weekly: Aiea Wells P2

Client Sample ID: AIEA WELLS P2 (260) (331-004-WL103)
PWSID Number: HI0000331

Lab Sample ID: 380-219280-1

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Dieldrin	0.015		0.010	ug/L	1		525.2	Total/NA
Heptachlor epoxide (isomer B)	0.012		0.010	ug/L	1		525.2	Total/NA

Client Sample ID: TB: AIEA WELLS P2 (260) (331-004-WL103)

Lab Sample ID: 380-219280-2

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Pomona



Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-219280-1
SDG: Weekly: Aiea Wells P2

Client Sample ID: AIEA WELLS P2 (260) (331-004-WL103)

Lab Sample ID: 380-219280-1

Date Collected: 06/10/26 09:00

Matrix: Drinking Water

Date Received: 06/11/26 10:00

PWSID Number: HI0000331

Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	<0.10		0.10	ug/L		06/16/26 14:41	06/17/26 17:45	1
2,4'-DDD	<0.10		0.10	ug/L		06/16/26 14:41	06/17/26 17:45	1
2,4'-DDE	<0.10		0.10	ug/L		06/16/26 14:41	06/17/26 17:45	1
2,4'-DDT	<0.10		0.10	ug/L		06/16/26 14:41	06/17/26 17:45	1
2,4-Dinitrotoluene	<0.10		0.10	ug/L		06/16/26 14:41	06/17/26 17:45	1
2,6-Dinitrotoluene	<0.10		0.10	ug/L		06/16/26 14:41	06/17/26 17:45	1
2-Methylnaphthalene	<0.10		0.10	ug/L		06/16/26 14:41	06/17/26 17:45	1
4,4'-DDD	<0.10		0.10	ug/L		06/16/26 14:41	06/17/26 17:45	1
4,4'-DDE	<0.10		0.10	ug/L		06/16/26 14:41	06/17/26 17:45	1
4,4'-DDT	<0.10		0.10	ug/L		06/16/26 14:41	06/17/26 17:45	1
Acenaphthene	<0.10		0.10	ug/L		06/16/26 14:41	06/17/26 17:45	1
Acenaphthylene	<0.10		0.10	ug/L		06/16/26 14:41	06/17/26 17:45	1
Acetochlor	<0.10		0.10	ug/L		06/16/26 14:41	06/17/26 17:45	1
Alachlor	<0.050		0.050	ug/L		06/16/26 14:41	06/17/26 17:45	1
alpha-BHC	<0.10		0.10	ug/L		06/16/26 14:41	06/17/26 17:45	1
alpha-Chlordane	<0.050		0.050	ug/L		06/16/26 14:41	06/17/26 17:45	1
Anthracene	<0.020		0.020	ug/L		06/16/26 14:41	06/17/26 17:45	1
Atrazine	<0.050		0.050	ug/L		06/16/26 14:41	06/17/26 17:45	1
Benz(a)anthracene	<0.050		0.050	ug/L		06/16/26 14:41	06/17/26 17:45	1
Benzo[a]pyrene	<0.020		0.020	ug/L		06/16/26 14:41	06/17/26 17:45	1
Benzo[b]fluoranthene	<0.020		0.020	ug/L		06/16/26 14:41	06/17/26 17:45	1
Benzo[g,h,i]perylene	<0.050		0.050	ug/L		06/16/26 14:41	06/17/26 17:45	1
Benzo[k]fluoranthene	<0.020		0.020	ug/L		06/16/26 14:41	06/17/26 17:45	1
beta-BHC	<0.10		0.10	ug/L		06/16/26 14:41	06/17/26 17:45	1
Bis(2-ethylhexyl) phthalate	<0.60		0.60	ug/L		06/16/26 14:41	06/17/26 17:45	1
Bromacil	<0.10		0.10	ug/L		06/16/26 14:41	06/17/26 17:45	1
Butachlor	<0.050		0.050	ug/L		06/16/26 14:41	06/17/26 17:45	1
Butylbenzylphthalate	<0.50		0.50	ug/L		06/16/26 14:41	06/17/26 17:45	1
Chlorobenzilate	<0.10		0.10	ug/L		06/16/26 14:41	06/17/26 17:45	1
Chloroneb	<0.10		0.10	ug/L		06/16/26 14:41	06/17/26 17:45	1
Chlorothalonil (Draconil, Bravo)	<0.10		0.10	ug/L		06/16/26 14:41	06/17/26 17:45	1
Chlorpyrifos	<0.050		0.050	ug/L		06/16/26 14:41	06/17/26 17:45	1
Chrysene	<0.020		0.020	ug/L		06/16/26 14:41	06/17/26 17:45	1
delta-BHC	<0.10		0.10	ug/L		06/16/26 14:41	06/17/26 17:45	1
Di(2-ethylhexyl)adipate	<0.60		0.60	ug/L		06/16/26 14:41	06/17/26 17:45	1
Dibenz(a,h)anthracene	<0.050		0.050	ug/L		06/16/26 14:41	06/17/26 17:45	1
Diclorvos (DDVP)	<0.050		0.050	ug/L		06/16/26 14:41	06/17/26 17:45	1
Dieldrin	0.015		0.010	ug/L		06/16/26 14:41	06/17/26 17:45	1
Diethylphthalate	<0.50		0.50	ug/L		06/16/26 14:41	06/17/26 17:45	1
Dimethylphthalate	<0.50		0.50	ug/L		06/16/26 14:41	06/17/26 17:45	1
Di-n-butyl phthalate	<1.0		1.0	ug/L		06/16/26 14:41	06/17/26 17:45	1
Di-n-octyl phthalate	<0.10		0.10	ug/L		06/16/26 14:41	06/17/26 17:45	1
Endosulfan I (Alpha)	<0.10		0.10	ug/L		06/16/26 14:41	06/17/26 17:45	1
Endosulfan II (Beta)	<0.10		0.10	ug/L		06/16/26 14:41	06/17/26 17:45	1
Endosulfan sulfate	<0.10		0.10	ug/L		06/16/26 14:41	06/17/26 17:45	1
Endrin	<0.010		0.010	ug/L		06/16/26 14:41	06/17/26 17:45	1
Endrin aldehyde	<0.10		0.10	ug/L		06/16/26 14:41	06/17/26 17:45	1
EPTC	<0.10		0.10	ug/L		06/16/26 14:41	06/17/26 17:45	1
Fluoranthene	<0.10		0.10	ug/L		06/16/26 14:41	06/17/26 17:45	1

Eurofins Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-219280-1
SDG: Weekly: Aiea Wells P2

Client Sample ID: AIEA WELLS P2 (260) (331-004-WL103)

Lab Sample ID: 380-219280-1

Date Collected: 06/10/26 09:00

Matrix: Drinking Water

Date Received: 06/11/26 10:00

PWSID Number: HI0000331

Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Fluorene	<0.050		0.050	ug/L		06/16/26 14:41	06/17/26 17:45	1
gamma-Chlordane	<0.050		0.050	ug/L		06/16/26 14:41	06/17/26 17:45	1
Heptachlor	<0.010		0.010	ug/L		06/16/26 14:41	06/17/26 17:45	1
Heptachlor epoxide (isomer B)	0.012		0.010	ug/L		06/16/26 14:41	06/17/26 17:45	1
Hexachlorobenzene	<0.050		0.050	ug/L		06/16/26 14:41	06/17/26 17:45	1
Hexachlorocyclopentadiene	<0.050		0.050	ug/L		06/16/26 14:41	06/17/26 17:45	1
Indeno[1,2,3-cd]pyrene	<0.050		0.050	ug/L		06/16/26 14:41	06/17/26 17:45	1
Isophorone	<0.10		0.10	ug/L		06/16/26 14:41	06/17/26 17:45	1
Lindane	<0.010		0.010	ug/L		06/16/26 14:41	06/17/26 17:45	1
Malathion	<0.10		0.10	ug/L		06/16/26 14:41	06/17/26 17:45	1
Methoxychlor	<0.050		0.050	ug/L		06/16/26 14:41	06/17/26 17:45	1
Metolachlor	<0.050		0.050	ug/L		06/16/26 14:41	06/17/26 17:45	1
Molinate	<0.10		0.10	ug/L		06/16/26 14:41	06/17/26 17:45	1
Naphthalene	<0.10	^3+	0.10	ug/L		06/16/26 14:41	06/17/26 17:45	1
Parathion	<0.10		0.10	ug/L		06/16/26 14:41	06/17/26 17:45	1
Pendimethalin (Penoxaline)	<0.10		0.10	ug/L		06/16/26 14:41	06/17/26 17:45	1
Phenanthrene	<0.040		0.040	ug/L		06/16/26 14:41	06/17/26 17:45	1
Propachlor	<0.050		0.050	ug/L		06/16/26 14:41	06/17/26 17:45	1
Pyrene	<0.050		0.050	ug/L		06/16/26 14:41	06/17/26 17:45	1
Simazine	<0.050		0.050	ug/L		06/16/26 14:41	06/17/26 17:45	1
Terbacil	<0.10		0.10	ug/L		06/16/26 14:41	06/17/26 17:45	1
Terbutylazine	<0.10		0.10	ug/L		06/16/26 14:41	06/17/26 17:45	1
Thiobencarb	<0.10		0.10	ug/L		06/16/26 14:41	06/17/26 17:45	1
Total Permethrin (mixed isomers)	<0.20		0.20	ug/L		06/16/26 14:41	06/17/26 17:45	1
trans-Nonachlor	<0.050		0.050	ug/L		06/16/26 14:41	06/17/26 17:45	1
Trifluralin	<0.10		0.10	ug/L		06/16/26 14:41	06/17/26 17:45	1

Tentatively Identified Compound	Est. Result	Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Tentatively Identified Compound	None		ug/L			N/A	06/16/26 14:41	06/17/26 17:45	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Nitro-m-xylene	96		70 - 130	06/16/26 14:41	06/17/26 17:45	1
Perylene-d12	85		70 - 130	06/16/26 14:41	06/17/26 17:45	1
Triphenylphosphate	94		70 - 130	06/16/26 14:41	06/17/26 17:45	1

Method: EPA 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	<0.19		0.19	ug/L		06/13/26 16:02	06/17/26 14:49	1
2-Methylnaphthalene	<0.19		0.19	ug/L		06/13/26 16:02	06/17/26 14:49	1
Acenaphthene	<0.19		0.19	ug/L		06/13/26 16:02	06/17/26 14:49	1
Acenaphthylene	<0.19		0.19	ug/L		06/13/26 16:02	06/17/26 14:49	1
Anthracene	<0.19		0.19	ug/L		06/13/26 16:02	06/17/26 14:49	1
Benzo[a]anthracene	<0.19		0.19	ug/L		06/13/26 16:02	06/17/26 14:49	1
Benzo[a]pyrene	<0.19		0.19	ug/L		06/13/26 16:02	06/17/26 14:49	1
Benzo[b]fluoranthene	<0.19		0.19	ug/L		06/13/26 16:02	06/17/26 14:49	1
Benzo[g,h,i]perylene	<0.19		0.19	ug/L		06/13/26 16:02	06/17/26 14:49	1
Benzo[k]fluoranthene	<0.19		0.19	ug/L		06/13/26 16:02	06/17/26 14:49	1
Chrysene	<0.19		0.19	ug/L		06/13/26 16:02	06/17/26 14:49	1
Dibenz(a,h)anthracene	<0.19		0.19	ug/L		06/13/26 16:02	06/17/26 14:49	1
Fluoranthene	<0.19		0.19	ug/L		06/13/26 16:02	06/17/26 14:49	1

Eurofins Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-219280-1
SDG: Weekly: Aiea Wells P2

Client Sample ID: AIEA WELLS P2 (260) (331-004-WL103)

Lab Sample ID: 380-219280-1

Date Collected: 06/10/26 09:00

Matrix: Drinking Water

Date Received: 06/11/26 10:00

PWSID Number: HI0000331

Method: EPA 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Fluorene	<0.19		0.19	ug/L		06/13/26 16:02	06/17/26 14:49	1
Indeno[1,2,3-cd]pyrene	<0.19		0.19	ug/L		06/13/26 16:02	06/17/26 14:49	1
Naphthalene	<0.19		0.19	ug/L		06/13/26 16:02	06/17/26 14:49	1
Phenanthrene	<0.19		0.19	ug/L		06/13/26 16:02	06/17/26 14:49	1
Pyrene	<0.19		0.19	ug/L		06/13/26 16:02	06/17/26 14:49	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	87		28 - 127	06/13/26 16:02	06/17/26 14:49	1
2-Fluorobiphenyl (Surr)	76		31 - 120	06/13/26 16:02	06/17/26 14:49	1
2-Fluorophenol (Surr)	51		17 - 120	06/13/26 16:02	06/17/26 14:49	1
Nitrobenzene-d5 (Surr)	78		27 - 120	06/13/26 16:02	06/17/26 14:49	1
Phenol-d6 (Surr)	32		10 - 120	06/13/26 16:02	06/17/26 14:49	1
p-Terphenyl-d14 (Surr)	92		45 - 120	06/13/26 16:02	06/17/26 14:49	1

Method: EPA 625.1 - Semivolatile Organic Compounds (GC/MS)

Tentatively Identified Compound	Est. Result	Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Tentatively Identified Compound	None		ug/L			N/A	06/13/26 16:02	06/17/26 13:32	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	64		33 - 139	06/13/26 16:02	06/17/26 13:32	1
2-Fluorobiphenyl (Surr)	68		33 - 126	06/13/26 16:02	06/17/26 13:32	1
2-Fluorophenol (Surr)	48		12 - 120	06/13/26 16:02	06/17/26 13:32	1
Nitrobenzene-d5 (Surr)	83		36 - 120	06/13/26 16:02	06/17/26 13:32	1
Phenol-d6 (Surr)	27		10 - 120	06/13/26 16:02	06/17/26 13:32	1
p-Terphenyl-d14 (Surr)	81		47 - 131	06/13/26 16:02	06/17/26 13:32	1

Method: SW846 8015B GRO LL - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	<10		10	ug/L			06/22/26 18:38	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		38 - 134		06/22/26 18:38	1

Method: SW846 8015B - Diesel Range Organics (DRO) (GC) Low Level

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	<27		27	ug/L		06/12/26 10:40	06/22/26 01:27	1
Motor Oil Range Organics [C24-C36]	<27		27	ug/L		06/12/26 10:40	06/22/26 01:27	1
C8-C18	<27		27	ug/L		06/12/26 10:40	06/22/26 01:27	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
n-Octacosane (Surr)	85		60 - 130	06/12/26 10:40	06/22/26 01:27	1

Client Sample ID: TB: AIEA WELLS P2 (260) (331-004-WL103)

Lab Sample ID: 380-219280-2

Date Collected: 06/10/26 09:00

Matrix: Water

Date Received: 06/11/26 10:00

Method: SW846 8015B GRO LL - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	<10		10	ug/L			06/22/26 14:34	1

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-219280-1
SDG: Weekly: Aiea Wells P2

Client Sample ID: TB: AIEA WELLS P2 (260) (331-004-WL103)

Lab Sample ID: 380-219280-2

Date Collected: 06/10/26 09:00

Matrix: Water

Date Received: 06/11/26 10:00

<u>Surrogate</u>	<u>%Recovery</u>	<u>Qualifier</u>	<u>Limits</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Dil Fac</u>
4-Bromofluorobenzene (Surr)	100		38 - 134		06/22/26 14:34	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16

Action Limit Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-219280-1
SDG: Weekly: Aiea Wells P2

Client Sample ID: AIEA WELLS P2 (260) (331-004-WL103)
PWSID Number: HI0000331

Lab Sample ID: 380-219280-1

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL	RL	Method	Prep Type
				Limit			
Alachlor	<0.050		ug/L	2	0.050	525.2	Total/NA
Atrazine	<0.050		ug/L	3	0.050	525.2	Total/NA
Benzo[a]pyrene	<0.020		ug/L	0.2	0.020	525.2	Total/NA
Bis(2-ethylhexyl) phthalate	<0.60		ug/L	6	0.60	525.2	Total/NA
Di(2-ethylhexyl)adipate	<0.60		ug/L	400	0.60	525.2	Total/NA
Endrin	<0.010		ug/L	2	0.010	525.2	Total/NA
Heptachlor	<0.010		ug/L	0.4	0.010	525.2	Total/NA
Heptachlor epoxide (isomer B)	0.012		ug/L	0.2	0.010	525.2	Total/NA
Hexachlorobenzene	<0.050		ug/L	1	0.050	525.2	Total/NA
Hexachlorocyclopentadiene	<0.050		ug/L	50	0.050	525.2	Total/NA
Lindane	<0.010		ug/L	0.2	0.010	525.2	Total/NA
Methoxychlor	<0.050		ug/L	40	0.050	525.2	Total/NA
Simazine	<0.050		ug/L	4	0.050	525.2	Total/NA
Benzo[a]pyrene	<0.19		ug/L	0.2	0.19	625.1 SIM	Total/NA

Surrogate Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-219280-1
SDG: Weekly: Aiea Wells P2

Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Matrix: Drinking Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		2NMX (70-130)	PRY (70-130)	TPP (70-130)
380-219280-1	AIEA WELLS P2 (260) (331-004)	96	85	94

Surrogate Legend
 2NMX = 2-Nitro-m-xylene
 PRY = Perylene-d12
 TPP = Triphenylphosphate

Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		2NMX (70-130)	PRY (70-130)	TPP (70-130)
380-219240-I-1-A MS	Matrix Spike	96	91	96
380-219274-I-1-A DU	Duplicate	97	89	94
LCS 380-234216/23-A	Lab Control Sample	98	93	97
MB 380-234216/21-A	Method Blank	96	86	94
MRL 380-234216/22-A	Lab Control Sample	96	86	92

Surrogate Legend
 2NMX = 2-Nitro-m-xylene
 PRY = Perylene-d12
 TPP = Triphenylphosphate

Method: 625.1 - Semivolatile Organic Compounds (GC/MS)

Matrix: Drinking Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		TBP (33-139)	FBP (33-126)	2FP (12-120)	NBZ (36-120)	PHL6 (10-120)	TPHd14 (47-131)
380-219280-1	AIEA WELLS P2 (260) (331-004)	64	68	48	83	27	81

Surrogate Legend
 TBP = 2,4,6-Tribromophenol (Surr)
 FBP = 2-Fluorobiphenyl (Surr)
 2FP = 2-Fluorophenol (Surr)
 NBZ = Nitrobenzene-d5 (Surr)
 PHL6 = Phenol-d6 (Surr)
 TPHd14 = p-Terphenyl-d14 (Surr)

Method: 625.1 - Semivolatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		TBP (33-139)	FBP (33-126)	2FP (12-120)	NBZ (36-120)	PHL6 (10-120)	TPHd14 (47-131)
MB 570-753881/1-A	Method Blank	41	41	22	36	16	60

Surrogate Legend
 TBP = 2,4,6-Tribromophenol (Surr)
 FBP = 2-Fluorobiphenyl (Surr)
 2FP = 2-Fluorophenol (Surr)
 NBZ = Nitrobenzene-d5 (Surr)

Surrogate Summary

Client: City & County of Honolulu
 Project/Site: RED-HILL

Job ID: 380-219280-1
 SDG: Weekly: Aiea Wells P2

PHL6 = Phenol-d6 (Surr)
 TPHd14 = p-Terphenyl-d14 (Surr)

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Matrix: Drinking Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		TBP (28-127)	FBP (31-120)	2FP (17-120)	NBZ (27-120)	PHL6 (10-120)	TPHd14 (45-120)
380-219280-1	AIEA WELLS P2 (260) (331-004)	87	76	51	78	32	92

Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)
 FBP = 2-Fluorobiphenyl (Surr)
 2FP = 2-Fluorophenol (Surr)
 NBZ = Nitrobenzene-d5 (Surr)
 PHL6 = Phenol-d6 (Surr)
 TPHd14 = p-Terphenyl-d14 (Surr)

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		TBP (28-127)	FBP (31-120)	2FP (17-120)	NBZ (27-120)	PHL6 (10-120)	TPHd14 (45-120)
380-219283-A-3-A MS	Matrix Spike	92	75	52	65	36	56
380-219283-A-3-B MSD	Matrix Spike Duplicate	95	78	54	66	38	59
LCS 570-753881/2-A	Lab Control Sample	89	81	63	70	42	91
LCSD 570-753881/3-A	Lab Control Sample Dup	90	81	61	70	40	90
MB 570-753881/1-A	Method Blank	54	43	23	29	18	67

Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)
 FBP = 2-Fluorobiphenyl (Surr)
 2FP = 2-Fluorophenol (Surr)
 NBZ = Nitrobenzene-d5 (Surr)
 PHL6 = Phenol-d6 (Surr)
 TPHd14 = p-Terphenyl-d14 (Surr)

Method: 8015B GRO LL - Gasoline Range Organics - (GC)

Matrix: Drinking Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		BFB1 (38-134)
380-219280-1	AIEA WELLS P2 (260) (331-004)	100

Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

Method: 8015B GRO LL - Gasoline Range Organics - (GC)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		BFB1 (38-134)
380-219280-2	TB: AIEA WELLS P2 (260) (331-	100
LCS 570-757721/3	Lab Control Sample	78
LCSD 570-757721/4	Lab Control Sample Dup	99

Surrogate Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-219280-1
SDG: Weekly: Aiea Wells P2

Method: 8015B GRO LL - Gasoline Range Organics - (GC) (Continued)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	BFB1 (38-134)
MB 570-757721/6	Method Blank	87
MRL 570-757721/5	Lab Control Sample	96

Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level

Matrix: Drinking Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	OTCSN1 (60-130)
380-219280-1	AIEA WELLS P2 (260) (331-004)	85

Surrogate Legend

OTCSN = n-Octacosane (Surr)

Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	OTCSN1 (60-130)
LCS 570-753329/2-A	Lab Control Sample	95
LCSD 570-753329/3-A	Lab Control Sample Dup	80
MB 570-753329/1-A	Method Blank	89
MRL 570-753329/4-A	Lab Control Sample	85

Surrogate Legend

OTCSN = n-Octacosane (Surr)

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-219280-1
SDG: Weekly: Aiea Wells P2

Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 380-234216/21-A
Matrix: Water
Analysis Batch: 234455

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 234216

Analyte	MB	MB	RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
1-Methylnaphthalene	<0.098		0.098	ug/L		06/16/26 14:41	06/17/26 14:02	1
2,4'-DDD	<0.098		0.098	ug/L		06/16/26 14:41	06/17/26 14:02	1
2,4'-DDE	<0.098		0.098	ug/L		06/16/26 14:41	06/17/26 14:02	1
2,4'-DDT	<0.098		0.098	ug/L		06/16/26 14:41	06/17/26 14:02	1
2,4-Dinitrotoluene	<0.098		0.098	ug/L		06/16/26 14:41	06/17/26 14:02	1
2,6-Dinitrotoluene	<0.098		0.098	ug/L		06/16/26 14:41	06/17/26 14:02	1
2-Methylnaphthalene	<0.098		0.098	ug/L		06/16/26 14:41	06/17/26 14:02	1
4,4'-DDD	<0.098		0.098	ug/L		06/16/26 14:41	06/17/26 14:02	1
4,4'-DDE	<0.098		0.098	ug/L		06/16/26 14:41	06/17/26 14:02	1
4,4'-DDT	<0.098		0.098	ug/L		06/16/26 14:41	06/17/26 14:02	1
Acenaphthene	<0.098		0.098	ug/L		06/16/26 14:41	06/17/26 14:02	1
Acenaphthylene	<0.098		0.098	ug/L		06/16/26 14:41	06/17/26 14:02	1
Acetochlor	<0.098		0.098	ug/L		06/16/26 14:41	06/17/26 14:02	1
Alachlor	<0.049		0.049	ug/L		06/16/26 14:41	06/17/26 14:02	1
alpha-BHC	<0.098		0.098	ug/L		06/16/26 14:41	06/17/26 14:02	1
alpha-Chlordane	<0.049		0.049	ug/L		06/16/26 14:41	06/17/26 14:02	1
Anthracene	<0.020		0.020	ug/L		06/16/26 14:41	06/17/26 14:02	1
Atrazine	<0.049		0.049	ug/L		06/16/26 14:41	06/17/26 14:02	1
Benz(a)anthracene	<0.049		0.049	ug/L		06/16/26 14:41	06/17/26 14:02	1
Benzo[a]pyrene	<0.020		0.020	ug/L		06/16/26 14:41	06/17/26 14:02	1
Benzo[b]fluoranthene	<0.020		0.020	ug/L		06/16/26 14:41	06/17/26 14:02	1
Benzo[g,h,i]perylene	<0.049		0.049	ug/L		06/16/26 14:41	06/17/26 14:02	1
Benzo[k]fluoranthene	<0.020		0.020	ug/L		06/16/26 14:41	06/17/26 14:02	1
beta-BHC	<0.098		0.098	ug/L		06/16/26 14:41	06/17/26 14:02	1
Bis(2-ethylhexyl) phthalate	<0.59		0.59	ug/L		06/16/26 14:41	06/17/26 14:02	1
Bromacil	<0.098		0.098	ug/L		06/16/26 14:41	06/17/26 14:02	1
Butachlor	<0.049		0.049	ug/L		06/16/26 14:41	06/17/26 14:02	1
Butylbenzylphthalate	<0.49		0.49	ug/L		06/16/26 14:41	06/17/26 14:02	1
Chlorobenzilate	<0.098		0.098	ug/L		06/16/26 14:41	06/17/26 14:02	1
Chloroneb	<0.098		0.098	ug/L		06/16/26 14:41	06/17/26 14:02	1
Chlorothalonil (Draconil, Bravo)	<0.098		0.098	ug/L		06/16/26 14:41	06/17/26 14:02	1
Chlorpyrifos	<0.049		0.049	ug/L		06/16/26 14:41	06/17/26 14:02	1
Chrysene	<0.020		0.020	ug/L		06/16/26 14:41	06/17/26 14:02	1
delta-BHC	<0.098		0.098	ug/L		06/16/26 14:41	06/17/26 14:02	1
Di(2-ethylhexyl)adipate	<0.59		0.59	ug/L		06/16/26 14:41	06/17/26 14:02	1
Dibenz(a,h)anthracene	<0.049		0.049	ug/L		06/16/26 14:41	06/17/26 14:02	1
Diclorvos (DDVP)	<0.049		0.049	ug/L		06/16/26 14:41	06/17/26 14:02	1
Dieldrin	<0.0098		0.0098	ug/L		06/16/26 14:41	06/17/26 14:02	1
Diethylphthalate	<0.49		0.49	ug/L		06/16/26 14:41	06/17/26 14:02	1
Dimethylphthalate	<0.49		0.49	ug/L		06/16/26 14:41	06/17/26 14:02	1
Di-n-butyl phthalate	<0.98		0.98	ug/L		06/16/26 14:41	06/17/26 14:02	1
Di-n-octyl phthalate	<0.098		0.098	ug/L		06/16/26 14:41	06/17/26 14:02	1
Endosulfan I (Alpha)	<0.098		0.098	ug/L		06/16/26 14:41	06/17/26 14:02	1
Endosulfan II (Beta)	<0.098		0.098	ug/L		06/16/26 14:41	06/17/26 14:02	1
Endosulfan sulfate	<0.098		0.098	ug/L		06/16/26 14:41	06/17/26 14:02	1
Endrin	<0.0098		0.0098	ug/L		06/16/26 14:41	06/17/26 14:02	1
Endrin aldehyde	<0.098		0.098	ug/L		06/16/26 14:41	06/17/26 14:02	1
EPTC	<0.098		0.098	ug/L		06/16/26 14:41	06/17/26 14:02	1

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-219280-1
SDG: Weekly: Aiea Wells P2

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 380-234216/21-A
Matrix: Water
Analysis Batch: 234455

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 234216

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoranthene	<0.098		0.098	ug/L		06/16/26 14:41	06/17/26 14:02	1
Fluorene	<0.049		0.049	ug/L		06/16/26 14:41	06/17/26 14:02	1
gamma-Chlordane	<0.049		0.049	ug/L		06/16/26 14:41	06/17/26 14:02	1
Heptachlor	<0.0098		0.0098	ug/L		06/16/26 14:41	06/17/26 14:02	1
Heptachlor epoxide (isomer B)	<0.0098		0.0098	ug/L		06/16/26 14:41	06/17/26 14:02	1
Hexachlorobenzene	<0.049		0.049	ug/L		06/16/26 14:41	06/17/26 14:02	1
Hexachlorocyclopentadiene	<0.049		0.049	ug/L		06/16/26 14:41	06/17/26 14:02	1
Indeno[1,2,3-cd]pyrene	<0.049		0.049	ug/L		06/16/26 14:41	06/17/26 14:02	1
Isophorone	<0.098		0.098	ug/L		06/16/26 14:41	06/17/26 14:02	1
Lindane	<0.0098		0.0098	ug/L		06/16/26 14:41	06/17/26 14:02	1
Malathion	<0.098		0.098	ug/L		06/16/26 14:41	06/17/26 14:02	1
Methoxychlor	<0.049		0.049	ug/L		06/16/26 14:41	06/17/26 14:02	1
Metolachlor	<0.049		0.049	ug/L		06/16/26 14:41	06/17/26 14:02	1
Molinate	<0.098		0.098	ug/L		06/16/26 14:41	06/17/26 14:02	1
Naphthalene	<0.098	^3+	0.098	ug/L		06/16/26 14:41	06/17/26 14:02	1
Parathion	<0.098		0.098	ug/L		06/16/26 14:41	06/17/26 14:02	1
Pendimethalin (Penoxaline)	<0.098		0.098	ug/L		06/16/26 14:41	06/17/26 14:02	1
Phenanthrene	<0.039		0.039	ug/L		06/16/26 14:41	06/17/26 14:02	1
Propachlor	<0.049		0.049	ug/L		06/16/26 14:41	06/17/26 14:02	1
Pyrene	<0.049		0.049	ug/L		06/16/26 14:41	06/17/26 14:02	1
Simazine	<0.049		0.049	ug/L		06/16/26 14:41	06/17/26 14:02	1
Terbacil	<0.098		0.098	ug/L		06/16/26 14:41	06/17/26 14:02	1
Terbutylazine	<0.098		0.098	ug/L		06/16/26 14:41	06/17/26 14:02	1
Thiobencarb	<0.098		0.098	ug/L		06/16/26 14:41	06/17/26 14:02	1
Total Permethrin (mixed isomers)	<0.20		0.20	ug/L		06/16/26 14:41	06/17/26 14:02	1
trans-Nonachlor	<0.049		0.049	ug/L		06/16/26 14:41	06/17/26 14:02	1
Trifluralin	<0.098		0.098	ug/L		06/16/26 14:41	06/17/26 14:02	1

Tentatively Identified Compound	MB Est. Result	MB Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Undecane	6.00	T J N	ug/L		3.15	1120-21-4	06/16/26 14:41	06/17/26 14:02	1
9-Octadecenamide, (Z)-	0.927	T J N	ug/L		7.91	301-02-0	06/16/26 14:41	06/17/26 14:02	1
13-Docosenamide, (Z)-	0.576	T J N	ug/L		10.43	112-84-5	06/16/26 14:41	06/17/26 14:02	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Nitro-m-xylene	96		70 - 130	06/16/26 14:41	06/17/26 14:02	1
Perylene-d12	86		70 - 130	06/16/26 14:41	06/17/26 14:02	1
Triphenylphosphate	94		70 - 130	06/16/26 14:41	06/17/26 14:02	1

Lab Sample ID: LCS 380-234216/23-A
Matrix: Water
Analysis Batch: 234455

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 234216

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1-Methylnaphthalene	1.97	2.16		ug/L		109	70 - 130
2,4'-DDD	1.97	2.11		ug/L		107	70 - 130
2,4'-DDE	1.97	2.12		ug/L		108	70 - 130
2,4'-DDT	1.97	2.09		ug/L		106	70 - 130
2,4-Dinitrotoluene	1.97	2.09		ug/L		106	70 - 130

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-219280-1
SDG: Weekly: Aiea Wells P2

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 380-234216/23-A
Matrix: Water
Analysis Batch: 234455

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 234216

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
2,6-Dinitrotoluene	1.97	2.08		ug/L		105	70 - 130
2-Methylnaphthalene	1.97	2.04		ug/L		103	70 - 130
4,4'-DDD	1.97	2.08		ug/L		105	70 - 130
4,4'-DDE	1.97	2.00		ug/L		101	70 - 130
4,4'-DDT	1.97	2.08		ug/L		105	70 - 130
Acenaphthene	1.97	2.05		ug/L		104	70 - 130
Acenaphthylene	1.97	1.96		ug/L		99	70 - 130
Acetochlor	1.97	2.14		ug/L		109	70 - 130
Alachlor	1.97	2.16		ug/L		110	70 - 130
alpha-BHC	1.97	2.09		ug/L		106	70 - 130
alpha-Chlordane	1.97	2.16		ug/L		110	70 - 130
Anthracene	1.97	1.99		ug/L		101	70 - 130
Atrazine	1.97	2.36		ug/L		119	70 - 130
Benz(a)anthracene	1.97	2.10		ug/L		106	70 - 130
Benzo[a]pyrene	1.97	1.91		ug/L		97	70 - 130
Benzo[b]fluoranthene	1.97	1.87		ug/L		95	70 - 130
Benzo[g,h,i]perylene	1.97	1.92		ug/L		97	70 - 130
Benzo[k]fluoranthene	1.97	2.05		ug/L		104	70 - 130
beta-BHC	1.97	2.17		ug/L		110	70 - 130
Bis(2-ethylhexyl) phthalate	1.97	1.92		ug/L		97	70 - 130
Bromacil	1.97	2.01		ug/L		102	70 - 130
Butachlor	1.97	2.08		ug/L		105	70 - 130
Butylbenzylphthalate	1.97	2.12		ug/L		108	70 - 130
Chlorobenzilate	1.97	1.98		ug/L		100	70 - 130
Chloroneb	1.97	2.10		ug/L		106	70 - 130
Chlorothalonil (Draconil, Bravo)	1.97	2.19		ug/L		111	70 - 130
Chlorpyrifos	1.97	2.10		ug/L		106	70 - 130
Chrysene	1.97	2.09		ug/L		106	70 - 130
delta-BHC	1.97	2.06		ug/L		104	70 - 130
Di(2-ethylhexyl)adipate	1.97	2.10		ug/L		107	70 - 130
Dibenz(a,h)anthracene	1.97	1.93		ug/L		98	70 - 130
Diclorvos (DDVP)	1.97	2.09		ug/L		106	70 - 130
Dieldrin	1.97	2.01		ug/L		102	70 - 130
Diethylphthalate	1.97	2.26		ug/L		115	70 - 130
Dimethylphthalate	1.97	2.29		ug/L		116	70 - 130
Di-n-butyl phthalate	3.95	4.41		ug/L		112	70 - 130
Di-n-octyl phthalate	1.97	1.84		ug/L		93	70 - 130
Endosulfan I (Alpha)	1.97	1.97		ug/L		100	70 - 130
Endosulfan II (Beta)	1.97	1.99		ug/L		101	70 - 130
Endosulfan sulfate	1.97	2.02		ug/L		102	70 - 130
Endrin	1.97	2.16		ug/L		110	70 - 130
Endrin aldehyde	1.97	1.99		ug/L		101	60 - 130
EPTC	1.97	2.21		ug/L		112	70 - 130
Fluoranthene	1.97	2.21		ug/L		112	70 - 130
Fluorene	1.97	2.17		ug/L		110	70 - 130
gamma-Chlordane	1.97	2.11		ug/L		107	70 - 130
Heptachlor	1.97	2.17		ug/L		110	70 - 130
Heptachlor epoxide (isomer B)	1.97	2.11		ug/L		107	70 - 130
Hexachlorobenzene	1.97	2.02		ug/L		102	70 - 130

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-219280-1
SDG: Weekly: Aiea Wells P2

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 380-234216/23-A
Matrix: Water
Analysis Batch: 234455

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 234216

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Hexachlorocyclopentadiene	1.97	2.16		ug/L		110	70 - 130
Indeno[1,2,3-cd]pyrene	1.97	1.93		ug/L		98	70 - 130
Isophorone	1.97	1.98		ug/L		100	70 - 130
Lindane	1.97	2.19		ug/L		111	70 - 130
Malathion	1.97	2.18		ug/L		110	70 - 130
Methoxychlor	1.97	2.01		ug/L		102	70 - 130
Metolachlor	1.97	2.06		ug/L		105	70 - 130
Molinate	1.97	2.22		ug/L		113	70 - 130
Naphthalene	1.97	2.14		ug/L		108	70 - 130
Parathion	1.97	2.05		ug/L		104	70 - 130
Pendimethalin (Penoxaline)	1.97	1.97		ug/L		100	70 - 130
Phenanthrene	1.97	2.07		ug/L		105	70 - 130
Propachlor	1.97	2.23		ug/L		113	70 - 130
Pyrene	1.97	2.23		ug/L		113	70 - 130
Simazine	1.97	2.38		ug/L		121	70 - 130
Terbacil	1.97	1.94		ug/L		98	70 - 130
Terbutylazine	1.97	2.28		ug/L		116	70 - 130
Thiobencarb	1.97	2.20		ug/L		111	70 - 130
trans-Nonachlor	1.97	2.15		ug/L		109	70 - 130
Trifluralin	1.97	1.87		ug/L		95	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
2-Nitro-m-xylene	98		70 - 130
Perylene-d12	93		70 - 130
Triphenylphosphate	97		70 - 130

Lab Sample ID: MRL 380-234216/22-A
Matrix: Water
Analysis Batch: 234455

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 234216

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
1-Methylnaphthalene	0.0985	0.107		ug/L		108	50 - 150
2,4'-DDD	0.0985	0.0927	J	ug/L		94	50 - 150
2,4'-DDE	0.0985	0.102		ug/L		103	50 - 150
2,4'-DDT	0.0985	0.111		ug/L		113	50 - 150
2,4-Dinitrotoluene	0.0985	0.117		ug/L		119	50 - 150
2,6-Dinitrotoluene	0.0985	0.113		ug/L		115	50 - 150
2-Methylnaphthalene	0.0985	0.111		ug/L		113	50 - 150
4,4'-DDD	0.0985	0.102		ug/L		103	50 - 150
4,4'-DDE	0.0985	0.0948	J	ug/L		96	50 - 150
4,4'-DDT	0.0985	0.112		ug/L		114	50 - 150
Acenaphthene	0.0985	0.0964	J	ug/L		98	50 - 150
Acenaphthylene	0.0985	0.0809	J	ug/L		82	50 - 150
Acetochlor	0.0985	0.0853	J	ug/L		87	50 - 150
Alachlor	0.0492	0.0496		ug/L		101	50 - 150
alpha-BHC	0.0985	0.0996		ug/L		101	50 - 150
alpha-Chlordane	0.0246	<0.029		ug/L		100	50 - 150
Anthracene	0.0197	0.0208		ug/L		106	50 - 150

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-219280-1
SDG: Weekly: Aiea Wells P2

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MRL 380-234216/22-A
Matrix: Water
Analysis Batch: 234455

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 234216

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Atrazine	0.0492	0.0529		ug/L		107	50 - 150
Benz(a)anthracene	0.0492	0.0460	J	ug/L		93	50 - 150
Benzo[a]pyrene	0.0197	0.0179	J	ug/L		91	50 - 150
Benzo[b]fluoranthene	0.0197	0.0222		ug/L		113	50 - 150
Benzo[g,h,i]perylene	0.0492	0.0438	J	ug/L		89	50 - 150
Benzo[k]fluoranthene	0.0197	0.0213		ug/L		108	50 - 150
beta-BHC	0.0985	0.104		ug/L		106	50 - 150
Bis(2-ethylhexyl) phthalate	0.591	0.552	J	ug/L		94	50 - 150
Bromacil	0.0985	0.105		ug/L		106	50 - 150
Butachlor	0.0492	0.0521		ug/L		106	50 - 150
Butylbenzylphthalate	0.492	0.494		ug/L		100	50 - 150
Chlorobenzilate	0.0985	0.0918	J	ug/L		93	50 - 150
Chloroneb	0.0985	0.102		ug/L		103	50 - 150
Chlorothalonil (Draconil, Bravo)	0.0985	0.0978	J	ug/L		99	50 - 150
Chlorpyrifos	0.0492	0.0543		ug/L		110	50 - 150
Chrysene	0.0197	0.0224		ug/L		114	50 - 150
delta-BHC	0.0985	0.0912	J	ug/L		93	50 - 150
Di(2-ethylhexyl)adipate	0.591	0.579	J	ug/L		98	50 - 150
Dibenz(a,h)anthracene	0.0492	0.0412	J	ug/L		84	50 - 150
Diclorvos (DDVP)	0.0492	0.0570		ug/L		116	50 - 150
Dieldrin	0.00985	0.0137		ug/L		139	50 - 150
Diethylphthalate	0.492	0.561		ug/L		114	50 - 150
Dimethylphthalate	0.492	0.554		ug/L		112	50 - 150
Di-n-butyl phthalate	0.492	0.570	J	ug/L		116	49 - 243
Di-n-octyl phthalate	0.0985	0.0880	J	ug/L		89	50 - 150
Endosulfan I (Alpha)	0.0985	0.0696	J	ug/L		71	50 - 150
Endosulfan II (Beta)	0.0985	0.0948	J	ug/L		96	50 - 150
Endosulfan sulfate	0.0985	0.106		ug/L		108	50 - 150
Endrin	0.00985	0.00783	J	ug/L		80	50 - 150
Endrin aldehyde	0.0985	0.0938	J	ug/L		95	50 - 150
EPTC	0.0985	0.102		ug/L		104	50 - 150
Fluoranthene	0.0985	0.0978	J	ug/L		99	50 - 150
Fluorene	0.0492	0.0523		ug/L		106	50 - 150
gamma-Chlordane	0.0246	0.0223	J	ug/L		90	50 - 150
Heptachlor	0.00985	0.0134		ug/L		136	50 - 150
Heptachlor epoxide (isomer B)	0.00985	0.0115		ug/L		116	50 - 150
Hexachlorobenzene	0.0492	0.0482	J	ug/L		98	50 - 150
Hexachlorocyclopentadiene	0.0492	0.0644		ug/L		131	50 - 150
Indeno[1,2,3-cd]pyrene	0.0492	0.0451	J	ug/L		92	50 - 150
Isophorone	0.0985	0.0912	J	ug/L		93	50 - 150
Lindane	0.00985	0.00925	J	ug/L		94	50 - 150
Malathion	0.0985	0.0948	J	ug/L		96	50 - 150
Methoxychlor	0.0492	0.0471	J	ug/L		96	50 - 150
Metolachlor	0.0492	0.0514		ug/L		104	50 - 150
Molinate	0.0985	0.110		ug/L		112	50 - 150
Naphthalene	0.0985	0.213	^3+	ug/L		216	50 - 150
Parathion	0.0985	0.0836	J	ug/L		85	50 - 150
Pendimethalin (Penoxaline)	0.0985	0.0994		ug/L		101	50 - 150
Phenanthrene	0.0394	0.0430		ug/L		109	50 - 150

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-219280-1
SDG: Weekly: Aiea Wells P2

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MRL 380-234216/22-A
Matrix: Water
Analysis Batch: 234455

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 234216

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Propachlor	0.0492	0.0516		ug/L		105	50 - 150
Pyrene	0.0492	0.0483	J	ug/L		98	50 - 150
Simazine	0.0492	0.0510		ug/L		104	50 - 150
Terbacil	0.0985	0.0981		ug/L		100	50 - 150
Terbutylazine	0.0985	0.0976	J	ug/L		99	50 - 150
Thiobencarb	0.0985	0.0987		ug/L		100	50 - 150
trans-Nonachlor	0.0246	<0.026		ug/L		94	50 - 150
Trifluralin	0.0985	0.0993		ug/L		101	50 - 150

Surrogate	MRL %Recovery	MRL Qualifier	Limits
2-Nitro-m-xylene	96		70 - 130
Perylene-d12	86		70 - 130
Triphenylphosphate	92		70 - 130

Lab Sample ID: 380-219240-I-1-A MS
Matrix: Water
Analysis Batch: 234455

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 234216

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1-Methylnaphthalene	<0.098		1.96	2.14		ug/L		109	70 - 130
2,4'-DDD	<0.098		1.96	1.97		ug/L		101	70 - 130
2,4'-DDE	<0.098		1.96	1.94		ug/L		99	70 - 130
2,4'-DDT	<0.098		1.96	1.84		ug/L		94	70 - 130
2,4-Dinitrotoluene	<0.098		1.96	2.13		ug/L		108	70 - 130
2,6-Dinitrotoluene	<0.098		1.96	2.09		ug/L		106	70 - 130
2-Methylnaphthalene	<0.098		1.96	2.05		ug/L		104	70 - 130
4,4'-DDD	<0.098		1.96	1.94		ug/L		99	70 - 130
4,4'-DDE	<0.098		1.96	1.79		ug/L		91	70 - 130
4,4'-DDT	<0.098		1.96	1.80		ug/L		92	70 - 130
Acenaphthene	<0.098		1.96	2.03		ug/L		103	70 - 130
Acenaphthylene	<0.098		1.96	2.18		ug/L		111	70 - 130
Acetochlor	<0.098		1.96	2.05		ug/L		104	70 - 130
Alachlor	<0.049		1.96	2.07		ug/L		106	70 - 130
alpha-BHC	<0.098		1.96	2.05		ug/L		105	70 - 130
alpha-Chlordane	<0.049		1.96	2.02		ug/L		102	70 - 130
Anthracene	<0.020	F1	1.96	1.30	F1	ug/L		66	70 - 130
Atrazine	<0.049		1.96	2.31		ug/L		118	70 - 130
Benz(a)anthracene	<0.049		1.96	1.87		ug/L		96	70 - 130
Benzo[a]pyrene	<0.020		1.96	1.63		ug/L		83	70 - 130
Benzo[b]fluoranthene	<0.020		1.96	1.95		ug/L		99	70 - 130
Benzo[g,h,i]perylene	<0.049		1.96	1.76		ug/L		90	70 - 130
Benzo[k]fluoranthene	<0.020		1.96	1.99		ug/L		101	70 - 130
beta-BHC	<0.098		1.96	2.09		ug/L		107	70 - 130
Bis(2-ethylhexyl) phthalate	<0.59		1.96	1.61		ug/L		82	70 - 130
Bromacil	<0.098		1.96	1.94		ug/L		99	70 - 130
Butachlor	<0.049		1.96	2.01		ug/L		102	70 - 130
Butylbenzylphthalate	<0.49		1.96	2.09		ug/L		106	70 - 130
Chlorobenzilate	<0.098		1.96	1.94		ug/L		99	70 - 130

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-219280-1
SDG: Weekly: Aiea Wells P2

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 380-219240-I-1-A MS
Matrix: Water
Analysis Batch: 234455

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 234216

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier	Added	Result	Qualifier				
Chloroneb	<0.098		1.96	2.08		ug/L		106	70 - 130
Chlorothalonil (Draconil, Bravo)	<0.098		1.96	2.15		ug/L		110	70 - 130
Chlorpyrifos	<0.049		1.96	2.10		ug/L		107	70 - 130
Chrysene	<0.020		1.96	2.14		ug/L		109	70 - 130
delta-BHC	<0.098		1.96	2.00		ug/L		102	70 - 130
Di(2-ethylhexyl)adipate	<0.59		1.96	1.64		ug/L		84	70 - 130
Dibenz(a,h)anthracene	<0.049		1.96	1.73		ug/L		88	70 - 130
Diclorvos (DDVP)	<0.049		1.96	2.11		ug/L		108	70 - 130
Dieldrin	0.023		1.96	1.95		ug/L		98	70 - 130
Diethylphthalate	<0.49		1.96	2.23		ug/L		114	70 - 130
Dimethylphthalate	<0.49		1.96	2.24		ug/L		114	70 - 130
Di-n-butyl phthalate	<0.98		3.92	4.40		ug/L		112	70 - 130
Di-n-octyl phthalate	<0.098		1.96	1.48		ug/L		75	70 - 130
Endosulfan I (Alpha)	<0.098		1.96	1.84		ug/L		94	70 - 130
Endosulfan II (Beta)	<0.098		1.96	1.88		ug/L		96	70 - 130
Endosulfan sulfate	<0.098		1.96	1.93		ug/L		98	70 - 130
Endrin	<0.0098		1.96	2.06		ug/L		105	70 - 130
Endrin aldehyde	<0.098		1.96	1.78		ug/L		91	60 - 130
EPTC	<0.098		1.96	2.17		ug/L		111	70 - 130
Fluoranthene	<0.098		1.96	2.20		ug/L		112	70 - 130
Fluorene	<0.049		1.96	2.18		ug/L		111	70 - 130
gamma-Chlordane	<0.049		1.96	1.94		ug/L		99	70 - 130
Heptachlor	<0.0098		1.96	2.11		ug/L		108	70 - 130
Heptachlor epoxide (isomer B)	<0.0098		1.96	2.00		ug/L		102	70 - 130
Hexachlorobenzene	<0.049		1.96	2.01		ug/L		103	70 - 130
Hexachlorocyclopentadiene	<0.049		1.96	2.31		ug/L		118	70 - 130
Indeno[1,2,3-cd]pyrene	<0.049		1.96	1.76		ug/L		90	70 - 130
Isophorone	<0.098		1.96	1.97		ug/L		101	70 - 130
Lindane	<0.0098		1.96	2.10		ug/L		107	70 - 130
Malathion	<0.098		1.96	2.12		ug/L		108	70 - 130
Methoxychlor	<0.049		1.96	2.25		ug/L		115	70 - 130
Metolachlor	<0.049		1.96	1.96		ug/L		100	70 - 130
Molinate	<0.098		1.96	2.22		ug/L		114	70 - 130
Naphthalene	<0.098	^3+	1.96	1.98		ug/L		101	70 - 130
Parathion	<0.098		1.96	2.10		ug/L		107	70 - 130
Pendimethalin (Penoxaline)	<0.098		1.96	1.99		ug/L		102	70 - 130
Phenanthrene	<0.039		1.96	2.06		ug/L		105	70 - 130
Propachlor	<0.049		1.96	2.17		ug/L		111	70 - 130
Pyrene	<0.049		1.96	2.19		ug/L		112	70 - 130
Simazine	<0.049		1.96	2.31		ug/L		118	70 - 130
Terbacil	<0.098		1.96	1.94		ug/L		99	70 - 130
Terbutylazine	<0.098		1.96	2.24		ug/L		114	70 - 130
Thiobencarb	<0.098		1.96	2.19		ug/L		112	70 - 130
trans-Nonachlor	<0.049		1.96	1.95		ug/L		99	70 - 130
Trifluralin	<0.098		1.96	1.84		ug/L		94	70 - 130

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
2-Nitro-m-xylene	96		70 - 130

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-219280-1
SDG: Weekly: Aiea Wells P2

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 380-219240-I-1-A MS
Matrix: Water
Analysis Batch: 234455

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 234216

Surrogate	MS %Recovery	MS Qualifier	Limits
Perylene-d12	91		70 - 130
Triphenylphosphate	96		70 - 130

Lab Sample ID: 380-219274-I-1-A DU
Matrix: Water
Analysis Batch: 234455

Client Sample ID: Duplicate
Prep Type: Total/NA
Prep Batch: 234216

Analyte	Sample Result	Sample Qualifier	DU		Unit	D	RPD	Limit
			Result	Qualifier				
1-Methylnaphthalene	<0.098		<0.098		ug/L		NC	20
2,4'-DDD	<0.098		<0.098		ug/L		NC	20
2,4'-DDE	<0.098		<0.098		ug/L		NC	20
2,4'-DDT	<0.098		<0.098		ug/L		NC	20
2,4-Dinitrotoluene	<0.098		<0.098		ug/L		NC	20
2,6-Dinitrotoluene	<0.098		<0.098		ug/L		NC	20
2-Methylnaphthalene	<0.098		<0.098		ug/L		NC	20
4,4'-DDD	<0.098		<0.098		ug/L		NC	20
4,4'-DDE	<0.098		<0.098		ug/L		NC	20
4,4'-DDT	<0.098		<0.098		ug/L		NC	20
Acenaphthene	<0.098		<0.098		ug/L		NC	20
Acenaphthylene	<0.098		<0.098		ug/L		NC	20
Acetochlor	<0.098		<0.098		ug/L		NC	20
Alachlor	<0.049		<0.049		ug/L		NC	20
alpha-BHC	<0.098		<0.098		ug/L		NC	20
alpha-Chlordane	<0.049		<0.049		ug/L		NC	20
Anthracene	<0.020		<0.020		ug/L		NC	20
Atrazine	<0.049		<0.049		ug/L		NC	20
Benz(a)anthracene	<0.049		<0.049		ug/L		NC	20
Benzo[a]pyrene	<0.020		<0.020		ug/L		NC	20
Benzo[b]fluoranthene	<0.020		<0.020		ug/L		NC	20
Benzo[g,h,i]perylene	<0.049		<0.049		ug/L		NC	20
Benzo[k]fluoranthene	<0.020		<0.020		ug/L		NC	20
beta-BHC	<0.098		<0.098		ug/L		NC	20
Bis(2-ethylhexyl) phthalate	<0.59		<0.59		ug/L		NC	20
Bromacil	<0.098		<0.098		ug/L		NC	20
Butachlor	<0.049		<0.049		ug/L		NC	20
Butylbenzylphthalate	<0.49		<0.49		ug/L		NC	20
Chlorobenzilate	<0.098		<0.098		ug/L		NC	20
Chloroneb	<0.098		<0.098		ug/L		NC	20
Chlorothalonil (Draconil, Bravo)	<0.098		<0.098		ug/L		NC	20
Chlorpyrifos	<0.049		<0.049		ug/L		NC	20
Chrysene	<0.020		<0.020		ug/L		NC	20
delta-BHC	<0.098		<0.098		ug/L		NC	20
Di(2-ethylhexyl)adipate	<0.59		<0.59		ug/L		NC	20
Dibenz(a,h)anthracene	<0.049		<0.049		ug/L		NC	20
Diclorvos (DDVP)	<0.049		<0.049		ug/L		NC	20
Dieldrin	0.067		0.0704		ug/L		5	20
Diethylphthalate	<0.49		<0.49		ug/L		NC	20
Dimethylphthalate	<0.49		<0.49		ug/L		NC	20

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-219280-1
SDG: Weekly: Aiea Wells P2

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 380-219274-I-1-A DU
Matrix: Water
Analysis Batch: 234455

Client Sample ID: Duplicate
Prep Type: Total/NA
Prep Batch: 234216

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Di-n-butyl phthalate	<0.98		<0.98		ug/L		NC	20
Di-n-octyl phthalate	<0.098		<0.098		ug/L		NC	20
Endosulfan I (Alpha)	<0.098		<0.098		ug/L		NC	20
Endosulfan II (Beta)	<0.098		<0.098		ug/L		NC	20
Endosulfan sulfate	<0.098		<0.098		ug/L		NC	20
Endrin	<0.0098		<0.0098		ug/L		NC	20
Endrin aldehyde	<0.098		<0.098		ug/L		NC	20
EPTC	<0.098		<0.098		ug/L		NC	20
Fluoranthene	<0.098		<0.098		ug/L		NC	20
Fluorene	<0.049		<0.049		ug/L		NC	20
gamma-Chlordane	<0.049		<0.049		ug/L		NC	20
Heptachlor	<0.0098		<0.0098		ug/L		NC	20
Heptachlor epoxide (isomer B)	0.013		0.0146		ug/L		8	20
Hexachlorobenzene	<0.049		<0.049		ug/L		NC	20
Hexachlorocyclopentadiene	<0.049		<0.049		ug/L		NC	20
Indeno[1,2,3-cd]pyrene	<0.049		<0.049		ug/L		NC	20
Isophorone	<0.098		<0.098		ug/L		NC	20
Lindane	<0.0098		<0.0098		ug/L		NC	20
Malathion	<0.098		<0.098		ug/L		NC	20
Methoxychlor	<0.049		<0.049		ug/L		NC	20
Metolachlor	<0.049		<0.049		ug/L		NC	20
Molinate	<0.098		<0.098		ug/L		NC	20
Naphthalene	<0.098	^3+	<0.098		ug/L		NC	20
Parathion	<0.098		<0.098		ug/L		NC	20
Pendimethalin (Penoxaline)	<0.098		<0.098		ug/L		NC	20
Phenanthrene	<0.039		<0.039		ug/L		NC	20
Propachlor	<0.049		<0.049		ug/L		NC	20
Pyrene	<0.049		<0.049		ug/L		NC	20
Simazine	<0.049		<0.049		ug/L		NC	20
Terbacil	<0.098		<0.098		ug/L		NC	20
Terbutylazine	<0.098		<0.098		ug/L		NC	20
Thiobencarb	<0.098		<0.098		ug/L		NC	20
Total Permethrin (mixed isomers)	<0.20		<0.20		ug/L		NC	20
trans-Nonachlor	<0.049		<0.049		ug/L		NC	20
Trifluralin	<0.098		<0.098		ug/L		NC	20

Surrogate	DU %Recovery	DU Qualifier	Limits
2-Nitro-m-xylene	97		70 - 130
Perylene-d12	89		70 - 130
Triphenylphosphate	94		70 - 130

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-219280-1
SDG: Weekly: Aiea Wells P2

Method: 625.1 - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 570-753881/1-A
Matrix: Water
Analysis Batch: 755484

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 753881

<i>Tentatively Identified Compound</i>	<i>Est. Result</i>	<i>MB MB Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>RT</i>	<i>CAS No.</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>Tentatively Identified Compound</i>	<i>None</i>		<i>ug/L</i>			<i>N/A</i>	<i>06/13/26 16:02</i>	<i>06/17/26 10:56</i>	<i>1</i>
<i>Surrogate</i>	<i>%Recovery</i>	<i>MB MB Qualifier</i>	<i>Limits</i>				<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>2,4,6-Tribromophenol (Surr)</i>	41		33 - 139				<i>06/13/26 16:02</i>	<i>06/17/26 10:56</i>	<i>1</i>
<i>2-Fluorobiphenyl (Surr)</i>	41		33 - 126				<i>06/13/26 16:02</i>	<i>06/17/26 10:56</i>	<i>1</i>
<i>2-Fluorophenol (Surr)</i>	22		12 - 120				<i>06/13/26 16:02</i>	<i>06/17/26 10:56</i>	<i>1</i>
<i>Nitrobenzene-d5 (Surr)</i>	36		36 - 120				<i>06/13/26 16:02</i>	<i>06/17/26 10:56</i>	<i>1</i>
<i>Phenol-d6 (Surr)</i>	16		10 - 120				<i>06/13/26 16:02</i>	<i>06/17/26 10:56</i>	<i>1</i>
<i>p-Terphenyl-d14 (Surr)</i>	60		47 - 131				<i>06/13/26 16:02</i>	<i>06/17/26 10:56</i>	<i>1</i>

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Lab Sample ID: MB 570-753881/1-A
Matrix: Water
Analysis Batch: 755136

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 753881

<i>Analyte</i>	<i>Result</i>	<i>MB MB Qualifier</i>	<i>RL</i>	<i>Unit</i>	<i>D</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>1-Methylnaphthalene</i>	<0.20		0.20	ug/L		<i>06/13/26 16:02</i>	<i>06/17/26 02:28</i>	<i>1</i>
<i>2-Methylnaphthalene</i>	<0.20		0.20	ug/L		<i>06/13/26 16:02</i>	<i>06/17/26 02:28</i>	<i>1</i>
<i>Acenaphthene</i>	<0.20		0.20	ug/L		<i>06/13/26 16:02</i>	<i>06/17/26 02:28</i>	<i>1</i>
<i>Acenaphthylene</i>	<0.20		0.20	ug/L		<i>06/13/26 16:02</i>	<i>06/17/26 02:28</i>	<i>1</i>
<i>Anthracene</i>	<0.20		0.20	ug/L		<i>06/13/26 16:02</i>	<i>06/17/26 02:28</i>	<i>1</i>
<i>Benzo[a]anthracene</i>	<0.20		0.20	ug/L		<i>06/13/26 16:02</i>	<i>06/17/26 02:28</i>	<i>1</i>
<i>Benzo[a]pyrene</i>	<0.20		0.20	ug/L		<i>06/13/26 16:02</i>	<i>06/17/26 02:28</i>	<i>1</i>
<i>Benzo[b]fluoranthene</i>	<0.20		0.20	ug/L		<i>06/13/26 16:02</i>	<i>06/17/26 02:28</i>	<i>1</i>
<i>Benzo[g,h,i]perylene</i>	<0.20		0.20	ug/L		<i>06/13/26 16:02</i>	<i>06/17/26 02:28</i>	<i>1</i>
<i>Benzo[k]fluoranthene</i>	<0.20		0.20	ug/L		<i>06/13/26 16:02</i>	<i>06/17/26 02:28</i>	<i>1</i>
<i>Chrysene</i>	<0.20		0.20	ug/L		<i>06/13/26 16:02</i>	<i>06/17/26 02:28</i>	<i>1</i>
<i>Dibenz(a,h)anthracene</i>	<0.20		0.20	ug/L		<i>06/13/26 16:02</i>	<i>06/17/26 02:28</i>	<i>1</i>
<i>Fluoranthene</i>	<0.20		0.20	ug/L		<i>06/13/26 16:02</i>	<i>06/17/26 02:28</i>	<i>1</i>
<i>Fluorene</i>	<0.20		0.20	ug/L		<i>06/13/26 16:02</i>	<i>06/17/26 02:28</i>	<i>1</i>
<i>Indeno[1,2,3-cd]pyrene</i>	<0.20		0.20	ug/L		<i>06/13/26 16:02</i>	<i>06/17/26 02:28</i>	<i>1</i>
<i>Naphthalene</i>	<0.20		0.20	ug/L		<i>06/13/26 16:02</i>	<i>06/17/26 02:28</i>	<i>1</i>
<i>Phenanthrene</i>	<0.20		0.20	ug/L		<i>06/13/26 16:02</i>	<i>06/17/26 02:28</i>	<i>1</i>
<i>Pyrene</i>	<0.20		0.20	ug/L		<i>06/13/26 16:02</i>	<i>06/17/26 02:28</i>	<i>1</i>
<i>Surrogate</i>	<i>%Recovery</i>	<i>MB MB Qualifier</i>	<i>Limits</i>			<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>2,4,6-Tribromophenol (Surr)</i>	54		28 - 127			<i>06/13/26 16:02</i>	<i>06/17/26 02:28</i>	<i>1</i>
<i>2-Fluorobiphenyl (Surr)</i>	43		31 - 120			<i>06/13/26 16:02</i>	<i>06/17/26 02:28</i>	<i>1</i>
<i>2-Fluorophenol (Surr)</i>	23		17 - 120			<i>06/13/26 16:02</i>	<i>06/17/26 02:28</i>	<i>1</i>
<i>Nitrobenzene-d5 (Surr)</i>	29		27 - 120			<i>06/13/26 16:02</i>	<i>06/17/26 02:28</i>	<i>1</i>
<i>Phenol-d6 (Surr)</i>	18		10 - 120			<i>06/13/26 16:02</i>	<i>06/17/26 02:28</i>	<i>1</i>
<i>p-Terphenyl-d14 (Surr)</i>	67		45 - 120			<i>06/13/26 16:02</i>	<i>06/17/26 02:28</i>	<i>1</i>

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-219280-1
SDG: Weekly: Aiea Wells P2

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

Lab Sample ID: LCS 570-753881/2-A
Matrix: Water
Analysis Batch: 755136

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 753881

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1-Methylnaphthalene	20.0	14.7		ug/L		73	47 - 120
2-Methylnaphthalene	20.0	13.4		ug/L		67	43 - 120
Acenaphthene	20.0	16.3		ug/L		82	60 - 132
Acenaphthylene	20.0	16.5		ug/L		83	54 - 126
Anthracene	20.0	16.5		ug/L		83	43 - 120
Benzo[a]anthracene	20.0	17.7		ug/L		89	42 - 133
Benzo[a]pyrene	20.0	17.2		ug/L		86	32 - 148
Benzo[b]fluoranthene	20.0	17.5		ug/L		88	42 - 140
Benzo[g,h,i]perylene	20.0	16.9		ug/L		84	1 - 195
Benzo[k]fluoranthene	20.0	17.4		ug/L		87	25 - 146
Chrysene	20.0	17.4		ug/L		87	44 - 140
Dibenz(a,h)anthracene	20.0	17.8		ug/L		89	1 - 200
Fluoranthene	20.0	17.3		ug/L		87	43 - 121
Fluorene	20.0	17.2		ug/L		86	70 - 120
Indeno[1,2,3-cd]pyrene	20.0	17.1		ug/L		86	1 - 151
Naphthalene	20.0	13.4		ug/L		67	36 - 120
Phenanthrene	20.0	16.9		ug/L		84	65 - 120
Pyrene	20.0	18.3		ug/L		91	70 - 120

Surrogate	LCS %Recovery	LCS Qualifier	Limits
2,4,6-Tribromophenol (Surr)	89		28 - 127
2-Fluorobiphenyl (Surr)	81		31 - 120
2-Fluorophenol (Surr)	63		17 - 120
Nitrobenzene-d5 (Surr)	70		27 - 120
Phenol-d6 (Surr)	42		10 - 120
p-Terphenyl-d14 (Surr)	91		45 - 120

Lab Sample ID: LCSD 570-753881/3-A
Matrix: Water
Analysis Batch: 755136

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 753881

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1-Methylnaphthalene	20.0	14.6		ug/L		73	47 - 120	0	20
2-Methylnaphthalene	20.0	13.5		ug/L		68	43 - 120	1	20
Acenaphthene	20.0	16.8		ug/L		84	60 - 132	3	29
Acenaphthylene	20.0	17.2		ug/L		86	54 - 126	4	45
Anthracene	20.0	17.0		ug/L		85	43 - 120	3	40
Benzo[a]anthracene	20.0	18.0		ug/L		90	42 - 133	2	32
Benzo[a]pyrene	20.0	17.6		ug/L		88	32 - 148	2	43
Benzo[b]fluoranthene	20.0	17.4		ug/L		87	42 - 140	1	43
Benzo[g,h,i]perylene	20.0	17.3		ug/L		86	1 - 195	2	61
Benzo[k]fluoranthene	20.0	18.3		ug/L		91	25 - 146	5	38
Chrysene	20.0	17.7		ug/L		88	44 - 140	1	53
Dibenz(a,h)anthracene	20.0	18.2		ug/L		91	1 - 200	2	75
Fluoranthene	20.0	17.9		ug/L		90	43 - 121	3	40
Fluorene	20.0	17.6		ug/L		88	70 - 120	2	23
Indeno[1,2,3-cd]pyrene	20.0	17.6		ug/L		88	1 - 151	3	60
Naphthalene	20.0	13.5		ug/L		67	36 - 120	1	39

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-219280-1
SDG: Weekly: Aiea Wells P2

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

Lab Sample ID: LCSD 570-753881/3-A
Matrix: Water
Analysis Batch: 755136

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 753881

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Phenanthrene	20.0	17.2		ug/L		86	65 - 120	2	24
Pyrene	20.0	18.2		ug/L		91	70 - 120	1	30

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
2,4,6-Tribromophenol (Surr)	90		28 - 127
2-Fluorobiphenyl (Surr)	81		31 - 120
2-Fluorophenol (Surr)	61		17 - 120
Nitrobenzene-d5 (Surr)	70		27 - 120
Phenol-d6 (Surr)	40		10 - 120
p-Terphenyl-d14 (Surr)	90		45 - 120

Lab Sample ID: 380-219283-A-3-A MS
Matrix: Water
Analysis Batch: 755136

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 753881

Surrogate	MS %Recovery	MS Qualifier	Limits
2,4,6-Tribromophenol (Surr)	92		28 - 127
2-Fluorobiphenyl (Surr)	75		31 - 120
2-Fluorophenol (Surr)	52		17 - 120
Nitrobenzene-d5 (Surr)	65		27 - 120
Phenol-d6 (Surr)	36		10 - 120
p-Terphenyl-d14 (Surr)	56		45 - 120

Lab Sample ID: 380-219283-A-3-B MSD
Matrix: Water
Analysis Batch: 755136

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: 753881

Surrogate	MSD %Recovery	MSD Qualifier	Limits
2,4,6-Tribromophenol (Surr)	95		28 - 127
2-Fluorobiphenyl (Surr)	78		31 - 120
2-Fluorophenol (Surr)	54		17 - 120
Nitrobenzene-d5 (Surr)	66		27 - 120
Phenol-d6 (Surr)	38		10 - 120
p-Terphenyl-d14 (Surr)	59		45 - 120

Method: 8015B GRO LL - Gasoline Range Organics - (GC)

Lab Sample ID: MB 570-757721/6
Matrix: Water
Analysis Batch: 757721

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	<10		10	ug/L			06/22/26 11:36	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	87		38 - 134		06/22/26 11:36	1

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-219280-1
SDG: Weekly: Aiea Wells P2

Method: 8015B GRO LL - Gasoline Range Organics - (GC) (Continued)

Lab Sample ID: LCS 570-757721/3
Matrix: Water
Analysis Batch: 757721

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (C4-C13)	400	378		ug/L		94	78 - 120
Surrogate	%Recovery	LCS Qualifier	LCS Qualifier	Limits			
4-Bromofluorobenzene (Surr)	78			38 - 134			

Lab Sample ID: LCSD 570-757721/4
Matrix: Water
Analysis Batch: 757721

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (C4-C13)	400	359		ug/L		90	78 - 120	5	10
Surrogate	%Recovery	LCSD Qualifier	LCSD Qualifier	Limits					
4-Bromofluorobenzene (Surr)	99			38 - 134					

Lab Sample ID: MRL 570-757721/5
Matrix: Water
Analysis Batch: 757721

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (C4-C13)	10.0	11.8		ug/L		118	50 - 150
Surrogate	%Recovery	MRL Qualifier	MRL Qualifier	Limits			
4-Bromofluorobenzene (Surr)	96			38 - 134			

Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level

Lab Sample ID: MB 570-753329/1-A
Matrix: Water
Analysis Batch: 757614

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 753329

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	<25		25	ug/L		06/12/26 10:40	06/21/26 22:36	1
Motor Oil Range Organics [C24-C36]	<25		25	ug/L		06/12/26 10:40	06/21/26 22:36	1
C8-C18	<25		25	ug/L		06/12/26 10:40	06/21/26 22:36	1
Surrogate	%Recovery	MB Qualifier	MB Qualifier	Limits		Prepared	Analyzed	Dil Fac
n-Octacosane (Surr)	89			60 - 130		06/12/26 10:40	06/21/26 22:36	1

Lab Sample ID: LCS 570-753329/2-A
Matrix: Water
Analysis Batch: 757614

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 753329

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
C10-C28	1600	1980		ug/L		124	56 - 127

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
 Project/Site: RED-HILL

Job ID: 380-219280-1
 SDG: Weekly: Aiea Wells P2

Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level (Continued)

Lab Sample ID: LCS 570-753329/2-A
Matrix: Water
Analysis Batch: 757614

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 753329

<u>Surrogate</u>	<u>LCS</u> <u>%Recovery</u>	<u>LCS</u> <u>Qualifier</u>	<u>Limits</u>
<i>n-Octacosane (Surr)</i>	95		60 - 130

Lab Sample ID: LCSD 570-753329/3-A
Matrix: Water
Analysis Batch: 757614

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 753329

<u>Analyte</u>	<u>Spike</u> <u>Added</u>	<u>LCSD</u> <u>Result</u>	<u>LCSD</u> <u>Qualifier</u>	<u>Unit</u>	<u>D</u>	<u>%Rec</u>	<u>%Rec</u> <u>Limits</u>	<u>RPD</u>	<u>RPD</u> <u>Limit</u>
C10-C28	1600	1730		ug/L	-	108	56 - 127	14	23

<u>Surrogate</u>	<u>LCSD</u> <u>%Recovery</u>	<u>LCSD</u> <u>Qualifier</u>	<u>Limits</u>
<i>n-Octacosane (Surr)</i>	80		60 - 130

Lab Sample ID: MRL 570-753329/4-A
Matrix: Water
Analysis Batch: 757614

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 753329

<u>Analyte</u>	<u>Spike</u> <u>Added</u>	<u>MRL</u> <u>Result</u>	<u>MRL</u> <u>Qualifier</u>	<u>Unit</u>	<u>D</u>	<u>%Rec</u>	<u>%Rec</u> <u>Limits</u>
C10-C28	0.0200	0.0273		mg/L	-	137	50 - 150

<u>Surrogate</u>	<u>MRL</u> <u>%Recovery</u>	<u>MRL</u> <u>Qualifier</u>	<u>Limits</u>
<i>n-Octacosane (Surr)</i>	85		60 - 130

QC Association Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-219280-1
SDG: Weekly: Aiea Wells P2

GC/MS Semi VOA

Prep Batch: 234216

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-219280-1	AIEA WELLS P2 (260) (331-004-WL103)	Total/NA	Drinking Water	525.2	
MB 380-234216/21-A	Method Blank	Total/NA	Water	525.2	
LCS 380-234216/23-A	Lab Control Sample	Total/NA	Water	525.2	
MRL 380-234216/22-A	Lab Control Sample	Total/NA	Water	525.2	
380-219240-I-1-A MS	Matrix Spike	Total/NA	Water	525.2	
380-219274-I-1-A DU	Duplicate	Total/NA	Water	525.2	

Analysis Batch: 234455

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-219280-1	AIEA WELLS P2 (260) (331-004-WL103)	Total/NA	Drinking Water	525.2	234216
MB 380-234216/21-A	Method Blank	Total/NA	Water	525.2	234216
LCS 380-234216/23-A	Lab Control Sample	Total/NA	Water	525.2	234216
MRL 380-234216/22-A	Lab Control Sample	Total/NA	Water	525.2	234216
380-219240-I-1-A MS	Matrix Spike	Total/NA	Water	525.2	234216
380-219274-I-1-A DU	Duplicate	Total/NA	Water	525.2	234216

Prep Batch: 753881

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-219280-1	AIEA WELLS P2 (260) (331-004-WL103)	Total/NA	Drinking Water	625.1	
MB 570-753881/1-A	Method Blank	Total/NA	Water	625.1	
LCS 570-753881/2-A	Lab Control Sample	Total/NA	Water	625.1	
LCSD 570-753881/3-A	Lab Control Sample Dup	Total/NA	Water	625.1	
380-219283-A-3-A MS	Matrix Spike	Total/NA	Water	625.1	
380-219283-A-3-B MSD	Matrix Spike Duplicate	Total/NA	Water	625.1	

Analysis Batch: 755136

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 570-753881/1-A	Method Blank	Total/NA	Water	625.1 SIM	753881
LCS 570-753881/2-A	Lab Control Sample	Total/NA	Water	625.1 SIM	753881
LCSD 570-753881/3-A	Lab Control Sample Dup	Total/NA	Water	625.1 SIM	753881
380-219283-A-3-A MS	Matrix Spike	Total/NA	Water	625.1 SIM	753881
380-219283-A-3-B MSD	Matrix Spike Duplicate	Total/NA	Water	625.1 SIM	753881

Analysis Batch: 755484

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-219280-1	AIEA WELLS P2 (260) (331-004-WL103)	Total/NA	Drinking Water	625.1	753881
MB 570-753881/1-A	Method Blank	Total/NA	Water	625.1	753881

Analysis Batch: 755651

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-219280-1	AIEA WELLS P2 (260) (331-004-WL103)	Total/NA	Drinking Water	625.1 SIM	753881

GC VOA

Analysis Batch: 757721

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-219280-1	AIEA WELLS P2 (260) (331-004-WL103)	Total/NA	Drinking Water	8015B GRO LL	
380-219280-2	TB: AIEA WELLS P2 (260) (331-004-WL103)	Total/NA	Water	8015B GRO LL	
MB 570-757721/6	Method Blank	Total/NA	Water	8015B GRO LL	
LCS 570-757721/3	Lab Control Sample	Total/NA	Water	8015B GRO LL	
LCSD 570-757721/4	Lab Control Sample Dup	Total/NA	Water	8015B GRO LL	

Eurofins Pomona

QC Association Summary

Client: City & County of Honolulu
 Project/Site: RED-HILL

Job ID: 380-219280-1
 SDG: Weekly: Aiea Wells P2

GC VOA (Continued)

Analysis Batch: 757721 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MRL 570-757721/5	Lab Control Sample	Total/NA	Water	8015B GRO LL	

GC Semi VOA

Prep Batch: 753329

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-219280-1	AIEA WELLS P2 (260) (331-004-WL103)	Total/NA	Drinking Water	3510C	
MB 570-753329/1-A	Method Blank	Total/NA	Water	3510C	
LCS 570-753329/2-A	Lab Control Sample	Total/NA	Water	3510C	
LCSD 570-753329/3-A	Lab Control Sample Dup	Total/NA	Water	3510C	
MRL 570-753329/4-A	Lab Control Sample	Total/NA	Water	3510C	

Analysis Batch: 757614

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-219280-1	AIEA WELLS P2 (260) (331-004-WL103)	Total/NA	Drinking Water	8015B	753329
MB 570-753329/1-A	Method Blank	Total/NA	Water	8015B	753329
LCS 570-753329/2-A	Lab Control Sample	Total/NA	Water	8015B	753329
LCSD 570-753329/3-A	Lab Control Sample Dup	Total/NA	Water	8015B	753329
MRL 570-753329/4-A	Lab Control Sample	Total/NA	Water	8015B	753329



Lab Chronicle

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-219280-1
SDG: Weekly: Aiea Wells P2

Client Sample ID: AIEA WELLS P2 (260) (331-004-WL103)

Lab Sample ID: 380-219280-1

Date Collected: 06/10/26 09:00

Matrix: Drinking Water

Date Received: 06/11/26 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	525.2			234216	IQ42	EA POM	06/16/26 14:41
Total/NA	Analysis	525.2		1	234455	Q8LA	EA POM	06/17/26 17:45
Total/NA	Prep	625.1			753881	TIZL	EET CAL 4	06/13/26 16:02
Total/NA	Analysis	625.1		1	755484	J7WE	EET CAL 4	06/17/26 13:32
Total/NA	Prep	625.1			753881	TIZL	EET CAL 4	06/13/26 16:02
Total/NA	Analysis	625.1 SIM		1	755651	J7WE	EET CAL 4	06/17/26 14:49
Total/NA	Analysis	8015B GRO LL		1	757721	A9VE	EET CAL 4	06/22/26 18:38
Total/NA	Prep	3510C			753329	EP2G	EET CAL 4	06/12/26 10:40
Total/NA	Analysis	8015B		1	757614	H6FE	EET CAL 4	06/22/26 01:27

Client Sample ID: TB: AIEA WELLS P2 (260) (331-004-WL103)

Lab Sample ID: 380-219280-2

Date Collected: 06/10/26 09:00

Matrix: Water

Date Received: 06/11/26 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8015B GRO LL		1	757721	A9VE	EET CAL 4	06/22/26 14:34

Laboratory References:

EA POM = Eurofins Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100

EET CAL 4 = Eurofins Calscience Tustin, 2841 Dow Avenue, Tustin, CA 92780, TEL (714)895-5494

Accreditation/Certification Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-219280-1
SDG: Weekly: Aiea Wells P2

Laboratory: Eurofins Pomona

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Hawaii	State	CA00006	01-31-26 *
The following analytes are included in this report, but the laboratory is not certified by Hawaii State CA00006. This list may include analytes for which the agency does not offer certification:			
Analysis Method	Prep Method	Matrix	Analyte
525.2	525.2	Drinking Water	1-Methylnaphthalene
525.2	525.2	Drinking Water	2,4'-DDD
525.2	525.2	Drinking Water	2,4'-DDE
525.2	525.2	Drinking Water	2,4'-DDT
525.2	525.2	Drinking Water	2,4-Dinitrotoluene
525.2	525.2	Drinking Water	2,6-Dinitrotoluene
525.2	525.2	Drinking Water	2-Methylnaphthalene
525.2	525.2	Drinking Water	4,4'-DDD
525.2	525.2	Drinking Water	4,4'-DDE
525.2	525.2	Drinking Water	4,4'-DDT
525.2	525.2	Drinking Water	Acetochlor
525.2	525.2	Drinking Water	alpha-BHC
525.2	525.2	Drinking Water	alpha-Chlordane
525.2	525.2	Drinking Water	beta-BHC
525.2	525.2	Drinking Water	Chlorobenzilate
525.2	525.2	Drinking Water	Chloroneb
525.2	525.2	Drinking Water	Chlorothalonil (Draconil, Bravo)
525.2	525.2	Drinking Water	Chlorpyrifos
525.2	525.2	Drinking Water	delta-BHC
525.2	525.2	Drinking Water	Diclorvos (DDVP)
525.2	525.2	Drinking Water	Endosulfan I (Alpha)
525.2	525.2	Drinking Water	Endosulfan II (Beta)
525.2	525.2	Drinking Water	Endosulfan sulfate
525.2	525.2	Drinking Water	Endrin aldehyde
525.2	525.2	Drinking Water	EPTC
525.2	525.2	Drinking Water	gamma-Chlordane
525.2	525.2	Drinking Water	Isophorone
525.2	525.2	Drinking Water	Malathion
525.2	525.2	Drinking Water	Parathion
525.2	525.2	Drinking Water	Pendimethalin (Penoxaline)
525.2	525.2	Drinking Water	Terbacil
525.2	525.2	Drinking Water	Terbutylazine
525.2	525.2	Drinking Water	Total Permethrin (mixed isomers)
525.2	525.2	Drinking Water	trans-Nonachlor

Laboratory: Eurofins Calscience

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
A2LA	Dept. of Defense ELAP	7296.01	11-30-26
A2LA	ISO/IEC 17025	7296.01	11-30-26
Alaska (UST)	State	25-005	03-02-27
Arizona	State	AZ0830	11-17-26
California	Los Angeles County Sanitation Districts	9257304	07-31-26
California	SCAQMD LAP	17LA0919	11-30-26

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Accreditation/Certification Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-219280-1
SDG: Weekly: Aiea Wells P2

Laboratory: Eurofins Calscience (Continued)

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	3082	07-31-26
Kansas	NELAP	E-10420	07-31-26
Nevada	State	CA00111	07-31-26
Oregon	NELAP	4175	02-02-27
USDA	US Federal Programs	525-23-159-97150	09-30-26
Utah	NELAP	CA00111	02-28-27
Washington	State	C916	10-12-26

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16

Method Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-219280-1
SDG: Weekly: Aiea Wells P2

Method	Method Description	Protocol	Laboratory
525.2	Semivolatile Organic Compounds (GC/MS)	EPA	EA POM
625.1	Semivolatile Organic Compounds (GC/MS)	EPA	EET CAL 4
625.1 SIM	Semivolatile Organic Compounds GC/MS (SIM)	EPA	EET CAL 4
8015B GRO LL	Gasoline Range Organics - (GC)	SW846	EET CAL 4
8015B	Diesel Range Organics (DRO) (GC) Low Level	SW846	EET CAL 4
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	EET CAL 4
5030C	Purge and Trap	SW846	EET CAL 4
525.2	Extraction of Semivolatile Compounds	EPA	EA POM
625.1	Liquid-Liquid Extraction	40CFR136A	EET CAL 4

Protocol References:

40CFR136A = "Methods for Organic Chemical Analysis of Municipal Industrial Wastewater", 40CFR, Part 136, Appendix A, October 26, 1984 and subsequent revisions.

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EA POM = Eurofins Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100

EET CAL 4 = Eurofins Calscience Tustin, 2841 Dow Avenue, Tustin, CA 92780, TEL (714)895-5494

Sample Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-219280-1
SDG: Weekly: Aiea Wells P2

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	PWSID Number
380-219280-1	AIEA WELLS P2 (260) (331-004-WL103)	Drinking Water	06/10/26 09:00	06/11/26 10:00	HI0000331
380-219280-2	TB: AIEA WELLS P2 (260) (331-004-WL103)	Water	06/10/26 09:00	06/11/26 10:00	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16



Client Information Client Contact: Kirk Iwamoto Phone: +1 808 748 5840 City & County of Honolulu		Lab PM: Lopez, Maria E-Mail: Maria.Lopez@eurofins.com		Carrier Tracking No(s): State of Origin:		COC No: Page: Page 1 of 1 Job #:	
Address: 630 South Beretania Street Chemistry Lab City: Honolulu State Zip: HI 96843 Phone: 808-748-5840 (Tel) Email: kiwamoto@hbws.org		PWSID: Due Date Requested: TAT Requested (days): Compliance Project: <input type="checkbox"/> Yes <input type="checkbox"/> No PO #: C20525101 exp 05312023 WO #:		Analysis Requested 625.1, 625.1 SIM 6015B_GRO_LL - (MOD) GRO 6015B_DRO_LL_CS - HNL Ranges C10-C24/C24-C36/C8-C18 525.2_PREC - (MOD) 525plus Plus TICs		Preservation Codes: R - NaThioSO4 Q - Na2SO3 QA - Na2SO3/HCl Y - Trizma I - NH4 Acetate Other:	
Project Name: RED-HILL/HBWS Sites Event Desc: RUSH Weekly Red Hill Project #: 38001111 SOW#:		Sample Date: 06-10-26 Sample Time: 09:00 Sample Type (C=Comp, G=grab): G Matrix (W=water, S=solid, O=water/soil, BT=Tissue, Ash): Water		Field Filled Sample (Yes or No): Perform MS/MSD (Yes or No):		Total Number of Containers:	
Sample Identification AIEA WELLS P2 (260) (331-004-WL103) AIEA WELLS P2 (260) (331-004-WL103) (Matrix Spike) AIEA WELLS P2 (260) (331-004-WL103) (Matrix Spike Duplicate) TB AIEA WELLS P2 (260) (331-004-WL103)		Sample Date: 06-10-26 Sample Time: 09:00 Sample Type (C=Comp, G=grab): G Matrix (W=water, S=solid, O=water/soil, BT=Tissue, Ash): Water		Field Filled Sample (Yes or No): Perform MS/MSD (Yes or No):		Special Instructions/Note:	
Possible Hazard Identification <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological		Deliverable Requested I, II, III, IV, Other (specify)		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months		Special Instructions/QC Requirements:	
Empty Kit Relinquished by:		Date: 06-10-26 Time: 12:00 Company: HBWS		Method of Shipment: FedEx-872921303181		Received by: [Signature] Date/Time: 6/11/26 10:00 Company:	
Relinquished by:		Date/Time:		Received by:		Date/Time:	
Relinquished by:		Date/Time:		Received by:		Date/Time:	
Relinquished by:		Date/Time:		Received by:		Date/Time:	
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.		Cooler Temperature(s) °C and Other Remarks: (31A) 14-0-0-1.9 gal-fu-267		Ver: 04/02/2024	



Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-219280-1
SDG Number: Weekly: Aiea Wells P2

Login Number: 219280

List Number: 1

Creator: Edrosa, Rey

List Source: Eurofins Pomona

Question	Answer	Comment
The coolers custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
Samples were received on ice.	True	
Cooler(s) Temperature is acceptable.	True	
Cooler(s) Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and is legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
CIO4 headspace requirement met (>50% for CA, >30% for other states).	N/A	
Samples do not require splitting or compositing.	True	
Container provided by EEA	True	

Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-219280-1
SDG Number: Weekly: Aiea Wells P2

Login Number: 219280

List Number: 2

Creator: Khana, Piyush

List Source: Eurofins Calscience

List Creation: 06/11/26 06:52 PM

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	1.8
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	Received project as a subcontract.
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	fgf5
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	