

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Mr. Erwin Kawata  
City & County of Honolulu  
630 South Beretania Street  
Public Service Bldg. Room 310  
Honolulu, Hawaii 96843

Generated 11/11/2025 10:00:09 AM

## JOB DESCRIPTION

RED-HILL  
Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea Wells Pumps 1&2 P2  
RUSH Weekly Red Hill

## JOB NUMBER

380-178571-1

# Eurofins Eaton Analytical Pomona

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Eaton Analytical, LLC Project Manager.

## Compliance Statement

1. Laboratory is accredited in accordance with TNI 2016 Standards and ISO/IEC 17025:2017.
2. Laboratory certifies that the test results meet all TNI 2016 and ISO/IEC 17025:2017 requirements unless noted under the individual analysis
3. Test results relate only to the sample(s) tested.
4. This report shall not be reproduced except in full, without the written approval of the laboratory.
5. Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below. (DW, Water matrices)

## Authorization



Authorized for release by  
Maria Lopez, Project Manager  
[Maria.Lopez@et.eurofinsus.com](mailto:Maria.Lopez@et.eurofinsus.com)  
(626)386-1100

Generated  
11/11/2025 10:00:09 AM



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Detection Summary . . . . .	6
Client Sample Results . . . . .	7
Action Limit Summary . . . . .	14
Surrogate Summary . . . . .	15
QC Sample Results . . . . .	18
QC Association Summary . . . . .	34
Lab Chronicle . . . . .	36
Certification Summary . . . . .	38
Method Summary . . . . .	40
Sample Summary . . . . .	41
Chain of Custody . . . . .	42
Receipt Checklists . . . . .	44

# Definitions/Glossary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-178571-1  
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea  
Wells Pumps 1&2 P2

## Qualifiers

### GC/MS Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

### GC/MS Semi VOA TICs

Qualifier	Qualifier Description
J	Indicates an Estimated Value for TICs
N	Presumptive evidence of material.
T	Result is a tentatively identified compound (TIC) and an estimated value.

### GC VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

### GC Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: City & County of Honolulu  
Project: RED-HILL

Job ID: 380-178571-1

**Job ID: 380-178571-1**

**Eurofins Eaton Analytical Pomona**

## **Job Narrative 380-178571-1**

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

### **Receipt**

The samples were received on 10/22/2025 10:08 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 6 coolers at receipt time were 1.5°C, 1.9°C, 2.2°C, 3.3°C, 5.3°C and 5.7°C.

### **GC/MS Semi VOA**

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### **Gasoline Range Organics**

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### **Diesel Range Organics**

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

# Detection Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-178571-1  
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea  
Wells Pumps 1&2 P2

**Client Sample ID: HALAWA WELLS UNITS 1 & 2 P1  
(331-206-TP065)**  
PWSID Number: HI0000331

**Lab Sample ID: 380-178571-1**

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Dieldrin	0.030		0.0097	ug/L	1		525.2	Total/NA
Heptachlor epoxide (isomer B)	0.011		0.0097	ug/L	1		525.2	Total/NA

**Client Sample ID: AIEA WELLS PUMPS 1&2 P2 (260)  
(331-203-TP400)**  
PWSID Number: HI0000331

**Lab Sample ID: 380-178571-2**

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Dieldrin	0.010		0.0099	ug/L	1		525.2	Total/NA

**Client Sample ID: TB: HALAWA WELLS UNITS 1&2  
(331-206-TP065)**

**Lab Sample ID: 380-178571-3**

No Detections.

**Client Sample ID: TB: AIEA WELLS PUMPS 1&2 (260)  
(331-203-TP400)**

**Lab Sample ID: 380-178571-4**

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Eaton Analytical Pomona

# Client Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-178571-1  
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea  
Wells Pumps 1&2 P2

**Client Sample ID: HALAWA WELLS UNITS 1 & 2 P1  
(331-206-TP065)**

**Lab Sample ID: 380-178571-1**

**Date Collected: 10/20/25 10:30**

**Matrix: Drinking Water**

**Date Received: 10/22/25 10:08**

**PWSID Number: HI0000331**

**Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	<0.097		0.097	ug/L		10/27/25 07:42	10/28/25 15:39	1
2,4'-DDD	<0.097		0.097	ug/L		10/27/25 07:42	10/28/25 15:39	1
2,4'-DDE	<0.097		0.097	ug/L		10/27/25 07:42	10/28/25 15:39	1
2,4' DDT	<0.097		0.097	ug/L		10/27/25 07:42	10/28/25 15:39	1
2,4-Dinitrotoluene	<0.097		0.097	ug/L		10/27/25 07:42	10/28/25 15:39	1
2,6-Dinitrotoluene	<0.097		0.097	ug/L		10/27/25 07:42	10/28/25 15:39	1
2-Methylnaphthalene	<0.097		0.097	ug/L		10/27/25 07:42	10/28/25 15:39	1
4,4'-DDD	<0.097		0.097	ug/L		10/27/25 07:42	10/28/25 15:39	1
4,4'-DDE	<0.097		0.097	ug/L		10/27/25 07:42	10/28/25 15:39	1
4,4'-DDT	<0.097		0.097	ug/L		10/27/25 07:42	10/28/25 15:39	1
Acenaphthene	<0.097		0.097	ug/L		10/27/25 07:42	10/28/25 15:39	1
Acenaphthylene	<0.097		0.097	ug/L		10/27/25 07:42	10/28/25 15:39	1
Acetochlor	<0.097		0.097	ug/L		10/27/25 07:42	10/28/25 15:39	1
Alachlor	<0.049		0.049	ug/L		10/27/25 07:42	10/28/25 15:39	1
alpha-BHC	<0.097		0.097	ug/L		10/27/25 07:42	10/28/25 15:39	1
alpha-Chlordane	<0.049		0.049	ug/L		10/27/25 07:42	10/28/25 15:39	1
Anthracene	<0.019		0.019	ug/L		10/27/25 07:42	10/28/25 15:39	1
Atrazine	<0.049		0.049	ug/L		10/27/25 07:42	10/28/25 15:39	1
Benz(a)anthracene	<0.049		0.049	ug/L		10/27/25 07:42	10/28/25 15:39	1
Benzo[a]pyrene	<0.019		0.019	ug/L		10/27/25 07:42	10/28/25 15:39	1
Benzo[b]fluoranthene	<0.019		0.019	ug/L		10/27/25 07:42	10/28/25 15:39	1
Benzo[g,h,i]perylene	<0.049		0.049	ug/L		10/27/25 07:42	10/28/25 15:39	1
Benzo[k]fluoranthene	<0.019		0.019	ug/L		10/27/25 07:42	10/28/25 15:39	1
beta-BHC	<0.097		0.097	ug/L		10/27/25 07:42	10/28/25 15:39	1
Bis(2-ethylhexyl) phthalate	<0.58		0.58	ug/L		10/27/25 07:42	10/28/25 15:39	1
Bromacil	<0.097		0.097	ug/L		10/27/25 07:42	10/28/25 15:39	1
Butachlor	<0.049		0.049	ug/L		10/27/25 07:42	10/28/25 15:39	1
Butylbenzylphthalate	<0.49		0.49	ug/L		10/27/25 07:42	10/28/25 15:39	1
Chlorobenzilate	<0.097		0.097	ug/L		10/27/25 07:42	10/28/25 15:39	1
Chloroneb	<0.097		0.097	ug/L		10/27/25 07:42	10/28/25 15:39	1
Chlorothalonil (Draconil, Bravo)	<0.097		0.097	ug/L		10/27/25 07:42	10/28/25 15:39	1
Chlorpyrifos	<0.049		0.049	ug/L		10/27/25 07:42	10/28/25 15:39	1
Chrysene	<0.019		0.019	ug/L		10/27/25 07:42	10/28/25 15:39	1
delta-BHC	<0.097		0.097	ug/L		10/27/25 07:42	10/28/25 15:39	1
Di(2-ethylhexyl)adipate	<0.58		0.58	ug/L		10/27/25 07:42	10/28/25 15:39	1
Dibenz(a,h)anthracene	<0.049		0.049	ug/L		10/27/25 07:42	10/28/25 15:39	1
Diclorvos (DDVP)	<0.049		0.049	ug/L		10/27/25 07:42	10/28/25 15:39	1
<b>Dieldrin</b>	<b>0.030</b>		0.0097	ug/L		10/27/25 07:42	10/28/25 15:39	1
Diethylphthalate	<0.49		0.49	ug/L		10/27/25 07:42	10/28/25 15:39	1
Dimethylphthalate	<0.49		0.49	ug/L		10/27/25 07:42	10/28/25 15:39	1
Di-n-butyl phthalate	<0.97		0.97	ug/L		10/27/25 07:42	10/28/25 15:39	1
Di-n-octyl phthalate	<0.097		0.097	ug/L		10/27/25 07:42	10/28/25 15:39	1
Endosulfan I (Alpha)	<0.097		0.097	ug/L		10/27/25 07:42	10/28/25 15:39	1
Endosulfan II (Beta)	<0.097		0.097	ug/L		10/27/25 07:42	10/28/25 15:39	1
Endosulfan sulfate	<0.097		0.097	ug/L		10/27/25 07:42	10/28/25 15:39	1
Endrin	<0.0097		0.0097	ug/L		10/27/25 07:42	10/28/25 15:39	1
Endrin aldehyde	<0.097		0.097	ug/L		10/27/25 07:42	10/28/25 15:39	1

Eurofins Eaton Analytical Pomona

# Client Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-178571-1  
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea  
Wells Pumps 1&2 P2

**Client Sample ID: HALAWA WELLS UNITS 1 & 2 P1  
(331-206-TP065)**

**Lab Sample ID: 380-178571-1**

**Date Collected: 10/20/25 10:30**

**Matrix: Drinking Water**

**Date Received: 10/22/25 10:08**

**PWSID Number: HI0000331**

**Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
EPTC	<0.097		0.097	ug/L		10/27/25 07:42	10/28/25 15:39	1
Fluoranthene	<0.097		0.097	ug/L		10/27/25 07:42	10/28/25 15:39	1
Fluorene	<0.049		0.049	ug/L		10/27/25 07:42	10/28/25 15:39	1
gamma-Chlordane	0.049		0.049	ug/L		10/27/25 07:42	10/28/25 15:39	1
Heptachlor	<0.0097		0.0097	ug/L		10/27/25 07:42	10/28/25 15:39	1
<b>Heptachlor epoxide (isomer B)</b>	<b>0.011</b>		0.0097	ug/L		10/27/25 07:42	10/28/25 15:39	1
Hexachlorobenzene	<0.049		0.049	ug/L		10/27/25 07:42	10/28/25 15:39	1
Hexachlorocyclopentadiene	<0.049		0.049	ug/L		10/27/25 07:42	10/28/25 15:39	1
Indeno[1,2,3-cd]pyrene	<0.049		0.049	ug/L		10/27/25 07:42	10/28/25 15:39	1
Isophorone	<0.097		0.097	ug/L		10/27/25 07:42	10/28/25 15:39	1
Lindane	<0.0097		0.0097	ug/L		10/27/25 07:42	10/28/25 15:39	1
Malathion	<0.097		0.097	ug/L		10/27/25 07:42	10/28/25 15:39	1
Methoxychlor	<0.049		0.049	ug/L		10/27/25 07:42	10/28/25 15:39	1
Metolachlor	<0.049		0.049	ug/L		10/27/25 07:42	10/28/25 15:39	1
Molinate	<0.097		0.097	ug/L		10/27/25 07:42	10/28/25 15:39	1
Naphthalene	<0.097		0.097	ug/L		10/27/25 07:42	10/28/25 15:39	1
Parathion	<0.097		0.097	ug/L		10/27/25 07:42	10/28/25 15:39	1
Pendimethalin (Penoxaline)	<0.097		0.097	ug/L		10/27/25 07:42	10/28/25 15:39	1
Phenanthrene	<0.039		0.039	ug/L		10/27/25 07:42	10/28/25 15:39	1
Propachlor	<0.049		0.049	ug/L		10/27/25 07:42	10/28/25 15:39	1
Pyrene	<0.049		0.049	ug/L		10/27/25 07:42	10/28/25 15:39	1
Simazine	<0.049		0.049	ug/L		10/27/25 07:42	10/28/25 15:39	1
Terbacil	<0.097		0.097	ug/L		10/27/25 07:42	10/28/25 15:39	1
Terbutylazine	<0.097		0.097	ug/L		10/27/25 07:42	10/28/25 15:39	1
Thiobencarb	<0.097		0.097	ug/L		10/27/25 07:42	10/28/25 15:39	1
Total Permethrin (mixed isomers)	<0.19		0.19	ug/L		10/27/25 07:42	10/28/25 15:39	1
trans-Nonachlor	<0.049		0.049	ug/L		10/27/25 07:42	10/28/25 15:39	1
Trifluralin	<0.097		0.097	ug/L		10/27/25 07:42	10/28/25 15:39	1

Tentatively Identified Compound	Est. Result	Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Tentatively Identified Compound	None		ug/L			N/A	10/27/25 07:42	10/28/25 15:39	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Nitro-m-xylene	100		70 - 130	10/27/25 07:42	10/28/25 15:39	1
Perylene-d12	89		70 - 130	10/27/25 07:42	10/28/25 15:39	1
Triphenylphosphate	106		70 - 130	10/27/25 07:42	10/28/25 15:39	1

**Method: EPA 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	<0.19		0.19	ug/L		10/27/25 08:06	11/05/25 07:32	1
2-Methylnaphthalene	<0.19		0.19	ug/L		10/27/25 08:06	11/05/25 07:32	1
Acenaphthene	<0.19		0.19	ug/L		10/27/25 08:06	11/05/25 07:32	1
Acenaphthylene	<0.19		0.19	ug/L		10/27/25 08:06	11/05/25 07:32	1
Anthracene	<0.19		0.19	ug/L		10/27/25 08:06	11/05/25 07:32	1
Benzo[a]anthracene	<0.19		0.19	ug/L		10/27/25 08:06	11/05/25 07:32	1
Benzo[a]pyrene	<0.19		0.19	ug/L		10/27/25 08:06	11/05/25 07:32	1
Benzo[b]fluoranthene	<0.19		0.19	ug/L		10/27/25 08:06	11/05/25 07:32	1
Benzo[g,h,i]perylene	<0.19		0.19	ug/L		10/27/25 08:06	11/05/25 07:32	1

Eurofins Eaton Analytical Pomona

# Client Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-178571-1  
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea  
Wells Pumps 1&2 P2

**Client Sample ID: HALAWA WELLS UNITS 1 & 2 P1  
(331-206-TP065)**

**Lab Sample ID: 380-178571-1**

**Date Collected: 10/20/25 10:30**

**Matrix: Drinking Water**

**Date Received: 10/22/25 10:08**

**PWSID Number: HI0000331**

## Method: EPA 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzo[k]fluoranthene	<0.19		0.19	ug/L		10/27/25 08:06	11/05/25 07:32	1
Chrysene	<0.19		0.19	ug/L		10/27/25 08:06	11/05/25 07:32	1
Dibenz(a,h)anthracene	<0.19		0.19	ug/L		10/27/25 08:06	11/05/25 07:32	1
Fluoranthene	<0.19		0.19	ug/L		10/27/25 08:06	11/05/25 07:32	1
Fluorene	<0.19		0.19	ug/L		10/27/25 08:06	11/05/25 07:32	1
Indeno[1,2,3-cd]pyrene	<0.19		0.19	ug/L		10/27/25 08:06	11/05/25 07:32	1
Naphthalene	<0.19		0.19	ug/L		10/27/25 08:06	11/05/25 07:32	1
Phenanthrene	<0.19		0.19	ug/L		10/27/25 08:06	11/05/25 07:32	1
Pyrene	<0.19		0.19	ug/L		10/27/25 08:06	11/05/25 07:32	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	78		28 - 127	10/27/25 08:06	11/05/25 07:32	1
2-Fluorobiphenyl (Surr)	81		31 - 120	10/27/25 08:06	11/05/25 07:32	1
2-Fluorophenol (Surr)	52		17 - 120	10/27/25 08:06	11/05/25 07:32	1
Nitrobenzene-d5 (Surr)	88		27 - 120	10/27/25 08:06	11/05/25 07:32	1
Phenol-d6 (Surr)	33		10 - 120	10/27/25 08:06	11/05/25 07:32	1
p-Terphenyl-d14 (Surr)	82		45 - 120	10/27/25 08:06	11/05/25 07:32	1

## Method: EPA 625.1 - Semivolatile Organic Compounds (GC/MS)

Tentatively Identified Compound	Est. Result	Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Cyclohexene	60	T J N	ug/L		1.48	110-83-8	10/27/25 08:06	11/07/25 02:00	1
Butanamide	4.5	T J N	ug/L		1.90	541-35-5	10/27/25 08:06	11/07/25 02:00	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	88		33 - 139	10/27/25 08:06	11/07/25 02:00	1
2-Fluorobiphenyl (Surr)	92		33 - 126	10/27/25 08:06	11/07/25 02:00	1
2-Fluorophenol (Surr)	52		12 - 120	10/27/25 08:06	11/07/25 02:00	1
Nitrobenzene-d5 (Surr)	90		36 - 120	10/27/25 08:06	11/07/25 02:00	1
Phenol-d6 (Surr)	31		10 - 120	10/27/25 08:06	11/07/25 02:00	1
p-Terphenyl-d14 (Surr)	94		47 - 131	10/27/25 08:06	11/07/25 02:00	1

## Method: SW846 8015B GRO LL - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	<10		10	ug/L			10/25/25 23:53	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	82		38 - 134		10/25/25 23:53	1

## Method: SW846 8015B - Diesel Range Organics (DRO) (GC) Low Level

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	<25		25	ug/L		10/26/25 09:36	11/05/25 02:58	1
Motor Oil Range Organics [C24-C36]	<25		25	ug/L		10/26/25 09:36	11/05/25 02:58	1
C8-C18	<25		25	ug/L		10/26/25 09:36	11/05/25 02:58	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
n-Octacosane (Surr)	126		60 - 130	10/26/25 09:36	11/05/25 02:58	1

# Client Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-178571-1  
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea  
Wells Pumps 1&2 P2

**Client Sample ID: AIEA WELLS PUMPS 1&2 P2 (260)**  
**(331-203-TP400)**

**Lab Sample ID: 380-178571-2**

**Date Collected: 10/20/25 11:38**

**Matrix: Drinking Water**

**Date Received: 10/22/25 10:08**

**PWSID Number: HI0000331**

**Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 15:59	1
2,4'-DDD	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 15:59	1
2,4'-DDE	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 15:59	1
2,4' DDT	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 15:59	1
2,4-Dinitrotoluene	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 15:59	1
2,6-Dinitrotoluene	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 15:59	1
2-Methylnaphthalene	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 15:59	1
4,4'-DDD	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 15:59	1
4,4'-DDE	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 15:59	1
4,4'-DDT	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 15:59	1
Acenaphthene	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 15:59	1
Acenaphthylene	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 15:59	1
Acetochlor	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 15:59	1
Alachlor	<0.049		0.049	ug/L		10/27/25 07:42	10/28/25 15:59	1
alpha-BHC	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 15:59	1
alpha-Chlordane	<0.049		0.049	ug/L		10/27/25 07:42	10/28/25 15:59	1
Anthracene	<0.020		0.020	ug/L		10/27/25 07:42	10/28/25 15:59	1
Atrazine	<0.049		0.049	ug/L		10/27/25 07:42	10/28/25 15:59	1
Benz(a)anthracene	<0.049		0.049	ug/L		10/27/25 07:42	10/28/25 15:59	1
Benzo[a]pyrene	<0.020		0.020	ug/L		10/27/25 07:42	10/28/25 15:59	1
Benzo[b]fluoranthene	<0.020		0.020	ug/L		10/27/25 07:42	10/28/25 15:59	1
Benzo[g,h,i]perylene	<0.049		0.049	ug/L		10/27/25 07:42	10/28/25 15:59	1
Benzo[k]fluoranthene	<0.020		0.020	ug/L		10/27/25 07:42	10/28/25 15:59	1
beta-BHC	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 15:59	1
Bis(2-ethylhexyl) phthalate	<0.59		0.59	ug/L		10/27/25 07:42	10/28/25 15:59	1
Bromacil	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 15:59	1
Butachlor	<0.049		0.049	ug/L		10/27/25 07:42	10/28/25 15:59	1
Butylbenzylphthalate	<0.49		0.49	ug/L		10/27/25 07:42	10/28/25 15:59	1
Chlorobenzilate	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 15:59	1
Chloroneb	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 15:59	1
Chlorothalonil (Draconil, Bravo)	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 15:59	1
Chlorpyrifos	<0.049		0.049	ug/L		10/27/25 07:42	10/28/25 15:59	1
Chrysene	<0.020		0.020	ug/L		10/27/25 07:42	10/28/25 15:59	1
delta-BHC	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 15:59	1
Di(2-ethylhexyl)adipate	<0.59		0.59	ug/L		10/27/25 07:42	10/28/25 15:59	1
Dibenz(a,h)anthracene	<0.049		0.049	ug/L		10/27/25 07:42	10/28/25 15:59	1
Diclorvos (DDVP)	<0.049		0.049	ug/L		10/27/25 07:42	10/28/25 15:59	1
<b>Dieldrin</b>	<b>0.010</b>		0.0099	ug/L		10/27/25 07:42	10/28/25 15:59	1
Diethylphthalate	<0.49		0.49	ug/L		10/27/25 07:42	10/28/25 15:59	1
Dimethylphthalate	<0.49		0.49	ug/L		10/27/25 07:42	10/28/25 15:59	1
Di-n-butyl phthalate	<0.99		0.99	ug/L		10/27/25 07:42	10/28/25 15:59	1
Di-n-octyl phthalate	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 15:59	1
Endosulfan I (Alpha)	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 15:59	1
Endosulfan II (Beta)	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 15:59	1
Endosulfan sulfate	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 15:59	1
Endrin	<0.0099		0.0099	ug/L		10/27/25 07:42	10/28/25 15:59	1
Endrin aldehyde	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 15:59	1

Eurofins Eaton Analytical Pomona

# Client Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-178571-1  
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea  
Wells Pumps 1&2 P2

**Client Sample ID: AIEA WELLS PUMPS 1&2 P2 (260)**  
**(331-203-TP400)**

**Lab Sample ID: 380-178571-2**

**Date Collected: 10/20/25 11:38**

**Matrix: Drinking Water**

**Date Received: 10/22/25 10:08**

**PWSID Number: HI0000331**

**Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
EPTC	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 15:59	1
Fluoranthene	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 15:59	1
Fluorene	<0.049		0.049	ug/L		10/27/25 07:42	10/28/25 15:59	1
gamma-Chlordane	0.049		0.049	ug/L		10/27/25 07:42	10/28/25 15:59	1
Heptachlor	<0.0099		0.0099	ug/L		10/27/25 07:42	10/28/25 15:59	1
Heptachlor epoxide (isomer B)	<0.0099		0.0099	ug/L		10/27/25 07:42	10/28/25 15:59	1
Hexachlorobenzene	<0.049		0.049	ug/L		10/27/25 07:42	10/28/25 15:59	1
Hexachlorocyclopentadiene	<0.049		0.049	ug/L		10/27/25 07:42	10/28/25 15:59	1
Indeno[1,2,3-cd]pyrene	<0.049		0.049	ug/L		10/27/25 07:42	10/28/25 15:59	1
Isophorone	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 15:59	1
Lindane	<0.0099		0.0099	ug/L		10/27/25 07:42	10/28/25 15:59	1
Malathion	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 15:59	1
Methoxychlor	<0.049		0.049	ug/L		10/27/25 07:42	10/28/25 15:59	1
Metolachlor	<0.049		0.049	ug/L		10/27/25 07:42	10/28/25 15:59	1
Molinate	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 15:59	1
Naphthalene	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 15:59	1
Parathion	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 15:59	1
Pendimethalin (Penoxaline)	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 15:59	1
Phenanthrene	<0.039		0.039	ug/L		10/27/25 07:42	10/28/25 15:59	1
Propachlor	<0.049		0.049	ug/L		10/27/25 07:42	10/28/25 15:59	1
Pyrene	<0.049		0.049	ug/L		10/27/25 07:42	10/28/25 15:59	1
Simazine	<0.049		0.049	ug/L		10/27/25 07:42	10/28/25 15:59	1
Terbacil	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 15:59	1
Terbutylazine	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 15:59	1
Thiobencarb	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 15:59	1
Total Permethrin (mixed isomers)	<0.20		0.20	ug/L		10/27/25 07:42	10/28/25 15:59	1
trans-Nonachlor	<0.049		0.049	ug/L		10/27/25 07:42	10/28/25 15:59	1
Trifluralin	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 15:59	1

Tentatively Identified Compound	Est. Result	Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Tentatively Identified Compound	None		ug/L			N/A	10/27/25 07:42	10/28/25 15:59	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Nitro-m-xylene	98		70 - 130	10/27/25 07:42	10/28/25 15:59	1
Perylene-d12	89		70 - 130	10/27/25 07:42	10/28/25 15:59	1
Triphenylphosphate	106		70 - 130	10/27/25 07:42	10/28/25 15:59	1

**Method: EPA 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	<0.19		0.19	ug/L		10/27/25 08:06	11/05/25 07:54	1
2-Methylnaphthalene	<0.19		0.19	ug/L		10/27/25 08:06	11/05/25 07:54	1
Acenaphthene	<0.19		0.19	ug/L		10/27/25 08:06	11/05/25 07:54	1
Acenaphthylene	<0.19		0.19	ug/L		10/27/25 08:06	11/05/25 07:54	1
Anthracene	<0.19		0.19	ug/L		10/27/25 08:06	11/05/25 07:54	1
Benzo[a]anthracene	<0.19		0.19	ug/L		10/27/25 08:06	11/05/25 07:54	1
Benzo[a]pyrene	<0.19		0.19	ug/L		10/27/25 08:06	11/05/25 07:54	1
Benzo[b]fluoranthene	<0.19		0.19	ug/L		10/27/25 08:06	11/05/25 07:54	1
Benzo[g,h,i]perylene	<0.19		0.19	ug/L		10/27/25 08:06	11/05/25 07:54	1

Eurofins Eaton Analytical Pomona

# Client Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-178571-1  
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea  
Wells Pumps 1&2 P2

**Client Sample ID: AIEA WELLS PUMPS 1&2 P2 (260)**  
**(331-203-TP400)**

**Lab Sample ID: 380-178571-2**

**Date Collected: 10/20/25 11:38**

**Matrix: Drinking Water**

**Date Received: 10/22/25 10:08**

**PWSID Number: HI0000331**

**Method: EPA 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzo[k]fluoranthene	<0.19		0.19	ug/L		10/27/25 08:06	11/05/25 07:54	1
Chrysene	<0.19		0.19	ug/L		10/27/25 08:06	11/05/25 07:54	1
Dibenz(a,h)anthracene	<0.19		0.19	ug/L		10/27/25 08:06	11/05/25 07:54	1
Fluoranthene	<0.19		0.19	ug/L		10/27/25 08:06	11/05/25 07:54	1
Fluorene	<0.19		0.19	ug/L		10/27/25 08:06	11/05/25 07:54	1
Indeno[1,2,3-cd]pyrene	<0.19		0.19	ug/L		10/27/25 08:06	11/05/25 07:54	1
Naphthalene	<0.19		0.19	ug/L		10/27/25 08:06	11/05/25 07:54	1
Phenanthrene	<0.19		0.19	ug/L		10/27/25 08:06	11/05/25 07:54	1
Pyrene	<0.19		0.19	ug/L		10/27/25 08:06	11/05/25 07:54	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	82		28 - 127	10/27/25 08:06	11/05/25 07:54	1
2-Fluorobiphenyl (Surr)	82		31 - 120	10/27/25 08:06	11/05/25 07:54	1
2-Fluorophenol (Surr)	55		17 - 120	10/27/25 08:06	11/05/25 07:54	1
Nitrobenzene-d5 (Surr)	90		27 - 120	10/27/25 08:06	11/05/25 07:54	1
Phenol-d6 (Surr)	35		10 - 120	10/27/25 08:06	11/05/25 07:54	1
p-Terphenyl-d14 (Surr)	87		45 - 120	10/27/25 08:06	11/05/25 07:54	1

**Method: EPA 625.1 - Semivolatile Organic Compounds (GC/MS)**

Tentatively Identified Compound	Est. Result	Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Unknown	74	T J	ug/L		1.48	N/A	10/27/25 08:06	11/07/25 02:24	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	87		33 - 139	10/27/25 08:06	11/07/25 02:24	1
2-Fluorobiphenyl (Surr)	93		33 - 126	10/27/25 08:06	11/07/25 02:24	1
2-Fluorophenol (Surr)	54		12 - 120	10/27/25 08:06	11/07/25 02:24	1
Nitrobenzene-d5 (Surr)	92		36 - 120	10/27/25 08:06	11/07/25 02:24	1
Phenol-d6 (Surr)	31		10 - 120	10/27/25 08:06	11/07/25 02:24	1
p-Terphenyl-d14 (Surr)	98		47 - 131	10/27/25 08:06	11/07/25 02:24	1

**Method: SW846 8015B GRO LL - Gasoline Range Organics - (GC)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	<10		10	ug/L			10/26/25 07:14	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	86		38 - 134		10/26/25 07:14	1

**Method: SW846 8015B - Diesel Range Organics (DRO) (GC) Low Level**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	<26		26	ug/L		10/26/25 09:36	11/05/25 03:19	1
Motor Oil Range Organics [C24-C36]	<26		26	ug/L		10/26/25 09:36	11/05/25 03:19	1
C8-C18	<26		26	ug/L		10/26/25 09:36	11/05/25 03:19	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
n-Octacosane (Surr)	114		60 - 130	10/26/25 09:36	11/05/25 03:19	1

# Client Sample Results

Client: City & County of Honolulu  
 Project/Site: RED-HILL

Job ID: 380-178571-1  
 SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea  
 Wells Pumps 1&2 P2

**Client Sample ID: TB: HALAWA WELLS UNITS 1&2  
 (331-206-TP065)**

**Lab Sample ID: 380-178571-3**

Date Collected: 10/20/25 10:30  
 Date Received: 10/22/25 10:08

Matrix: Water

**Method: SW846 8015B GRO LL - Gasoline Range Organics - (GC)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	<10		10	ug/L			10/26/25 06:34	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	83		38 - 134				10/26/25 06:34	1

**Client Sample ID: TB: AIEA WELLS PUMPS 1&2 (260)  
 (331-203-TP400)**

**Lab Sample ID: 380-178571-4**

Date Collected: 10/20/25 11:38  
 Date Received: 10/22/25 10:08

Matrix: Water

**Method: SW846 8015B GRO LL - Gasoline Range Organics - (GC)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	<10		10	ug/L			10/26/25 06:54	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	82		38 - 134				10/26/25 06:54	1

# Action Limit Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-178571-1  
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea  
Wells Pumps 1&2 P2

**Client Sample ID: HALAWA WELLS UNITS 1 & 2 P1**  
**(331-206-TP065)**  
**PWSID Number: HI0000331**

**Lab Sample ID: 380-178571-1**

## Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL	RL	Method	Prep Type
				Limit			
Alachlor	<0.049		ug/L	2	0.049	525.2	Total/NA
Atrazine	<0.049		ug/L	3	0.049	525.2	Total/NA
Benzo[a]pyrene	<0.019		ug/L	0.2	0.019	525.2	Total/NA
Bis(2-ethylhexyl) phthalate	<0.58		ug/L	6	0.58	525.2	Total/NA
Di(2-ethylhexyl)adipate	<0.58		ug/L	400	0.58	525.2	Total/NA
Endrin	<0.0097		ug/L	2	0.0097	525.2	Total/NA
Heptachlor	<0.0097		ug/L	0.4	0.0097	525.2	Total/NA
Heptachlor epoxide (isomer B)	0.011		ug/L	0.2	0.0097	525.2	Total/NA
Hexachlorobenzene	<0.049		ug/L	1	0.049	525.2	Total/NA
Hexachlorocyclopentadiene	<0.049		ug/L	50	0.049	525.2	Total/NA
Lindane	<0.0097		ug/L	0.2	0.0097	525.2	Total/NA
Methoxychlor	<0.049		ug/L	40	0.049	525.2	Total/NA
Simazine	<0.049		ug/L	4	0.049	525.2	Total/NA
Benzo[a]pyrene	<0.19		ug/L	0.2	0.19	625.1 SIM	Total/NA

**Client Sample ID: AIEA WELLS PUMPS 1&2 P2 (260)**  
**(331-203-TP400)**  
**PWSID Number: HI0000331**

**Lab Sample ID: 380-178571-2**

## Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL	RL	Method	Prep Type
				Limit			
Alachlor	<0.049		ug/L	2	0.049	525.2	Total/NA
Atrazine	<0.049		ug/L	3	0.049	525.2	Total/NA
Benzo[a]pyrene	<0.020		ug/L	0.2	0.020	525.2	Total/NA
Bis(2-ethylhexyl) phthalate	<0.59		ug/L	6	0.59	525.2	Total/NA
Di(2-ethylhexyl)adipate	<0.59		ug/L	400	0.59	525.2	Total/NA
Endrin	<0.0099		ug/L	2	0.0099	525.2	Total/NA
Heptachlor	<0.0099		ug/L	0.4	0.0099	525.2	Total/NA
Heptachlor epoxide (isomer B)	<0.0099		ug/L	0.2	0.0099	525.2	Total/NA
Hexachlorobenzene	<0.049		ug/L	1	0.049	525.2	Total/NA
Hexachlorocyclopentadiene	<0.049		ug/L	50	0.049	525.2	Total/NA
Lindane	<0.0099		ug/L	0.2	0.0099	525.2	Total/NA
Methoxychlor	<0.049		ug/L	40	0.049	525.2	Total/NA
Simazine	<0.049		ug/L	4	0.049	525.2	Total/NA
Benzo[a]pyrene	<0.19		ug/L	0.2	0.19	625.1 SIM	Total/NA

# Surrogate Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-178571-1  
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea  
Wells Pumps 1&2 P2

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Matrix: Drinking Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		2NMX (70-130)	PRY (70-130)	TPP (70-130)
380-178571-1	HALAWA WELLS UNITS 1 & 2 F	100	89	106
380-178571-2	AIEA WELLS PUMPS 1&2 P2 (260) (331-203-TP400)	98	89	106

### Surrogate Legend

2NMX = 2-Nitro-m-xylene

PRY = Perylene-d12

TPP = Triphenylphosphate

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		2NMX (70-130)	PRY (70-130)	TPP (70-130)
380-178570-H-1-A DU	Duplicate	99	94	108
380-179066-N-1-A MS	Matrix Spike	99	96	113
LCS 380-182502/22-A	Lab Control Sample	99	97	112
MB 380-182502/20-A	Method Blank	98	88	109
MRL 380-182502/21-A	Lab Control Sample	97	92	110

### Surrogate Legend

2NMX = 2-Nitro-m-xylene

PRY = Perylene-d12

TPP = Triphenylphosphate

## Method: 625.1 - Semivolatile Organic Compounds (GC/MS)

Matrix: Drinking Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		TBP (33-139)	FBP (33-126)	2FP (12-120)	NBZ (36-120)	PHL6 (10-120)	TPHd14 (47-131)
380-178571-1	HALAWA WELLS UNITS 1 & 2 F	88	92	52	90	31	94
380-178571-2	AIEA WELLS PUMPS 1&2 P2 (260) (331-203-TP400)	87	93	54	92	31	98

### Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)

FBP = 2-Fluorobiphenyl (Surr)

2FP = 2-Fluorophenol (Surr)

NBZ = Nitrobenzene-d5 (Surr)

PHL6 = Phenol-d6 (Surr)

TPHd14 = p-Terphenyl-d14 (Surr)

## Method: 625.1 - Semivolatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		TBP (33-139)	FBP (33-126)	2FP (12-120)	NBZ (36-120)	PHL6 (10-120)	TPHd14 (47-131)
MB 570-646557/1-A	Method Blank	87	92	58	90	33	95

Eurofins Eaton Analytical Pomona

# Surrogate Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-178571-1  
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea  
Wells Pumps 1&2 P2

### Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)  
FBP = 2-Fluorobiphenyl (Surr)  
2FP = 2-Fluorophenol (Surr)  
NBZ = Nitrobenzene-d5 (Surr)  
PHL6 = Phenol-d6 (Surr)  
TPHd14 = p-Terphenyl-d14 (Surr)

## Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Matrix: Drinking Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		TBP (28-127)	FBP (31-120)	2FP (17-120)	NBZ (27-120)	PHL6 (10-120)	TPHd14 (45-120)
380-178571-1	HALAWA WELLS UNITS 1 & 2 F	78	81	52	88	33	82
380-178571-1 MS	HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	81	83	61	77	40	88
380-178571-1 MSD	HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	64	65	49	62	32	72
380-178571-2	AIEA WELLS PUMPS 1&2 P2 (260) (331-203-TP400)	82	82	55	90	35	87

### Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)  
FBP = 2-Fluorobiphenyl (Surr)  
2FP = 2-Fluorophenol (Surr)  
NBZ = Nitrobenzene-d5 (Surr)  
PHL6 = Phenol-d6 (Surr)  
TPHd14 = p-Terphenyl-d14 (Surr)

## Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		TBP (28-127)	FBP (31-120)	2FP (17-120)	NBZ (27-120)	PHL6 (10-120)	TPHd14 (45-120)
LCS 570-646557/2-A	Lab Control Sample	80	82	63	76	42	87
LCSD 570-646557/3-A	Lab Control Sample Dup	76	78	57	74	37	86
MB 570-646557/1-A	Method Blank	76	75	55	86	35	84

### Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)  
FBP = 2-Fluorobiphenyl (Surr)  
2FP = 2-Fluorophenol (Surr)  
NBZ = Nitrobenzene-d5 (Surr)  
PHL6 = Phenol-d6 (Surr)  
TPHd14 = p-Terphenyl-d14 (Surr)

## Method: 8015B GRO LL - Gasoline Range Organics - (GC)

Matrix: Drinking Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		BFB1 (38-134)
380-178571-1	HALAWA WELLS UNITS 1 & 2 F	82
380-178571-1 MS	HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	83

# Surrogate Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-178571-1  
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea  
Wells Pumps 1&2 P2

## Method: 8015B GRO LL - Gasoline Range Organics - (GC) (Continued)

Matrix: Drinking Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	BFB1 (38-134)
380-178571-1 MSD	HALAWA WELLS UNITS 1 & 2 (	87
380-178571-2	AIEA WELLS PUMPS 1&2 P2 (260) (331-203-TP400)	86

#### Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

## Method: 8015B GRO LL - Gasoline Range Organics - (GC)

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	BFB1 (38-134)
380-178571-3	TB: HALAWA WELLS UNITS 1&	83
380-178571-4	TB: AIEA WELLS PUMPS 1&2 (260) (331-203-TP400)	82
LCS 570-646186/33	Lab Control Sample	85
LCSD 570-646186/34	Lab Control Sample Dup	82
MB 570-646186/35	Method Blank	78
MRL 570-646186/32	Lab Control Sample	78

#### Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

## Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level

Matrix: Drinking Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	OTCSN1 (60-130)
380-178571-1	HALAWA WELLS UNITS 1 & 2 F	126
380-178571-1 MS	HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	116
380-178571-1 MSD	HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	99
380-178571-2	AIEA WELLS PUMPS 1&2 P2 (260) (331-203-TP400)	114

#### Surrogate Legend

OTCSN = n-Octacosane (Surr)

## Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	OTCSN1 (60-130)
LCS 570-646316/2-A	Lab Control Sample	124
LCSD 570-646316/3-A	Lab Control Sample Dup	120
MB 570-646316/1-A	Method Blank	115
MRL 570-646316/4-A	Lab Control Sample	97

#### Surrogate Legend

OTCSN = n-Octacosane (Surr)

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-178571-1  
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea  
Wells Pumps 1&2 P2

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 380-182502/20-A**  
**Matrix: Water**  
**Analysis Batch: 182759**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 182502**

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 11:56	1
2,4'-DDD	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 11:56	1
2,4'-DDE	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 11:56	1
2,4'-DDT	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 11:56	1
2,4-Dinitrotoluene	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 11:56	1
2,6-Dinitrotoluene	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 11:56	1
2-Methylnaphthalene	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 11:56	1
4,4'-DDD	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 11:56	1
4,4'-DDE	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 11:56	1
4,4'-DDT	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 11:56	1
Acenaphthene	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 11:56	1
Acenaphthylene	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 11:56	1
Acetochlor	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 11:56	1
Alachlor	<0.050		0.050	ug/L		10/27/25 07:42	10/28/25 11:56	1
alpha-BHC	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 11:56	1
alpha-Chlordane	<0.050		0.050	ug/L		10/27/25 07:42	10/28/25 11:56	1
Anthracene	<0.020		0.020	ug/L		10/27/25 07:42	10/28/25 11:56	1
Atrazine	<0.050		0.050	ug/L		10/27/25 07:42	10/28/25 11:56	1
Benz(a)anthracene	<0.050		0.050	ug/L		10/27/25 07:42	10/28/25 11:56	1
Benzo[a]pyrene	<0.020		0.020	ug/L		10/27/25 07:42	10/28/25 11:56	1
Benzo[b]fluoranthene	<0.020		0.020	ug/L		10/27/25 07:42	10/28/25 11:56	1
Benzo[g,h,i]perylene	<0.050		0.050	ug/L		10/27/25 07:42	10/28/25 11:56	1
Benzo[k]fluoranthene	<0.020		0.020	ug/L		10/27/25 07:42	10/28/25 11:56	1
beta-BHC	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 11:56	1
Bis(2-ethylhexyl) phthalate	<0.59		0.59	ug/L		10/27/25 07:42	10/28/25 11:56	1
Bromacil	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 11:56	1
Butachlor	<0.050		0.050	ug/L		10/27/25 07:42	10/28/25 11:56	1
Butylbenzylphthalate	<0.50		0.50	ug/L		10/27/25 07:42	10/28/25 11:56	1
Chlorobenzilate	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 11:56	1
Chloroneb	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 11:56	1
Chlorothalonil (Draconil, Bravo)	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 11:56	1
Chlorpyrifos	<0.050		0.050	ug/L		10/27/25 07:42	10/28/25 11:56	1
Chrysene	<0.020		0.020	ug/L		10/27/25 07:42	10/28/25 11:56	1
delta-BHC	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 11:56	1
Di(2-ethylhexyl)adipate	<0.59		0.59	ug/L		10/27/25 07:42	10/28/25 11:56	1
Dibenz(a,h)anthracene	<0.050		0.050	ug/L		10/27/25 07:42	10/28/25 11:56	1
Diclorvos (DDVP)	<0.050		0.050	ug/L		10/27/25 07:42	10/28/25 11:56	1
Dieldrin	<0.0099		0.0099	ug/L		10/27/25 07:42	10/28/25 11:56	1
Diethylphthalate	<0.50		0.50	ug/L		10/27/25 07:42	10/28/25 11:56	1
Dimethylphthalate	<0.50		0.50	ug/L		10/27/25 07:42	10/28/25 11:56	1
Di-n-butyl phthalate	<0.99		0.99	ug/L		10/27/25 07:42	10/28/25 11:56	1
Di-n-octyl phthalate	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 11:56	1
Endosulfan I (Alpha)	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 11:56	1
Endosulfan II (Beta)	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 11:56	1
Endosulfan sulfate	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 11:56	1
Endrin	<0.0099		0.0099	ug/L		10/27/25 07:42	10/28/25 11:56	1
Endrin aldehyde	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 11:56	1

Eurofins Eaton Analytical Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-178571-1  
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea  
Wells Pumps 1&2 P2

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: MB 380-182502/20-A**  
**Matrix: Water**  
**Analysis Batch: 182759**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 182502**

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
EPTC	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 11:56	1
Fluoranthene	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 11:56	1
Fluorene	<0.050		0.050	ug/L		10/27/25 07:42	10/28/25 11:56	1
gamma-Chlordane	<0.050		0.050	ug/L		10/27/25 07:42	10/28/25 11:56	1
Heptachlor	<0.0099		0.0099	ug/L		10/27/25 07:42	10/28/25 11:56	1
Heptachlor epoxide (isomer B)	<0.0099		0.0099	ug/L		10/27/25 07:42	10/28/25 11:56	1
Hexachlorobenzene	<0.050		0.050	ug/L		10/27/25 07:42	10/28/25 11:56	1
Hexachlorocyclopentadiene	<0.050		0.050	ug/L		10/27/25 07:42	10/28/25 11:56	1
Indeno[1,2,3-cd]pyrene	<0.050		0.050	ug/L		10/27/25 07:42	10/28/25 11:56	1
Isophorone	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 11:56	1
Lindane	<0.0099		0.0099	ug/L		10/27/25 07:42	10/28/25 11:56	1
Malathion	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 11:56	1
Methoxychlor	<0.050		0.050	ug/L		10/27/25 07:42	10/28/25 11:56	1
Metolachlor	<0.050		0.050	ug/L		10/27/25 07:42	10/28/25 11:56	1
Molinate	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 11:56	1
Naphthalene	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 11:56	1
Parathion	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 11:56	1
Pendimethalin (Penoxaline)	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 11:56	1
Phenanthrene	<0.040		0.040	ug/L		10/27/25 07:42	10/28/25 11:56	1
Propachlor	<0.050		0.050	ug/L		10/27/25 07:42	10/28/25 11:56	1
Pyrene	<0.050		0.050	ug/L		10/27/25 07:42	10/28/25 11:56	1
Simazine	<0.050		0.050	ug/L		10/27/25 07:42	10/28/25 11:56	1
Terbacil	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 11:56	1
Terbutylazine	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 11:56	1
Thiobencarb	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 11:56	1
Total Permethrin (mixed isomers)	<0.20		0.20	ug/L		10/27/25 07:42	10/28/25 11:56	1
trans-Nonachlor	<0.050		0.050	ug/L		10/27/25 07:42	10/28/25 11:56	1
Trifluralin	<0.099		0.099	ug/L		10/27/25 07:42	10/28/25 11:56	1

<i>Tentatively Identified Compound</i>	MB Est. Result	MB Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
<i>Undecane</i>	1.58	T J N	ug/L		3.13	1120-21-4	10/27/25 07:42	10/28/25 11:56	1
<i>Phenol, p-tert-butyl-</i>	1.11	T J N	ug/L		3.85	98-54-4	10/27/25 07:42	10/28/25 11:56	1
<i>Phenol, 4-(1,1-dimethylpropyl)-</i>	0.625	T J N	ug/L		4.25	80-46-6	10/27/25 07:42	10/28/25 11:56	1
<i>Unknown</i>	0.645	T J	ug/L		14.88	N/A	10/27/25 07:42	10/28/25 11:56	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
<i>2-Nitro-m-xylene</i>	98		70 - 130	10/27/25 07:42	10/28/25 11:56	1
<i>Perylene-d12</i>	88		70 - 130	10/27/25 07:42	10/28/25 11:56	1
<i>Triphenylphosphate</i>	109		70 - 130	10/27/25 07:42	10/28/25 11:56	1

**Lab Sample ID: LCS 380-182502/22-A**  
**Matrix: Water**  
**Analysis Batch: 182759**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 182502**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1-Methylnaphthalene	1.95	1.81		ug/L		93	70 - 130
2,4'-DDD	1.95	2.08		ug/L		107	70 - 130

Eurofins Eaton Analytical Pomona

# QC Sample Results

Client: City & County of Honolulu  
 Project/Site: RED-HILL

Job ID: 380-178571-1  
 SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea  
 Wells Pumps 1&2 P2

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: LCS 380-182502/22-A**  
**Matrix: Water**  
**Analysis Batch: 182759**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 182502**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
2,4'-DDE	1.95	2.09		ug/L		107	70 - 130
2,4'-DDT	1.95	2.05		ug/L		105	70 - 130
2,4-Dinitrotoluene	1.95	2.15		ug/L		111	70 - 130
2,6-Dinitrotoluene	1.95	2.13		ug/L		109	70 - 130
2-Methylnaphthalene	1.95	1.83		ug/L		94	70 - 130
4,4'-DDD	1.95	2.12		ug/L		109	70 - 130
4,4'-DDE	1.95	2.13		ug/L		109	70 - 130
4,4'-DDT	1.95	1.91		ug/L		98	70 - 130
Acenaphthene	1.95	1.90		ug/L		98	70 - 130
Acenaphthylene	1.95	1.94		ug/L		100	70 - 130
Acetochlor	1.95	2.18		ug/L		112	70 - 130
Alachlor	1.95	2.19		ug/L		112	70 - 130
alpha-BHC	1.95	1.94		ug/L		99	70 - 130
alpha-Chlordane	1.95	2.09		ug/L		107	70 - 130
Anthracene	1.95	1.92		ug/L		99	70 - 130
Atrazine	1.95	2.19		ug/L		113	70 - 130
Benz(a)anthracene	1.95	1.83		ug/L		94	70 - 130
Benzo[a]pyrene	1.95	1.95		ug/L		100	70 - 130
Benzo[b]fluoranthene	1.95	2.06		ug/L		106	70 - 130
Benzo[g,h,i]perylene	1.95	1.96		ug/L		101	70 - 130
Benzo[k]fluoranthene	1.95	1.88		ug/L		97	70 - 130
beta-BHC	1.95	1.95		ug/L		100	70 - 130
Bis(2-ethylhexyl) phthalate	1.95	2.26		ug/L		116	70 - 130
Bromacil	1.95	2.20		ug/L		113	70 - 130
Butachlor	1.95	2.15		ug/L		110	70 - 130
Butylbenzylphthalate	1.95	2.28		ug/L		117	70 - 130
Chlorobenzilate	1.95	2.25		ug/L		116	70 - 130
Chloroneb	1.95	1.87		ug/L		96	70 - 130
Chlorothalonil (Draconil, Bravo)	1.95	2.23		ug/L		115	70 - 130
Chlorpyrifos	1.95	2.22		ug/L		114	70 - 130
Chrysene	1.95	1.85		ug/L		95	70 - 130
delta-BHC	1.95	1.92		ug/L		99	70 - 130
Di(2-ethylhexyl)adipate	1.95	2.35		ug/L		121	70 - 130
Dibenz(a,h)anthracene	1.95	1.98		ug/L		102	70 - 130
Diclorvos (DDVP)	1.95	2.06		ug/L		106	70 - 130
Dieldrin	1.95	2.04		ug/L		105	70 - 130
Diethylphthalate	1.95	2.19		ug/L		112	70 - 130
Dimethylphthalate	1.95	2.12		ug/L		109	70 - 130
Di-n-butyl phthalate	3.89	4.43		ug/L		114	70 - 130
Di-n-octyl phthalate	1.95	2.30		ug/L		118	70 - 130
Endosulfan I (Alpha)	1.95	1.92		ug/L		99	70 - 130
Endosulfan II (Beta)	1.95	1.97		ug/L		101	70 - 130
Endosulfan sulfate	1.95	2.19		ug/L		112	70 - 130
Endrin	1.95	2.14		ug/L		110	70 - 130
Endrin aldehyde	1.95	1.97		ug/L		101	60 - 130
EPTC	1.95	2.08		ug/L		107	70 - 130
Fluoranthene	1.95	2.09		ug/L		107	70 - 130
Fluorene	1.95	1.96		ug/L		101	70 - 130

Eurofins Eaton Analytical Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-178571-1  
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea  
Wells Pumps 1&2 P2

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: LCS 380-182502/22-A**  
**Matrix: Water**  
**Analysis Batch: 182759**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 182502**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
gamma-Chlordane	1.95	2.13		ug/L		109	70 - 130
Heptachlor	1.95	2.17		ug/L		111	70 - 130
Heptachlor epoxide (isomer B)	1.95	2.04		ug/L		105	70 - 130
Hexachlorobenzene	1.95	2.03		ug/L		105	70 - 130
Hexachlorocyclopentadiene	1.95	2.04		ug/L		105	70 - 130
Indeno[1,2,3-cd]pyrene	1.95	2.09		ug/L		108	70 - 130
Isophorone	1.95	2.02		ug/L		104	70 - 130
Lindane	1.95	1.96		ug/L		100	70 - 130
Malathion	1.95	2.07		ug/L		106	70 - 130
Methoxychlor	1.95	2.04		ug/L		105	70 - 130
Metolachlor	1.95	2.03		ug/L		104	70 - 130
Molinate	1.95	2.09		ug/L		107	70 - 130
Naphthalene	1.95	1.82		ug/L		94	70 - 130
Parathion	1.95	2.33		ug/L		120	70 - 130
Pendimethalin (Penoxaline)	1.95	2.19		ug/L		112	70 - 130
Phenanthrene	1.95	1.94		ug/L		100	70 - 130
Propachlor	1.95	2.18		ug/L		112	70 - 130
Pyrene	1.95	2.06		ug/L		106	70 - 130
Simazine	1.95	2.12		ug/L		109	70 - 130
Terbacil	1.95	2.19		ug/L		112	70 - 130
Terbutylazine	1.95	2.25		ug/L		116	70 - 130
Thiobencarb	1.95	2.22		ug/L		114	70 - 130
trans-Nonachlor	1.95	1.99		ug/L		102	70 - 130
Trifluralin	1.95	2.18		ug/L		112	70 - 130

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
2-Nitro-m-xylene	99		70 - 130
Perylene-d12	97		70 - 130
Triphenylphosphate	112		70 - 130

**Lab Sample ID: MRL 380-182502/21-A**  
**Matrix: Water**  
**Analysis Batch: 182759**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 182502**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
1-Methylnaphthalene	0.0995	0.120		ug/L		120	50 - 150
2,4'-DDD	0.0995	0.0864	J	ug/L		87	50 - 150
2,4'-DDE	0.0995	0.103		ug/L		103	50 - 150
2,4'-DDT	0.0995	0.0998		ug/L		100	50 - 150
2,4-Dinitrotoluene	0.0995	0.123		ug/L		124	50 - 150
2,6-Dinitrotoluene	0.0995	0.145		ug/L		146	50 - 150
2-Methylnaphthalene	0.0995	0.112		ug/L		112	50 - 150
4,4'-DDD	0.0995	0.103		ug/L		103	50 - 150
4,4'-DDE	0.0995	0.102		ug/L		102	50 - 150
4,4'-DDT	0.0995	0.114		ug/L		115	50 - 150
Acenaphthene	0.0995	0.0915	J	ug/L		92	50 - 150
Acenaphthylene	0.0995	0.0965	J	ug/L		97	50 - 150

Eurofins Eaton Analytical Pomona

# QC Sample Results

Client: City & County of Honolulu  
 Project/Site: RED-HILL

Job ID: 380-178571-1  
 SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea  
 Wells Pumps 1&2 P2

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: MRL 380-182502/21-A**  
**Matrix: Water**  
**Analysis Batch: 182759**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 182502**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Acetochlor	0.0995	0.122		ug/L		123	50 - 150
Alachlor	0.0497	0.0571		ug/L		115	50 - 150
alpha-BHC	0.0995	0.105		ug/L		106	50 - 150
alpha-Chlordane	0.0249	<0.029		ug/L		114	50 - 150
Anthracene	0.0199	0.0222		ug/L		111	50 - 150
Atrazine	0.0497	0.0504		ug/L		101	50 - 150
Benz(a)anthracene	0.0497	0.0543		ug/L		109	50 - 150
Benzo[a]pyrene	0.0199	0.0270		ug/L		136	50 - 150
Benzo[b]fluoranthene	0.0199	0.0230		ug/L		116	50 - 150
Benzo[g,h,i]perylene	0.0497	0.0537		ug/L		108	50 - 150
Benzo[k]fluoranthene	0.0199	0.0229		ug/L		115	50 - 150
beta-BHC	0.0995	0.112		ug/L		113	50 - 150
Bis(2-ethylhexyl) phthalate	0.597	0.667		ug/L		112	50 - 150
Bromacil	0.0995	0.138		ug/L		138	50 - 150
Butachlor	0.0497	0.0708		ug/L		142	50 - 150
Butylbenzylphthalate	0.497	0.615		ug/L		124	50 - 150
Chlorobenzilate	0.0995	0.119		ug/L		119	50 - 150
Chloroneb	0.0995	0.106		ug/L		107	50 - 150
Chlorothalonil (Draconil, Bravo)	0.0995	0.0941	J	ug/L		95	50 - 150
Chlorpyrifos	0.0497	0.0533		ug/L		107	50 - 150
Chrysene	0.0199	0.0186	J	ug/L		93	50 - 150
delta-BHC	0.0995	0.105		ug/L		105	50 - 150
Di(2-ethylhexyl)adipate	0.597	0.743		ug/L		124	50 - 150
Dibenz(a,h)anthracene	0.0497	0.0563		ug/L		113	50 - 150
Diclorvos (DDVP)	0.0497	0.0625		ug/L		126	50 - 150
Dieldrin	0.00995	0.0134		ug/L		134	50 - 150
Diethylphthalate	0.497	0.587		ug/L		118	50 - 150
Dimethylphthalate	0.497	0.550		ug/L		111	50 - 150
Di-n-butyl phthalate	0.497	0.584	J	ug/L		117	49 - 243
Di-n-octyl phthalate	0.0995	0.111		ug/L		111	50 - 150
Endosulfan I (Alpha)	0.0995	0.0948	J	ug/L		95	50 - 150
Endosulfan II (Beta)	0.0995	0.106		ug/L		106	50 - 150
Endosulfan sulfate	0.0995	0.101		ug/L		102	50 - 150
Endrin	0.00995	0.0104		ug/L		105	50 - 150
Endrin aldehyde	0.0995	0.142		ug/L		143	50 - 150
EPTC	0.0995	0.111		ug/L		111	50 - 150
Fluoranthene	0.0995	0.105		ug/L		105	50 - 150
Fluorene	0.0497	0.0515		ug/L		104	50 - 150
gamma-Chlordane	0.0249	0.0279	J	ug/L		112	50 - 150
Heptachlor	0.00995	0.0100		ug/L		101	50 - 150
Heptachlor epoxide (isomer B)	0.00995	0.0117		ug/L		117	50 - 150
Hexachlorobenzene	0.0497	0.0520		ug/L		105	50 - 150
Hexachlorocyclopentadiene	0.0497	0.0515		ug/L		104	50 - 150
Indeno[1,2,3-cd]pyrene	0.0497	0.0597		ug/L		120	50 - 150
Isophorone	0.0995	0.126		ug/L		126	50 - 150
Lindane	0.00995	0.00943	J	ug/L		95	50 - 150
Malathion	0.0995	0.122		ug/L		122	50 - 150
Methoxychlor	0.0497	0.0574		ug/L		115	50 - 150

Eurofins Eaton Analytical Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-178571-1  
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea  
Wells Pumps 1&2 P2

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: MRL 380-182502/21-A**  
**Matrix: Water**  
**Analysis Batch: 182759**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 182502**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Metolachlor	0.0497	0.0652		ug/L		131	50 - 150
Molinate	0.0995	0.111		ug/L		112	50 - 150
Naphthalene	0.0995	0.131		ug/L		132	50 - 150
Parathion	0.0995	0.112		ug/L		112	50 - 150
Pendimethalin (Penoxaline)	0.0995	0.113		ug/L		113	50 - 150
Phenanthrene	0.0398	0.0396	J	ug/L		100	50 - 150
Propachlor	0.0497	0.0602		ug/L		121	50 - 150
Pyrene	0.0497	0.0515		ug/L		104	50 - 150
Simazine	0.0497	0.0516		ug/L		104	50 - 150
Terbacil	0.0995	0.128		ug/L		129	50 - 150
Terbutylazine	0.0995	0.109		ug/L		110	50 - 150
Thiobencarb	0.0995	0.115		ug/L		116	50 - 150
trans-Nonachlor	0.0249	<0.026		ug/L		101	50 - 150
Trifluralin	0.0995	0.123		ug/L		124	50 - 150

Surrogate	MRL %Recovery	MRL Qualifier	Limits
2-Nitro-m-xylene	97		70 - 130
Perylene-d12	92		70 - 130
Triphenylphosphate	110		70 - 130

**Lab Sample ID: 380-179066-N-1-A MS**  
**Matrix: Water**  
**Analysis Batch: 182759**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**  
**Prep Batch: 182502**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1-Methylnaphthalene	<0.099		1.96	1.84		ug/L		93	70 - 130
2,4'-DDD	<0.099		1.96	2.18		ug/L		111	70 - 130
2,4'-DDE	<0.099		1.96	2.15		ug/L		109	70 - 130
2,4'-DDT	<0.099		1.96	2.19		ug/L		111	70 - 130
2,4-Dinitrotoluene	<0.099		1.96	2.21		ug/L		113	70 - 130
2,6-Dinitrotoluene	<0.099		1.96	2.17		ug/L		110	70 - 130
2-Methylnaphthalene	<0.099		1.96	1.87		ug/L		95	70 - 130
4,4'-DDD	<0.099		1.96	2.23		ug/L		114	70 - 130
4,4'-DDE	<0.099		1.96	2.19		ug/L		111	70 - 130
4,4'-DDT	<0.099		1.96	1.99		ug/L		101	70 - 130
Acenaphthene	<0.099		1.96	1.96		ug/L		100	70 - 130
Acenaphthylene	<0.099		1.96	1.95		ug/L		99	70 - 130
Acetochlor	<0.099		1.96	2.24		ug/L		114	70 - 130
Alachlor	<0.050		1.96	2.22		ug/L		113	70 - 130
alpha-BHC	<0.099		1.96	2.01		ug/L		102	70 - 130
alpha-Chlordane	<0.050		1.96	2.19		ug/L		112	70 - 130
Anthracene	<0.020		1.96	1.80		ug/L		92	70 - 130
Atrazine	<0.050		1.96	2.16		ug/L		110	70 - 130
Benz(a)anthracene	<0.050		1.96	1.93		ug/L		98	70 - 130
Benzo[a]pyrene	<0.020		1.96	1.94		ug/L		99	70 - 130
Benzo[b]fluoranthene	<0.020		1.96	2.03		ug/L		104	70 - 130
Benzo[g,h,i]perylene	<0.050		1.96	1.91		ug/L		97	70 - 130

# QC Sample Results

Client: City & County of Honolulu  
 Project/Site: RED-HILL

Job ID: 380-178571-1  
 SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea  
 Wells Pumps 1&2 P2

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: 380-179066-N-1-A MS**  
**Matrix: Water**  
**Analysis Batch: 182759**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**  
**Prep Batch: 182502**

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier	Added	Result	Qualifier				
Benzo[k]fluoranthene	<0.020		1.96	1.89		ug/L		96	70 - 130
beta-BHC	<0.099		1.96	1.98		ug/L		101	70 - 130
Bis(2-ethylhexyl) phthalate	<0.60		1.96	2.28		ug/L		116	70 - 130
Bromacil	<0.099		1.96	2.28		ug/L		116	70 - 130
Butachlor	<0.050		1.96	2.22		ug/L		113	70 - 130
Butylbenzylphthalate	<0.50		1.96	2.36		ug/L		120	70 - 130
Chlorobenzilate	<0.099		1.96	2.32		ug/L		118	70 - 130
Chloroneb	<0.099		1.96	1.88		ug/L		96	70 - 130
Chlorothalonil (Draconil, Bravo)	<0.099		1.96	2.26		ug/L		115	70 - 130
Chlorpyrifos	<0.050		1.96	2.30		ug/L		117	70 - 130
Chrysene	<0.020		1.96	1.83		ug/L		93	70 - 130
delta-BHC	<0.099		1.96	1.96		ug/L		100	70 - 130
Di(2-ethylhexyl)adipate	<0.60		1.96	2.43		ug/L		124	70 - 130
Dibenz(a,h)anthracene	<0.050		1.96	2.01		ug/L		102	70 - 130
Diclorvos (DDVP)	<0.050		1.96	2.13		ug/L		109	70 - 130
Dieldrin	<0.0099		1.96	2.09		ug/L		106	70 - 130
Diethylphthalate	<0.50		1.96	2.21		ug/L		113	70 - 130
Dimethylphthalate	<0.50		1.96	2.17		ug/L		111	70 - 130
Di-n-butyl phthalate	<0.99		3.93	4.52		ug/L		115	70 - 130
Di-n-octyl phthalate	<0.099		1.96	2.35		ug/L		120	70 - 130
Endosulfan I (Alpha)	<0.099		1.96	1.98		ug/L		101	70 - 130
Endosulfan II (Beta)	<0.099		1.96	2.03		ug/L		103	70 - 130
Endosulfan sulfate	<0.099		1.96	2.20		ug/L		112	70 - 130
Endrin	<0.0099		1.96	2.17		ug/L		111	70 - 130
Endrin aldehyde	<0.099		1.96	1.54		ug/L		79	60 - 130
EPTC	<0.099		1.96	2.13		ug/L		108	70 - 130
Fluoranthene	<0.099		1.96	2.15		ug/L		110	70 - 130
Fluorene	<0.050		1.96	1.99		ug/L		101	70 - 130
gamma-Chlordane	<0.050		1.96	2.22		ug/L		113	70 - 130
Heptachlor	<0.0099		1.96	2.21		ug/L		112	70 - 130
Heptachlor epoxide (isomer B)	<0.0099		1.96	2.11		ug/L		108	70 - 130
Hexachlorobenzene	<0.050		1.96	2.12		ug/L		108	70 - 130
Hexachlorocyclopentadiene	<0.050		1.96	2.13		ug/L		108	70 - 130
Indeno[1,2,3-cd]pyrene	<0.050		1.96	2.11		ug/L		108	70 - 130
Isophorone	<0.099		1.96	2.08		ug/L		106	70 - 130
Lindane	<0.0099		1.96	2.00		ug/L		102	70 - 130
Malathion	<0.099		1.96	2.12		ug/L		108	70 - 130
Methoxychlor	<0.050		1.96	2.10		ug/L		107	70 - 130
Metolachlor	<0.050		1.96	2.07		ug/L		105	70 - 130
Molinate	<0.099		1.96	2.13		ug/L		108	70 - 130
Naphthalene	<0.099		1.96	1.88		ug/L		96	70 - 130
Parathion	<0.099		1.96	2.39		ug/L		122	70 - 130
Pendimethalin (Penoxaline)	<0.099		1.96	2.32		ug/L		118	70 - 130
Phenanthrene	<0.040		1.96	1.96		ug/L		100	70 - 130
Propachlor	<0.050		1.96	2.24		ug/L		114	70 - 130
Pyrene	<0.050		1.96	2.14		ug/L		109	70 - 130
Simazine	<0.050		1.96	2.11		ug/L		108	70 - 130
Terbacil	<0.099		1.96	2.25		ug/L		115	70 - 130

Eurofins Eaton Analytical Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-178571-1  
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea  
Wells Pumps 1&2 P2

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: 380-179066-N-1-A MS**  
**Matrix: Water**  
**Analysis Batch: 182759**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**  
**Prep Batch: 182502**

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec	Limits
	Result	Qualifier	Added	Result	Qualifier					
Terbutylazine	<0.099		1.96	2.28		ug/L		116	70 - 130	
Thiobencarb	<0.099		1.96	2.26		ug/L		115	70 - 130	
trans-Nonachlor	<0.050		1.96	2.05		ug/L		104	70 - 130	
Trifluralin	<0.099		1.96	2.28		ug/L		116	70 - 130	

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
2-Nitro-m-xylene	99		70 - 130
Perylene-d12	96		70 - 130
Triphenylphosphate	113		70 - 130

**Lab Sample ID: 380-178570-H-1-A DU**  
**Matrix: Water**  
**Analysis Batch: 182759**

**Client Sample ID: Duplicate**  
**Prep Type: Total/NA**  
**Prep Batch: 182502**

Analyte	Sample	Sample	DU	DU	Unit	D	RPD	Limit
	Result	Qualifier	Result	Qualifier				
1-Methylnaphthalene	<0.099		<0.097		ug/L		NC	20
2,4'-DDD	<0.099		<0.097		ug/L		NC	20
2,4'-DDE	<0.099		<0.097		ug/L		NC	20
2,4'-DDT	<0.099		<0.097		ug/L		NC	20
2,4-Dinitrotoluene	<0.099		<0.097		ug/L		NC	20
2,6-Dinitrotoluene	<0.099		<0.097		ug/L		NC	20
2-Methylnaphthalene	<0.099		<0.097		ug/L		NC	20
4,4'-DDD	<0.099		<0.097		ug/L		NC	20
4,4'-DDE	<0.099		<0.097		ug/L		NC	20
4,4'-DDT	<0.099		<0.097		ug/L		NC	20
Acenaphthene	<0.099		<0.097		ug/L		NC	20
Acenaphthylene	<0.099		<0.097		ug/L		NC	20
Acetochlor	<0.099		<0.097		ug/L		NC	20
Alachlor	<0.049		<0.049		ug/L		NC	20
alpha-BHC	<0.099		<0.097		ug/L		NC	20
alpha-Chlordane	<0.049		<0.049		ug/L		NC	20
Anthracene	<0.020		<0.019		ug/L		NC	20
Atrazine	<0.049		<0.049		ug/L		NC	20
Benz(a)anthracene	<0.049		<0.049		ug/L		NC	20
Benzo[a]pyrene	<0.020		<0.019		ug/L		NC	20
Benzo[b]fluoranthene	<0.020		<0.019		ug/L		NC	20
Benzo[g,h,i]perylene	<0.049		<0.049		ug/L		NC	20
Benzo[k]fluoranthene	<0.020		<0.019		ug/L		NC	20
beta-BHC	<0.099		<0.097		ug/L		NC	20
Bis(2-ethylhexyl) phthalate	<0.59		<0.58		ug/L		NC	20
Bromacil	<0.099		<0.097		ug/L		NC	20
Butachlor	<0.049		<0.049		ug/L		NC	20
Butylbenzylphthalate	<0.49		<0.49		ug/L		NC	20
Chlorobenzilate	<0.099		<0.097		ug/L		NC	20
Chloroneb	<0.099		<0.097		ug/L		NC	20
Chlorothalonil (Draconil, Bravo)	<0.099		<0.097		ug/L		NC	20
Chlorpyrifos	<0.049		<0.049		ug/L		NC	20

# QC Sample Results

Client: City & County of Honolulu  
 Project/Site: RED-HILL

Job ID: 380-178571-1  
 SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea  
 Wells Pumps 1&2 P2

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: 380-178570-H-1-A DU**  
**Matrix: Water**  
**Analysis Batch: 182759**

**Client Sample ID: Duplicate**  
**Prep Type: Total/NA**  
**Prep Batch: 182502**

Analyte	Sample	Sample	DU	DU	Unit	D	RPD	Limit
	Result	Qualifier	Result	Qualifier				
Chrysene	<0.020		<0.019		ug/L		NC	20
delta-BHC	<0.099		<0.097		ug/L		NC	20
Di(2-ethylhexyl)adipate	<0.59		<0.58		ug/L		NC	20
Dibenz(a,h)anthracene	<0.049		<0.049		ug/L		NC	20
Diclorvos (DDVP)	<0.049		<0.049		ug/L		NC	20
Dieldrin	<0.0099		<0.0097		ug/L		NC	20
Diethylphthalate	<0.49		<0.49		ug/L		NC	20
Dimethylphthalate	<0.49		<0.49		ug/L		NC	20
Di-n-butyl phthalate	<0.99		<0.97		ug/L		NC	20
Di-n-octyl phthalate	<0.099		<0.097		ug/L		NC	20
Endosulfan I (Alpha)	<0.099		<0.097		ug/L		NC	20
Endosulfan II (Beta)	<0.099		<0.097		ug/L		NC	20
Endosulfan sulfate	<0.099		<0.097		ug/L		NC	20
Endrin	<0.0099		<0.0097		ug/L		NC	20
Endrin aldehyde	<0.099		<0.097		ug/L		NC	20
EPTC	<0.099		<0.097		ug/L		NC	20
Fluoranthene	<0.099		<0.097		ug/L		NC	20
Fluorene	<0.049		<0.049		ug/L		NC	20
gamma-Chlordane	<0.049		<0.049		ug/L		NC	20
Heptachlor	<0.0099		<0.0097		ug/L		NC	20
Heptachlor epoxide (isomer B)	<0.0099		<0.0097		ug/L		NC	20
Hexachlorobenzene	<0.049		<0.049		ug/L		NC	20
Hexachlorocyclopentadiene	<0.049		<0.049		ug/L		NC	20
Indeno[1,2,3-cd]pyrene	<0.049		<0.049		ug/L		NC	20
Isophorone	<0.099		<0.097		ug/L		NC	20
Lindane	<0.0099		<0.0097		ug/L		NC	20
Malathion	<0.099		<0.097		ug/L		NC	20
Methoxychlor	<0.049		<0.049		ug/L		NC	20
Metolachlor	<0.049		<0.049		ug/L		NC	20
Molinate	<0.099		<0.097		ug/L		NC	20
Naphthalene	<0.099		<0.097		ug/L		NC	20
Parathion	<0.099		<0.097		ug/L		NC	20
Pendimethalin (Penoxaline)	<0.099		<0.097		ug/L		NC	20
Phenanthrene	<0.039		<0.039		ug/L		NC	20
Propachlor	<0.049		<0.049		ug/L		NC	20
Pyrene	<0.049		<0.049		ug/L		NC	20
Simazine	<0.049		<0.049		ug/L		NC	20
Terbacil	<0.099		<0.097		ug/L		NC	20
Terbutylazine	<0.099		<0.097		ug/L		NC	20
Thiobencarb	<0.099		<0.097		ug/L		NC	20
Total Permethrin (mixed isomers)	<0.20		<0.19		ug/L		NC	20
trans-Nonachlor	<0.049		<0.049		ug/L		NC	20
Trifluralin	<0.099		<0.097		ug/L		NC	20

Surrogate	DU DU		Limits
	%Recovery	Qualifier	
2-Nitro-m-xylene	99		70 - 130
Perylene-d12	94		70 - 130

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-178571-1  
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea  
Wells Pumps 1&2 P2

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 380-178570-H-1-A DU  
Matrix: Water  
Analysis Batch: 182759

Client Sample ID: Duplicate  
Prep Type: Total/NA  
Prep Batch: 182502

Surrogate	%Recovery	DU DU Qualifier	Limits
Triphenylphosphate	108		70 - 130

## Method: 625.1 - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 570-646557/1-A  
Matrix: Water  
Analysis Batch: 652536

Client Sample ID: Method Blank  
Prep Type: Total/NA  
Prep Batch: 646557

Tentatively Identified Compound	Est. Result	MB MB Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Tentatively Identified Compound	None		ug/L			N/A	10/27/25 08:06	11/06/25 23:10	1

Surrogate	%Recovery	MB MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	87		33 - 139	10/27/25 08:06	11/06/25 23:10	1
2-Fluorobiphenyl (Surr)	92		33 - 126	10/27/25 08:06	11/06/25 23:10	1
2-Fluorophenol (Surr)	58		12 - 120	10/27/25 08:06	11/06/25 23:10	1
Nitrobenzene-d5 (Surr)	90		36 - 120	10/27/25 08:06	11/06/25 23:10	1
Phenol-d6 (Surr)	33		10 - 120	10/27/25 08:06	11/06/25 23:10	1
p-Terphenyl-d14 (Surr)	95		47 - 131	10/27/25 08:06	11/06/25 23:10	1

## Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Lab Sample ID: MB 570-646557/1-A  
Matrix: Water  
Analysis Batch: 651324

Client Sample ID: Method Blank  
Prep Type: Total/NA  
Prep Batch: 646557

Analyte	MB MB Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	<0.20		0.20	ug/L		10/27/25 08:06	11/05/25 05:40	1
2-Methylnaphthalene	<0.20		0.20	ug/L		10/27/25 08:06	11/05/25 05:40	1
Acenaphthene	<0.20		0.20	ug/L		10/27/25 08:06	11/05/25 05:40	1
Acenaphthylene	<0.20		0.20	ug/L		10/27/25 08:06	11/05/25 05:40	1
Anthracene	<0.20		0.20	ug/L		10/27/25 08:06	11/05/25 05:40	1
Benzo[a]anthracene	<0.20		0.20	ug/L		10/27/25 08:06	11/05/25 05:40	1
Benzo[a]pyrene	<0.20		0.20	ug/L		10/27/25 08:06	11/05/25 05:40	1
Benzo[b]fluoranthene	<0.20		0.20	ug/L		10/27/25 08:06	11/05/25 05:40	1
Benzo[g,h,i]perylene	<0.20		0.20	ug/L		10/27/25 08:06	11/05/25 05:40	1
Benzo[k]fluoranthene	<0.20		0.20	ug/L		10/27/25 08:06	11/05/25 05:40	1
Chrysene	<0.20		0.20	ug/L		10/27/25 08:06	11/05/25 05:40	1
Dibenz(a,h)anthracene	<0.20		0.20	ug/L		10/27/25 08:06	11/05/25 05:40	1
Fluoranthene	<0.20		0.20	ug/L		10/27/25 08:06	11/05/25 05:40	1
Fluorene	<0.20		0.20	ug/L		10/27/25 08:06	11/05/25 05:40	1
Indeno[1,2,3-cd]pyrene	<0.20		0.20	ug/L		10/27/25 08:06	11/05/25 05:40	1
Naphthalene	<0.20		0.20	ug/L		10/27/25 08:06	11/05/25 05:40	1
Phenanthrene	<0.20		0.20	ug/L		10/27/25 08:06	11/05/25 05:40	1
Pyrene	<0.20		0.20	ug/L		10/27/25 08:06	11/05/25 05:40	1

Surrogate	%Recovery	MB MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	76		28 - 127	10/27/25 08:06	11/05/25 05:40	1

Eurofins Eaton Analytical Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-178571-1  
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea  
Wells Pumps 1&2 P2

## Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

**Lab Sample ID: MB 570-646557/1-A**  
**Matrix: Water**  
**Analysis Batch: 651324**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 646557**

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
2-Fluorobiphenyl (Surr)	75		31 - 120	10/27/25 08:06	11/05/25 05:40	1
2-Fluorophenol (Surr)	55		17 - 120	10/27/25 08:06	11/05/25 05:40	1
Nitrobenzene-d5 (Surr)	86		27 - 120	10/27/25 08:06	11/05/25 05:40	1
Phenol-d6 (Surr)	35		10 - 120	10/27/25 08:06	11/05/25 05:40	1
p-Terphenyl-d14 (Surr)	84		45 - 120	10/27/25 08:06	11/05/25 05:40	1

**Lab Sample ID: LCS 570-646557/2-A**  
**Matrix: Water**  
**Analysis Batch: 651324**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 646557**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
2-Methylnaphthalene	20.0	13.9		ug/L		70	43 - 120
Acenaphthene	20.0	16.8		ug/L		84	60 - 132
Acenaphthylene	20.0	17.0		ug/L		85	54 - 126
Anthracene	20.0	16.8		ug/L		84	43 - 120
Benzo[a]anthracene	20.0	17.0		ug/L		85	42 - 133
Benzo[a]pyrene	20.0	17.2		ug/L		86	32 - 148
Benzo[b]fluoranthene	20.0	17.3		ug/L		87	42 - 140
Benzo[g,h,i]perylene	20.0	16.6		ug/L		83	1 - 195
Benzo[k]fluoranthene	20.0	17.3		ug/L		87	25 - 146
Chrysene	20.0	17.4		ug/L		87	44 - 140
Dibenz(a,h)anthracene	20.0	17.5		ug/L		88	1 - 200
Fluoranthene	20.0	17.6		ug/L		88	43 - 121
Fluorene	20.0	17.0		ug/L		85	70 - 120
Indeno[1,2,3-cd]pyrene	20.0	16.9		ug/L		84	1 - 151
Naphthalene	20.0	13.7		ug/L		69	36 - 120
Phenanthrene	20.0	17.0		ug/L		85	65 - 120
Pyrene	20.0	18.1		ug/L		91	70 - 120

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
2,4,6-Tribromophenol (Surr)	80		28 - 127
2-Fluorobiphenyl (Surr)	82		31 - 120
2-Fluorophenol (Surr)	63		17 - 120
Nitrobenzene-d5 (Surr)	76		27 - 120
Phenol-d6 (Surr)	42		10 - 120
p-Terphenyl-d14 (Surr)	87		45 - 120

**Lab Sample ID: LCSD 570-646557/3-A**  
**Matrix: Water**  
**Analysis Batch: 651324**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**  
**Prep Batch: 646557**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	
								RPD	Limit
1-Methylnaphthalene	20.0	13.8		ug/L		69	47 - 120	2	20
2-Methylnaphthalene	20.0	13.7		ug/L		69	43 - 120	2	20
Acenaphthene	20.0	16.5		ug/L		83	60 - 132	2	29
Acenaphthylene	20.0	16.6		ug/L		83	54 - 126	3	45

Eurofins Eaton Analytical Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-178571-1  
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea  
Wells Pumps 1&2 P2

## Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

**Lab Sample ID: LCSD 570-646557/3-A**  
**Matrix: Water**  
**Analysis Batch: 651324**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**  
**Prep Batch: 646557**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Anthracene	20.0	16.5		ug/L		82	43 - 120	2	40
Benzo[a]anthracene	20.0	16.6		ug/L		83	42 - 133	3	32
Benzo[a]pyrene	20.0	16.6		ug/L		83	32 - 148	3	43
Benzo[b]fluoranthene	20.0	16.6		ug/L		83	42 - 140	4	43
Benzo[g,h,i]perylene	20.0	16.1		ug/L		80	1 - 195	3	61
Benzo[k]fluoranthene	20.0	16.9		ug/L		85	25 - 146	2	38
Chrysene	20.0	16.8		ug/L		84	44 - 140	3	53
Dibenz(a,h)anthracene	20.0	16.7		ug/L		84	1 - 200	5	75
Fluoranthene	20.0	17.3		ug/L		87	43 - 121	2	40
Fluorene	20.0	16.7		ug/L		84	70 - 120	2	23
Indeno[1,2,3-cd]pyrene	20.0	16.5		ug/L		83	1 - 151	2	60
Naphthalene	20.0	13.7		ug/L		69	36 - 120	0	39
Phenanthrene	20.0	16.5		ug/L		82	65 - 120	3	24
Pyrene	20.0	17.9		ug/L		90	70 - 120	1	30

Surrogate	LCSD		Limits
	%Recovery	Qualifier	
2,4,6-Tribromophenol (Surr)	76		28 - 127
2-Fluorobiphenyl (Surr)	78		31 - 120
2-Fluorophenol (Surr)	57		17 - 120
Nitrobenzene-d5 (Surr)	74		27 - 120
Phenol-d6 (Surr)	37		10 - 120
p-Terphenyl-d14 (Surr)	86		45 - 120

**Lab Sample ID: 380-178571-1 MS**  
**Matrix: Drinking Water**  
**Analysis Batch: 651324**

**Client Sample ID: HALAWA WELLS UNITS 1 & 2 (331-206-TP065)**  
**Prep Type: Total/NA**  
**Prep Batch: 646557**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1-Methylnaphthalene	<0.19		19.2	13.9		ug/L		72	36 - 120
2-Methylnaphthalene	<0.19		19.2	13.7		ug/L		71	32 - 124
Acenaphthene	<0.19		19.2	16.6		ug/L		87	47 - 145
Acenaphthylene	<0.19		19.2	16.6		ug/L		86	33 - 145
Anthracene	<0.19		19.2	16.1		ug/L		84	27 - 133
Benzo[a]anthracene	<0.19		19.2	16.2		ug/L		84	33 - 143
Benzo[a]pyrene	<0.19		19.2	16.3		ug/L		85	17 - 163
Benzo[b]fluoranthene	<0.19		19.2	16.0		ug/L		83	24 - 159
Benzo[g,h,i]perylene	<0.19		19.2	15.7		ug/L		82	1 - 219
Benzo[k]fluoranthene	<0.19		19.2	16.4		ug/L		85	11 - 162
Chrysene	<0.19		19.2	16.6		ug/L		86	17 - 168
Dibenz(a,h)anthracene	<0.19		19.2	16.4		ug/L		85	1 - 227
Fluoranthene	<0.19		19.2	16.9		ug/L		88	26 - 137
Fluorene	<0.19		19.2	16.5		ug/L		86	59 - 121
Indeno[1,2,3-cd]pyrene	<0.19		19.2	15.9		ug/L		83	1 - 171
Naphthalene	<0.19		19.2	13.4		ug/L		70	21 - 133
Phenanthrene	<0.19		19.2	16.2		ug/L		84	54 - 120
Pyrene	<0.19		19.2	17.4		ug/L		91	52 - 120

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-178571-1  
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea  
Wells Pumps 1&2 P2

## Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

**Lab Sample ID: 380-178571-1 MS**  
**Matrix: Drinking Water**  
**Analysis Batch: 651324**

**Client Sample ID: HALAWA WELLS UNITS 1 & 2 (331-206-TP065)**  
**Prep Type: Total/NA**  
**Prep Batch: 646557**

Surrogate	MS %Recovery	MS Qualifier	Limits
2,4,6-Tribromophenol (Surr)	81		28 - 127
2-Fluorobiphenyl (Surr)	83		31 - 120
2-Fluorophenol (Surr)	61		17 - 120
Nitrobenzene d5 (Surr)	77		27 - 120
Phenol-d6 (Surr)	40		10 - 120
p-Terphenyl-d14 (Surr)	88		45 - 120

**Lab Sample ID: 380-178571-1 MSD**  
**Matrix: Drinking Water**  
**Analysis Batch: 651324**

**Client Sample ID: HALAWA WELLS UNITS 1 & 2 (331-206-TP065)**  
**Prep Type: Total/NA**  
**Prep Batch: 646557**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD		Unit	D	%Rec	%Rec		RPD	Limit
				Result	Qualifier				Limits	RPD		
1-Methylnaphthalene	<0.19		19.5	11.3		ug/L		58	36 - 120	21	30	
2-Methylnaphthalene	<0.19		19.5	11.1		ug/L		57	32 - 124	21	30	
Acenaphthene	<0.19		19.5	12.9		ug/L		66	47 - 145	26	48	
Acenaphthylene	<0.19		19.5	12.9		ug/L		66	33 - 145	25	74	
Anthracene	<0.19		19.5	12.8		ug/L		66	27 - 133	23	66	
Benzo[a]anthracene	<0.19		19.5	12.8		ug/L		66	33 - 143	24	53	
Benzo[a]pyrene	<0.19		19.5	12.7		ug/L		65	17 - 163	25	72	
Benzo[b]fluoranthene	<0.19		19.5	12.4		ug/L		64	24 - 159	25	71	
Benzo[g,h,i]perylene	<0.19		19.5	12.5		ug/L		64	1 - 219	23	97	
Benzo[k]fluoranthene	<0.19		19.5	12.9		ug/L		66	11 - 162	24	63	
Chrysene	<0.19		19.5	13.1		ug/L		68	17 - 168	23	87	
Dibenz(a,h)anthracene	<0.19		19.5	13.1		ug/L		67	1 - 227	22	126	
Fluoranthene	<0.19		19.5	13.0		ug/L		67	26 - 137	27	66	
Fluorene	<0.19		19.5	12.8		ug/L		66	59 - 121	25	38	
Indeno[1,2,3-cd]pyrene	<0.19		19.5	12.7		ug/L		65	1 - 171	23	99	
Naphthalene	<0.19		19.5	10.9		ug/L		56	21 - 133	21	65	
Phenanthrene	<0.19		19.5	12.8		ug/L		66	54 - 120	23	39	
Pyrene	<0.19		19.5	14.1		ug/L		72	52 - 120	21	49	

Surrogate	MSD %Recovery	MSD Qualifier	Limits
2,4,6-Tribromophenol (Surr)	64		28 - 127
2-Fluorobiphenyl (Surr)	65		31 - 120
2-Fluorophenol (Surr)	49		17 - 120
Nitrobenzene-d5 (Surr)	62		27 - 120
Phenol-d6 (Surr)	32		10 - 120
p-Terphenyl-d14 (Surr)	72		45 - 120

## Method: 8015B GRO LL - Gasoline Range Organics - (GC)

**Lab Sample ID: MB 570-646186/35**  
**Matrix: Water**  
**Analysis Batch: 646186**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	<10		10	ug/L			10/25/25 23:33	1

Eurofins Eaton Analytical Pomona

# QC Sample Results

Client: City & County of Honolulu  
 Project/Site: RED-HILL

Job ID: 380-178571-1  
 SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea  
 Wells Pumps 1&2 P2

## Method: 8015B GRO LL - Gasoline Range Organics - (GC) (Continued)

**Lab Sample ID: MB 570-646186/35**  
**Matrix: Water**  
**Analysis Batch: 646186**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
4-Bromofluorobenzene (Surr)	78		38 - 134		10/25/25 23:33	1

**Lab Sample ID: LCS 570-646186/33**  
**Matrix: Water**  
**Analysis Batch: 646186**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (C4-C13)	400	384		ug/L		96	78 - 120

  

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	85		38 - 134

**Lab Sample ID: LCSD 570-646186/34**  
**Matrix: Water**  
**Analysis Batch: 646186**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (C4-C13)	400	370		ug/L		92	78 - 120	4	10

  

Surrogate	LCSD	LCSD	Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	82		38 - 134

**Lab Sample ID: MRL 570-646186/32**  
**Matrix: Water**  
**Analysis Batch: 646186**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (C4-C13)	10.0	8.21	J	ug/L		82	50 - 150

  

Surrogate	MRL	MRL	Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	78		38 - 134

**Lab Sample ID: 380-178571-1 MS**  
**Matrix: Drinking Water**  
**Analysis Batch: 646186**

**Client Sample ID: HALAWA WELLS UNITS 1 & 2 (331-206-TP065)**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (C4-C13)	<10		400	382		ug/L		96	68 - 122

  

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	83		38 - 134

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-178571-1  
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea  
Wells Pumps 1&2 P2

## Method: 8015B GRO LL - Gasoline Range Organics - (GC) (Continued)

**Lab Sample ID: 380-178571-1 MSD**  
**Matrix: Drinking Water**  
**Analysis Batch: 646186**

**Client Sample ID: HALAWA WELLS UNITS 1 & 2 (331-206-TP065)**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (C4-C13)	<10		400	378		ug/L		95	68 - 122	1	18
<b>Surrogate</b>	<b>%Recovery</b>	<b>MSD Qualifier</b>	<b>MSD Limits</b>								
4-Bromofluorobenzene (Surr)	87		38 - 134								

## Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level

**Lab Sample ID: MB 570-646316/1-A**  
**Matrix: Water**  
**Analysis Batch: 651269**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 646316**

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	<25		25	ug/L		10/26/25 09:36	11/05/25 01:15	1
Motor Oil Range Organics [C24-C36]	<25		25	ug/L		10/26/25 09:36	11/05/25 01:15	1
C8-C18	<25		25	ug/L		10/26/25 09:36	11/05/25 01:15	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>MB Qualifier</b>	<b>MB Limits</b>	<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>		
n-Octacosane (Surr)	115		60 - 130	10/26/25 09:36	11/05/25 01:15	1		

**Lab Sample ID: LCS 570-646316/2-A**  
**Matrix: Water**  
**Analysis Batch: 651269**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 646316**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
C10-C28	1600	1990		ug/L		124	56 - 127
<b>Surrogate</b>	<b>%Recovery</b>	<b>LCS Qualifier</b>	<b>LCS Limits</b>				
n-Octacosane (Surr)	124		60 - 130				

**Lab Sample ID: LCSD 570-646316/3-A**  
**Matrix: Water**  
**Analysis Batch: 651269**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**  
**Prep Batch: 646316**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
C10-C28	1600	1870		ug/L		117	56 - 127	6	23
<b>Surrogate</b>	<b>%Recovery</b>	<b>LCSD Qualifier</b>	<b>LCSD Limits</b>						
n-Octacosane (Surr)	120		60 - 130						

**Lab Sample ID: MRL 570-646316/4-A**  
**Matrix: Water**  
**Analysis Batch: 651269**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 646316**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
C10-C28	0.0200	0.0246	J	mg/L		123	50 - 150

Eurofins Eaton Analytical Pomona

# QC Sample Results

Client: City & County of Honolulu  
 Project/Site: RED-HILL

Job ID: 380-178571-1  
 SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea  
 Wells Pumps 1&2 P2

## Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level (Continued)

**Lab Sample ID: MRL 570-646316/4-A**  
**Matrix: Water**  
**Analysis Batch: 651269**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 646316**

<u>Surrogate</u>	<u>MRL %Recovery</u>	<u>MRL Qualifier</u>	<u>Limits</u>
<i>n-Octacosane (Surr)</i>	97		60 - 130

**Lab Sample ID: 380-178571-1 MS**  
**Matrix: Drinking Water**  
**Analysis Batch: 651269**

**Client Sample ID: HALAWA WELLS UNITS 1 & 2 (331-206-TP065)**  
**Prep Type: Total/NA**  
**Prep Batch: 646316**

<u>Analyte</u>	<u>Sample Result</u>	<u>Sample Qualifier</u>	<u>Spike Added</u>	<u>MS Result</u>	<u>MS Qualifier</u>	<u>Unit</u>	<u>D</u>	<u>%Rec</u>	<u>%Rec Limits</u>
C10-C28	<25		1630	1860		ug/L		114	70 - 130

  

<u>Surrogate</u>	<u>MS %Recovery</u>	<u>MS Qualifier</u>	<u>Limits</u>
<i>n-Octacosane (Surr)</i>	116		60 - 130

**Lab Sample ID: 380-178571-1 MSD**  
**Matrix: Drinking Water**  
**Analysis Batch: 651269**

**Client Sample ID: HALAWA WELLS UNITS 1 & 2 (331-206-TP065)**  
**Prep Type: Total/NA**  
**Prep Batch: 646316**

<u>Analyte</u>	<u>Sample Result</u>	<u>Sample Qualifier</u>	<u>Spike Added</u>	<u>MSD Result</u>	<u>MSD Qualifier</u>	<u>Unit</u>	<u>D</u>	<u>%Rec</u>	<u>%Rec Limits</u>	<u>RPD</u>	<u>RPD Limit</u>
C10-C28	<25		1650	1580		ug/L		96	70 - 130	16	20

  

<u>Surrogate</u>	<u>MSD %Recovery</u>	<u>MSD Qualifier</u>	<u>Limits</u>
<i>n-Octacosane (Surr)</i>	99		60 - 130

# QC Association Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-178571-1

SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea  
Wells Pumps 1&2 P2

## GC/MS Semi VOA

### Prep Batch: 182502

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-178571-1	HALAWA WELLS UNITS 1 & 2 P1 (331-206-TP01)	Total/NA	Drinking Water	525.2	
380-178571-2	AIEA WELLS PUMPS 1&2 P2 (260) (331-203-TP01)	Total/NA	Drinking Water	525.2	
MB 380-182502/20-A	Method Blank	Total/NA	Water	525.2	
LCS 380-182502/22-A	Lab Control Sample	Total/NA	Water	525.2	
MRL 380-182502/21-A	Lab Control Sample	Total/NA	Water	525.2	
380-179066-N-1-A MS	Matrix Spike	Total/NA	Water	525.2	
380-178570-H-1-A DU	Duplicate	Total/NA	Water	525.2	

### Analysis Batch: 182759

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-178571-1	HALAWA WELLS UNITS 1 & 2 P1 (331-206-TP01)	Total/NA	Drinking Water	525.2	182502
380-178571-2	AIEA WELLS PUMPS 1&2 P2 (260) (331-203-TP01)	Total/NA	Drinking Water	525.2	182502
MB 380-182502/20-A	Method Blank	Total/NA	Water	525.2	182502
LCS 380-182502/22-A	Lab Control Sample	Total/NA	Water	525.2	182502
MRL 380-182502/21-A	Lab Control Sample	Total/NA	Water	525.2	182502
380-179066-N-1-A MS	Matrix Spike	Total/NA	Water	525.2	182502
380-178570-H-1-A DU	Duplicate	Total/NA	Water	525.2	182502

### Prep Batch: 646557

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-178571-1	HALAWA WELLS UNITS 1 & 2 P1 (331-206-TP01)	Total/NA	Drinking Water	625.1	
380-178571-2	AIEA WELLS PUMPS 1&2 P2 (260) (331-203-TP01)	Total/NA	Drinking Water	625.1	
MB 570-646557/1-A	Method Blank	Total/NA	Water	625.1	
LCS 570-646557/2-A	Lab Control Sample	Total/NA	Water	625.1	
LCSD 570-646557/3-A	Lab Control Sample Dup	Total/NA	Water	625.1	
380-178571-1 MS	HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	Total/NA	Drinking Water	625.1	
380-178571-1 MSD	HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	Total/NA	Drinking Water	625.1	

### Analysis Batch: 651324

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-178571-1	HALAWA WELLS UNITS 1 & 2 P1 (331-206-TP01)	Total/NA	Drinking Water	625.1 SIM	646557
380-178571-2	AIEA WELLS PUMPS 1&2 P2 (260) (331-203-TP01)	Total/NA	Drinking Water	625.1 SIM	646557
MB 570-646557/1-A	Method Blank	Total/NA	Water	625.1 SIM	646557
LCS 570-646557/2-A	Lab Control Sample	Total/NA	Water	625.1 SIM	646557
LCSD 570-646557/3-A	Lab Control Sample Dup	Total/NA	Water	625.1 SIM	646557
380-178571-1 MS	HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	Total/NA	Drinking Water	625.1 SIM	646557
380-178571-1 MSD	HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	Total/NA	Drinking Water	625.1 SIM	646557

### Analysis Batch: 652536

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-178571-1	HALAWA WELLS UNITS 1 & 2 P1 (331-206-TP01)	Total/NA	Drinking Water	625.1	646557
380-178571-2	AIEA WELLS PUMPS 1&2 P2 (260) (331-203-TP01)	Total/NA	Drinking Water	625.1	646557
MB 570-646557/1-A	Method Blank	Total/NA	Water	625.1	646557

## GC VOA

### Analysis Batch: 646186

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-178571-1	HALAWA WELLS UNITS 1 & 2 P1 (331-206-TP01)	Total/NA	Drinking Water	8015B GRO LL	
380-178571-2	AIEA WELLS PUMPS 1&2 P2 (260) (331-203-TP01)	Total/NA	Drinking Water	8015B GRO LL	

Eurofins Eaton Analytical Pomona

# QC Association Summary

Client: City & County of Honolulu  
 Project/Site: RED-HILL

Job ID: 380-178571-1  
 SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea  
 Wells Pumps 1&2 P2

## GC VOA (Continued)

### Analysis Batch: 646186 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-178571-3	TB: HALAWA WELLS UNITS 1&2 (331-206-TP06	Total/NA	Water	8015B GRO LL	
380-178571-4	TB: AIEA WELLS PUMPS 1&2 (260) (331-203-TF	Total/NA	Water	8015B GRO LL	
MB 570-646186/35	Method Blank	Total/NA	Water	8015B GRO LL	
LCS 570-646186/33	Lab Control Sample	Total/NA	Water	8015B GRO LL	
LCSD 570-646186/34	Lab Control Sample Dup	Total/NA	Water	8015B GRO LL	
MRL 570-646186/32	Lab Control Sample	Total/NA	Water	8015B GRO LL	
380-178571-1 MS	HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	Total/NA	Drinking Water	8015B GRO LL	
380-178571-1 MSD	HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	Total/NA	Drinking Water	8015B GRO LL	

## GC Semi VOA

### Prep Batch: 646316

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-178571-1	HALAWA WELLS UNITS 1 & 2 P1 (331-206-TP06	Total/NA	Drinking Water	3510C	
380-178571-2	AIEA WELLS PUMPS 1&2 P2 (260) (331-203-TP	Total/NA	Drinking Water	3510C	
MB 570-646316/1-A	Method Blank	Total/NA	Water	3510C	
LCS 570-646316/2-A	Lab Control Sample	Total/NA	Water	3510C	
LCSD 570-646316/3-A	Lab Control Sample Dup	Total/NA	Water	3510C	
MRL 570-646316/4-A	Lab Control Sample	Total/NA	Water	3510C	
380-178571-1 MS	HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	Total/NA	Drinking Water	3510C	
380-178571-1 MSD	HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	Total/NA	Drinking Water	3510C	

### Analysis Batch: 651269

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-178571-1	HALAWA WELLS UNITS 1 & 2 P1 (331-206-TP06	Total/NA	Drinking Water	8015B	646316
380-178571-2	AIEA WELLS PUMPS 1&2 P2 (260) (331-203-TP	Total/NA	Drinking Water	8015B	646316
MB 570-646316/1-A	Method Blank	Total/NA	Water	8015B	646316
LCS 570-646316/2-A	Lab Control Sample	Total/NA	Water	8015B	646316
LCSD 570-646316/3-A	Lab Control Sample Dup	Total/NA	Water	8015B	646316
MRL 570-646316/4-A	Lab Control Sample	Total/NA	Water	8015B	646316
380-178571-1 MS	HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	Total/NA	Drinking Water	8015B	646316
380-178571-1 MSD	HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	Total/NA	Drinking Water	8015B	646316

# Lab Chronicle

Client: City & County of Honolulu  
 Project/Site: RED-HILL

Job ID: 380-178571-1  
 SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea  
 Wells Pumps 1&2 P2

**Client Sample ID: HALAWA WELLS UNITS 1 & 2 P1  
 (331-206-TP065)**

**Lab Sample ID: 380-178571-1**

**Date Collected: 10/20/25 10:30  
 Date Received: 10/22/25 10:08**

**Matrix: Drinking Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	525.2			182502	OTM3	EA POM	10/27/25 07:42
Total/NA	Analysis	525.2		1	182759	Q8LA	EA POM	10/28/25 15:39
Total/NA	Prep	625.1			646557	H1SH	EET CAL 4	10/27/25 08:06
Total/NA	Analysis	625.1		1	652536	J7WE	EET CAL 4	11/07/25 02:00
Total/NA	Prep	625.1			646557	H1SH	EET CAL 4	10/27/25 08:06
Total/NA	Analysis	625.1 SIM		1	651324	PQS1	EET CAL 4	11/05/25 07:32
Total/NA	Analysis	8015B GRO LL		1	646186	YD9V	EET CAL 4	10/25/25 23:53
Total/NA	Prep	3510C			646316	TVD6	EET CAL 4	10/26/25 09:36
Total/NA	Analysis	8015B		1	651269	NR	EET CAL 4	11/05/25 02:58

**Client Sample ID: AIEA WELLS PUMPS 1&2 P2 (260)  
 (331-203-TP400)**

**Lab Sample ID: 380-178571-2**

**Date Collected: 10/20/25 11:38  
 Date Received: 10/22/25 10:08**

**Matrix: Drinking Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	525.2			182502	OTM3	EA POM	10/27/25 07:42
Total/NA	Analysis	525.2		1	182759	Q8LA	EA POM	10/28/25 15:59
Total/NA	Prep	625.1			646557	H1SH	EET CAL 4	10/27/25 08:06
Total/NA	Analysis	625.1		1	652536	J7WE	EET CAL 4	11/07/25 02:24
Total/NA	Prep	625.1			646557	H1SH	EET CAL 4	10/27/25 08:06
Total/NA	Analysis	625.1 SIM		1	651324	PQS1	EET CAL 4	11/05/25 07:54
Total/NA	Analysis	8015B GRO LL		1	646186	YD9V	EET CAL 4	10/26/25 07:14
Total/NA	Prep	3510C			646316	TVD6	EET CAL 4	10/26/25 09:36
Total/NA	Analysis	8015B		1	651269	NR	EET CAL 4	11/05/25 03:19

**Client Sample ID: TB: HALAWA WELLS UNITS 1&2  
 (331-206-TP065)**

**Lab Sample ID: 380-178571-3**

**Date Collected: 10/20/25 10:30  
 Date Received: 10/22/25 10:08**

**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8015B GRO LL		1	646186	YD9V	EET CAL 4	10/26/25 06:34

**Client Sample ID: TB: AIEA WELLS PUMPS 1&2 (260)  
 (331-203-TP400)**

**Lab Sample ID: 380-178571-4**

**Date Collected: 10/20/25 11:38  
 Date Received: 10/22/25 10:08**

**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8015B GRO LL		1	646186	YD9V	EET CAL 4	10/26/25 06:54

# Lab Chronicle

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-178571-1  
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea  
Wells Pumps 1&2 P2

## Laboratory References:

EA POM = Eurofins Eaton Analytical Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100

EET CAL 4 = Eurofins Calscience Tustin, 2841 Dow Avenue, Tustin, CA 92780, TEL (714)895-5494

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16

# Accreditation/Certification Summary

Client: City & County of Honolulu  
 Project/Site: RED-HILL

Job ID: 380-178571-1  
 SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea  
 Wells Pumps 1&2 P2

## Laboratory: Eurofins Eaton Analytical Pomona

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Hawaii	State	CA00006	01-31-26

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
525.2	525.2	Drinking Water	1-Methylnaphthalene
525.2	525.2	Drinking Water	2,4'-DDD
525.2	525.2	Drinking Water	2,4'-DDE
525.2	525.2	Drinking Water	2,4'-DDT
525.2	525.2	Drinking Water	2,4-Dinitrotoluene
525.2	525.2	Drinking Water	2,6-Dinitrotoluene
525.2	525.2	Drinking Water	2-Methylnaphthalene
525.2	525.2	Drinking Water	4,4'-DDD
525.2	525.2	Drinking Water	4,4' DDE
525.2	525.2	Drinking Water	4,4'-DDT
525.2	525.2	Drinking Water	Acetochlor
525.2	525.2	Drinking Water	alpha-BHC
525.2	525.2	Drinking Water	alpha-Chlordane
525.2	525.2	Drinking Water	beta-BHC
525.2	525.2	Drinking Water	Chlorobenzilate
525.2	525.2	Drinking Water	Chloroneb
525.2	525.2	Drinking Water	Chlorothalonil (Draconil, Bravo)
525.2	525.2	Drinking Water	Chlorpyrifos
525.2	525.2	Drinking Water	delta-BHC
525.2	525.2	Drinking Water	Diclorvos (DDVP)
525.2	525.2	Drinking Water	Endosulfan I (Alpha)
525.2	525.2	Drinking Water	Endosulfan II (Beta)
525.2	525.2	Drinking Water	Endosulfan sulfate
525.2	525.2	Drinking Water	Endrin aldehyde
525.2	525.2	Drinking Water	EPTC
525.2	525.2	Drinking Water	gamma-Chlordane
525.2	525.2	Drinking Water	Isophorone
525.2	525.2	Drinking Water	Malathion
525.2	525.2	Drinking Water	Parathion
525.2	525.2	Drinking Water	Pendimethalin (Penoxaline)
525.2	525.2	Drinking Water	Terbacil
525.2	525.2	Drinking Water	Terbutylazine
525.2	525.2	Drinking Water	Total Permethrin (mixed isomers)
525.2	525.2	Drinking Water	trans Nonachlor

## Laboratory: Eurofins Calscience

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
A2LA	Dept. of Defense ELAP	7296.01	11-30-26
A2LA	ISO/IEC 17025	7296.01	11-30-26
Alaska (UST)	State	25-005	11-10-25
Arizona	State	AZ0830	11-15-25
California	Los Angeles County Sanitation Districts	9257304	07-31-26

Eurofins Eaton Analytical Pomona

# Accreditation/Certification Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-178571-1  
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea  
Wells Pumps 1&2 P2

## Laboratory: Eurofins Calscience (Continued)

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	SCAQMD LAP	17LA0919	11-30-25
California	State	3082	07-31-26
Kansas	NELAP	E-10420	07-31-26
Nevada	State	CA00111	07-31-26
Oregon	NELAP	4175	02-02-26
USDA	US Federal Programs	525-23-159-97150	06-08-26
Utah	NELAP	CA00111	02-28-26
Washington	State	C916	10-11-26



# Method Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-178571-1  
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea  
Wells Pumps 1&2 P2

Method	Method Description	Protocol	Laboratory
525.2	Semivolatile Organic Compounds (GC/MS)	EPA	EA POM
625.1	Semivolatile Organic Compounds (GC/MS)	EPA	EET CAL 4
625.1 SIM	Semivolatile Organic Compounds GC/MS (SIM)	EPA	EET CAL 4
8015B GRO LL	Gasoline Range Organics - (GC)	SW846	EET CAL 4
8015B	Diesel Range Organics (DRO) (GC) Low Level	SW846	EET CAL 4
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	EET CAL 4
5030C	Purge and Trap	SW846	EET CAL 4
525.2	Extraction of Semivolatile Compounds	EPA	EA POM
625.1	Liquid-Liquid Extraction	40CFR136A	EET CAL 4

#### Protocol References:

40CFR136A = "Methods for Organic Chemical Analysis of Municipal Industrial Wastewater", 40CFR, Part 136, Appendix A, October 26, 1984 and subsequent revisions.

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

#### Laboratory References:

EA POM = Eurofins Eaton Analytical Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100

EET CAL 4 = Eurofins Calscience Tustin, 2841 Dow Avenue, Tustin, CA 92780, TEL (714)895-5494

# Sample Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-178571-1  
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea  
Wells Pumps 1&2 P2

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	PWSID Number
380-178571-1	HALAWA WELLS UNITS 1 & 2 P1 (331-206-TP065)	Drinking Water	10/20/25 10:30	10/22/25 10:08	HI0000331
380-178571-2	AIEA WELLS PUMPS 1&2 P2 (260) (331-203-TP400)	Drinking Water	10/20/25 11:38	10/22/25 10:08	HI0000331
380-178571-3	TB: HALAWA WELLS UNITS 1&2 (331-206-TP065)	Water	10/20/25 10:30	10/22/25 10:08	
380-178571-4	TB: AIEA WELLS PUMPS 1&2 (260) (331-203-TP400)	Water	10/20/25 11:38	10/22/25 10:08	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16

<b>Client Information</b>		Sampler: bailey		Lab PM: Lopez, Maria		Carrier Tracking No(s): 380-28005-2757 1	
Client Contact: Kirk Iwamoto		Phone: +1 808 748 5840		E-Mail: Maria.Lopez@et.eurofins.com		State of Origin:	
Company: City & County of Honolulu		PWSID:		Analysis Requested		COC No: 380-28005-2757 1	
Address: 630 South Beretania Street Chemistry Lab		Due Date Requested:		533 - All Analytes		Page: Page 1 of 1	
City: Honolulu		TAT Requested (days):		537.1_DW_PREC - 637 1 Full List		Job #:	
State, Zip: HI, 96843		Compliance Project: <input type="checkbox"/> Yes <input type="checkbox"/> No		535.2_PREC - (MOD) 526 Plus Plus TICs		Preservation Codes: R - NaThioSO4 RA - NaTheHCl G - NaZSO3 QA - NaZSO3/HCl Y - Trizma I - NH4 Acetate	
Phone: 808-748-5840 (Tel)		PO #: C20525101 exp 05312023		801B_GRO_LL - (MOD) GRO		Other:	
Email: kiwamoto@hbws.org		WO #:		801B_DRO_LL_CS - HNL Ranges - C10-C24/C24-C36/C8-C18			
Project Name: RED-HILL/HBWS Sites Event Desc: RUSH Weekly Red Hill		Project #: 38001111		625.1_025.1_BIM			
Site: Hawaii		SSOW#:		Field Filtered Sample (Yes or No)		Total Number of Containers	
<b>Sample Identification</b>		Sample Date		Sample Time		Sample Type (C=Comp, G=grab)	
Halawa Wells Units 1 & 2 P1		20-Oct-2025		1030		G	
Halawa Wells Units 1 & 2 (Matrix Spike)							
Halawa Wells Units 1 & 2 (Matrix Spike Duplicate)		20-Oct-2025		1030			
TB: Halawa Wells Units 1 & 2							
Aiea Wells Pumps 1&2 (260) P2		20-Oct-2025		1138		G	
Aiea Wells Pumps 1&2 (260) (Matrix Spike)							
Aiea Wells Pumps 1&2 (Matrix Spike Duplicate)		20-Oct-2025		1138			
TB: Aiea Wells Pumps 1&2 (260)							
<b>Possible Hazard Identification</b>		<input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological		<input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months		Special Instructions/Note:	
Deliverable Requested I, II, III, IV, Other (specify)		Empty Kit Relinquished by		Time:		380-178571 COC	
Relinquished by		Date/Time: 21 October 2025 1400		Company: HBWS		Method of Shipment: 380-6716 5472-3783/3794	
Relinquished by		Date/Time:		Company:		Date/Time: 10/22/25 1008	
Relinquished by		Date/Time:		Company:		Date/Time: 33 3-3	
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.:		Cooler Temperature(s) °C and Other Remarks: 6.8A / 5.3 = 5.3		Date/Time: 5.7 5.7	



**Eurofins Eaton Analytical Pomona**

941 Corporate Center Drive  
Pomona, CA 91788-2642  
Phone: 626-386-1100

**Chain of Custody Record**



Environment Testing

<b>Client Information (Sub Contract Lab)</b>		Sampler: N/A		Lab PM: Lopez, Maria		Carrier Tracking No(s): N/A		COC No: 380-268181.1	
Client Contact: Shipping/Receiving		Phone: N/A		E-Mail: Maria.Lopez@et.eurofins.com		State of Origin: Hawaii		Page: Page 1 of 1	
Company: Eurofins Environment Testing Southwest				Accreditations Required (See note): State - Hawaii				Job #: 380-178571-1	
Address: 2841 Dow Avenue, Suite 100		Due Date Requested: 11/4/2025		<b>Analysis Requested</b>				<b>Preservation Codes:</b>	
City: Tustin		TAT Requested (days): N/A							
State, Zip: CA, 92780		PO #: N/A		Field Filtered Sample (Yes or No)		Perform MS/MSD (Yes or No)		Total Number of containers	
Phone: 714-895-5494(Tel)		WO #: N/A							
Email: N/A		Project #: 38001111		625.1_SPM/625_Prep(MOD) Extended PAH List		625.1/625_Prep(MOD) Tentatively Identified Compounds (Hold)		8015B_DRO_LL_CS/81510C_LL_HNL_Ranges: C10-C24/C24-C36/C36-C18	
Project Name: RED-HILL		SSOW#: N/A		8015B_GRO_LL/8030C(MOD) GRO		Barcode: 380-178571 Chain of Custody		Other: N/A	
Site: Honolulu BWS Sites									
<b>Sample Identification - Client ID (Lab ID)</b>		<b>Sample Date</b>		<b>Sample Time</b>		<b>Sample Type (C=Comp, G=grab)</b>		<b>Matrix (Water, Soild, Overst/oll, ST=Tapwa, A=Air)</b>	
								<b>Special Instructions/Note:</b>	
HALAWA WELLS UNITS 1 & 2 (331-206-TP065) (380-178571-1)		10/20/25		10:30 Hawaiian		G Water		X X X X	
HALAWA WELLS UNITS 1 & 2 (331-206-TP065) (380-178571-1N)		10/20/25		10:30 Hawaiian		G Water		X X X X	
HALAWA WELLS UNITS 1 & 2 (331-206-TP065) (380-178571-1N)		10/20/25		10:30 Hawaiian		G Water		X X X X	
AIEA WELLS PUMPS 1&2 (260) (331-203-TP400) (380-178571-2)		10/20/25		11:38 Hawaiian		G Water		X X X X	
TB: HALAWA WELLS UNITS 1&2 (331-206-TP065) (380-178571-1)		10/20/25		10:30 Hawaiian		G Water		X	
TB: AIEA WELLS PUMPS 1&2 (260) (331-203-TP400) (380-178571-2)		10/20/25		11:38 Hawaiian		G Water		X	
<p>Note: Since laboratory accreditations are subject to change, Eurofins Eaton Analytical, LLC places the ownership of method, analyte &amp; accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/tests/matrix being analyzed, the samples must be shipped back to the Eurofins Eaton Analytical, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Eaton Analytical, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Eaton Analytical, LLC.</p>									
<b>Possible Hazard Identification</b>					<b>Sample Disposal ( A fee may be assessed if samples are retained longer than 1 month)</b>				
Unconfirmed					<input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months				
Deliverable Requested: I, II, III, IV, Other (specify)			Primary Deliverable Rank: 2		Special Instructions/QC Requirements:				
Empty Kit Relinquished by:		Date:		Time:		Method of Shipment:			
Relinquished by: <i>[Signature]</i>		Date/Time: 10/23/25 11:30		Company: <i>[Signature]</i>		Received by: <i>[Signature]</i>		Date/Time: 10/23/25 11:30	
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:	
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:	
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.:		Cooler Temperature(s) °C and Other Remarks: 2.0 / 2.2 IR-2					

## Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-178571-1

SDG Number: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea Wells Pumps 1&2 P2

**Login Number: 178571**

**List Source: Eurofins Eaton Analytical Pomona**

**List Number: 1**

**Creator: Ngo, Theodore**

Question	Answer	Comment
The coolers custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
Samples were received on ice.	True	
Cooler(s) Temperature is acceptable.	True	
Cooler(s) Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and is legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
CIO4 headspace requirement met (>50% for CA, >30% for other states).	N/A	
Samples do not require splitting or compositing.	True	
Container provided by EEA	True	



## Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-178571-1

SDG Number: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea Wells Pumps 1&2 P2

**Login Number: 178571**

**List Source: Eurofins Calscience**

**List Number: 2**

**List Creation: 10/23/25 01:55 PM**

**Creator: Khana, Piyush**

Question	Answer	Comment
Radioactivity wasn't checked or is <math>\leq</math> background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	2.2
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	Received project as a subcontract.
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	