

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17

ANALYTICAL REPORT

PREPARED FOR

Attn: Mr. Erwin Kawata
City & County of Honolulu
630 South Beretania Street
Public Service Bldg. Room 310
Honolulu, Hawaii 96843

Generated 6/29/2026 5:03:05 PM

JOB DESCRIPTION

RED-HILL
PFAS: Halawa Wells P1

JOB NUMBER

380-221409-1

Eurofins Pomona

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Drinking Water and Wastewater West, LLC Project Manager.

Compliance Statement

1. Laboratory is accredited in accordance with TNI 2016 Standards and ISO/IEC 17025:2017.
2. Laboratory certifies that the test results meet all TNI 2016 and ISO/IEC 17025:2017 requirements unless noted under the individual analysis
3. Test results relate only to the sample(s) tested.
4. This report shall not be reproduced except in full, without the written approval of the laboratory.
5. Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below. (DW, Water matrices)

Authorization



Authorized for release by
Maria Lopez, Project Manager
Maria.Lopez@et.eurofinsus.com
(626)386-1100

Generated
6/29/2026 5:03:05 PM



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Detection Summary	6
Client Sample Results	7
Action Limit Summary	11
Surrogate Summary	12
Isotope Dilution Summary	13
QC Sample Results	15
QC Association Summary	26
Lab Chronicle	27
Certification Summary	28
Method Summary	29
Sample Summary	30
Chain of Custody	31
Receipt Checklists	32

Definitions/Glossary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-221409-1
SDG: PFAS: Halawa Wells P1

Qualifiers

LCMS

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: City & County of Honolulu
Project: RED-HILL

Job ID: 380-221409-1

Job ID: 380-221409-1

Eurofins Pomona

Job Narrative 380-221409-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 6/24/2026 9:30 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 5.6°C.

PFAS

EPA 537.1 and EPA 533 are two distinct methods for the analysis of PFAS in drinking water. The analyses are conducted on differing instrumentation, with calibrations, extraction solvents and sample preservatives being dissimilar among the two methods. Therefore it is probable and not unexpected to see the methods having slight variations in analytical results: Halawa Wells P1 (331-023-WL065) (380-221409-1). (XWB4)

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Pomona

Detection Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-221409-1
SDG: PFAS: Halawa Wells P1

Client Sample ID: HALAWA WELLS P1 (331-023-WL065)

Lab Sample ID: 380-221409-1

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Perfluorohexanesulfonic acid (PFHxS)	2.7		2.0	ng/L	1		533	Total/NA
Perfluorohexanoic acid (PFHxA)	3.1		2.0	ng/L	1		533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	2.5		2.0	ng/L	1		533	Total/NA
Perfluoropentanoic acid (PFPeA)	4.1		2.0	ng/L	1		533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	2.7		2.0	ng/L	1		EPA 537.1 V2	Total/NA
Perfluorohexanoic acid (PFHxA)	3.3		2.0	ng/L	1		EPA 537.1 V2	Total/NA
Perfluorooctanoic acid (PFOA)	2.0		2.0	ng/L	1		EPA 537.1 V2	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	2.9		2.0	ng/L	1		EPA 537.1 V2	Total/NA

Client Sample ID: FB: HALAWA WELLS P1 (331-023-WL065)

Lab Sample ID: 380-221409-2

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-221409-1
SDG: PFAS: Halawa Wells P1

Client Sample ID: HALAWA WELLS P1 (331-023-WL065)

Lab Sample ID: 380-221409-1

Date Collected: 06/22/26 10:09

Matrix: Drinking Water

Date Received: 06/24/26 09:30

Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
11-Chloroeicosafluoro-3-oxaundecan e-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 06:55	1
9-Chlorohexadecafluoro-3-oxanonan e-1-sulfonic acid(9Cl-PF3ONS)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 06:55	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 06:55	1
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 06:55	1
Perfluorobutanesulfonic acid (PFBS)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 06:55	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 06:55	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 06:55	1
Perfluoroheptanoic acid (PFHpA)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 06:55	1
Perfluorohexanesulfonic acid (PFHxS)	2.7		2.0	ng/L		06/25/26 16:08	06/26/26 06:55	1
Perfluorohexanoic acid (PFHxA)	3.1		2.0	ng/L		06/25/26 16:08	06/26/26 06:55	1
Perfluorononanoic acid (PFNA)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 06:55	1
Perfluorooctanesulfonic acid (PFOS)	2.5		2.0	ng/L		06/25/26 16:08	06/26/26 06:55	1
Perfluorooctanoic acid (PFOA)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 06:55	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 06:55	1
Perfluorobutanoic acid (PFBA)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 06:55	1
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 06:55	1
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 06:55	1
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 06:55	1
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 06:55	1
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 06:55	1
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 06:55	1
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 06:55	1
Perfluoropentanoic acid (PFPeA)	4.1		2.0	ng/L		06/25/26 16:08	06/26/26 06:55	1
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 06:55	1
Perfluoropentanesulfonic acid (PFPeS)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 06:55	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C3 HFPO-DA	94		50 - 200	06/25/26 16:08	06/26/26 06:55	1
13C6 PFDA	108		50 - 200	06/25/26 16:08	06/26/26 06:55	1
13C5 PFHxA	105		50 - 200	06/25/26 16:08	06/26/26 06:55	1
13C4 PFHpA	110		50 - 200	06/25/26 16:08	06/26/26 06:55	1
13C8 PFOA	112		50 - 200	06/25/26 16:08	06/26/26 06:55	1
13C9 PFNA	113		50 - 200	06/25/26 16:08	06/26/26 06:55	1
13C7 PFUnA	108		50 - 200	06/25/26 16:08	06/26/26 06:55	1
13C2 PFDoA	111		50 - 200	06/25/26 16:08	06/26/26 06:55	1
13C4 PFBA	107		50 - 200	06/25/26 16:08	06/26/26 06:55	1
13C5 PFPeA	107		50 - 200	06/25/26 16:08	06/26/26 06:55	1
13C3 PFBS	118		50 - 200	06/25/26 16:08	06/26/26 06:55	1
13C3 PFHxS	107		50 - 200	06/25/26 16:08	06/26/26 06:55	1

Eurofins Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-221409-1
SDG: PFAS: Halawa Wells P1

Client Sample ID: HALAWA WELLS P1 (331-023-WL065)

Lab Sample ID: 380-221409-1

Date Collected: 06/22/26 10:09

Matrix: Drinking Water

Date Received: 06/24/26 09:30

Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C8 PFOS	111		50 - 200	06/25/26 16:08	06/26/26 06:55	1
13C2-4:2-FTS	120		50 - 200	06/25/26 16:08	06/26/26 06:55	1
13C2-6:2-FTS	112		50 - 200	06/25/26 16:08	06/26/26 06:55	1
13C2-8:2-FTS	109		50 - 200	06/25/26 16:08	06/26/26 06:55	1

Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0	ng/L		06/25/26 15:27	06/26/26 07:04	1
Perfluorooctanesulfonic acid (PFOS)	2.7		2.0	ng/L		06/25/26 15:27	06/26/26 07:04	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0	ng/L		06/25/26 15:27	06/26/26 07:04	1
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	<2.0		2.0	ng/L		06/25/26 15:27	06/26/26 07:04	1
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	<2.0		2.0	ng/L		06/25/26 15:27	06/26/26 07:04	1
Perfluorohexanoic acid (PFHxA)	3.3		2.0	ng/L		06/25/26 15:27	06/26/26 07:04	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0	ng/L		06/25/26 15:27	06/26/26 07:04	1
Perfluorooctanoic acid (PFOA)	2.0		2.0	ng/L		06/25/26 15:27	06/26/26 07:04	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0	ng/L		06/25/26 15:27	06/26/26 07:04	1
Perfluorohexanesulfonic acid (PFHxS)	2.9		2.0	ng/L		06/25/26 15:27	06/26/26 07:04	1
Perfluorobutanesulfonic acid (PFBS)	<2.0		2.0	ng/L		06/25/26 15:27	06/26/26 07:04	1
Perfluoroheptanoic acid (PFHpA)	<2.0		2.0	ng/L		06/25/26 15:27	06/26/26 07:04	1
Perfluorononanoic acid (PFNA)	<2.0		2.0	ng/L		06/25/26 15:27	06/26/26 07:04	1
Perfluorotetradecanoic acid (PFTA)	<2.0		2.0	ng/L		06/25/26 15:27	06/26/26 07:04	1
Perfluorotridecanoic acid (PFTrDA)	<2.0		2.0	ng/L		06/25/26 15:27	06/26/26 07:04	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		2.0	ng/L		06/25/26 15:27	06/26/26 07:04	1
11-Chloroeicosafuoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0	ng/L		06/25/26 15:27	06/26/26 07:04	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0	ng/L		06/25/26 15:27	06/26/26 07:04	1
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac		
d5-NEtFOSAA	102		70 - 130	06/25/26 15:27	06/26/26 07:04	1		
13C2 PFHxA	104		70 - 130	06/25/26 15:27	06/26/26 07:04	1		
13C2 PFDA	110		70 - 130	06/25/26 15:27	06/26/26 07:04	1		
13C3-GenX	108		70 - 130	06/25/26 15:27	06/26/26 07:04	1		

Client Sample ID: FB: HALAWA WELLS P1 (331-023-WL065)

Lab Sample ID: 380-221409-2

Date Collected: 06/22/26 10:09

Matrix: Water

Date Received: 06/24/26 09:30

Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
11-Chloroeicosafuoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 08:11	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 08:11	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 08:11	1

Eurofins Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-221409-1
SDG: PFAS: Halawa Wells P1

Client Sample ID: FB: HALAWA WELLS P1 (331-023-WL065)

Lab Sample ID: 380-221409-2

Date Collected: 06/22/26 10:09

Matrix: Water

Date Received: 06/24/26 09:30

Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 08:11	1
Perfluorobutanesulfonic acid (PFBS)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 08:11	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 08:11	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 08:11	1
Perfluoroheptanoic acid (PFHpA)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 08:11	1
Perfluorohexanesulfonic acid (PFHxS)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 08:11	1
Perfluorohexanoic acid (PFHxA)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 08:11	1
Perfluorononanoic acid (PFNA)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 08:11	1
Perfluorooctanesulfonic acid (PFOS)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 08:11	1
Perfluorooctanoic acid (PFOA)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 08:11	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 08:11	1
Perfluorobutanoic acid (PFBA)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 08:11	1
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 08:11	1
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 08:11	1
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 08:11	1
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 08:11	1
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 08:11	1
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 08:11	1
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 08:11	1
Perfluoropentanoic acid (PFPeA)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 08:11	1
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 08:11	1
Perfluoropentanesulfonic acid (PFPeS)	<2.0		2.0	ng/L		06/25/26 16:08	06/26/26 08:11	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C3 HFPO-DA	101		50 - 200	06/25/26 16:08	06/26/26 08:11	1
13C6 PFDA	109		50 - 200	06/25/26 16:08	06/26/26 08:11	1
13C5 PFHxA	115		50 - 200	06/25/26 16:08	06/26/26 08:11	1
13C4 PFHpA	119		50 - 200	06/25/26 16:08	06/26/26 08:11	1
13C8 PFOA	119		50 - 200	06/25/26 16:08	06/26/26 08:11	1
13C9 PFNA	116		50 - 200	06/25/26 16:08	06/26/26 08:11	1
13C7 PFUnA	105		50 - 200	06/25/26 16:08	06/26/26 08:11	1
13C2 PFDoA	109		50 - 200	06/25/26 16:08	06/26/26 08:11	1
13C4 PFBA	117		50 - 200	06/25/26 16:08	06/26/26 08:11	1
13C5 PFPeA	119		50 - 200	06/25/26 16:08	06/26/26 08:11	1
13C3 PFBS	130		50 - 200	06/25/26 16:08	06/26/26 08:11	1
13C3 PFHxS	121		50 - 200	06/25/26 16:08	06/26/26 08:11	1
13C8 PFOS	118		50 - 200	06/25/26 16:08	06/26/26 08:11	1
13C2-4:2-FTS	135		50 - 200	06/25/26 16:08	06/26/26 08:11	1
13C2-6:2-FTS	135		50 - 200	06/25/26 16:08	06/26/26 08:11	1
13C2-8:2-FTS	124		50 - 200	06/25/26 16:08	06/26/26 08:11	1

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-221409-1
SDG: PFAS: Halawa Wells P1

Client Sample ID: FB: HALAWA WELLS P1 (331-023-WL065)

Lab Sample ID: 380-221409-2

Date Collected: 06/22/26 10:09

Matrix: Water

Date Received: 06/24/26 09:30

Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0	ng/L		06/25/26 15:27	06/26/26 08:51	1
Perfluorooctanesulfonic acid (PFOS)	<2.0		2.0	ng/L		06/25/26 15:27	06/26/26 08:51	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0	ng/L		06/25/26 15:27	06/26/26 08:51	1
N-methylperfluorooctanesulfonamideacetic acid (NMeFOSAA)	<2.0		2.0	ng/L		06/25/26 15:27	06/26/26 08:51	1
N-ethylperfluorooctanesulfonamideacetic acid (NEtFOSAA)	<2.0		2.0	ng/L		06/25/26 15:27	06/26/26 08:51	1
Perfluorohexanoic acid (PFHxA)	<2.0		2.0	ng/L		06/25/26 15:27	06/26/26 08:51	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0	ng/L		06/25/26 15:27	06/26/26 08:51	1
Perfluorooctanoic acid (PFOA)	<2.0		2.0	ng/L		06/25/26 15:27	06/26/26 08:51	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0	ng/L		06/25/26 15:27	06/26/26 08:51	1
Perfluorohexanesulfonic acid (PFHxS)	<2.0		2.0	ng/L		06/25/26 15:27	06/26/26 08:51	1
Perfluorobutanesulfonic acid (PFBS)	<2.0		2.0	ng/L		06/25/26 15:27	06/26/26 08:51	1
Perfluoroheptanoic acid (PFHpA)	<2.0		2.0	ng/L		06/25/26 15:27	06/26/26 08:51	1
Perfluorononanoic acid (PFNA)	<2.0		2.0	ng/L		06/25/26 15:27	06/26/26 08:51	1
Perfluorotetradecanoic acid (PFTA)	<2.0		2.0	ng/L		06/25/26 15:27	06/26/26 08:51	1
Perfluorotridecanoic acid (PFTrDA)	<2.0		2.0	ng/L		06/25/26 15:27	06/26/26 08:51	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		2.0	ng/L		06/25/26 15:27	06/26/26 08:51	1
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0	ng/L		06/25/26 15:27	06/26/26 08:51	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0	ng/L		06/25/26 15:27	06/26/26 08:51	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	104		70 - 130			06/25/26 15:27	06/26/26 08:51	1
13C2 PFHxA	101		70 - 130			06/25/26 15:27	06/26/26 08:51	1
13C2 PFDA	106		70 - 130			06/25/26 15:27	06/26/26 08:51	1
13C3-GenX	108		70 - 130			06/25/26 15:27	06/26/26 08:51	1

Action Limit Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-221409-1
SDG: PFAS: Halawa Wells P1

Client Sample ID: HALAWA WELLS P1 (331-023-WL065)

Lab Sample ID: 380-221409-1

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL	RL	Method	Prep Type
				Limit			
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	2.7		ng/L	10	2.0	533	Total/NA
Perfluorononanoic acid (PFNA)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	2.5		ng/L	4	2.0	533	Total/NA
Perfluorooctanoic acid (PFOA)	<2.0		ng/L	4	2.0	533	Total/NA
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		ng/L	10	2.0	EPA 537.1 V2	Total/NA
Perfluorooctanesulfonic acid (PFOS)	2.7		ng/L	4	2.0	EPA 537.1 V2	Total/NA
Perfluorooctanoic acid (PFOA)	2.0		ng/L	4	2.0	EPA 537.1 V2	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	2.9		ng/L	10	2.0	EPA 537.1 V2	Total/NA
Perfluorononanoic acid (PFNA)	<2.0		ng/L	10	2.0	EPA 537.1 V2	Total/NA

Client Sample ID: FB: HALAWA WELLS P1 (331-023-WL065)

Lab Sample ID: 380-221409-2

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL	RL	Method	Prep Type
				Limit			
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorononanoic acid (PFNA)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	<2.0		ng/L	4	2.0	533	Total/NA
Perfluorooctanoic acid (PFOA)	<2.0		ng/L	4	2.0	533	Total/NA
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		ng/L	10	2.0	EPA 537.1 V2	Total/NA
Perfluorooctanesulfonic acid (PFOS)	<2.0		ng/L	4	2.0	EPA 537.1 V2	Total/NA
Perfluorooctanoic acid (PFOA)	<2.0		ng/L	4	2.0	EPA 537.1 V2	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	<2.0		ng/L	10	2.0	EPA 537.1 V2	Total/NA
Perfluorononanoic acid (PFNA)	<2.0		ng/L	10	2.0	EPA 537.1 V2	Total/NA

Surrogate Summary

Client: City & County of Honolulu
 Project/Site: RED-HILL

Job ID: 380-221409-1
 SDG: PFAS: Halawa Wells P1

Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020

Matrix: Drinking Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		d5NEFOS (70-130)	PFHxA (70-130)	PFDA (70-130)	GenX (70-130)
380-221409-1	HALAWA WELLS P1 (331-023-V)	102	104	110	108
380-221409-1 MS	HALAWA WELLS P1 (331-023-WL065)	101	97	101	100
380-221409-1 MSD	HALAWA WELLS P1 (331-023-WL065)	103	100	106	101

Surrogate Legend

d5NEFOS = d5-NEtFOSAA
 PFHxA = 13C2 PFHxA
 PFDA = 13C2 PFDA
 GenX = 13C3-GenX

Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		d5NEFOS (70-130)	PFHxA (70-130)	PFDA (70-130)	GenX (70-130)
380-221409-2	FB: HALAWA WELLS P1 (331-0)	104	101	106	108
LCS 380-236236/22-A	Lab Control Sample	97	105	101	96
MBL 380-236236/20-A	Method Blank	107	108	112	102
MRL 380-236236/21-A	Lab Control Sample	100	93	93	88

Surrogate Legend

d5NEFOS = d5-NEtFOSAA
 PFHxA = 13C2 PFHxA
 PFDA = 13C2 PFDA
 GenX = 13C3-GenX

Isotope Dilution Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-221409-1
SDG: PFAS: Halawa Wells P1

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water

Matrix: Drinking Water

Prep Type: Total/NA

Percent Isotope Dilution Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	HFPODA (50-200)	C6PFDA (50-200)	13C5PHA (50-200)	C4PFHA (50-200)	C8PFOA (50-200)	C9PFNA (50-200)	13C7PUA (50-200)	PFDoA (50-200)
380-221409-1	HALAWA WELLS P1 (331-023-V	94	108	105	110	112	113	108	111
380-221409-1 MS	HALAWA WELLS P1 (331-023-WL065)	108	114	109	109	107	113	110	114
380-221409-1 MSD	HALAWA WELLS P1 (331-023-WL065)	114	109	109	110	107	112	107	112

Percent Isotope Dilution Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	PFBA (50-200)	PFPeA (50-200)	C3PFBS (50-200)	C3PFHS (50-200)	C8PFOS (50-200)	42FTS (50-200)	62FTS (50-200)	82FTS (50-200)
380-221409-1	HALAWA WELLS P1 (331-023-V	107	107	118	107	111	120	112	109
380-221409-1 MS	HALAWA WELLS P1 (331-023-WL065)	111	111	121	108	113	124	118	111
380-221409-1 MSD	HALAWA WELLS P1 (331-023-WL065)	109	113	124	113	113	124	113	113

Surrogate Legend

HFPODA = 13C3 HFPO-DA
C6PFDA = 13C6 PFDA
13C5PHA = 13C5 PFHxA
C4PFHA = 13C4 PFHpA
C8PFOA = 13C8 PFOA
C9PFNA = 13C9 PFNA
13C7PUA = 13C7 PFUnA
PFDoA = 13C2 PFDoA
PFBA = 13C4 PFBA
PFPeA = 13C5 PFPeA
C3PFBS = 13C3 PFBS
C3PFHS = 13C3 PFHxS
C8PFOS = 13C8 PFOS
42FTS = 13C2-4:2-FTS
62FTS = 13C2-6:2-FTS
82FTS = 13C2-8:2-FTS

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water

Matrix: Water

Prep Type: Total/NA

Percent Isotope Dilution Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	HFPODA (50-200)	C6PFDA (50-200)	13C5PHA (50-200)	C4PFHA (50-200)	C8PFOA (50-200)	C9PFNA (50-200)	13C7PUA (50-200)	PFDoA (50-200)
380-221409-2	FB: HALAWA WELLS P1 (331-0	101	109	115	119	119	116	105	109
LCS 380-236252/22-A	Lab Control Sample	100	108	108	104	110	109	108	114
MBL 380-236252/20-A	Method Blank	89	101	105	105	96	105	104	105
MRL 380-236252/21-A	Lab Control Sample	93	103	99	103	108	108	104	107

Percent Isotope Dilution Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	PFBA (50-200)	PFPeA (50-200)	C3PFBS (50-200)	C3PFHS (50-200)	C8PFOS (50-200)	42FTS (50-200)	62FTS (50-200)	82FTS (50-200)
380-221409-2	FB: HALAWA WELLS P1 (331-0	117	119	130	121	118	135	135	124
LCS 380-236252/22-A	Lab Control Sample	105	105	118	107	111	114	110	105
MBL 380-236252/20-A	Method Blank	104	104	111	108	109	107	104	101
MRL 380-236252/21-A	Lab Control Sample	100	100	113	107	109	115	106	102

Surrogate Legend

Eurofins Pomona

Isotope Dilution Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-221409-1
SDG: PFAS: Halawa Wells P1

HFPODA = 13C3 HFPO-DA
C6PFDA = 13C6 PFDA
13C5PHA = 13C5 PFHxA
C4PFHA = 13C4 PFHpA
C8PFOA = 13C8 PFOA
C9PFNA = 13C9 PFNA
13C7PUA = 13C7 PFUnA
PFDoA = 13C2 PFDoA
PFBA = 13C4 PFBA
PFPeA = 13C5 PFPeA
C3PFBS = 13C3 PFBS
C3PFHS = 13C3 PFHxS
C8PFOS = 13C8 PFOS
42FTS = 13C2-4:2-FTS
62FTS = 13C2-6:2-FTS
82FTS = 13C2-8:2-FTS

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-221409-1
SDG: PFAS: Halawa Wells P1

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water

Lab Sample ID: MBL 380-236252/20-A
Matrix: Water
Analysis Batch: 236393

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 236252

Analyte	MBL Result	MBL Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
11-Chloroeicosfluoro-3-oxaundecan e-1-sulfonic acid (11Cl-PF3OUdS)	<0.30		2.0	ng/L		06/25/26 16:08	06/26/26 06:26	1
9-Chlorohexadecafluoro-3-oxanonan e-1-sulfonic acid(9Cl-PF3ONS)	<0.30		2.0	ng/L		06/25/26 16:08	06/26/26 06:26	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<0.60		2.0	ng/L		06/25/26 16:08	06/26/26 06:26	1
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<1.0		2.0	ng/L		06/25/26 16:08	06/26/26 06:26	1
Perfluorobutanesulfonic acid (PFBS)	<0.37		2.0	ng/L		06/25/26 16:08	06/26/26 06:26	1
Perfluorodecanoic acid (PFDA)	<0.31		2.0	ng/L		06/25/26 16:08	06/26/26 06:26	1
Perfluorododecanoic acid (PFDoA)	<0.54		2.0	ng/L		06/25/26 16:08	06/26/26 06:26	1
Perfluoroheptanoic acid (PFHpA)	<0.39		2.0	ng/L		06/25/26 16:08	06/26/26 06:26	1
Perfluorohexanesulfonic acid (PFHxS)	<0.32		2.0	ng/L		06/25/26 16:08	06/26/26 06:26	1
Perfluorohexanoic acid (PFHxA)	<0.46		2.0	ng/L		06/25/26 16:08	06/26/26 06:26	1
Perfluorononanoic acid (PFNA)	<0.40		2.0	ng/L		06/25/26 16:08	06/26/26 06:26	1
Perfluorooctanesulfonic acid (PFOS)	<0.43		2.0	ng/L		06/25/26 16:08	06/26/26 06:26	1
Perfluorooctanoic acid (PFOA)	<0.38		2.0	ng/L		06/25/26 16:08	06/26/26 06:26	1
Perfluoroundecanoic acid (PFUnA)	<0.42		2.0	ng/L		06/25/26 16:08	06/26/26 06:26	1
Perfluorobutanoic acid (PFBA)	<0.69		2.0	ng/L		06/25/26 16:08	06/26/26 06:26	1
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<0.38		2.0	ng/L		06/25/26 16:08	06/26/26 06:26	1
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<0.37		2.0	ng/L		06/25/26 16:08	06/26/26 06:26	1
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<0.48		2.0	ng/L		06/25/26 16:08	06/26/26 06:26	1
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<0.47		2.0	ng/L		06/25/26 16:08	06/26/26 06:26	1
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	<0.25		2.0	ng/L		06/25/26 16:08	06/26/26 06:26	1
Perfluoro-3-methoxypropanoic acid (PFMPA)	<0.46		2.0	ng/L		06/25/26 16:08	06/26/26 06:26	1
Perfluoro-4-methoxybutanoic acid (PFMBA)	<0.15		2.0	ng/L		06/25/26 16:08	06/26/26 06:26	1
Perfluoropentanoic acid (PFPeA)	<0.38		2.0	ng/L		06/25/26 16:08	06/26/26 06:26	1
Perfluoroheptanesulfonic acid (PFHpS)	<0.36		2.0	ng/L		06/25/26 16:08	06/26/26 06:26	1
Perfluoropentanesulfonic acid (PFPeS)	<0.39		2.0	ng/L		06/25/26 16:08	06/26/26 06:26	1

Isotope Dilution	MBL %Recovery	MBL Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C3 HFPO-DA	89		50 - 200	06/25/26 16:08	06/26/26 06:26	1
13C6 PFDA	101		50 - 200	06/25/26 16:08	06/26/26 06:26	1
13C5 PFHxA	105		50 - 200	06/25/26 16:08	06/26/26 06:26	1
13C4 PFHpA	105		50 - 200	06/25/26 16:08	06/26/26 06:26	1
13C8 PFOA	96		50 - 200	06/25/26 16:08	06/26/26 06:26	1
13C9 PFNA	105		50 - 200	06/25/26 16:08	06/26/26 06:26	1
13C7 PFUnA	104		50 - 200	06/25/26 16:08	06/26/26 06:26	1
13C2 PFDoA	105		50 - 200	06/25/26 16:08	06/26/26 06:26	1
13C4 PFBA	104		50 - 200	06/25/26 16:08	06/26/26 06:26	1
13C5 PFPeA	104		50 - 200	06/25/26 16:08	06/26/26 06:26	1
13C3 PFBS	111		50 - 200	06/25/26 16:08	06/26/26 06:26	1
13C3 PFHxS	108		50 - 200	06/25/26 16:08	06/26/26 06:26	1

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-221409-1
SDG: PFAS: Halawa Wells P1

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Lab Sample ID: MBL 380-236252/20-A
Matrix: Water
Analysis Batch: 236393

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 236252

<i>Isotope Dilution</i>	<i>MBL %Recovery</i>	<i>MBL Qualifier</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
13C8 PFOS	109		50 - 200	06/25/26 16:08	06/26/26 06:26	1
13C2-4:2-FTS	107		50 - 200	06/25/26 16:08	06/26/26 06:26	1
13C2-6:2-FTS	104		50 - 200	06/25/26 16:08	06/26/26 06:26	1
13C2-8:2-FTS	101		50 - 200	06/25/26 16:08	06/26/26 06:26	1

Lab Sample ID: LCS 380-236252/22-A
Matrix: Water
Analysis Batch: 236393

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 236252

<i>Analyte</i>	<i>Spike Added</i>	<i>LCS Result</i>	<i>LCS Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec Limits</i>
11-Chloroeicosfluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	120	112		ng/L		93	70 - 130
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	120	110		ng/L		91	70 - 130
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	120	115		ng/L		96	70 - 130
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	120	106		ng/L		88	70 - 130
Perfluorobutanesulfonic acid (PFBS)	120	94.9		ng/L		79	70 - 130
Perfluorodecanoic acid (PFDA)	120	114		ng/L		95	70 - 130
Perfluorododecanoic acid (PFDoA)	120	112		ng/L		93	70 - 130
Perfluoroheptanoic acid (PFHpA)	120	116		ng/L		96	70 - 130
Perfluorohexanesulfonic acid (PFHxS)	120	116		ng/L		96	70 - 130
Perfluorohexanoic acid (PFHxA)	120	109		ng/L		91	70 - 130
Perfluorononanoic acid (PFNA)	120	114		ng/L		95	70 - 130
Perfluorooctanesulfonic acid (PFOS)	120	112		ng/L		93	70 - 130
Perfluorooctanoic acid (PFOA)	120	105		ng/L		88	70 - 130
Perfluoroundecanoic acid (PFUnA)	120	111		ng/L		92	70 - 130
Perfluorobutanoic acid (PFBA)	120	111		ng/L		93	70 - 130
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	120	109		ng/L		91	70 - 130
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	120	113		ng/L		94	70 - 130
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	120	110		ng/L		92	70 - 130
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	120	106		ng/L		88	70 - 130
Perfluoro (2-ethoxyethane) sulfonic acid (PFEESA)	120	124		ng/L		103	70 - 130
Perfluoro-3-methoxypropanoic acid (PFMPA)	120	113		ng/L		94	70 - 130
Perfluoro-4-methoxybutanoic acid (PFMBA)	120	110		ng/L		92	70 - 130
Perfluoropentanoic acid (PFPeA)	120	115		ng/L		95	70 - 130
Perfluoroheptanesulfonic acid (PFHpS)	120	112		ng/L		93	70 - 130

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-221409-1
SDG: PFAS: Halawa Wells P1

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Lab Sample ID: LCS 380-236252/22-A
Matrix: Water
Analysis Batch: 236393

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 236252

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Perfluoropentanesulfonic acid (PFPeS)	120	113		ng/L		94	70 - 130
LCS LCS							
Isotope Dilution	%Recovery	Qualifier	Limits				
13C3 HFPO-DA	100		50 - 200				
13C6 PFDA	108		50 - 200				
13C5 PFHxA	108		50 - 200				
13C4 PFHpA	104		50 - 200				
13C8 PFOA	110		50 - 200				
13C9 PFNA	109		50 - 200				
13C7 PFUnA	108		50 - 200				
13C2 PFDoA	114		50 - 200				
13C4 PFBA	105		50 - 200				
13C5 PFPeA	105		50 - 200				
13C3 PFBS	118		50 - 200				
13C3 PFHxS	107		50 - 200				
13C8 PFOS	111		50 - 200				
13C2-4:2-FTS	114		50 - 200				
13C2-6:2-FTS	110		50 - 200				
13C2-8:2-FTS	105		50 - 200				

Lab Sample ID: MRL 380-236252/21-A
Matrix: Water
Analysis Batch: 236393

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 236252

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
11-Chloroeicosfluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	2.01	1.65	J	ng/L		82	50 - 150
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	2.01	1.66	J	ng/L		83	50 - 150
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	2.01	2.02	J	ng/L		101	50 - 150
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	2.01	1.89	J	ng/L		94	50 - 150
Perfluorobutanesulfonic acid (PFBS)	2.01	1.70	J	ng/L		85	50 - 150
Perfluorodecanoic acid (PFDA)	2.01	2.00	J	ng/L		100	50 - 150
Perfluorododecanoic acid (PFDoA)	2.01	2.05	J	ng/L		102	50 - 150
Perfluoroheptanoic acid (PFHpA)	2.01	1.96	J	ng/L		97	50 - 150
Perfluorohexanesulfonic acid (PFHxS)	2.01	1.98	J	ng/L		99	50 - 150
Perfluorohexanoic acid (PFHxA)	2.01	1.95	J	ng/L		97	50 - 150
Perfluorononanoic acid (PFNA)	2.01	2.06	J	ng/L		103	50 - 150
Perfluorooctanesulfonic acid (PFOS)	2.01	1.97	J	ng/L		98	50 - 150
Perfluorooctanoic acid (PFOA)	2.01	2.06	J	ng/L		103	50 - 150
Perfluoroundecanoic acid (PFUnA)	2.01	1.99	J	ng/L		99	50 - 150
Perfluorobutanoic acid (PFBA)	2.01	2.08	J	ng/L		103	50 - 150

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-221409-1
SDG: PFAS: Halawa Wells P1

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Lab Sample ID: MRL 380-236252/21-A
Matrix: Water
Analysis Batch: 236393

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 236252

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	2.01	2.28	J	ng/L		114	50 - 150
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	2.01	2.09	J	ng/L		104	50 - 150
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	2.01	2.59	J	ng/L		129	50 - 150
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	2.01	2.12	J	ng/L		106	50 - 150
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	2.01	2.00	J	ng/L		100	50 - 150
Perfluoro-3-methoxypropanoic acid (PFMPA)	2.01	1.95	J	ng/L		97	50 - 150
Perfluoro-4-methoxybutanoic acid (PFMBA)	2.01	1.96	J	ng/L		98	50 - 150
Perfluoropentanoic acid (PFPeA)	2.01	2.03	J	ng/L		101	50 - 150
Perfluoroheptanesulfonic acid (PFHpS)	2.01	1.97	J	ng/L		98	50 - 150
Perfluoropentanesulfonic acid (PFPeS)	2.01	1.95	J	ng/L		97	50 - 150

Isotope Dilution	MRL %Recovery	MRL Qualifier	MRL Limits
13C3 HFPO-DA	93		50 - 200
13C6 PFDA	103		50 - 200
13C5 PFHxA	99		50 - 200
13C4 PFHpA	103		50 - 200
13C8 PFOA	108		50 - 200
13C9 PFNA	108		50 - 200
13C7 PFUnA	104		50 - 200
13C2 PFDoA	107		50 - 200
13C4 PFBA	100		50 - 200
13C5 PFPeA	100		50 - 200
13C3 PFBS	113		50 - 200
13C3 PFHxS	107		50 - 200
13C8 PFOS	109		50 - 200
13C2-4:2-FTS	115		50 - 200
13C2-6:2-FTS	106		50 - 200
13C2-8:2-FTS	102		50 - 200

Lab Sample ID: 380-221409-1 MS
Matrix: Drinking Water
Analysis Batch: 236393

Client Sample ID: HALAWA WELLS P1 (331-023-WL065)
Prep Type: Total/NA
Prep Batch: 236252

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		121	106		ng/L		88	70 - 130
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		121	107		ng/L		89	70 - 130
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		121	114		ng/L		94	70 - 130

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-221409-1
SDG: PFAS: Halawa Wells P1

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Lab Sample ID: 380-221409-1 MS

Client Sample ID: HALAWA WELLS P1 (331-023-WL065)

Matrix: Drinking Water

Prep Type: Total/NA

Analysis Batch: 236393

Prep Batch: 236252

Analyte	Sample Result	Sample Qualifier	Spike Added	MS		Unit	D	%Rec	%Rec Limits
				Result	Qualifier				
Hexafluoropropylene Oxide	<2.0		121	111		ng/L		92	70 - 130
Dimer Acid (HFPO-DA/GenX)									
Perfluorobutanesulfonic acid (PFBS)	<2.0		121	110		ng/L		90	70 - 130
Perfluorodecanoic acid (PFDA)	<2.0		121	110		ng/L		91	70 - 130
Perfluorododecanoic acid (PFDoA)	<2.0		121	110		ng/L		91	70 - 130
Perfluoroheptanoic acid (PFHpA)	<2.0		121	116		ng/L		95	70 - 130
Perfluorohexanesulfonic acid (PFHxS)	2.7		121	120		ng/L		98	70 - 130
Perfluorohexanoic acid (PFHxA)	3.1		121	114		ng/L		92	70 - 130
Perfluorononanoic acid (PFNA)	<2.0		121	113		ng/L		94	70 - 130
Perfluorooctanesulfonic acid (PFOS)	2.5		121	113		ng/L		91	70 - 130
Perfluorooctanoic acid (PFOA)	<2.0		121	117		ng/L		95	70 - 130
Perfluoroundecanoic acid (PFUnA)	<2.0		121	115		ng/L		95	70 - 130
Perfluorobutanoic acid (PFBA)	<2.0		121	113		ng/L		92	70 - 130
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		121	107		ng/L		88	70 - 130
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		121	113		ng/L		93	70 - 130
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		121	99.5		ng/L		82	70 - 130
Nonafluoro-3,6-dioxahheptanoic acid (NFDHA)	<2.0		121	109		ng/L		90	70 - 130
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	<2.0		121	125		ng/L		104	70 - 130
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		121	117		ng/L		97	70 - 130
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		121	114		ng/L		95	70 - 130
Perfluoropentanoic acid (PFPeA)	4.1		121	118		ng/L		94	70 - 130
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		121	109		ng/L		90	70 - 130
Perfluoropentanesulfonic acid (PFPeS)	<2.0		121	116		ng/L		96	70 - 130

Isotope Dilution	MS MS		Limits
	%Recovery	Qualifier	
13C3 HFPO-DA	108		50 - 200
13C6 PFDA	114		50 - 200
13C5 PFHxA	109		50 - 200
13C4 PFHpA	109		50 - 200
13C8 PFOA	107		50 - 200
13C9 PFNA	113		50 - 200
13C7 PFUnA	110		50 - 200
13C2 PFDoA	114		50 - 200
13C4 PFBA	111		50 - 200
13C5 PFPeA	111		50 - 200
13C3 PFBS	121		50 - 200
13C3 PFHxS	108		50 - 200
13C8 PFOS	113		50 - 200

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-221409-1
SDG: PFAS: Halawa Wells P1

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Lab Sample ID: 380-221409-1 MS
Matrix: Drinking Water
Analysis Batch: 236393

Client Sample ID: HALAWA WELLS P1 (331-023-WL065)
Prep Type: Total/NA
Prep Batch: 236252

<i>Isotope Dilution</i>	<i>%Recovery</i>	<i>MS MS Qualifier</i>	<i>Limits</i>
13C2-4:2-FTS	124		50 - 200
13C2-6:2-FTS	118		50 - 200
13C2-8:2-FTS	111		50 - 200

Lab Sample ID: 380-221409-1 MSD
Matrix: Drinking Water
Analysis Batch: 236393

Client Sample ID: HALAWA WELLS P1 (331-023-WL065)
Prep Type: Total/NA
Prep Batch: 236252

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
11-Chloroeicosfluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		121	110		ng/L		91	70 - 130	4	30
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		121	110		ng/L		91	70 - 130	2	30
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		121	113		ng/L		94	70 - 130	1	30
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		121	105		ng/L		87	70 - 130	5	30
Perfluorobutanesulfonic acid (PFBS)	<2.0		121	108		ng/L		89	70 - 130	2	30
Perfluorodecanoic acid (PFDA)	<2.0		121	116		ng/L		96	70 - 130	5	30
Perfluorododecanoic acid (PFDoA)	<2.0		121	112		ng/L		93	70 - 130	2	30
Perfluoroheptanoic acid (PFHpA)	<2.0		121	113		ng/L		92	70 - 130	3	30
Perfluorohexanesulfonic acid (PFHxS)	2.7		121	116		ng/L		94	70 - 130	4	30
Perfluorohexanoic acid (PFHxA)	3.1		121	112		ng/L		90	70 - 130	2	30
Perfluorononanoic acid (PFNA)	<2.0		121	111		ng/L		92	70 - 130	2	30
Perfluorooctanesulfonic acid (PFOS)	2.5		121	115		ng/L		93	70 - 130	2	30
Perfluorooctanoic acid (PFOA)	<2.0		121	118		ng/L		97	70 - 130	1	30
Perfluoroundecanoic acid (PFUnA)	<2.0		121	115		ng/L		95	70 - 130	0	30
Perfluorobutanoic acid (PFBA)	<2.0		121	112		ng/L		91	70 - 130	1	30
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		121	110		ng/L		91	70 - 130	2	30
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		121	109		ng/L		90	70 - 130	3	30
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		121	113		ng/L		93	70 - 130	13	30
Nonfluoro-3,6-dioxaheptanoic acid (NFDHA)	<2.0		121	111		ng/L		92	70 - 130	2	30
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	<2.0		121	118		ng/L		97	70 - 130	6	30
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		121	115		ng/L		95	70 - 130	2	30
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		121	110		ng/L		91	70 - 130	4	30
Perfluoropentanoic acid (PFPeA)	4.1		121	114		ng/L		91	70 - 130	3	30
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		121	114		ng/L		95	70 - 130	5	30
Perfluoropentanesulfonic acid (PFPeS)	<2.0		121	113		ng/L		94	70 - 130	2	30

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-221409-1
SDG: PFAS: Halawa Wells P1

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

<i>Isotope Dilution</i>	<i>MSD</i>	<i>MSD</i>	<i>Limits</i>
<i>%Recovery</i>	<i>Qualifier</i>		
13C3 HFPO-DA	114		50 - 200
13C6 PFDA	109		50 - 200
13C5 PFHxA	109		50 - 200
13C4 PFHpA	110		50 - 200
13C8 PFOA	107		50 - 200
13C9 PFNA	112		50 - 200
13C7 PFUnA	107		50 - 200
13C2 PFDoA	112		50 - 200
13C4 PFBA	109		50 - 200
13C5 PFPeA	113		50 - 200
13C3 PFBS	124		50 - 200
13C3 PFHxS	113		50 - 200
13C8 PFOS	113		50 - 200
13C2-4:2-FTS	124		50 - 200
13C2-6:2-FTS	113		50 - 200
13C2-8:2-FTS	113		50 - 200

Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020

Lab Sample ID: MBL 380-236236/20-A
Matrix: Water
Analysis Batch: 236394

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 236236

<i>Analyte</i>	<i>MBL</i>	<i>MBL</i>	<i>RL</i>	<i>Unit</i>	<i>D</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
	<i>Result</i>	<i>Qualifier</i>						
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<1.0		2.0	ng/L		06/25/26 15:27	06/26/26 06:34	1
Perfluorooctanesulfonic acid (PFOS)	<0.43		2.0	ng/L		06/25/26 15:27	06/26/26 06:34	1
Perfluoroundecanoic acid (PFUnA)	<0.42		2.0	ng/L		06/25/26 15:27	06/26/26 06:34	1
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	<0.58		2.0	ng/L		06/25/26 15:27	06/26/26 06:34	1
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	<0.42		2.0	ng/L		06/25/26 15:27	06/26/26 06:34	1
Perfluorohexanoic acid (PFHxA)	<0.46		2.0	ng/L		06/25/26 15:27	06/26/26 06:34	1
Perfluorododecanoic acid (PFDoA)	<0.54		2.0	ng/L		06/25/26 15:27	06/26/26 06:34	1
Perfluorooctanoic acid (PFOA)	<0.38		2.0	ng/L		06/25/26 15:27	06/26/26 06:34	1
Perfluorodecanoic acid (PFDA)	<0.31		2.0	ng/L		06/25/26 15:27	06/26/26 06:34	1
Perfluorohexanesulfonic acid (PFHxS)	<0.32		2.0	ng/L		06/25/26 15:27	06/26/26 06:34	1
Perfluorobutanesulfonic acid (PFBS)	<0.37		2.0	ng/L		06/25/26 15:27	06/26/26 06:34	1
Perfluoroheptanoic acid (PFHpA)	<0.39		2.0	ng/L		06/25/26 15:27	06/26/26 06:34	1
Perfluorononanoic acid (PFNA)	<0.40		2.0	ng/L		06/25/26 15:27	06/26/26 06:34	1
Perfluorotetradecanoic acid (PFTA)	<0.54		2.0	ng/L		06/25/26 15:27	06/26/26 06:34	1
Perfluorotridecanoic acid (PFTrDA)	<0.36		2.0	ng/L		06/25/26 15:27	06/26/26 06:34	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<0.30		2.0	ng/L		06/25/26 15:27	06/26/26 06:34	1
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<0.30		2.0	ng/L		06/25/26 15:27	06/26/26 06:34	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<0.60		2.0	ng/L		06/25/26 15:27	06/26/26 06:34	1
<i>Surrogate</i>	<i>MBL</i>	<i>MBL</i>	<i>Limits</i>			<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
	<i>%Recovery</i>	<i>Qualifier</i>						
d5-NEtFOSAA	107		70 - 130			06/25/26 15:27	06/26/26 06:34	1
13C2 PFHxA	108		70 - 130			06/25/26 15:27	06/26/26 06:34	1
13C2 PFDA	112		70 - 130			06/25/26 15:27	06/26/26 06:34	1

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-221409-1
SDG: PFAS: Halawa Wells P1

Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020 (Continued)

Lab Sample ID: MBL 380-236236/20-A
Matrix: Water
Analysis Batch: 236394

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 236236

<i>Surrogate</i>	<i>MBL</i>	<i>MBL</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
13C3-GenX	102	Qualifier	70 - 130	06/25/26 15:27	06/26/26 06:34	1

Lab Sample ID: LCS 380-236236/22-A
Matrix: Water
Analysis Batch: 236394

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 236236

<i>Analyte</i>	<i>Spike</i>	<i>LCS</i>	<i>LCS</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec</i>	<i>Limits</i>
	<i>Added</i>	<i>Result</i>	<i>Qualifier</i>					
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	50.2	46.4		ng/L		92		70 - 130
Perfluorooctanesulfonic acid (PFOS)	50.2	50.2		ng/L		100		70 - 130
Perfluoroundecanoic acid (PFUnA)	50.2	49.2		ng/L		98		70 - 130
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	50.2	48.9		ng/L		97		70 - 130
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	50.2	47.8		ng/L		95		70 - 130
Perfluorohexanoic acid (PFHxA)	50.2	49.8		ng/L		99		70 - 130
Perfluorododecanoic acid (PFDoA)	50.2	49.1		ng/L		98		70 - 130
Perfluorooctanoic acid (PFOA)	50.2	51.0		ng/L		102		70 - 130
Perfluorodecanoic acid (PFDA)	50.2	51.9		ng/L		103		70 - 130
Perfluorohexanesulfonic acid (PFHxS)	50.2	49.9		ng/L		99		70 - 130
Perfluorobutanesulfonic acid (PFBS)	50.2	47.6		ng/L		95		70 - 130
Perfluoroheptanoic acid (PFHpA)	50.2	52.2		ng/L		104		70 - 130
Perfluorononanoic acid (PFNA)	50.2	52.6		ng/L		105		70 - 130
Perfluorotetradecanoic acid (PFTA)	50.2	43.6		ng/L		87		70 - 130
Perfluorotridecanoic acid (PFTrDA)	50.2	51.1		ng/L		102		70 - 130
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9Cl-PF3ONS)	50.2	46.4		ng/L		92		70 - 130
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	50.2	45.8		ng/L		91		70 - 130
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	50.2	47.3		ng/L		94		70 - 130

<i>Surrogate</i>	<i>LCS</i>	<i>LCS</i>	<i>Limits</i>
	<i>%Recovery</i>	<i>Qualifier</i>	
d5-NEtFOSAA	97		70 - 130
13C2 PFHxA	105		70 - 130
13C2 PFDA	101		70 - 130
13C3-GenX	96		70 - 130

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-221409-1
SDG: PFAS: Halawa Wells P1

Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020 (Continued)

Lab Sample ID: MRL 380-236236/21-A
Matrix: Water
Analysis Batch: 236394

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 236236

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	Limits
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	2.01	1.76	J	ng/L		88	50 - 150
Perfluorooctanesulfonic acid (PFOS)	2.01	2.09	J	ng/L		104	50 - 150
Perfluoroundecanoic acid (PFUnA)	2.01	2.00	J	ng/L		100	50 - 150
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	2.01	1.90	J	ng/L		94	50 - 150
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	2.01	2.08	J	ng/L		104	50 - 150
Perfluorohexanoic acid (PFHxA)	2.01	1.79	J	ng/L		89	50 - 150
Perfluorododecanoic acid (PFDoA)	2.01	1.90	J	ng/L		95	50 - 150
Perfluorooctanoic acid (PFOA)	2.01	1.93	J	ng/L		96	50 - 150
Perfluorodecanoic acid (PFDA)	2.01	1.99	J	ng/L		99	50 - 150
Perfluorohexanesulfonic acid (PFHxS)	2.01	2.10	J	ng/L		105	50 - 150
Perfluorobutanesulfonic acid (PFBS)	2.01	1.91	J	ng/L		95	50 - 150
Perfluoroheptanoic acid (PFHpA)	2.01	1.93	J	ng/L		96	50 - 150
Perfluorononanoic acid (PFNA)	2.01	1.96	J	ng/L		98	50 - 150
Perfluorotetradecanoic acid (PFTA)	2.01	1.88	J	ng/L		93	50 - 150
Perfluorotridecanoic acid (PFTrDA)	2.01	1.97	J	ng/L		98	50 - 150
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	2.01	1.85	J	ng/L		92	50 - 150
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	2.01	1.81	J	ng/L		90	50 - 150
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	2.01	1.83	J	ng/L		91	50 - 150

Surrogate	MRL %Recovery	MRL Qualifier	Limits
d5-NEtFOSAA	100		70 - 130
13C2 PFHxA	93		70 - 130
13C2 PFDA	93		70 - 130
13C3-GenX	88		70 - 130

Lab Sample ID: 380-221409-1 MS
Matrix: Drinking Water
Analysis Batch: 236394

Client Sample ID: HALAWA WELLS P1 (331-023-WL065)
Prep Type: Total/NA
Prep Batch: 236236

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		25.1	24.8		ng/L		99	70 - 130
Perfluorooctanesulfonic acid (PFOS)	2.7		25.1	27.7		ng/L		99	70 - 130
Perfluoroundecanoic acid (PFUnA)	<2.0		25.1	23.6		ng/L		94	70 - 130
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	<2.0		25.1	24.5		ng/L		98	70 - 130

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-221409-1
SDG: PFAS: Halawa Wells P1

Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020 (Continued)

Lab Sample ID: 380-221409-1 MS
Matrix: Drinking Water
Analysis Batch: 236394

Client Sample ID: HALAWA WELLS P1 (331-023-WL065)
Prep Type: Total/NA
Prep Batch: 236236

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	<2.0		25.1	24.7		ng/L		99	70 - 130
Perfluorohexanoic acid (PFHxA)	3.3		25.1	27.1		ng/L		95	70 - 130
Perfluorododecanoic acid (PFDoA)	<2.0		25.1	24.3		ng/L		97	70 - 130
Perfluorooctanoic acid (PFOA)	2.0		25.1	27.1		ng/L		100	70 - 130
Perfluorodecanoic acid (PFDA)	<2.0		25.1	25.6		ng/L		102	70 - 130
Perfluorohexanesulfonic acid (PFHxS)	2.9		25.1	28.4		ng/L		101	70 - 130
Perfluorobutanesulfonic acid (PFBS)	<2.0		25.1	27.2		ng/L		104	70 - 130
Perfluoroheptanoic acid (PFHpA)	<2.0		25.1	27.1		ng/L		103	70 - 130
Perfluorononanoic acid (PFNA)	<2.0		25.1	25.3		ng/L		101	70 - 130
Perfluorotetradecanoic acid (PFTA)	<2.0		25.1	22.8		ng/L		91	70 - 130
Perfluorotridecanoic acid (PFTrDA)	<2.0		25.1	24.8		ng/L		99	70 - 130
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		25.1	23.4		ng/L		93	70 - 130
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		25.1	24.1		ng/L		96	70 - 130
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		25.1	25.0		ng/L		100	70 - 130

Surrogate	MS %Recovery	MS Qualifier	MS Limits
d5-NEtFOSAA	101		70 - 130
13C2 PFHxA	97		70 - 130
13C2 PFDA	101		70 - 130
13C3-GenX	100		70 - 130

Lab Sample ID: 380-221409-1 MSD
Matrix: Drinking Water
Analysis Batch: 236394

Client Sample ID: HALAWA WELLS P1 (331-023-WL065)
Prep Type: Total/NA
Prep Batch: 236236

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		25.1	25.2		ng/L		100	70 - 130	2	30
Perfluorooctanesulfonic acid (PFOS)	2.7		25.1	27.2		ng/L		98	70 - 130	1	30
Perfluoroundecanoic acid (PFUnA)	<2.0		25.1	25.6		ng/L		102	70 - 130	8	30
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	<2.0		25.1	24.5		ng/L		97	70 - 130	0	30
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	<2.0		25.1	24.9		ng/L		99	70 - 130	0	30
Perfluorohexanoic acid (PFHxA)	3.3		25.1	28.2		ng/L		99	70 - 130	4	30
Perfluorododecanoic acid (PFDoA)	<2.0		25.1	26.0		ng/L		104	70 - 130	7	30
Perfluorooctanoic acid (PFOA)	2.0		25.1	27.0		ng/L		100	70 - 130	0	30
Perfluorodecanoic acid (PFDA)	<2.0		25.1	26.3		ng/L		105	70 - 130	3	30

Eurofins Pomona

QC Association Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-221409-1
SDG: PFAS: Halawa Wells P1

LCMS

Prep Batch: 236236

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-221409-1	HALAWA WELLS P1 (331-023-WL065)	Total/NA	Drinking Water	537.1 DW	
380-221409-2	FB: HALAWA WELLS P1 (331-023-WL065)	Total/NA	Water	537.1 DW	
MBL 380-236236/20-A	Method Blank	Total/NA	Water	537.1 DW	
LCS 380-236236/22-A	Lab Control Sample	Total/NA	Water	537.1 DW	
MRL 380-236236/21-A	Lab Control Sample	Total/NA	Water	537.1 DW	
380-221409-1 MS	HALAWA WELLS P1 (331-023-WL065)	Total/NA	Drinking Water	537.1 DW	
380-221409-1 MSD	HALAWA WELLS P1 (331-023-WL065)	Total/NA	Drinking Water	537.1 DW	

Prep Batch: 236252

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-221409-1	HALAWA WELLS P1 (331-023-WL065)	Total/NA	Drinking Water	533	
380-221409-2	FB: HALAWA WELLS P1 (331-023-WL065)	Total/NA	Water	533	
MBL 380-236252/20-A	Method Blank	Total/NA	Water	533	
LCS 380-236252/22-A	Lab Control Sample	Total/NA	Water	533	
MRL 380-236252/21-A	Lab Control Sample	Total/NA	Water	533	
380-221409-1 MS	HALAWA WELLS P1 (331-023-WL065)	Total/NA	Drinking Water	533	
380-221409-1 MSD	HALAWA WELLS P1 (331-023-WL065)	Total/NA	Drinking Water	533	

Analysis Batch: 236393

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-221409-1	HALAWA WELLS P1 (331-023-WL065)	Total/NA	Drinking Water	533	236252
380-221409-2	FB: HALAWA WELLS P1 (331-023-WL065)	Total/NA	Water	533	236252
MBL 380-236252/20-A	Method Blank	Total/NA	Water	533	236252
LCS 380-236252/22-A	Lab Control Sample	Total/NA	Water	533	236252
MRL 380-236252/21-A	Lab Control Sample	Total/NA	Water	533	236252
380-221409-1 MS	HALAWA WELLS P1 (331-023-WL065)	Total/NA	Drinking Water	533	236252
380-221409-1 MSD	HALAWA WELLS P1 (331-023-WL065)	Total/NA	Drinking Water	533	236252

Analysis Batch: 236394

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-221409-1	HALAWA WELLS P1 (331-023-WL065)	Total/NA	Drinking Water	EPA 537.1 V2	236236
380-221409-2	FB: HALAWA WELLS P1 (331-023-WL065)	Total/NA	Water	EPA 537.1 V2	236236
MBL 380-236236/20-A	Method Blank	Total/NA	Water	EPA 537.1 V2	236236
LCS 380-236236/22-A	Lab Control Sample	Total/NA	Water	EPA 537.1 V2	236236
MRL 380-236236/21-A	Lab Control Sample	Total/NA	Water	EPA 537.1 V2	236236
380-221409-1 MS	HALAWA WELLS P1 (331-023-WL065)	Total/NA	Drinking Water	EPA 537.1 V2	236236
380-221409-1 MSD	HALAWA WELLS P1 (331-023-WL065)	Total/NA	Drinking Water	EPA 537.1 V2	236236

Lab Chronicle

Client: City & County of Honolulu
 Project/Site: RED-HILL

Job ID: 380-221409-1
 SDG: PFAS: Halawa Wells P1

Client Sample ID: HALAWA WELLS P1 (331-023-WL065)

Lab Sample ID: 380-221409-1

Date Collected: 06/22/26 10:09

Matrix: Drinking Water

Date Received: 06/24/26 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	533			236252	E2HD	EA POM	06/25/26 16:08
Total/NA	Analysis	533		1	236393	SZ9R	EA POM	06/26/26 06:55
Total/NA	Prep	537.1 DW			236236	N8NE	EA POM	06/25/26 15:27
Total/NA	Analysis	EPA 537.1 V2		1	236394	SZ9R	EA POM	06/26/26 07:04

Client Sample ID: FB: HALAWA WELLS P1 (331-023-WL065)

Lab Sample ID: 380-221409-2

Date Collected: 06/22/26 10:09

Matrix: Water

Date Received: 06/24/26 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	533			236252	E2HD	EA POM	06/25/26 16:08
Total/NA	Analysis	533		1	236393	SZ9R	EA POM	06/26/26 08:11
Total/NA	Prep	537.1 DW			236236	N8NE	EA POM	06/25/26 15:27
Total/NA	Analysis	EPA 537.1 V2		1	236394	SZ9R	EA POM	06/26/26 08:51

Laboratory References:

EA POM = Eurofins Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100

Accreditation/Certification Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-221409-1
SDG: PFAS: Halawa Wells P1

Laboratory: Eurofins Pomona

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Hawaii	State	CA00006	01-31-26 *

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Method Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-221409-1
SDG: PFAS: Halawa Wells P1

Method	Method Description	Protocol	Laboratory
533	Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water	EPA	EA POM
EPA 537.1 V2	EPA 537.1 Ver. 2.0 March 2020	EPA	EA POM
533	Extraction of Perfluorinated and Polyfluorinated Alkyl Acids	EPA	EA POM
537.1 DW	Extraction of Perfluorinated Alkyl Acids	EPA	EA POM

Protocol References:

EPA = US Environmental Protection Agency

Laboratory References:

EA POM = Eurofins Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100



Sample Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-221409-1
SDG: PFAS: Halawa Wells P1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
380-221409-1	HALAWA WELLS P1 (331-023-WL065)	Drinking Water	06/22/26 10:09	06/24/26 09:30	Hawaii
380-221409-2	FB: HALAWA WELLS P1 (331-023-WL065)	Water	06/22/26 10:09	06/24/26 09:30	Hawaii

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17

Monrovia, CA (Suite 100)

750 Royal Oaks Drive Suite 100

Monrovia, CA 91016

Phone (626) 386-1100

Chain of Custody Record



Environment Testing
America

Client Information		Sampler bailey		Lab PM. Lopez, Maria		Carrier Tracking No(s)		COC No:			
Client Contact: kirk iwamoto		Phone: +1 808 748 5840		E-Mail: Maria.Lopez@et.eurofinsus.com		State of Origin:		Page: Page 1 of 1			
Company City & County of Honolulu				PWSID:		Analysis Requested					
Address 630 South Beretania Street, Chemistry Lab		Due Date Requested:		Field Filled Sample (Yes or No) Perform MS/MSD (Yes or No) SUBCONTRACT - 625 PAH Physis LL (EAL) + TICs 8015B_GRO_LL - (MOD) GRO 8015B_DRO_LL_CS - HNL Ranges. C10-C24/C24-C36/C8-C16 525.2_PREC - (MOD) 525plus PLUS TICs 537.1_DW_PREC - 537.1 Full List 533 - All Analytes		Total Number of Containers		Preservation Codes:			
City: Honolulu		TAT Requested (days):						A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA		M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2S2O3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 Y - Trizma Z - other (specify)	
State, Zip: HI, 96843		Compliance Project. <input type="checkbox"/> Yes <input type="checkbox"/> No						Other			
Phone: 808-748-5840 (tel)		PO #: C20525101 exp 05312023									
Email: kiwamoto@hbws.org		WO #:									
Project Name: RED-HILL/HBWS sites Event Desc: RUSH Weekly Red Hill		Project #: 38001111									
Site:		SSOW#:									
Sample Identification		Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (W=water, S=solid, O=waste/oli, BT=BIOS, A=Al)			
						Preservation Code:		Special Instructions/Note:			
Halawa Wells P1 (331-023-WL065)		22-Jun-2026		1009		G		Water			
FB: Halawa Wells P1 (331-023-WL065)		22-Jun-2026		1009							
Possible Hazard Identification					Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)						
<input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological					<input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months						
Deliverable Requested I, II, III, IV, Other (specify)					Special Instructions/QC Requirements						
Empty Kit Relinquished by		Date		Time		Method of Shipment: FE 8734 6191 7662					
[Redacted]		23 JUN 2026		1400		Company: HBWS		Received by: JRG			
Date/Time:		Date/Time:		Date/Time:		Date/Time:		Date/Time:			
Relinquished by		Date/Time		Company		Received by		Date/Time			
Relinquished by		Date/Time		Company		Received by		Date/Time			
Custody Seals Intact <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.		Cooler Temperature(s) °C and Other Remarks: 5.6 ± 0.0 = 5.6 °C (63/14)							



Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-221409-1
SDG Number: PFAS: Halawa Wells P1

Login Number: 221409

List Number: 1

Creator: Del Rosario, Michael

List Source: Eurofins Pomona

Question	Answer	Comment
The coolers custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
Samples were received on ice.	True	
Cooler(s) Temperature is acceptable.	True	
Cooler(s) Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and is legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
CIO4 headspace requirement met (>50% for CA, >30% for other states).	True	
Samples do not require splitting or compositing.	True	
Container provided by EEA	True	

