eurofins | Environment Testing

ANALYTICAL REPORT

PREPARED FOR

Attn: Mr. Erwin Kawata
City & County of Honolulu
630 South Beretania Street
Public Service Bldg. Room 310
Honolulu, Hawaii 96843

Generated 10/5/2026 12:40:27 PM

JOB DESCRIPTION

INTERA - Red-Hill-Incident
Site A1 625.1, 8015B_DRO/_GRO, 8260B

JOB NUMBER

380-238111-1

Eurofins Pomona
941 Corporate Center Drive
Pomona CA 91768-2642

See page two for job notes and contact information.

my EOL

Eurofins Pomona

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Drinking Water and Wastewater West, LLC Project Manager.

Compliance Statement

1. Laboratory is accredited in accordance with TNI 2016 Standards and ISO/IEC 17025:2017.
2. Laboratory certifies that the test results meet all TNI 2016 and ISO/IEC 17025:2017 requirements unless noted under the individual analysis
3. Test results relate only to the sample(s) tested.
4. This report shall not be reproduced except in full, without the written approval of the laboratory.
5. Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below. (DW,Water matrices)

Authorization

Generated
10/5/2026 12:40:27 PM

Authorized for release by
Maria Lopez, Project Manager
Maria.Lopez@et.eurofinsus.com
(626)386-1145

Table of Contents

Cover Page 1
Table of Contents 3
Definitions/Glossary 4
Case Narrative 5
Detection Summary 6
Client Sample Results 7
Action Limit Summary 12
Surrogate Summary 14
QC Sample Results 16
QC Association Summary 28
Lab Chronicle 30
Certification Summary 31
Method Summary 32
Sample Summary 33
Chain of Custody 34
Receipt Checklists 36

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Job Narrative
380-238111-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt
The samples were received on 9/24/2026 9:40 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 5.3°C.

GC/MS VOA
Method 8260B: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with analytical batch 570-809182. The laboratory control sample (LCS) was performed in duplicate (LCSD) to provide precision data for this batch.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC/MS Semi VOA
No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Gasoline Range Organics
No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics
No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Detection Summary

Client: City & County of Honolulu
Project/Site: INTERA - Red-Hill-Incident

Job ID: 380-238111-1
SDG: Site A1 625.1, 8015B_DRO/_GRO, 8260B

Client Sample ID: BWS2254-A1-AQ — Lab Sample ID: 380-238111-1

No Detections.

Client Sample ID: BWS2254-A1-TB — Lab Sample ID: 380-238111-2

No Detections.

This Detection Summary does not include radiochemical test results.

Client Sample Results

Client: City & County of Honolulu
Project/Site: INTERA - Red-Hill-Incident

Job ID: 380-238111-1
SDG: Site A1 625.1, 8015B_DRO/_GRO, 8260B

Client Sample ID: BWS2254-A1-AQ

Lab Sample ID: 380-238111-1

Date Collected: 09/22/26 13:30
Matrix: Water
Date Received: 09/24/26 09:40

Method: SW846 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	<2.0		2.0		ug/L			10/02/26 13:51	1
1,1,1-Trichloroethane	<1.0		1.0		ug/L			10/02/26 13:51	1
1,1,2,2-Tetrachloroethane	<1.0		1.0		ug/L			10/02/26 13:51	1
1,1,2-Trichloro-1,2,2-trifluoroethane	<10		10		ug/L			10/02/26 13:51	1
1,1,2-Trichloroethane	<1.0		1.0		ug/L			10/02/26 13:51	1
1,1-Dichloroethane	<1.0		1.0		ug/L			10/02/26 13:51	1
1,1-Dichloroethene	<1.0		1.0		ug/L			10/02/26 13:51	1
1,1-Dichloropropene	<1.0		1.0		ug/L			10/02/26 13:51	1
1,2,3-Trichlorobenzene	<1.0		1.0		ug/L			10/02/26 13:51	1
1,2,3-Trichloropropane	<5.0		5.0		ug/L			10/02/26 13:51	1
1,2,4-Trichlorobenzene	<1.0		1.0		ug/L			10/02/26 13:51	1
1,2,4-Trimethylbenzene	<1.0		1.0		ug/L			10/02/26 13:51	1
1,2-Dibromo-3-Chloropropane	<10		10		ug/L			10/02/26 13:51	1
1,2-Dichlorobenzene	<1.0		1.0		ug/L			10/02/26 13:51	1
1,2-Dichloroethane	<0.50		0.50		ug/L			10/02/26 13:51	1
1,2-Dichloropropane	<1.0		1.0		ug/L			10/02/26 13:51	1
1,3,5-Trimethylbenzene	<1.0		1.0		ug/L			10/02/26 13:51	1
1,3-Dichlorobenzene	<1.0		1.0		ug/L			10/02/26 13:51	1
1,3-Dichloropropane	<1.0		1.0		ug/L			10/02/26 13:51	1
1,4-Dichlorobenzene	<1.0		1.0		ug/L			10/02/26 13:51	1
2,2-Dichloropropane	<1.0		1.0		ug/L			10/02/26 13:51	1
2-Butanone	<10		10		ug/L			10/02/26 13:51	1
2-Chlorotoluene	<1.0		1.0		ug/L			10/02/26 13:51	1
2-Hexanone	<10		10		ug/L			10/02/26 13:51	1
4-Chlorotoluene	<1.0		1.0		ug/L			10/02/26 13:51	1
Acetone	<10		10		ug/L			10/02/26 13:51	1
Benzene	<0.50		0.50		ug/L			10/02/26 13:51	1
Bromobenzene	<1.0		1.0		ug/L			10/02/26 13:51	1
Bromochloromethane	<2.0		2.0		ug/L			10/02/26 13:51	1
Bromodichloromethane	<1.0		1.0		ug/L			10/02/26 13:51	1
Bromoform	<5.0		5.0		ug/L			10/02/26 13:51	1
Bromomethane	<10		10		ug/L			10/02/26 13:51	1
Carbon disulfide	<10		10		ug/L			10/02/26 13:51	1
Carbon tetrachloride	<0.50		0.50		ug/L			10/02/26 13:51	1
Chlorobenzene	<1.0		1.0		ug/L			10/02/26 13:51	1
Chloroethane	<5.0		5.0		ug/L			10/02/26 13:51	1
Chloroform	<1.0		1.0		ug/L			10/02/26 13:51	1
Chloromethane	<10		10		ug/L			10/02/26 13:51	1
cis-1,2-Dichloroethene	<1.0		1.0		ug/L			10/02/26 13:51	1
cis-1,3-Dichloropropene	<0.50		0.50		ug/L			10/02/26 13:51	1
Dibromochloromethane	<2.0		2.0		ug/L			10/02/26 13:51	1
Dibromomethane	<1.0		1.0		ug/L			10/02/26 13:51	1
Dichlorodifluoromethane	<5.0		5.0		ug/L			10/02/26 13:51	1
Diethyl ether	<10		10		ug/L			10/02/26 13:51	1
Di-isopropyl ether (DIPE)	<2.0		2.0		ug/L			10/02/26 13:51	1
Ethanol	<100		100		ug/L			10/02/26 13:51	1
Ethylbenzene	<1.0		1.0		ug/L			10/02/26 13:51	1
Ethylene Dibromide	<1.0		1.0		ug/L			10/02/26 13:51	1
Ethyl-t-butyl ether (ETBE)	<2.0		2.0		ug/L			10/02/26 13:51	1

Client Sample ID: BWS2254-A1-AQ

Lab Sample ID: 380-238111-1

Date Collected: 09/22/26 13:30

Matrix: Water

Date Received: 09/24/26 09:40

Method: SW846 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Hexachloro-1,3-butadiene	<10		10		ug/L			10/02/26 13:51	1
Hexane	<5.0		5.0		ug/L			10/02/26 13:51	1
Isobutyl alcohol	<75		75		ug/L			10/02/26 13:51	1
Isopropanol	<75		75		ug/L			10/02/26 13:51	1
Isopropylbenzene	<1.0		1.0		ug/L			10/02/26 13:51	1
m,p-Xylene	<2.0		2.0		ug/L			10/02/26 13:51	1
Methylene Chloride	<10		10		ug/L			10/02/26 13:51	1
Methyl-t-Butyl Ether (MTBE)	<1.0		1.0		ug/L			10/02/26 13:51	1
MIBK	<10		10		ug/L			10/02/26 13:51	1
Naphthalene	<10		10		ug/L			10/02/26 13:51	1
n-Butylbenzene	<1.0		1.0		ug/L			10/02/26 13:51	1
N-Propylbenzene	<1.0		1.0		ug/L			10/02/26 13:51	1
o-Xylene	<1.0		1.0		ug/L			10/02/26 13:51	1
p-Isopropyltoluene	<1.0		1.0		ug/L			10/02/26 13:51	1
sec-Butylbenzene	<1.0		1.0		ug/L			10/02/26 13:51	1
Styrene	<1.0		1.0		ug/L			10/02/26 13:51	1
tert-Amyl alcohol	<50		50		ug/L			10/02/26 13:51	1
Tert-amyl-methyl ether (TAME)	<2.0		2.0		ug/L			10/02/26 13:51	1
tert-Butyl alcohol (TBA)	<10		10		ug/L			10/02/26 13:51	1
tert-Butylbenzene	<1.0		1.0		ug/L			10/02/26 13:51	1
Tetrachloroethene	<1.0		1.0		ug/L			10/02/26 13:51	1
Toluene	<1.0		1.0		ug/L			10/02/26 13:51	1
trans-1,2-Dichloroethene	<1.0		1.0		ug/L			10/02/26 13:51	1
trans-1,3-Dichloropropene	<0.50		0.50		ug/L			10/02/26 13:51	1
Trichloroethene	<1.0		1.0		ug/L			10/02/26 13:51	1
Trichlorofluoromethane	<10		10		ug/L			10/02/26 13:51	1
Vinyl acetate	<10		10		ug/L			10/02/26 13:51	1
Vinyl chloride	<0.50		0.50		ug/L			10/02/26 13:51	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*107*		*80 - 120*		*10/02/26 13:51*	*1*
4-Bromofluorobenzene (Surr)	*97*		*80 - 120*		*10/02/26 13:51*	*1*
Dibromofluoromethane (Surr)	*104*		*80 - 120*		*10/02/26 13:51*	*1*
Toluene-d8 (Surr)	*95*		*80 - 120*		*10/02/26 13:51*	*1*

Method: EPA 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	<0.19		0.19		ug/L		09/26/26 07:58	09/29/26 17:00	1
2-Methylnaphthalene	<0.19		0.19		ug/L		09/26/26 07:58	09/29/26 17:00	1
Acenaphthene	<0.19		0.19		ug/L		09/26/26 07:58	09/29/26 17:00	1
Acenaphthylene	<0.19		0.19		ug/L		09/26/26 07:58	09/29/26 17:00	1
Anthracene	<0.19		0.19		ug/L		09/26/26 07:58	09/29/26 17:00	1
Benzo[a]anthracene	<0.19		0.19		ug/L		09/26/26 07:58	09/29/26 17:00	1
Benzo[a]pyrene	<0.19		0.19		ug/L		09/26/26 07:58	09/29/26 17:00	1
Benzo[b]fluoranthene	<0.19		0.19		ug/L		09/26/26 07:58	09/29/26 17:00	1
Benzo[g,h,i]perylene	<0.19		0.19		ug/L		09/26/26 07:58	09/29/26 17:00	1
Benzo[k]fluoranthene	<0.19		0.19		ug/L		09/26/26 07:58	09/29/26 17:00	1
Chrysene	<0.19		0.19		ug/L		09/26/26 07:58	09/29/26 17:00	1
Dibenz(a,h)anthracene	<0.19		0.19		ug/L		09/26/26 07:58	09/29/26 17:00	1
Fluoranthene	<0.19		0.19		ug/L		09/26/26 07:58	09/29/26 17:00	1

Client Sample ID: BWS2254-A1-AQ

Lab Sample ID: 380-238111-1
Matrix: Water
Date Collected: 09/22/26 13:30
Date Received: 09/24/26 09:40

Method: EPA 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Fluorene	<0.19		0.19	ug/L		09/26/26 07:58	09/29/26 17:00	1
Indeno[1,2,3-cd]pyrene	<0.19		0.19	ug/L		09/26/26 07:58	09/29/26 17:00	1
Naphthalene	<0.19		0.19	ug/L		09/26/26 07:58	09/29/26 17:00	1
Phenanthrene	<0.19		0.19	ug/L		09/26/26 07:58	09/29/26 17:00	1
Pyrene	<0.19		0.19	ug/L		09/26/26 07:58	09/29/26 17:00	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2,4,6-Tribromophenol (Surr)	*74*		*28 - 127*	*09/26/26 07:58*	*09/29/26 17:00*	*1*
2-Fluorobiphenyl (Surr)	*64*		*31 - 120*	*09/26/26 07:58*	*09/29/26 17:00*	*1*
2-Fluorophenol (Surr)	*40*		*17 - 120*	*09/26/26 07:58*	*09/29/26 17:00*	*1*
Nitrobenzene-d5 (Surr)	*68*		*27 - 120*	*09/26/26 07:58*	*09/29/26 17:00*	*1*
Phenol-d6 (Surr)	*24*		*10 - 120*	*09/26/26 07:58*	*09/29/26 17:00*	*1*
p-Terphenyl-d14 (Surr)	*61*		*45 - 120*	*09/26/26 07:58*	*09/29/26 17:00*	*1*

Method: EPA 625.1 - Semivolatile Organic Compounds (GC/MS)

Tentatively Identified Compound	*Est. Result*	*Qualifier*	*Unit*	*D*	*RT*	*CAS No.*	*Prepared*	*Analyzed*	*Dil Fac*
Tentatively Identified Compound	*None*		*ug/L*			*N/A*	*09/26/26 07:58*	*09/29/26 21:41*	*1*

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2,4,6-Tribromophenol (Surr)	*55*		*33 - 139*	*09/26/26 07:58*	*09/29/26 21:41*	*1*
2-Fluorobiphenyl (Surr)	*69*		*33 - 126*	*09/26/26 07:58*	*09/29/26 21:41*	*1*
2-Fluorophenol (Surr)	*36*		*12 - 120*	*09/26/26 07:58*	*09/29/26 21:41*	*1*
Nitrobenzene-d5 (Surr)	*63*		*36 - 120*	*09/26/26 07:58*	*09/29/26 21:41*	*1*
Phenol-d6 (Surr)	*21*		*10 - 120*	*09/26/26 07:58*	*09/29/26 21:41*	*1*
p-Terphenyl-d14 (Surr)	*71*		*47 - 131*	*09/26/26 07:58*	*09/29/26 21:41*	*1*

Method: SW846 8015B GRO LL - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	<10		10	ug/L			10/01/26 21:33	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
4-Bromofluorobenzene (Surr)	*98*		*38 - 134*		*10/01/26 21:33*	*1*

Method: SW846 8015B - Diesel Range Organics (DRO) (GC) Low Level

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	<25		25	ug/L		09/28/26 10:14	10/03/26 01:05	1
Motor Oil Range Organics [C24-C36]	<25		25	ug/L		09/28/26 10:14	10/03/26 01:05	1
C8-C18	<25		25	ug/L		09/28/26 10:14	10/03/26 01:05	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
n-Octacosane (Surr)	*95*		*60 - 130*	*09/28/26 10:14*	*10/03/26 01:05*	*1*

Client Sample ID: BWS2254-A1-TB

Lab Sample ID: 380-238111-2
Matrix: Water
Date Collected: 09/22/26 13:30
Date Received: 09/24/26 09:40

Method: SW846 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	<2.0		2.0	ug/L			10/02/26 11:01	1
1,1,1-Trichloroethane	<1.0		1.0	ug/L			10/02/26 11:01	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	ug/L			10/02/26 11:01	1

Client Sample ID: BWS2254-A1-TB

Lab Sample ID: 380-238111-2

Date Collected: 09/22/26 13:30

Matrix: Water

Date Received: 09/24/26 09:40

Method: SW846 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,1,2-Trichloro-1,2,2-trifluoroethane	<10		10		ug/L			10/02/26 11:01	1
1,1,2-Trichloroethane	<1.0		1.0		ug/L			10/02/26 11:01	1
1,1-Dichloroethane	<1.0		1.0		ug/L			10/02/26 11:01	1
1,1-Dichloroethene	<1.0		1.0		ug/L			10/02/26 11:01	1
1,1-Dichloropropene	<1.0		1.0		ug/L			10/02/26 11:01	1
1,2,3-Trichlorobenzene	<1.0		1.0		ug/L			10/02/26 11:01	1
1,2,3-Trichloropropane	<5.0		5.0		ug/L			10/02/26 11:01	1
1,2,4-Trichlorobenzene	<1.0		1.0		ug/L			10/02/26 11:01	1
1,2,4-Trimethylbenzene	<1.0		1.0		ug/L			10/02/26 11:01	1
1,2-Dibromo-3-Chloropropane	<10		10		ug/L			10/02/26 11:01	1
1,2-Dichlorobenzene	<1.0		1.0		ug/L			10/02/26 11:01	1
1,2-Dichloroethane	<0.50		0.50		ug/L			10/02/26 11:01	1
1,2-Dichloropropane	<1.0		1.0		ug/L			10/02/26 11:01	1
1,3,5-Trimethylbenzene	<1.0		1.0		ug/L			10/02/26 11:01	1
1,3-Dichlorobenzene	<1.0		1.0		ug/L			10/02/26 11:01	1
1,3-Dichloropropane	<1.0		1.0		ug/L			10/02/26 11:01	1
1,4-Dichlorobenzene	<1.0		1.0		ug/L			10/02/26 11:01	1
2,2-Dichloropropane	<1.0		1.0		ug/L			10/02/26 11:01	1
2-Butanone	<10		10		ug/L			10/02/26 11:01	1
2-Chlorotoluene	<1.0		1.0		ug/L			10/02/26 11:01	1
2-Hexanone	<10		10		ug/L			10/02/26 11:01	1
4-Chlorotoluene	<1.0		1.0		ug/L			10/02/26 11:01	1
Acetone	<10		10		ug/L			10/02/26 11:01	1
Benzene	<0.50		0.50		ug/L			10/02/26 11:01	1
Bromobenzene	<1.0		1.0		ug/L			10/02/26 11:01	1
Bromochloromethane	<2.0		2.0		ug/L			10/02/26 11:01	1
Bromodichloromethane	<1.0		1.0		ug/L			10/02/26 11:01	1
Bromoform	<5.0		5.0		ug/L			10/02/26 11:01	1
Bromomethane	<10		10		ug/L			10/02/26 11:01	1
Carbon disulfide	<10		10		ug/L			10/02/26 11:01	1
Carbon tetrachloride	<0.50		0.50		ug/L			10/02/26 11:01	1
Chlorobenzene	<1.0		1.0		ug/L			10/02/26 11:01	1
Chloroethane	<5.0		5.0		ug/L			10/02/26 11:01	1
Chloroform	<1.0		1.0		ug/L			10/02/26 11:01	1
Chloromethane	<10		10		ug/L			10/02/26 11:01	1
cis-1,2-Dichloroethene	<1.0		1.0		ug/L			10/02/26 11:01	1
cis-1,3-Dichloropropene	<0.50		0.50		ug/L			10/02/26 11:01	1
Dibromochloromethane	<2.0		2.0		ug/L			10/02/26 11:01	1
Dibromomethane	<1.0		1.0		ug/L			10/02/26 11:01	1
Dichlorodifluoromethane	<5.0		5.0		ug/L			10/02/26 11:01	1
Diethyl ether	<10		10		ug/L			10/02/26 11:01	1
Di-isopropyl ether (DIPE)	<2.0		2.0		ug/L			10/02/26 11:01	1
Ethanol	<100		100		ug/L			10/02/26 11:01	1
Ethylbenzene	<1.0		1.0		ug/L			10/02/26 11:01	1
Ethylene Dibromide	<1.0		1.0		ug/L			10/02/26 11:01	1
Ethyl-t-butyl ether (ETBE)	<2.0		2.0		ug/L			10/02/26 11:01	1
Hexachloro-1,3-butadiene	<10		10		ug/L			10/02/26 11:01	1
Hexane	<5.0		5.0		ug/L			10/02/26 11:01	1
Isobutyl alcohol	<75		75		ug/L			10/02/26 11:01	1

Client Sample Results

Client: City & County of Honolulu
Project/Site: INTERA - Red-Hill-Incident

Job ID: 380-238111-1
SDG: Site A1 625.1, 8015B_DRO/_GRO, 8260B

Client Sample ID: BWS2254-A1-TB

Lab Sample ID: 380-238111-2

Date Collected: 09/22/26 13:30
Matrix: Water
Date Received: 09/24/26 09:40

Method: SW846 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Isopropanol	<75		75	ug/L			10/02/26 11:01	1
Isopropylbenzene	<1.0		1.0	ug/L			10/02/26 11:01	1
m,p-Xylene	<2.0		2.0	ug/L			10/02/26 11:01	1
Methylene Chloride	<10		10	ug/L			10/02/26 11:01	1
Methyl-t-Butyl Ether (MTBE)	<1.0		1.0	ug/L			10/02/26 11:01	1
MIBK	<10		10	ug/L			10/02/26 11:01	1
Naphthalene	<10		10	ug/L			10/02/26 11:01	1
n-Butylbenzene	<1.0		1.0	ug/L			10/02/26 11:01	1
N-Propylbenzene	<1.0		1.0	ug/L			10/02/26 11:01	1
o-Xylene	<1.0		1.0	ug/L			10/02/26 11:01	1
p-Isopropyltoluene	<1.0		1.0	ug/L			10/02/26 11:01	1
sec-Butylbenzene	<1.0		1.0	ug/L			10/02/26 11:01	1
Styrene	<1.0		1.0	ug/L			10/02/26 11:01	1
tert-Amyl alcohol	<50		50	ug/L			10/02/26 11:01	1
Tert-amyl-methyl ether (TAME)	<2.0		2.0	ug/L			10/02/26 11:01	1
tert-Butyl alcohol (TBA)	<10		10	ug/L			10/02/26 11:01	1
tert-Butylbenzene	<1.0		1.0	ug/L			10/02/26 11:01	1
Tetrachloroethene	<1.0		1.0	ug/L			10/02/26 11:01	1
Toluene	<1.0		1.0	ug/L			10/02/26 11:01	1
trans-1,2-Dichloroethene	<1.0		1.0	ug/L			10/02/26 11:01	1
trans-1,3-Dichloropropene	<0.50		0.50	ug/L			10/02/26 11:01	1
Trichloroethene	<1.0		1.0	ug/L			10/02/26 11:01	1
Trichlorofluoromethane	<10		10	ug/L			10/02/26 11:01	1
Vinyl acetate	<10		10	ug/L			10/02/26 11:01	1
Vinyl chloride	<0.50		0.50	ug/L			10/02/26 11:01	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*108*		*80 - 120*		*10/02/26 11:01*	*1*
4-Bromofluorobenzene (Surr)	*96*		*80 - 120*		*10/02/26 11:01*	*1*
Dibromofluoromethane (Surr)	*106*		*80 - 120*		*10/02/26 11:01*	*1*
Toluene-d8 (Surr)	*95*		*80 - 120*		*10/02/26 11:01*	*1*

Method: SW846 8015B GRO LL - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	<10		10	ug/L			10/01/26 19:15	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
4-Bromofluorobenzene (Surr)	*101*		*38 - 134*		*10/01/26 19:15*	*1*

Action Limit Summary

Client: City & County of Honolulu
Project/Site: INTERA - Red-Hill-Incident

Job ID: 380-238111-1
SDG: Site A1 625.1, 8015B_DRO/_GRO, 8260B

Client Sample ID: BWS2254-A1-AQ — Lab Sample ID: 380-238111-1

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	HI Org Limit	RL	Method	Prep Type
1,1,1-Trichloroethane	<1.0		ug/L	200	200.0	1.0	8260B	Total/NA
1,1,2-Trichloroethane	<1.0		ug/L	5	5.000	1.0	8260B	Total/NA
1,1-Dichloroethene	<1.0		ug/L	7	7.000	1.0	8260B	Total/NA
1,2,3-Trichloropropane	<5.0		ug/L		0.6000	5.0	8260B	Total/NA
1,2,4-Trichlorobenzene	<1.0		ug/L	70	70.00	1.0	8260B	Total/NA
1,2-Dibromo-3-Chloropropane	<10		ug/L	0.2		10	8260B	Total/NA
1,2-Dichlorobenzene	<1.0		ug/L	600	600.0	1.0	8260B	Total/NA
1,2-Dichloroethane	<0.50		ug/L	5	5.000	0.50	8260B	Total/NA
1,2-Dichloropropane	<1.0		ug/L	5	5.000	1.0	8260B	Total/NA
1,4-Dichlorobenzene	<1.0		ug/L	75	75.000	1.0	8260B	Total/NA
Benzene	<0.50		ug/L	5	5.000	0.50	8260B	Total/NA
Bromodichloromethane	<1.0		ug/L	80		1.0	8260B	Total/NA
Bromoform	<5.0		ug/L	80		5.0	8260B	Total/NA
Carbon tetrachloride	<0.50		ug/L	5	5.000	0.50	8260B	Total/NA
Chlorobenzene	<1.0		ug/L	100	100.0	1.0	8260B	Total/NA
Chloroform	<1.0		ug/L	80		1.0	8260B	Total/NA
cis-1,2-Dichloroethene	<1.0		ug/L	70	70.00	1.0	8260B	Total/NA
Dibromochloromethane	<2.0		ug/L	80		2.0	8260B	Total/NA
Ethylbenzene	<1.0		ug/L	700	700.0	1.0	8260B	Total/NA
Ethylene Dibromide	<1.0		ug/L	0.05		1.0	8260B	Total/NA
Methylene Chloride	<10		ug/L	5	5.000	10	8260B	Total/NA
Styrene	<1.0		ug/L	100	100.0	1.0	8260B	Total/NA
Tetrachloroethene	<1.0		ug/L	5	5.000	1.0	8260B	Total/NA
Toluene	<1.0		ug/L	1000	1000	1.0	8260B	Total/NA
trans-1,2-Dichloroethene	<1.0		ug/L	100	100.0	1.0	8260B	Total/NA
Trichloroethene	<1.0		ug/L	5	5.000	1.0	8260B	Total/NA
Vinyl chloride	<0.50		ug/L	2	2.000	0.50	8260B	Total/NA
Benzo[a]pyrene	<0.19		ug/L	0.2		0.19	625.1 SIM	Total/NA

Client Sample ID: BWS2254-A1-TB — Lab Sample ID: 380-238111-2

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	HI Org Limit	RL	Method	Prep Type
1,1,1-Trichloroethane	<1.0		ug/L	200	200.0	1.0	8260B	Total/NA
1,1,2-Trichloroethane	<1.0		ug/L	5	5.000	1.0	8260B	Total/NA
1,1-Dichloroethene	<1.0		ug/L	7	7.000	1.0	8260B	Total/NA
1,2,3-Trichloropropane	<5.0		ug/L		0.6000	5.0	8260B	Total/NA
1,2,4-Trichlorobenzene	<1.0		ug/L	70	70.00	1.0	8260B	Total/NA
1,2-Dibromo-3-Chloropropane	<10		ug/L	0.2		10	8260B	Total/NA
1,2-Dichlorobenzene	<1.0		ug/L	600	600.0	1.0	8260B	Total/NA
1,2-Dichloroethane	<0.50		ug/L	5	5.000	0.50	8260B	Total/NA
1,2-Dichloropropane	<1.0		ug/L	5	5.000	1.0	8260B	Total/NA
1,4-Dichlorobenzene	<1.0		ug/L	75	75.000	1.0	8260B	Total/NA
Benzene	<0.50		ug/L	5	5.000	0.50	8260B	Total/NA

Action Limit Summary

Client: City & County of Honolulu
Project/Site: INTERA - Red-Hill-Incident

Job ID: 380-238111-1
SDG: Site A1 625.1, 8015B_DRO/_GRO, 8260B

Client Sample ID: BWS2254-A1-TB (Continued)

Lab Sample ID: 380-238111-2

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	HI Org Limit	RL	Method	Prep Type
Bromodichloromethane	<1.0		ug/L	80		1.0	8260B	Total/NA
Bromoform	<5.0		ug/L	80		5.0	8260B	Total/NA
Carbon tetrachloride	<0.50		ug/L	5	5.000	0.50	8260B	Total/NA
Chlorobenzene	<1.0		ug/L	100	100.0	1.0	8260B	Total/NA
Chloroform	<1.0		ug/L	80		1.0	8260B	Total/NA
cis-1,2-Dichloroethene	<1.0		ug/L	70	70.00	1.0	8260B	Total/NA
Dibromochloromethane	<2.0		ug/L	80		2.0	8260B	Total/NA
Ethylbenzene	<1.0		ug/L	700	700.0	1.0	8260B	Total/NA
Ethylene Dibromide	<1.0		ug/L	0.05		1.0	8260B	Total/NA
Methylene Chloride	<10		ug/L	5	5.000	10	8260B	Total/NA
Styrene	<1.0		ug/L	100	100.0	1.0	8260B	Total/NA
Tetrachloroethene	<1.0		ug/L	5	5.000	1.0	8260B	Total/NA
Toluene	<1.0		ug/L	1000	1000	1.0	8260B	Total/NA
trans-1,2-Dichloroethene	<1.0		ug/L	100	100.0	1.0	8260B	Total/NA
Trichloroethene	<1.0		ug/L	5	5.000	1.0	8260B	Total/NA
Vinyl chloride	<0.50		ug/L	2	2.000	0.50	8260B	Total/NA

Surrogate Summary

Client: City & County of Honolulu
Project/Site: INTERA - Red-Hill-Incident

Job ID: 380-238111-1
SDG: Site A1 625.1, 8015B_DRO/_GRO, 8260B

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)			
		DCA	BFB	DBFM	TOL
Lab Sample ID	Client Sample ID	(80-120)	(80-120)	(80-120)	(80-120)
380-238111-1	BWS2254-A1-AQ	107	97	104	95
380-238111-2	BWS2254-A1-TB	108	96	106	95
LCS 570-809182/1003	Lab Control Sample	107	105	102	95
LCSD 570-809182/6	Lab Control Sample Dup	107	100	100	97
MB 570-809182/8	Method Blank	107	98	104	95

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
DBFM = Dibromofluoromethane (Surr)
TOL = Toluene-d8 (Surr)

Method: 625.1 - Semivolatile Organic Compounds (GC/MS)

Matrix: Water **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)					
		TBP	FBP	2FP	NBZ	PHL6	TPHd14
Lab Sample ID	Client Sample ID	(33-139)	(33-126)	(12-120)	(36-120)	(10-120)	(47-131)
380-238111-1	BWS2254-A1-AQ	55	69	36	63	21	71
MB 570-806145/1-A	Method Blank	69	89	45	84	18	91

Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)
FBP = 2-Fluorobiphenyl (Surr)
2FP = 2-Fluorophenol (Surr)
NBZ = Nitrobenzene-d5 (Surr)
PHL6 = Phenol-d6 (Surr)
TPHd14 = p-Terphenyl-d14 (Surr)

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Matrix: Water **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)					
		TBP	FBP	2FP	NBZ	PHL6	TPHd14
Lab Sample ID	Client Sample ID	(28-127)	(31-120)	(17-120)	(27-120)	(10-120)	(45-120)
380-237858-B-1-A MS	Matrix Spike	88	82	62	63	40	89
380-237858-B-1-B MSD	Matrix Spike Duplicate	77	73	51	57	34	82
380-238111-1	BWS2254-A1-AQ	74	64	40	68	24	61
LCS 570-806145/2-A	Lab Control Sample	77	74	56	60	38	78
LCSD 570-806145/3-A	Lab Control Sample Dup	78	74	57	60	39	81
MB 570-806145/1-A	Method Blank	87	75	52	83	34	72

Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)
FBP = 2-Fluorobiphenyl (Surr)
2FP = 2-Fluorophenol (Surr)
NBZ = Nitrobenzene-d5 (Surr)
PHL6 = Phenol-d6 (Surr)
TPHd14 = p-Terphenyl-d14 (Surr)

Surrogate Summary

Client: City & County of Honolulu
Job ID: 380-238111-1
Project/Site: INTERA - Red-Hill-Incident
SDG: Site A1 625.1, 8015B_DRO/_GRO, 8260B

Method: 8015B GRO LL - Gasoline Range Organics - (GC)

Matrix: Water **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)							
Lab Sample ID	**Client Sample ID**	**BFB1 (38-134)**							
380-237858-C-1 MS	Matrix Spike	100							
380-237858-C-1 MSD	Matrix Spike Duplicate	101							
380-238111-1	BWS2254-A1-AQ	98							
380-238111-2	BWS2254-A1-TB	101							
LCS 570-808619/3	Lab Control Sample	99							
LCSD 570-808619/4	Lab Control Sample Dup	97							
MB 570-808619/6	Method Blank	101							
MRL 570-808619/5	Lab Control Sample	96							

Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level

Matrix: Water **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)							
Lab Sample ID	**Client Sample ID**	**OTCSN1 (60-130)**							
380-237858-A-1-A MS	Matrix Spike	103							
380-237858-A-1-B MSD	Matrix Spike Duplicate	91							
380-238111-1	BWS2254-A1-AQ	95							
LCS 570-806448/2-A	Lab Control Sample	92							
LCSD 570-806448/3-A	Lab Control Sample Dup	97							
MB 570-806448/1-A	Method Blank	87							
MRL 570-806448/4-A	Lab Control Sample	89							

Surrogate Legend

OTCSN = n-Octacosane (Surr)

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 570-809182/8
Matrix: Water
Analysis Batch: 809182

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	<2.0		2.0		ug/L			10/02/26 09:09	1
1,1,1-Trichloroethane	<1.0		1.0		ug/L			10/02/26 09:09	1
1,1,2,2-Tetrachloroethane	<1.0		1.0		ug/L			10/02/26 09:09	1
1,1,2-Trichloro-1,2,2-trifluoroethane	<10		10		ug/L			10/02/26 09:09	1
1,1,2-Trichloroethane	<1.0		1.0		ug/L			10/02/26 09:09	1
1,1-Dichloroethane	<1.0		1.0		ug/L			10/02/26 09:09	1
1,1-Dichloroethene	<1.0		1.0		ug/L			10/02/26 09:09	1
1,1-Dichloropropene	<1.0		1.0		ug/L			10/02/26 09:09	1
1,2,3-Trichlorobenzene	<1.0		1.0		ug/L			10/02/26 09:09	1
1,2,3-Trichloropropane	<5.0		5.0		ug/L			10/02/26 09:09	1
1,2,4-Trichlorobenzene	<1.0		1.0		ug/L			10/02/26 09:09	1
1,2,4-Trimethylbenzene	<1.0		1.0		ug/L			10/02/26 09:09	1
1,2-Dibromo-3-Chloropropane	<10		10		ug/L			10/02/26 09:09	1
1,2-Dichlorobenzene	<1.0		1.0		ug/L			10/02/26 09:09	1
1,2-Dichloroethane	<0.50		0.50		ug/L			10/02/26 09:09	1
1,2-Dichloropropane	<1.0		1.0		ug/L			10/02/26 09:09	1
1,3,5-Trimethylbenzene	<1.0		1.0		ug/L			10/02/26 09:09	1
1,3-Dichlorobenzene	<1.0		1.0		ug/L			10/02/26 09:09	1
1,3-Dichloropropane	<1.0		1.0		ug/L			10/02/26 09:09	1
1,4-Dichlorobenzene	<1.0		1.0		ug/L			10/02/26 09:09	1
2,2-Dichloropropane	<1.0		1.0		ug/L			10/02/26 09:09	1
2-Butanone	<10		10		ug/L			10/02/26 09:09	1
2-Chlorotoluene	<1.0		1.0		ug/L			10/02/26 09:09	1
2-Hexanone	<10		10		ug/L			10/02/26 09:09	1
4-Chlorotoluene	<1.0		1.0		ug/L			10/02/26 09:09	1
Acetone	<10		10		ug/L			10/02/26 09:09	1
Benzene	<0.50		0.50		ug/L			10/02/26 09:09	1
Bromobenzene	<1.0		1.0		ug/L			10/02/26 09:09	1
Bromochloromethane	<2.0		2.0		ug/L			10/02/26 09:09	1
Bromodichloromethane	<1.0		1.0		ug/L			10/02/26 09:09	1
Bromoform	<5.0		5.0		ug/L			10/02/26 09:09	1
Bromomethane	<10		10		ug/L			10/02/26 09:09	1
Carbon disulfide	<10		10		ug/L			10/02/26 09:09	1
Carbon tetrachloride	<0.50		0.50		ug/L			10/02/26 09:09	1
Chlorobenzene	<1.0		1.0		ug/L			10/02/26 09:09	1
Chloroethane	<5.0		5.0		ug/L			10/02/26 09:09	1
Chloroform	<1.0		1.0		ug/L			10/02/26 09:09	1
Chloromethane	<10		10		ug/L			10/02/26 09:09	1
cis-1,2-Dichloroethene	<1.0		1.0		ug/L			10/02/26 09:09	1
cis-1,3-Dichloropropene	<0.50		0.50		ug/L			10/02/26 09:09	1
Dibromochloromethane	<2.0		2.0		ug/L			10/02/26 09:09	1
Dibromomethane	<1.0		1.0		ug/L			10/02/26 09:09	1
Dichlorodifluoromethane	<5.0		5.0		ug/L			10/02/26 09:09	1
Diethyl ether	<10		10		ug/L			10/02/26 09:09	1
Di-isopropyl ether (DIPE)	<2.0		2.0		ug/L			10/02/26 09:09	1
Ethanol	<100		100		ug/L			10/02/26 09:09	1
Ethylbenzene	<1.0		1.0		ug/L			10/02/26 09:09	1
Ethylene Dibromide	<1.0		1.0		ug/L			10/02/26 09:09	1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 570-809182/8
Matrix: Water
Analysis Batch: 809182

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Ethyl-t-butyl ether (ETBE)	<2.0		2.0		ug/L			10/02/26 09:09	1
Hexachloro-1,3-butadiene	<10		10		ug/L			10/02/26 09:09	1
Hexane	<5.0		5.0		ug/L			10/02/26 09:09	1
Isobutyl alcohol	<75		75		ug/L			10/02/26 09:09	1
Isopropanol	<75		75		ug/L			10/02/26 09:09	1
Isopropylbenzene	<1.0		1.0		ug/L			10/02/26 09:09	1
m,p-Xylene	<2.0		2.0		ug/L			10/02/26 09:09	1
Methylene Chloride	<10		10		ug/L			10/02/26 09:09	1
Methyl-t-Butyl Ether (MTBE)	<1.0		1.0		ug/L			10/02/26 09:09	1
MIBK	<10		10		ug/L			10/02/26 09:09	1
Naphthalene	<10		10		ug/L			10/02/26 09:09	1
n-Butylbenzene	<1.0		1.0		ug/L			10/02/26 09:09	1
N-Propylbenzene	<1.0		1.0		ug/L			10/02/26 09:09	1
o-Xylene	<1.0		1.0		ug/L			10/02/26 09:09	1
p-Isopropyltoluene	<1.0		1.0		ug/L			10/02/26 09:09	1
sec-Butylbenzene	<1.0		1.0		ug/L			10/02/26 09:09	1
Styrene	<1.0		1.0		ug/L			10/02/26 09:09	1
tert-Amyl alcohol	<50		50		ug/L			10/02/26 09:09	1
Tert-amyl-methyl ether (TAME)	<2.0		2.0		ug/L			10/02/26 09:09	1
tert-Butyl alcohol (TBA)	<10		10		ug/L			10/02/26 09:09	1
tert-Butylbenzene	<1.0		1.0		ug/L			10/02/26 09:09	1
Tetrachloroethene	<1.0		1.0		ug/L			10/02/26 09:09	1
Toluene	<1.0		1.0		ug/L			10/02/26 09:09	1
trans-1,2-Dichloroethene	<1.0		1.0		ug/L			10/02/26 09:09	1
trans-1,3-Dichloropropene	<0.50		0.50		ug/L			10/02/26 09:09	1
Trichloroethene	<1.0		1.0		ug/L			10/02/26 09:09	1
Trichlorofluoromethane	<10		10		ug/L			10/02/26 09:09	1
Vinyl acetate	<10		10		ug/L			10/02/26 09:09	1
Vinyl chloride	<0.50		0.50		ug/L			10/02/26 09:09	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*107*		*80 - 120*		*10/02/26 09:09*	*1*
4-Bromofluorobenzene (Surr)	*98*		*80 - 120*		*10/02/26 09:09*	*1*
Dibromofluoromethane (Surr)	*104*		*80 - 120*		*10/02/26 09:09*	*1*
Toluene-d8 (Surr)	*95*		*80 - 120*		*10/02/26 09:09*	*1*

Lab Sample ID: LCS 570-809182/1003
Matrix: Water
Analysis Batch: 809182

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1,1,2-Tetrachloroethane	20.0	20.7		ug/L		103	83 - 120
1,1,1-Trichloroethane	20.0	19.3		ug/L		97	78 - 123
1,1,2,2-Tetrachloroethane	20.0	18.9		ug/L		94	74 - 125
1,1,2-Trichloro-1,2,2-trifluoroetha ne	20.0	17.7		ug/L		89	72 - 130
1,1,2-Trichloroethane	20.0	21.1		ug/L		105	82 - 120
1,1-Dichloroethane	20.0	20.1		ug/L		101	79 - 122
1,1-Dichloroethene	20.0	19.5		ug/L		97	74 - 127

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 570-809182/1003
Matrix: Water
Analysis Batch: 809182

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloropropene	20.0	19.4		ug/L		97	75 - 124
1,2,3-Trichlorobenzene	20.0	19.6		ug/L		98	71 - 126
1,2,3-Trichloropropane	20.0	22.2		ug/L		111	73 - 121
1,2,4-Trichlorobenzene	20.0	17.9		ug/L		90	70 - 130
1,2,4-Trimethylbenzene	20.0	18.6		ug/L		93	80 - 125
1,2-Dibromo-3-Chloropropane	20.0	22.5		ug/L		113	64 - 127
1,2-Dichlorobenzene	20.0	22.1		ug/L		111	78 - 122
1,2-Dichloroethane	20.0	20.9		ug/L		104	76 - 123
1,2-Dichloropropane	20.0	20.0		ug/L		100	82 - 120
1,3,5-Trimethylbenzene	20.0	20.4		ug/L		102	79 - 124
1,3-Dichlorobenzene	20.0	19.9		ug/L		99	81 - 120
1,3-Dichloropropane	20.0	21.0		ug/L		105	82 - 120
1,4-Dichlorobenzene	20.0	19.5		ug/L		98	78 - 121
2,2-Dichloropropane	20.0	18.0		ug/L		90	69 - 133
2-Butanone	20.0	20.7		ug/L		104	55 - 142
2-Chlorotoluene	20.0	21.1		ug/L		106	80 - 120
2-Hexanone	20.0	20.6		ug/L		103	54 - 138
4-Chlorotoluene	20.0	18.3		ug/L		91	80 - 121
Acetone	20.0	23.3		ug/L		116	50 - 157
Benzene	20.0	19.9		ug/L		100	80 - 120
Bromobenzene	20.0	21.5		ug/L		107	80 - 120
Bromochloromethane	20.0	19.5		ug/L		97	83 - 123
Bromodichloromethane	20.0	19.3		ug/L		96	83 - 120
Bromoform	20.0	20.1		ug/L		101	75 - 128
Bromomethane	20.0	22.0		ug/L		110	31 - 120
Carbon disulfide	20.0	19.5		ug/L		97	71 - 128
Carbon tetrachloride	20.0	20.2		ug/L		101	72 - 135
Chlorobenzene	20.0	20.6		ug/L		103	84 - 120
Chloroethane	20.0	21.2		ug/L		106	72 - 129
Chloroform	20.0	19.7		ug/L		98	79 - 120
Chloromethane	20.0	19.6		ug/L		98	36 - 148
cis-1,2-Dichloroethene	20.0	18.8		ug/L		94	81 - 120
cis-1,3-Dichloropropene	20.0	17.8		ug/L		89	76 - 125
Dibromochloromethane	20.0	21.2		ug/L		106	82 - 120
Dibromomethane	20.0	19.6		ug/L		98	85 - 120
Dichlorodifluoromethane	20.0	15.1		ug/L		76	52 - 147
Diethyl ether	20.0	20.9		ug/L		104	71 - 127
Di-isopropyl ether (DIPE)	20.0	20.2		ug/L		101	70 - 132
Ethanol	200	235		ug/L		117	48 - 163
Ethylbenzene	20.0	20.2		ug/L		101	81 - 120
Ethylene Dibromide	20.0	20.0		ug/L		100	81 - 120
Ethyl-t-butyl ether (ETBE)	20.0	18.5		ug/L		93	68 - 126
Isopropylbenzene	20.0	22.7		ug/L		114	80 - 122
m,p-Xylene	40.0	40.9		ug/L		102	79 - 122
Methylene Chloride	20.0	20.0		ug/L		100	76 - 120
Methyl-t-Butyl Ether (MTBE)	20.0	18.5		ug/L		93	70 - 124
MIBK	20.0	18.9		ug/L		94	57 - 133
Naphthalene	20.0	15.7		ug/L		79	64 - 124
n-Butylbenzene	20.0	18.3		ug/L		91	78 - 127

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 570-809182/1003
Matrix: Water
Analysis Batch: 809182

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
N-Propylbenzene	20.0	21.2		ug/L		106	80 - 121
o-Xylene	20.0	21.0		ug/L		105	81 - 120
p-Isopropyltoluene	20.0	17.7		ug/L		89	81 - 124
sec-Butylbenzene	20.0	20.2		ug/L		101	80 - 123
Styrene	20.0	20.3		ug/L		102	82 - 120
tert-Amyl alcohol	100	93.3		ug/L		93	30 - 157
Tert-amyl-methyl ether (TAME)	20.0	17.4		ug/L		87	71 - 121
tert-Butyl alcohol (TBA)	100	103		ug/L		103	68 - 128
tert-Butylbenzene	20.0	17.8		ug/L		89	80 - 124
Tetrachloroethene	20.0	20.0		ug/L		100	78 - 126
Toluene	20.0	18.8		ug/L		94	82 - 120
trans-1,2-Dichloroethene	20.0	19.2		ug/L		96	79 - 122
trans-1,3-Dichloropropene	20.0	19.5		ug/L		97	73 - 127
Trichloroethene	20.0	18.7		ug/L		93	83 - 120
Trichlorofluoromethane	20.0	19.3		ug/L		96	74 - 135
Vinyl acetate	20.0	15.2		ug/L		76	56 - 135
Vinyl chloride	20.0	18.2		ug/L		91	68 - 131

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*107*		*80 - 120*
4-Bromofluorobenzene (Surr)	*105*		*80 - 120*
Dibromofluoromethane (Surr)	*102*		*80 - 120*
Toluene-d8 (Surr)	*95*		*80 - 120*

Lab Sample ID: LCSD 570-809182/6
Matrix: Water
Analysis Batch: 809182

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	20.0	21.2		ug/L		106	83 - 120	3	20
1,1,1-Trichloroethane	20.0	20.7		ug/L		103	78 - 123	7	20
1,1,2,2-Tetrachloroethane	20.0	19.8		ug/L		99	74 - 125	5	20
1,1,2-Trichloro-1,2,2-trifluoroethane	20.0	20.2		ug/L		101	72 - 130	13	20
1,1,2-Trichloroethane	20.0	21.1		ug/L		105	82 - 120	0	20
1,1-Dichloroethane	20.0	20.5		ug/L		103	79 - 122	2	20
1,1-Dichloroethene	20.0	20.6		ug/L		103	74 - 127	6	20
1,1-Dichloropropene	20.0	21.0		ug/L		105	75 - 124	8	20
1,2,3-Trichlorobenzene	20.0	21.7		ug/L		108	71 - 126	10	20
1,2,3-Trichloropropane	20.0	20.5		ug/L		103	73 - 121	8	20
1,2,4-Trichlorobenzene	20.0	19.4		ug/L		97	70 - 130	8	20
1,2,4-Trimethylbenzene	20.0	18.6		ug/L		93	80 - 125	0	20
1,2-Dibromo-3-Chloropropane	20.0	22.4		ug/L		112	64 - 127	1	20
1,2-Dichlorobenzene	20.0	20.2		ug/L		101	78 - 122	9	20
1,2-Dichloroethane	20.0	21.0		ug/L		105	76 - 123	0	20
1,2-Dichloropropane	20.0	20.2		ug/L		101	82 - 120	1	20
1,3,5-Trimethylbenzene	20.0	20.3		ug/L		102	79 - 124	0	20
1,3-Dichlorobenzene	20.0	19.9		ug/L		100	81 - 120	0	20
1,3-Dichloropropane	20.0	21.1		ug/L		105	82 - 120	0	20

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 570-809182/6
Matrix: Water
Analysis Batch: 809182

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dichlorobenzene	20.0	20.1		ug/L		101	78 - 121	3	20
2,2-Dichloropropane	20.0	19.2		ug/L		96	69 - 133	6	20
2-Butanone	20.0	22.1		ug/L		110	55 - 142	6	21
2-Chlorotoluene	20.0	20.9		ug/L		105	80 - 120	1	20
2-Hexanone	20.0	21.2		ug/L		106	54 - 138	3	21
4-Chlorotoluene	20.0	20.2		ug/L		101	80 - 121	10	20
Acetone	20.0	27.4		ug/L		137	50 - 157	16	26
Benzene	20.0	20.5		ug/L		103	80 - 120	3	20
Bromobenzene	20.0	20.2		ug/L		101	80 - 120	6	20
Bromochloromethane	20.0	19.6		ug/L		98	83 - 123	1	20
Bromodichloromethane	20.0	19.6		ug/L		98	83 - 120	1	20
Bromoform	20.0	20.6		ug/L		103	75 - 128	2	20
Bromomethane	20.0	22.3		ug/L		112	31 - 120	1	22
Carbon disulfide	20.0	20.6		ug/L		103	71 - 128	6	20
Carbon tetrachloride	20.0	21.9		ug/L		110	72 - 135	8	20
Chlorobenzene	20.0	21.1		ug/L		105	84 - 120	2	20
Chloroethane	20.0	21.6		ug/L		108	72 - 129	2	20
Chloroform	20.0	19.8		ug/L		99	79 - 120	1	20
Chloromethane	20.0	22.9		ug/L		115	36 - 148	15	20
cis-1,2-Dichloroethene	20.0	19.0		ug/L		95	81 - 120	1	20
cis-1,3-Dichloropropene	20.0	18.3		ug/L		92	76 - 125	3	20
Dibromochloromethane	20.0	20.5		ug/L		103	82 - 120	3	20
Dibromomethane	20.0	19.5		ug/L		97	85 - 120	1	20
Dichlorodifluoromethane	20.0	16.1		ug/L		81	52 - 147	6	20
Diethyl ether	20.0	20.9		ug/L		105	71 - 127	0	20
Di-isopropyl ether (DIPE)	20.0	20.3		ug/L		101	70 - 132	0	20
Ethanol	200	225		ug/L		113	48 - 163	4	30
Ethylbenzene	20.0	21.0		ug/L		105	81 - 120	4	20
Ethylene Dibromide	20.0	19.8		ug/L		99	81 - 120	1	20
Ethyl-t-butyl ether (ETBE)	20.0	18.4		ug/L		92	68 - 126	1	20
Isopropylbenzene	20.0	20.5		ug/L		103	80 - 122	10	20
m,p-Xylene	40.0	42.5		ug/L		106	79 - 122	4	20
Methylene Chloride	20.0	20.5		ug/L		102	76 - 120	2	20
Methyl-t-Butyl Ether (MTBE)	20.0	18.2		ug/L		91	70 - 124	2	20
MIBK	20.0	19.7		ug/L		99	57 - 133	4	20
Naphthalene	20.0	17.1		ug/L		85	64 - 124	8	20
n-Butylbenzene	20.0	17.4		ug/L		87	78 - 127	5	20
N-Propylbenzene	20.0	21.4		ug/L		107	80 - 121	1	20
o-Xylene	20.0	20.5		ug/L		102	81 - 120	2	20
p-Isopropyltoluene	20.0	18.4		ug/L		92	81 - 124	4	20
sec-Butylbenzene	20.0	20.3		ug/L		101	80 - 123	1	20
Styrene	20.0	19.6		ug/L		98	82 - 120	4	20
tert-Amyl alcohol	100	98.2		ug/L		98	30 - 157	5	30
Tert-amyl-methyl ether (TAME)	20.0	17.4		ug/L		87	71 - 121	0	20
tert-Butyl alcohol (TBA)	100	100		ug/L		100	68 - 128	3	20
tert-Butylbenzene	20.0	20.1		ug/L		100	80 - 124	12	20
Tetrachloroethene	20.0	20.8		ug/L		104	78 - 126	4	20
Toluene	20.0	19.7		ug/L		98	82 - 120	4	20
trans-1,2-Dichloroethene	20.0	19.9		ug/L		99	79 - 122	4	20

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 570-809182/6
Matrix: Water
Analysis Batch: 809182

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
trans-1,3-Dichloropropene			20.0	19.6		ug/L		98	73 - 127	1	20
Trichloroethene			20.0	19.5		ug/L		98	83 - 120	5	20
Trichlorofluoromethane			20.0	21.2		ug/L		106	74 - 135	10	20
Vinyl acetate			20.0	16.1		ug/L		81	56 - 135	6	24
Vinyl chloride			20.0	20.5		ug/L		102	68 - 131	12	20

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*107*		*80 - 120*
4-Bromofluorobenzene (Surr)	*100*		*80 - 120*
Dibromofluoromethane (Surr)	*100*		*80 - 120*
Toluene-d8 (Surr)	*97*		*80 - 120*

Method: 625.1 - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 570-806145/1-A
Matrix: Water
Analysis Batch: 807530

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 806145

Tentatively Identified Compound	*MB Est. Result*	*MB Qualifier*	*Unit*	*D*	*RT*	*CAS No.*	*Prepared*	*Analyzed*	*Dil Fac*
Tentatively Identified Compound	*None*		*ug/L*			*N/A*	*09/26/26 07:58*	*09/29/26 14:50*	*1*

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2,4,6-Tribromophenol (Surr)	*69*		*33 - 139*	*09/26/26 07:58*	*09/29/26 14:50*	*1*
2-Fluorobiphenyl (Surr)	*89*		*33 - 126*	*09/26/26 07:58*	*09/29/26 14:50*	*1*
2-Fluorophenol (Surr)	*45*		*12 - 120*	*09/26/26 07:58*	*09/29/26 14:50*	*1*
Nitrobenzene-d5 (Surr)	*84*		*36 - 120*	*09/26/26 07:58*	*09/29/26 14:50*	*1*
Phenol-d6 (Surr)	*18*		*10 - 120*	*09/26/26 07:58*	*09/29/26 14:50*	*1*
p-Terphenyl-d14 (Surr)	*91*		*47 - 131*	*09/26/26 07:58*	*09/29/26 14:50*	*1*

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Lab Sample ID: MB 570-806145/1-A
Matrix: Water
Analysis Batch: 806634

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 806145

Analyte	MB Result	MB Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	<0.20		0.20		ug/L		09/26/26 07:58	09/28/26 08:57	1
2-Methylnaphthalene	<0.20		0.20		ug/L		09/26/26 07:58	09/28/26 08:57	1
Acenaphthene	<0.20		0.20		ug/L		09/26/26 07:58	09/28/26 08:57	1
Acenaphthylene	<0.20		0.20		ug/L		09/26/26 07:58	09/28/26 08:57	1
Anthracene	<0.20		0.20		ug/L		09/26/26 07:58	09/28/26 08:57	1
Benzo[a]anthracene	<0.20		0.20		ug/L		09/26/26 07:58	09/28/26 08:57	1
Benzo[a]pyrene	<0.20		0.20		ug/L		09/26/26 07:58	09/28/26 08:57	1
Benzo[b]fluoranthene	<0.20		0.20		ug/L		09/26/26 07:58	09/28/26 08:57	1
Benzo[g,h,i]perylene	<0.20		0.20		ug/L		09/26/26 07:58	09/28/26 08:57	1
Benzo[k]fluoranthene	<0.20		0.20		ug/L		09/26/26 07:58	09/28/26 08:57	1
Chrysene	<0.20		0.20		ug/L		09/26/26 07:58	09/28/26 08:57	1
Dibenz(a,h)anthracene	<0.20		0.20		ug/L		09/26/26 07:58	09/28/26 08:57	1

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

Lab Sample ID: MB 570-806145/1-A
Matrix: Water
Analysis Batch: 806634

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 806145

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoranthene	<0.20		0.20	ug/L		09/26/26 07:58	09/28/26 08:57	1
Fluorene	<0.20		0.20	ug/L		09/26/26 07:58	09/28/26 08:57	1
Indeno[1,2,3-cd]pyrene	<0.20		0.20	ug/L		09/26/26 07:58	09/28/26 08:57	1
Naphthalene	<0.20		0.20	ug/L		09/26/26 07:58	09/28/26 08:57	1
Phenanthrene	<0.20		0.20	ug/L		09/26/26 07:58	09/28/26 08:57	1
Pyrene	<0.20		0.20	ug/L		09/26/26 07:58	09/28/26 08:57	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2,4,6-Tribromophenol (Surr)	*87*		*28 - 127*	*09/26/26 07:58*	*09/28/26 08:57*	*1*
2-Fluorobiphenyl (Surr)	*75*		*31 - 120*	*09/26/26 07:58*	*09/28/26 08:57*	*1*
2-Fluorophenol (Surr)	*52*		*17 - 120*	*09/26/26 07:58*	*09/28/26 08:57*	*1*
Nitrobenzene-d5 (Surr)	*83*		*27 - 120*	*09/26/26 07:58*	*09/28/26 08:57*	*1*
Phenol-d6 (Surr)	*34*		*10 - 120*	*09/26/26 07:58*	*09/28/26 08:57*	*1*
p-Terphenyl-d14 (Surr)	*72*		*45 - 120*	*09/26/26 07:58*	*09/28/26 08:57*	*1*

Lab Sample ID: LCS 570-806145/2-A
Matrix: Water
Analysis Batch: 806634

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 806145

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1-Methylnaphthalene	20.0	10.8		ug/L		54	47 - 120
2-Methylnaphthalene	20.0	10.6		ug/L		53	43 - 120
Acenaphthene	20.0	14.6		ug/L		73	60 - 132
Acenaphthylene	20.0	14.3		ug/L		72	54 - 126
Anthracene	20.0	15.3		ug/L		76	43 - 120
Benzo[a]anthracene	20.0	15.7		ug/L		79	42 - 133
Benzo[a]pyrene	20.0	16.9		ug/L		85	32 - 148
Benzo[b]fluoranthene	20.0	15.9		ug/L		80	42 - 140
Benzo[g,h,i]perylene	20.0	15.3		ug/L		76	1 - 195
Benzo[k]fluoranthene	20.0	16.1		ug/L		80	25 - 146
Chrysene	20.0	15.3		ug/L		77	44 - 140
Dibenz(a,h)anthracene	20.0	15.3		ug/L		76	1 - 200
Fluoranthene	20.0	16.0		ug/L		80	43 - 121
Fluorene	20.0	15.1		ug/L		76	70 - 120
Indeno[1,2,3-cd]pyrene	20.0	15.4		ug/L		77	1 - 151
Naphthalene	20.0	10.8		ug/L		54	36 - 120
Phenanthrene	20.0	15.5		ug/L		77	65 - 120
Pyrene	20.0	15.7		ug/L		79	70 - 120

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
2,4,6-Tribromophenol (Surr)	*77*		*28 - 127*
2-Fluorobiphenyl (Surr)	*74*		*31 - 120*
2-Fluorophenol (Surr)	*56*		*17 - 120*
Nitrobenzene-d5 (Surr)	*60*		*27 - 120*
Phenol-d6 (Surr)	*38*		*10 - 120*
p-Terphenyl-d14 (Surr)	*78*		*45 - 120*

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

Lab Sample ID: LCSD 570-806145/3-A
Matrix: Water
Analysis Batch: 806634

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 806145

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1-Methylnaphthalene			20.0	11.4		ug/L		57	47 - 120	5	20
2-Methylnaphthalene			20.0	11.2		ug/L		56	43 - 120	5	20
Acenaphthene			20.0	14.9		ug/L		75	60 - 132	2	29
Acenaphthylene			20.0	14.7		ug/L		73	54 - 126	2	45
Anthracene			20.0	15.7		ug/L		78	43 - 120	3	40
Benzo[a]anthracene			20.0	16.5		ug/L		83	42 - 133	5	32
Benzo[a]pyrene			20.0	17.2		ug/L		86	32 - 148	2	43
Benzo[b]fluoranthene			20.0	16.6		ug/L		83	42 - 140	4	43
Benzo[g,h,i]perylene			20.0	15.8		ug/L		79	1 - 195	3	61
Benzo[k]fluoranthene			20.0	16.5		ug/L		82	25 - 146	2	38
Chrysene			20.0	15.9		ug/L		80	44 - 140	4	53
Dibenz(a,h)anthracene			20.0	15.8		ug/L		79	1 - 200	3	75
Fluoranthene			20.0	16.5		ug/L		83	43 - 121	3	40
Fluorene			20.0	15.6		ug/L		78	70 - 120	3	23
Indeno[1,2,3-cd]pyrene			20.0	15.9		ug/L		79	1 - 151	3	60
Naphthalene			20.0	10.9		ug/L		55	36 - 120	1	39
Phenanthrene			20.0	16.0		ug/L		80	65 - 120	3	24
Pyrene			20.0	16.7		ug/L		84	70 - 120	6	30

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
2,4,6-Tribromophenol (Surr)	*78*		*28 - 127*
2-Fluorobiphenyl (Surr)	*74*		*31 - 120*
2-Fluorophenol (Surr)	*57*		*17 - 120*
Nitrobenzene-d5 (Surr)	*60*		*27 - 120*
Phenol-d6 (Surr)	*39*		*10 - 120*
p-Terphenyl-d14 (Surr)	*81*		*45 - 120*

Lab Sample ID: 380-237858-B-1-A MS
Matrix: Water
Analysis Batch: 807307

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 806145

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
1-Methylnaphthalene	<0.19		19.4	11.8		ug/L		60	36 - 120		
2-Methylnaphthalene	<0.19		19.4	11.9		ug/L		61	32 - 124		
Acenaphthene	<0.19		19.4	15.9		ug/L		82	47 - 145		
Acenaphthylene	<0.19		19.4	15.7		ug/L		81	33 - 145		
Anthracene	<0.19		19.4	16.1		ug/L		83	27 - 133		
Benzo[a]anthracene	<0.19		19.4	17.4		ug/L		89	33 - 143		
Benzo[a]pyrene	<0.19		19.4	18.0		ug/L		93	17 - 163		
Benzo[b]fluoranthene	<0.19		19.4	17.5		ug/L		90	24 - 159		
Benzo[g,h,i]perylene	<0.19		19.4	15.9		ug/L		82	1 - 219		
Benzo[k]fluoranthene	<0.19		19.4	17.0		ug/L		88	11 - 162		
Chrysene	<0.19		19.4	16.6		ug/L		85	17 - 168		
Dibenz(a,h)anthracene	<0.19		19.4	15.8		ug/L		81	1 - 227		
Fluoranthene	<0.19		19.4	17.0		ug/L		87	26 - 137		
Fluorene	<0.19		19.4	16.4		ug/L		84	59 - 121		
Indeno[1,2,3-cd]pyrene	<0.19		19.4	16.1		ug/L		83	1 - 171		
Naphthalene	<0.19		19.4	11.3		ug/L		58	21 - 133		

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

Lab Sample ID: 380-237858-B-1-A MS — **Client Sample ID: Matrix Spike**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 807307 — **Prep Batch: 806145**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Phenanthrene	<0.19		19.4	16.4		ug/L		85	54 - 120
Pyrene	<0.19		19.4	18.3		ug/L		94	52 - 120

Surrogate	*MS %Recovery*	*MS Qualifier*	*Limits*
2,4,6-Tribromophenol (Surr)	*88*		*28 - 127*
2-Fluorobiphenyl (Surr)	*82*		*31 - 120*
2-Fluorophenol (Surr)	*62*		*17 - 120*
Nitrobenzene-d5 (Surr)	*63*		*27 - 120*
Phenol-d6 (Surr)	*40*		*10 - 120*
p-Terphenyl-d14 (Surr)	*89*		*45 - 120*

Lab Sample ID: 380-237858-B-1-B MSD — **Client Sample ID: Matrix Spike Duplicate**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 807307 — **Prep Batch: 806145**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1-Methylnaphthalene	<0.19		19.4	10.6		ug/L		55	36 - 120	10	30
2-Methylnaphthalene	<0.19		19.4	10.7		ug/L		55	32 - 124	11	30
Acenaphthene	<0.19		19.4	13.9		ug/L		72	47 - 145	13	48
Acenaphthylene	<0.19		19.4	13.9		ug/L		72	33 - 145	12	74
Anthracene	<0.19		19.4	14.8		ug/L		76	27 - 133	8	66
Benzo[a]anthracene	<0.19		19.4	16.0		ug/L		83	33 - 143	8	53
Benzo[a]pyrene	<0.19		19.4	16.6		ug/L		85	17 - 163	8	72
Benzo[b]fluoranthene	<0.19		19.4	16.2		ug/L		83	24 - 159	8	71
Benzo[g,h,i]perylene	<0.19		19.4	14.9		ug/L		77	1 - 219	6	97
Benzo[k]fluoranthene	<0.19		19.4	15.5		ug/L		80	11 - 162	10	63
Chrysene	<0.19		19.4	15.2		ug/L		78	17 - 168	9	87
Dibenz(a,h)anthracene	<0.19		19.4	14.8		ug/L		76	1 - 227	6	126
Fluoranthene	<0.19		19.4	15.7		ug/L		81	26 - 137	8	66
Fluorene	<0.19		19.4	14.6		ug/L		75	59 - 121	11	38
Indeno[1,2,3-cd]pyrene	<0.19		19.4	14.9		ug/L		77	1 - 171	8	99
Naphthalene	<0.19		19.4	10.1		ug/L		52	21 - 133	11	65
Phenanthrene	<0.19		19.4	15.0		ug/L		77	54 - 120	9	39
Pyrene	<0.19		19.4	16.7		ug/L		86	52 - 120	9	49

Surrogate	*MSD %Recovery*	*MSD Qualifier*	*Limits*
2,4,6-Tribromophenol (Surr)	*77*		*28 - 127*
2-Fluorobiphenyl (Surr)	*73*		*31 - 120*
2-Fluorophenol (Surr)	*51*		*17 - 120*
Nitrobenzene-d5 (Surr)	*57*		*27 - 120*
Phenol-d6 (Surr)	*34*		*10 - 120*
p-Terphenyl-d14 (Surr)	*82*		*45 - 120*

Method: 8015B GRO LL - Gasoline Range Organics - (GC)

Lab Sample ID: MB 570-808619/6 — **Client Sample ID: Method Blank**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 808619

Analyte	MB Result	MB Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	<10		10		ug/L			10/01/26 11:50	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
4-Bromofluorobenzene (Surr)	*101*		*38 - 134*		*10/01/26 11:50*	*1*

Lab Sample ID: LCS 570-808619/3 — **Client Sample ID: Lab Control Sample**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 808619

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
Gasoline Range Organics (C4-C13)			400	396		ug/L		99	78 - 120		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
4-Bromofluorobenzene (Surr)	*99*		*38 - 134*

Lab Sample ID: LCSD 570-808619/4 — **Client Sample ID: Lab Control Sample Dup**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 808619

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (C4-C13)			400	384		ug/L		96	78 - 120	3	10

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
4-Bromofluorobenzene (Surr)	*97*		*38 - 134*

Lab Sample ID: MRL 570-808619/5 — **Client Sample ID: Lab Control Sample**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 808619

Analyte			Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits		
Gasoline Range Organics (C4-C13)			10.0	13.0		ug/L		130	50 - 150		

Surrogate	*MRL %Recovery*	*MRL Qualifier*	*Limits*
4-Bromofluorobenzene (Surr)	*96*		*38 - 134*

Lab Sample ID: 380-237858-C-1 MS — **Client Sample ID: Matrix Spike**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 808619

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
Gasoline Range Organics (C4-C13)	<10		400	383		ug/L		96	68 - 122		

Surrogate	*MS %Recovery*	*MS Qualifier*	*Limits*
4-Bromofluorobenzene (Surr)	*100*		*38 - 134*

Method: 8015B GRO LL - Gasoline Range Organics - (GC)

Lab Sample ID: 380-237858-C-1 MSD — **Client Sample ID: Matrix Spike Duplicate**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 808619

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (C4-C13)	<10		400	392		ug/L		98	68 - 122	2	18

Surrogate	*MSD %Recovery*	*MSD Qualifier*	*Limits*
4-Bromofluorobenzene (Surr)	*101*		*38 - 134*

Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level

Lab Sample ID: MB 570-806448/1-A — **Client Sample ID: Method Blank**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 809548 — **Prep Batch: 806448**

Analyte	MB Result	MB Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	<25		25		ug/L		09/27/26 14:54	10/02/26 19:38	1
Motor Oil Range Organics [C24-C36]	<25		25		ug/L		09/27/26 14:54	10/02/26 19:38	1
C8-C18	<25		25		ug/L		09/27/26 14:54	10/02/26 19:38	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
n-Octacosane (Surr)	*87*		*60 - 130*	*09/27/26 14:54*	*10/02/26 19:38*	*1*

Lab Sample ID: LCS 570-806448/2-A — **Client Sample ID: Lab Control Sample**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 809548 — **Prep Batch: 806448**

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
C10-C28			1600	1380		ug/L		86	56 - 127		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
n-Octacosane (Surr)	*92*		*60 - 130*

Lab Sample ID: LCSD 570-806448/3-A — **Client Sample ID: Lab Control Sample Dup**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 809548 — **Prep Batch: 806448**

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
C10-C28			1600	1500		ug/L		94	56 - 127	9	23

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
n-Octacosane (Surr)	*97*		*60 - 130*

Lab Sample ID: MRL 570-806448/4-A — **Client Sample ID: Lab Control Sample**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 809548 — **Prep Batch: 806448**

Analyte			Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits		
C10-C28			0.0200	0.0252		mg/L		126	50 - 150		

Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level (Continued)

Lab Sample ID: MRL 570-806448/4-A — **Client Sample ID: Lab Control Sample**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 809548 — **Prep Batch: 806448**

Surrogate	MRL %Recovery	MRL Qualifier	Limits
n-Octacosane (Surr)	89		60 - 130

Lab Sample ID: 380-237858-A-1-A MS — **Client Sample ID: Matrix Spike**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 809548 — **Prep Batch: 806448**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
C10-C28	<25		1650	1660		ug/L		100	70 - 130		

Surrogate	MS %Recovery	MS Qualifier	Limits
n-Octacosane (Surr)	103		60 - 130

Lab Sample ID: 380-237858-A-1-B MSD — **Client Sample ID: Matrix Spike Duplicate**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 809548 — **Prep Batch: 806448**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
C10-C28	<25		1620	1370		ug/L		85	70 - 130	19	20

Surrogate	MSD %Recovery	MSD Qualifier	Limits
n-Octacosane (Surr)	91		60 - 130

QC Association Summary

Client: City & County of Honolulu
Project/Site: INTERA - Red-Hill-Incident

Job ID: 380-238111-1
SDG: Site A1 625.1, 8015B_DRO/_GRO, 8260B

GC/MS VOA

Analysis Batch: 809182

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-238111-1	BWS2254-A1-AQ	Total/NA	Water	8260B	
380-238111-2	BWS2254-A1-TB	Total/NA	Water	8260B	
MB 570-809182/8	Method Blank	Total/NA	Water	8260B	
LCS 570-809182/1003	Lab Control Sample	Total/NA	Water	8260B	
LCSD 570-809182/6	Lab Control Sample Dup	Total/NA	Water	8260B	

GC/MS Semi VOA

Prep Batch: 806145

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-238111-1	BWS2254-A1-AQ	Total/NA	Water	625.1	
MB 570-806145/1-A	Method Blank	Total/NA	Water	625.1	
LCS 570-806145/2-A	Lab Control Sample	Total/NA	Water	625.1	
LCSD 570-806145/3-A	Lab Control Sample Dup	Total/NA	Water	625.1	
380-237858-B-1-A MS	Matrix Spike	Total/NA	Water	625.1	
380-237858-B-1-B MSD	Matrix Spike Duplicate	Total/NA	Water	625.1	

Analysis Batch: 806634

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 570-806145/1-A	Method Blank	Total/NA	Water	625.1 SIM	806145
LCS 570-806145/2-A	Lab Control Sample	Total/NA	Water	625.1 SIM	806145
LCSD 570-806145/3-A	Lab Control Sample Dup	Total/NA	Water	625.1 SIM	806145

Analysis Batch: 807307

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-238111-1	BWS2254-A1-AQ	Total/NA	Water	625.1 SIM	806145
380-237858-B-1-A MS	Matrix Spike	Total/NA	Water	625.1 SIM	806145
380-237858-B-1-B MSD	Matrix Spike Duplicate	Total/NA	Water	625.1 SIM	806145

Analysis Batch: 807530

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-238111-1	BWS2254-A1-AQ	Total/NA	Water	625.1	806145
MB 570-806145/1-A	Method Blank	Total/NA	Water	625.1	806145

GC VOA

Analysis Batch: 808619

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-238111-1	BWS2254-A1-AQ	Total/NA	Water	8015B GRO LL	
380-238111-2	BWS2254-A1-TB	Total/NA	Water	8015B GRO LL	
MB 570-808619/6	Method Blank	Total/NA	Water	8015B GRO LL	
LCS 570-808619/3	Lab Control Sample	Total/NA	Water	8015B GRO LL	
LCSD 570-808619/4	Lab Control Sample Dup	Total/NA	Water	8015B GRO LL	
MRL 570-808619/5	Lab Control Sample	Total/NA	Water	8015B GRO LL	
380-237858-C-1 MS	Matrix Spike	Total/NA	Water	8015B GRO LL	
380-237858-C-1 MSD	Matrix Spike Duplicate	Total/NA	Water	8015B GRO LL	

GC Semi VOA

Prep Batch: 806448

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-238111-1	BWS2254-A1-AQ	Total/NA	Water	3510C	

GC Semi VOA (Continued)

Prep Batch: 806448 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 570-806448/1-A	Method Blank	Total/NA	Water	3510C	
LCS 570-806448/2-A	Lab Control Sample	Total/NA	Water	3510C	
LCSD 570-806448/3-A	Lab Control Sample Dup	Total/NA	Water	3510C	
MRL 570-806448/4-A	Lab Control Sample	Total/NA	Water	3510C	
380-237858-A-1-A MS	Matrix Spike	Total/NA	Water	3510C	
380-237858-A-1-B MSD	Matrix Spike Duplicate	Total/NA	Water	3510C	

Analysis Batch: 809548

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-238111-1	BWS2254-A1-AQ	Total/NA	Water	8015B	806448
MB 570-806448/1-A	Method Blank	Total/NA	Water	8015B	806448
LCS 570-806448/2-A	Lab Control Sample	Total/NA	Water	8015B	806448
LCSD 570-806448/3-A	Lab Control Sample Dup	Total/NA	Water	8015B	806448
MRL 570-806448/4-A	Lab Control Sample	Total/NA	Water	8015B	806448
380-237858-A-1-A MS	Matrix Spike	Total/NA	Water	8015B	806448
380-237858-A-1-B MSD	Matrix Spike Duplicate	Total/NA	Water	8015B	806448

Lab Chronicle

Client: City & County of Honolulu
Project/Site: INTERA - Red-Hill-Incident

Job ID: 380-238111-1
SDG: Site A1 625.1, 8015B_DRO/_GRO, 8260B

Client Sample ID: BWS2254-A1-AQ

Lab Sample ID: 380-238111-1

Date Collected: 09/22/26 13:30
Matrix: Water
Date Received: 09/24/26 09:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260B		1	809182	U1MC	EET CAL 4	10/02/26 13:51
Total/NA	Prep	625.1			806145	KLZQ	EET CAL 4	09/26/26 07:58
Total/NA	Analysis	625.1		1	807530	S4EA	EET CAL 4	09/29/26 21:41
Total/NA	Prep	625.1			806145	KLZQ	EET CAL 4	09/26/26 07:58
Total/NA	Analysis	625.1 SIM		1	807307	J7WE	EET CAL 4	09/29/26 17:00
Total/NA	Analysis	8015B GRO LL		1	808619	A9VE	EET CAL 4	10/01/26 21:33
Total/NA	Prep	3510C			806448	TVD6	EET CAL 4	09/28/26 10:14
Total/NA	Analysis	8015B		1	809548	H6FE	EET CAL 4	10/03/26 01:05

Client Sample ID: BWS2254-A1-TB

Lab Sample ID: 380-238111-2

Date Collected: 09/22/26 13:30
Matrix: Water
Date Received: 09/24/26 09:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260B		1	809182	U1MC	EET CAL 4	10/02/26 11:01
Total/NA	Analysis	8015B GRO LL		1	808619	A9VE	EET CAL 4	10/01/26 19:15

Laboratory References:

EET CAL 4 = Eurofins Calscience Tustin, 2841 Dow Avenue, Tustin, CA 92780, TEL (714)895-5494

Accreditation/Certification Summary

Client: City & County of Honolulu
Project/Site: INTERA - Red-Hill-Incident

Job ID: 380-238111-1
SDG: Site A1 625.1, 8015B_DRO/_GRO, 8260B

Laboratory: Eurofins Calscience

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
A2LA	Dept. of Defense ELAP	7296.01	11-30-26
A2LA	ISO/IEC 17025	7296.01	11-30-26
Alaska (UST)	State	25-005	03-02-27
Arizona	State	AZ0830	11-16-26
California	Los Angeles County Sanitation Districts	9257304	07-31-28
California	SCAQMD LAP	17LA0919	11-30-26
California	State	3082	07-31-28
Kansas	NELAP	E-10420	07-31-27
Nevada	State	CA00111	07-31-27
Oregon	NELAP	4175	02-02-27
Texas	NELAP	T104704499	07-31-27
USDA	US Federal Programs	525-23-159-97150	01-01-27
Utah	NELAP	CA00111	02-28-27
Washington	State	C916	10-12-26

Method Summary

Client: City & County of Honolulu
Project/Site: INTERA - Red-Hill-Incident

Job ID: 380-238111-1
SDG: Site A1 625.1, 8015B_DRO/_GRO, 8260B

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	EET CAL 4
625.1	Semivolatile Organic Compounds (GC/MS)	EPA	EET CAL 4
625.1 SIM	Semivolatile Organic Compounds GC/MS (SIM)	EPA	EET CAL 4
8015B GRO LL	Gasoline Range Organics - (GC)	SW846	EET CAL 4
8015B	Diesel Range Organics (DRO) (GC) Low Level	SW846	EET CAL 4
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	EET CAL 4
5030C	Purge and Trap	SW846	EET CAL 4
625.1	Liquid-Liquid Extraction	40CFR136A	EET CAL 4

Protocol References:

40CFR136A = "Methods for Organic Chemical Analysis of Municipal Industrial Wastewater ", 40CFR, Part 136, Appendix A, October 26, 1984 and subsequent revisions.
EPA = US Environmental Protection Agency
SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CAL 4 = Eurofins Calscience Tustin, 2841 Dow Avenue, Tustin, CA 92780, TEL (714)895-5494

Sample Summary

Client: City & County of Honolulu
Project/Site: INTERA - Red-Hill-Incident

Job ID: 380-238111-1
SDG: Site A1 625.1, 8015B_DRO/_GRO, 8260B

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
380-238111-1	BWS2254-A1-AQ	Water	09/22/26 13:30	09/24/26 09:40	Hawaii
380-238111-2	BWS2254-A1-TB	Water	09/22/26 13:30	09/24/26 09:40	Hawaii

Eurofins Pomona
941 Corporate Center Drive
Pomona, CA 91768-2642
Phone (626) 386-1100

Chain of Custody Record

eurofins | Environment Testing

Client Information	Sampler: H Bentley (808) 321-0683	Lab PM: Lopez, Maria	Carrier Tracking No(s):	COC No:
Client Contact: Mr Erwin Kawata	Phone: 858-205-0730	E-Mail: Maria.Lopez@et.eurofinsus com	State of Origin: Hawaii	Page: Page 1 of 1
Company: City & County of Honolulu	PWSID:			Job #:
Address: 630 South Beretania Street	Due Date Requested:			Preservation Codes: A - HCL, N - None
City: Honolulu	TAT Requested (days): Standard			
State Zip: HI 96843	Compliance Project: Δ Yes X No			
Phone: 808-748-5066	PO #:			380-238111 COC
Email: ekawata@hbws.org	WO #:			
Project Name: INTERA - Red-Hill-Incident	Project #: 38000861			Other:
Site: A1	SSOW#:			

Analysis Requested

Sample Identification	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (W=water S=solid, O=waste/oil, BT=Tissue, A=Air DW=Drinking Water)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	8260B - (MOD) Super Volatiles List	8015B_GRO_LL - (MOD) GRO	8015B_DRO_LL_CS - HNL Ranges C10-C24/C24-C36/C8-C18	625.1, 625.1_SIM	Total Number of containers	Special Instructions/Note:
			Preservation Code:				A	A	N	N		
BWS2254-A1-AQ	9/22/26	1330	G	Water	N	N	4	4	3	2	13	
BWS2254-A1-TB	9/22/26	1330	G	Water	N	N	2	2			4	LAB FILLED TRIP BLANK
~~BWS2254-A1-FB~~	~~9/22/26~~	~~1330~~	~~G~~	~~Water~~	~~N~~	~~N~~	~~2~~	~~2~~	~~1~~	~~1~~	6	Field Reagant Blank

Possible Hazard Identification
☐ X Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Radiological

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
☐ Return To Client ☐ X Disposal By Lab ☐ Archive For _____ Months

Deliverable Requested I II III IV Other (specify)

Special Instructions/QC Requirements.

Empty Kit Relinquished by:	Date:	Time:	Method of Shipment: FX

Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company
	~~9/23/2026 14:00~~	INTERA, INC	[illegible]	9/24/26 940	EEAP
	9/23/2026 14:00	INTERA Inc			

Custody Seals Intact:	Custody Seal No	Cooler Temperature(s) °C and Other Remarks:
Δ Yes Δ No		6(A) 5.4/5.3 Ice - Partial

Ver: 05/06/2024

10/5/2026

Loc: 380
238111

Eurofins Pomona
941 Corporate Center Drive
Pomona, CA 91768-2642
Phone: 626-386-1100

Chain of Custody Record

eurofins

Client Information (Sub Contract Lab)	Sampler: N/A	Lab PM: Lopez, Maria	Carrier Tracking No(s): N/A	COC No: 380-384983.1
Client Contact: Shipping/Receiving	Phone: N/A	E-Mail: Maria.Lopez@et.eurofinsus.com	State of Origin: Hawaii	Page: Page 1 of 1
Company: Eurofins Environment Testing Southwest L		Accreditations Required (See note): State - Hawaii		Job #: 380-238111-1
Address: 2841 Dow Avenue, Suite 100,	Due Date Requested: 10/5/2026			Preservation Codes: -
City: Tustin	TAT Requested (days): N/A			
State, Zip: CA, 92780				
Phone: 714-895-5494(Tel)	PO #: N/A			
Email: N/A	WO #: N/A			
Project Name: INTERA - Red-Hill-Incident	Project #: 38000861			
Site: Honolulu BWS Sites	SSOW#: N/A			Other: N/A

Analysis Requested

Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	8260B/5030C(MOD) Super Volatiles List	8015B_DRO_LL_CS/3510C_LLHNL Ranges: C10-C24/C24-C36/C8-C18	8015B_GRO_LL/5030C(MOD) GRO	625.1_SIM/625_Prep(MOD) Extended PAH List	Total Number of containers	Special Instructions/Note:
			Preservation Code:									
BWS2254-A1-AQ (380-238111-1)	9/22/26	13:30 Hawaiian	G	Water			X	X	X	X	13	MRLs are needed. Confirm any hits >RL., MRLs are needed.
BWS2254-A1-TB (380-238111-2)	9/22/26	13:30 Hawaiian	G	Water			X				4	MRLs are needed. Confirm any hits >RL.

380-238111 Chain of Custody

Note: Since laboratory accreditations are subject to change, Eurofins Drinking Water and Wastewater West, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/tests/matrix being analyzed, the samples must be shipped back to the Eurofins Drinking Water and Wastewater West, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Drinking Water and Wastewater West, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Drinking Water and Wastewater West, LLC.

Possible Hazard Identification *Unconfirmed*	*Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)* ☐ *Return To Client* ☐ *Disposal By Lab* ☐ *Archive For* _____ *Months*
Deliverable Requested: I, II, III, IV, Other (specify) Primary Deliverable Rank: 2	Special Instructions/QC Requirements:

Empty Kit Relinquished by:	Date:	Time:	Method of Shipment:

Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company
[signature] Mark Uratia	9/24/26 1700	EKAP	[signature] Leos	9.24.26 17:05	CAZ
[signature] Leos	9.24.26 18:12	WAO	[signature]	9/24/26 1812	EC

Custody Seals Intact: Δ Yes Δ No	Custody Seal No.:	Cooler Temperature(s) °C and Other Remarks: 2-2/2-3 IR-3

Ver: 08/18/2026

Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-238111-1
SDG Number: Site A1 625.1, 8015B_DRO/_GRO, 8260B

Login Number: 238111
List Number: 1
Creator: Edrosa, Rey

List Source: Eurofins Pomona

Question	Answer	Comment
The coolers custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
Samples were received on ice.	True	
Cooler(s) Temperature is acceptable.	True	
Cooler(s) Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and is legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
ClO4 headspace requirement met (>50% for CA, >30% for other states).	N/A	
Samples do not require splitting or compositing.	True	
Container provided by EEA	True	

Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-238111-1
SDG Number: Site A1 625.1, 8015B_DRO/_GRO, 8260B

Login Number: 238111
List Number: 2
Creator: Khana, Piyush

List Source: Eurofins Calscience
List Creation: 09/24/26 07:45 PM

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	2.3
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	Received project as a subcontract.
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	